Published in final edited form as:

Placenta. 2019 January 15; 76: 54. doi:10.1016/j.placenta.2019.01.004.

Corrigendum to “Phthalate metabolites and bisphenol-A in association with circulating angiogenic biomarkers across pregnancy” [Placenta 36 (2015) 699–703]

K.K. Ferguson^a, T.F. McElrath^b, D.E. Cantonwine^b, B. Mukherjee^c, and J.D. Meeker^{a,*}

^aDepartment of Environmental Health Sciences, University of Michigan School of Public Health, 1415 Washington Heights, Ann Arbor, MI 48109-2029, USA

^bDivision of Maternal-Fetal Medicine, Brigham and Women’s Hospital, Harvard Medical School, 75 Francis Street, Boston, MA 02115, USA

^cDepartment of Biostatistics, University of Michigan School of Public Health, 1415 Washington Heights, Ann Arbor, MI 48109-2029, USA

The authors regret an error that resulted in the reverse-coding of fetal sex. In Table 1 we present the n(%) of the population that is carrying a male vs. a female fetus, as well as the concentrations of plasma angiogenic biomarkers by fetal sex. The labeling of these rows is reversed.

The authors would like to apologise for any inconvenience caused.

*Corresponding author. meekerj@umich.edu (J.D. Meeker).