Erratum to: Advanced Glycation End Products: Receptors for Advanced Glycation End Products Axis in Coronary Stent Restenosis: A Prospective Study

Colin Pearce, MD, FRCPC¹ Naorin Islam, MSc(S)² Rhonda Bryce, MD² Erick Donnell McNair, PhD, FICA³

¹ Division of Cardiology, Department of Medicine, University of Saskatchewan, Saskatoon, Saskatchewan, Canada

² Department of Community Health and Epidemiology, University of Saskatchewan, Saskatoon, Saskatchewan, Canada

³ Department of Pathology and Laboratory Medicine, University of Saskatchewan, Saskatoon, Saskatchewan, Canada

Address for correspondence Erick Donnell McNair, PhD, FICA, Pathology and Laboratory Medicine, University of Saskatchewan, 107 Wiggins Road, Health Science Building, Saskatoon, Saskatchewan S7N5E5, Canada (e-mail: erick.mcnair@usask.ca).

Int J Angiol 2018;27:e1.

ERRATUM

It has been brought to the Publisher's attention that the name of the third author of this article is incorrectly spelt as "Robyn Bryce" in the article published in International Journal of Angiology issue 27.4. DOI of the original article is: 10.1055/s-0038-1673660. Third author name should be read as Dr Rhonda Bryce in place of Robyn Bryce. The correct list of authors is as above.