Published in final edited form as:

J Behav Med. 2019 June ; 42(3): 401–422. doi:10.1007/s10865-018-9997-5.

Do Ultraviolet Photos Increase Sun Safe Behavior Expectations via Fear? A Randomized Controlled Trial in a Sample of U.S. Adults

Manusheela Pokharel¹, Katherine R. Christy², Jakob D. Jensen^{1,3}, Elizabeth Giorgi¹, Kevin K. John⁴, and Yelena P. Wu^{3,5}

¹Department of Communication, University of Utah

²School of Journalism and Mass Communication, University of Wisconsin-Madison

³Huntsman Cancer Institute, University of Utah

⁴School of Communications, Brigham Young University

⁵Department of Dermatology, University of Utah

Abstract

Ultraviolet (UV) photos reveal the world in a different light spectrum, including damage that is caused by UV light. In the context of skin cancer control, UV photos have the potential to communicate fear because they reveal underlying skin damage. U.S. adults ($N = 2,219$) were assigned to a 5 (visual: UV skin damage, sun exposure, sunburn, photoaging, and mole removal) $\times$ 3 (replication: three examples of each visual condition) $\times$ 4 (efficacy: no efficacy, text only, visual, visual + text) randomized controlled trial. Compared to all other visual conditions combined, UV skin damage visuals generated greater fear which triggered increased sun safe behavior expectations. Compared with other visual conditions separately, only mole removal visuals produced equivalent fear as UV skin damage visuals. Visual efficacy conditions appeared to nullify rather than magnify the indirect path through fear. The results suggest one way UV images impact sun safe behavioral expectations is via fear and that researchers should continue to examine the position of fear in fear appeal theories.

Keywords

skin cancer; sun-safe behaviors; fear appeal; UV photo; visuals; EPPM

Visuals are often used to communicate skin cancer risk because aspects of the risk, and the cancer, are visible (i.e., moles, mole removal scars) or appearance based (i.e., tanning

Correspondence to: Manusheela Pokharel, Department of Communication, University of Utah, 2618 LNCO, 255 S. Central Campus Drive, Salt Lake City, Utah, 84112, pokharel.sh@gmail.com.

Conflicts of interest: The authors have no conflicts of interest to declare.

Research involving Human Participants: All procedures performed in studies involving human participants were in accordance with the ethical standards of the institutional and/or national research committee and with the 1964 Helsinki declaration and its later amendments or comparable ethical standards. This article does not contain any studies with animals performed by any of the authors.

Informed consent: Informed consent was obtained from all individual participants included in the study.

behavior). This explains the abundance of visual images in skin cancer prevention campaigns and social media as well as the pursuit of innovative approaches to visualizing skin cancer risk. Concerning the latter, ultraviolet (UV) photos (i.e., photographs taken using UV light) reveal skin damage as dark spots and patches, which are caused by the agglomeration of melanin just beneath the skin's surface. These UV photos can be used to assess and communicate melanoma risk (Gamble et al., 2012; Hornung & Strecher, 2012). Accordingly, researchers have utilized UV photos in skin cancer prevention interventions. A meta-analysis found that UV photo interventions increased sun safe behavior and perceived susceptibility to aging of the skin (also known as photoaging; Williams, Grogan, Clark-Carter, & Buckley, 2013). The meta-analysis did not examine fear, as no available study had assessed it in an experimental design.

UV photos could be conceptualized as fear appeals, as they can cause viewers to reflect on the sun damage present in their own skin. Researchers have devoted considerable resources to studying fear appeals, or attempts to influence behavior by providing frightening information (Shen & Coles, 2015; Witte, 1992b, 1994). In pursuit of this goal, researchers have developed and refined numerous fear appeal theories over the past fifty years (Tannenbaum et al., 2015). The extended parallel process model (EPPM) represents a synthesis of earlier fear appeal theories, and has become one of the cornerstone frameworks for the study of fear (Maloney, Lapinski, & Witte, 2011). Different message types have been evaluated using the EPPM, including texts (Krieger & Sarge, 2013), visuals (Jain, Hoffman, Beam, & Xu, 2017), audio (Birmingham et al., 2015), and audiovisuals (Shi & Smith, 2016). Of these, scholars have noted a need for more research exploring visual fear appeals (King, 2015a).

The current study contributes to research on UV photo interventions, the EPPM, and visual fear appeals by comparing the persuasive impact of UV photos of skin damage to other visuals that convey skin cancer risk, develops and tests a UV efficacy visual (e.g., a person putting on sunscreen in UV light), and tests fear as a mediator. In a larger sense, the study compares five different types of skin cancer visuals (UV skin damage visuals, visuals of people engaging in sun exposure, visuals showing sunburned skin, visuals depicting aged skin, and mole removal incision visuals) and thus provides a foundation for future research focused on visual communication and skin cancer prevention.

The EPPM: A Framework for Studying Fear Appeals

The EPPM postulates that threat, efficacy, and fear all play a role in the processing of fear appeals (Witte, 1994). In the EPPM, threat is comprised of severity and susceptibility, where severity is the perceived *magnitude* of the negative consequences related to a hazard, and susceptibility is the perception of *self-vulnerability* to a hazard (Witte, 1994). Efficacy beliefs are comprised of self-efficacy and response efficacy, where self-efficacy is the perception of one's own *ability to perform* recommended behaviors, and response efficacy is the belief in the *effectiveness* of those behaviors in reducing or preventing a threat (Witte, 1994). But the EPPM is ultimately a framework for studying fear appeals and, fittingly, fear is central to the model. Within the EPPM, fear is defined as "... an internal emotional reaction comprising psychological and physiological dimensions that may be aroused when

a serious and personally relevant threat is perceived,” (Witte et al., 1996, p. 320). Fear is generated by demonstrating the negative consequences of a particular behavior in an at-risk individual; for example, a common smoking cessation fear appeal is to show imagery of a smoker’s tar coated lung as compared to a nonsmoker’s healthy lung.

The EPPM postulates that the interaction of perceived threat and efficacy will ignite a fear response; if threat is sufficiently mitigated by the efficacy portion of the message, it activates a danger control process that leads to the adoption or acceptance of the behaviors promoted by the intervention (Witte, 1992; Witte, Cameron, McKeon, & Berkowitz, 1996). However, threat unmitigated by efficacy activates a fear control process that generates uncontrolled fear which ultimately leads to rejection of the message. A review article summarizing six meta-analyses concluded that self-efficacy, response efficacy, and susceptibility are critical in achieving the intended results of fear appeals, whereas emphasizing the severity of a threat was not as impactful (Ruiter, Kessels, Peters, & Kok, 2014).

The EPPM is an important theory that has aided in the growth of fear appeal research (Maloney et al., 2011), but additional evaluation and exploration of the theoretical framework can strengthen it even further. To that end, researchers have pointed out a need for more experimental research evaluating fear-appeal theories (Peters, Ruiter, & Kok, 2013). Notably, debate continues on the mediating role of fear within fear appeal theories (O’Keefe, 2003; Popova, 2012). In their meta-analysis of fear appeal research, Tannenbaum and colleagues (2015) specifically note the lack of studies directly testing fear as a mediator:

Although many fear appeal theories discuss fear, empirical studies typically test the impact of fear appeal messages on outcomes, and subsequently infer that message effects were mediated by experienced fear even though fear itself is rarely measured (for a discussion, see Popova, 2012, p. 466). Indeed, only 71 of the 248 studies in the current meta-analysis measured fear directly, and such measures were typically treated as manipulation checks rather than independent variables or mediators. (p. 1180) Thus, there is a need for more theoretically grounded research that directly assesses fear as a mediator (not a manipulation check) to determine how it functions in fear appeal research (O’Keefe, 2003; Popova, 2012; Tannenbaum et al., 2015).

Skin Cancer Prevention, Ultra-violet (UV) Photo Interventions, and the EPPM

Skin cancer prevention is a suitable context for evaluating the EPPM as there is a heavy reliance on fear-based messaging and visuals (see, e.g., Mays & Zhao, 2016). Skin cancer is the most common type of cancer in the United States (Siegel, Miller, & Jemal, 2018), and efforts to educate the public about both risks and preventative behaviors rely heavily on visual messages, with significant variance in the forms, features, and categories used in these efforts (King, 2015b). Use of visual messages in skin cancer prevention efforts is common because unlike most types of cancer, skin cancer lesions are outwardly visible. These visual messages often include fear appeal elements, such as showing the results of blistering sunburns or the removal of cancerous lesions. However, it is inherently difficult to visualize the underlying cumulative skin damage as a result of excessive sun exposure, tanning, and blistering sunburns. Most skin damage is long-term and cumulative. The inability to see skin

damage in visible light might explain the attraction of tanning. Tanners may value short-term gains in appearance while disregarding the invisible damage to the skin that leads to long-term damage and risk.

UV photography offers an innovative solution to the challenge of visualizing skin damage. UV photographs are capable of revealing existing skin damage caused by UV light exposure which is normally invisible to the naked eye. Gamble and colleagues (2012) linked the damage depicted in UV photographs with phenotypic risk of developing melanoma (the most dangerous type of skin cancer), suggesting that UV photographs can help identify high-risk individuals. Since then, UV photography interventions have shown significant results in diverse samples, including children aged 11 to 13 (Demierre et al., 2009) and teenagers (Taylor, Westbrook, & Chang, 2016). Moreover, a meta-analysis found that UV photo interventions have positive impacts on sun-safe behavior and susceptibility to photoaging (Williams et al., 2013).

UV photos increase perceived susceptibility to photoaging, but do they increase perceived susceptibility to skin cancer and/or fear? One past study found that UV photo interventions increase perceived susceptibility to skin cancer (Emmons et al., 2011; for a review, see McWhirter & Hoffman-Goetz, 2013). Scholars have highlighted the importance of affect—particularly negative emotions—for interventions promoting sun-safe behaviors through appearance-based interventions (Mahler, 2014, 2015, 2018). Two studies (Mahler, 2014; Mahler, 2018) have assessed negative affect following exposure to UV photos, but only Mahler (2018) included a non-UV photo comparison condition. The evidence in hand suggests that UV photos likely generate negative affect compared to non-UV conditions. However, further investigation to parse out the affective component produced by UV photos is needed. Thus, we evaluate these queries and basic postulates of the EPPM in the first set of hypotheses:

H1: Compared to all other visual categories combined, a UV skin damage visual condition will generate greater (a) susceptibility, (b) severity, and (c) fear.

UV photos could also target self-efficacy and response efficacy by depicting an individual putting on sunscreen (which appears black in UV light). Utilizing this approach, we included four types of efficacy messages within the current study. Participants received either a no efficacy message, a text-only efficacy message, a UV visual only message (depicting an individual putting on sunscreen in UV light), or a combined visual and text message. We hypothesize that:

H2: Compared to the no efficacy and text-only efficacy message conditions, efficacy messages including a UV efficacy visual will generate greater (a) self-efficacy and (b) response efficacy.

The existing findings of UV intervention studies (Emmons et al., 2011; Mahler, 2014, 2015, 2018) mirror larger questions within fear appeal literature as past EPPM research has also questioned whether perceived threat triggers fear (or vice versa), whether fear needs to have a more prominent position in the model, and the ideal positioning and role of fear within the EPPM (Dillard, Li, & Huang, 2016; Dillard, Li, Meczowski, Yang, & Shen, 2016; So, 2013; Witte, 2013). Indeed, a recent meta-analysis noted that past research has rarely tested

the mediational role of fear (Tannenbaum et al., 2015). To this end, Mahler (2018) demonstrated that exposure to a UV photo and comparison photos of peers (with lower skin damage than themselves) generated negative emotions, which then mediated the relationship between condition and sun protection intentions.

Skin damage manifests over time, and so do sun safe behaviors. This presents skin cancer researchers with a challenge as quantifying sun safe behavior requires a measure of achieved or intended action across time. Recently, Armitage and colleagues (2015) found that behavioral expectation—what a person expects to do—is a better predictor of actual behavior than behavioral intention. Given that, the current study created measures of sun safety expectations to serve as an outcome to assess the emerging questions generated in EPPM literature. The following hypotheses postulate the mediating role of fear and moderating role of efficacy stimuli:

H3: Fear will mediate the relationship between exposure to UV skin damage visuals and sun safety behavioral expectations, such that participants in the UV skin damage visual condition will report greater fear, which will be positively related to behavior expectations regarding sun-safe practices.

H4: Exposure to a UV efficacy visual will moderate the indirect path through fear, such that the indirect effect of UV skin damage visuals on sun safety behavior expectations is larger for individuals receiving the efficacy visual.

Several studies of UV photo interventions have shown that UV photos promote skin cancer prevention behaviors (Gibbons, Gerrard, Lane, Mahler, & Kulik, 2005; Mahler, Kulik, Gerrard, & Gibbons, 2007). These previous studies were based on personalized UV photos (i.e., photos of the person in question), but the effects of stock UV photos (i.e., photos of unknown individuals) would benefit from additional research. The value of stock UV photos is that they are easy to generate/acquire and more comparable to most existing skin cancer visuals (which are typically stock images). Understanding the impact of stock UV photos also helps researchers to better understand the impact and value of personalized UV photos by isolating one message feature (UV) from another (personalized). Thus, the current study compares stock UV skin damage photos with four alternative forms of skin cancer risk visuals (visuals depicting sun exposure, sunburn, photoaging, or mole removal). In addition to examining how UV skin damage visuals perform compared to naturally-occurring skin cancer risk visuals in general, it is also valuable to study how UV skin damage visuals perform when compared with each of these discrete, naturally-occurring categories. For example, past research has found that visuals depicting the aftermath of mole removal can generate significant fear (Mays & Zhao, 2016). To understand the relative persuasive effects of stock UV visuals in comparison with other naturally-occurring skin cancer risk visuals, we asked the following research question (RQ):

RQ1: Compared to the UV skin damage visual category, is there another naturally-occurring skin cancer risk visual type that yields equivalent or greater impact on (a) susceptibility (b) severity, (c) self-efficacy, (d) response efficacy, (f) fear, and (e) behavioral expectation.

Method

Participants and Procedure

Qualtrics Panels recruited 2,219 adults (age range: 18–89, $M_{age} = 43.49$, $SD = 15.82$) from their national panel into an online message experiment. Approximately 45% of the participants were male. The participants filled out a consent form, completed a pretest, viewed one of the experimental conditions, and completed a posttest. The pretest survey included questions about demographics, susceptibility, severity, self-efficacy, response-efficacy, and behavior expectation. The post-test measured fear, susceptibility, severity, self-efficacy, response-efficacy, and behavior expectation. Participants were offered a small financial incentive by Qualtrics Panels to participate in the study.

Study Design

Participants were randomized to one of sixty conditions in a 5 (Visual factor: UV skin damage visuals, sun exposure visuals, sunburn visuals, photoaging visuals, and mole removal visuals) $\times$ 3 (replication factor: three examples of each visual condition) $\times$ 4 (Efficacy factor: no efficacy, text only, visual only, text + visual) between-participants message experiment. The replication factor was nested within the visual factor.

Stimuli

Stock UV skin damage photos were produced in our lab using a VISIA UV camera system. Members of the research team posed for UV skin damage photos. All comparison group visuals were collected from the educational materials, websites, blogs, and social media pages (Facebook and Instagram) of organizations such as the Skin Cancer Foundation, the American Academy of Dermatology, the Centers for Disease Control and Prevention (CDC), and the American Cancer Society. Our research team found that the educational materials and social media pages designed by governmental and non-governmental organizations generally used four different types of visuals: visuals focusing on sun exposure, including sun bathing with or without sun protective items (i.e., hats, sunglasses, umbrella); visuals showing sunburns, including a body part or face that is severely burnt; visuals that deliver information about photoaging, such as an image showing a single individual with both photo-aged and non-aged skin; and visuals of cancerous mole removals, including both cancerous moles and surgical excisions. Refer to Appendix A - E for all the visual condition stimuli.

The efficacy condition had four levels: control (no efficacy stimuli), text-only efficacy stimuli, UV visual-only efficacy stimuli, and UV visual + text stimuli. The text stimuli discussed different behaviors that a person can do to prevent skin cancer, and the visual stimuli depicted a person's face under both natural light and UV light. Half of the person's face is covered with sunscreen, which is invisible in the natural light photo but appears black in UV photo. The latter demonstrates the potential for sunscreen to block UV rays from the sun, and prevent them from reaching the skin. Thus, the image has the potential to impact self-efficacy (the individual is depicted putting on sunscreen) and response efficacy (the sunscreen is effective at blocking UV). Efficacy stimuli are included in Appendix F and G.

Measures

Demographics.—In the pretest, participants provided demographic information, including age, sex, ethnicity, household income, highest level of education, and marital status. Skin cancer related risk was measured using a brief risk assessment tool (BRAT; Glanz et al., 2003).

Behavior expectations.—Baseline and posttest sun safety behavior expectations were measured on a seven-point scale ranging from 1 (*extremely unlikely*) to 7 (*extremely likely*) (Pretest: $\alpha = .85$, $M = 4.86$, $SD = 1.48$; Posttest: $\alpha = .88$, $M = 5.23$, $SD = 1.45$). We measured behavior expectations as opposed to behavior intention based on research by Armitage and colleagues (2015), which demonstrated that what a person expects to do is a better predictor of actual behavior than what a person intends to do. The only difference between behavior expectation and behavior intention is that while measuring the former, participants are asked how likely they are to use various sun safety behaviors as opposed to whether they intend to use those behaviors. The measures were reworded from behavioral measures of photo protection, which were previously developed and validated (Aspinwall, Taber, Kohlmann, Leaf, & Leachman, 2014). The items ask how likely the individuals were to perform these behaviors in the future - “using sunscreen,” “reapply sunscreen after swimming or perspiration,” “wearing protective clothing (long pants and sleeves),” “avoiding peak UVR exposure from 10 AM to 4 PM,” and “stayed in the shade.” We added two additional items to the scale: “wearing broad brimmed hat,” and “wearing sunglasses.”

Self-efficacy.—Self-efficacy related to sun safe behavior was assessed with nine-items measured on a seven-point scale ranging from 1 (*strongly disagree*) to 7 (*strongly agree*) (Pretest $\alpha = .90$, $M = 4.90$, $SD = 1.28$; Posttest $\alpha = .93$, $M = 5.15$, $SD = 1.34$). The individual items are modified from two previously used scales. Six of the items were used from Witte (2000): “I am able to use sunscreen with at least SPF-15 or higher to prevent skin cancer,” “Using sunscreen with at least SPF-15 or higher to prevent skin cancer is easy for me,” “Reapplying sunscreen every two hours to prevent skin cancer is convenient for me,” “Reapplying sunscreen after swimming or perspiring to prevent skin cancer is easy for me,” “Wearing a hat that provides shade for my face to prevent skin cancer is easy for me,” and “I am able to minimize my exposure to the sun at midday to prevent skin cancer.” The three remaining items were from a different scale (Heckman, Handorf, Darlow, Yaroch, & Raivitch, 2017): “use sunscreen when I am out in the warm sun for more than 15 minutes,” “use sunscreen when none of my friends are using it,” and “use sunscreen even if I don’t like how it feels.”

Response efficacy.—Response efficacy was assessed using eight-items measured on a seven-point scale ranging from 1 (*strongly disagree*) to 7 (*strongly agree*) (Pretest $\alpha = .97$, $M = 5.29$, $SD = 1.33$; Posttest $\alpha = .97$, $M = 5.47$, $SD = 1.39$). The individual items were statements such as “My using sunscreen is effective in preventing skin cancer,” “Applying sunscreen with at least a SPF-15 or higher is effective in preventing skin cancer,” “Applying sunscreen to all areas of my body exposed to the sun is effective in preventing skin cancer,” and “Reapplying sunscreen every two hours is effective in preventing skin cancer.” These items are modified from Witte (2000).

Susceptibility.—Susceptibility was measured using three-items and a seven-point scale ranging from 1 (*strongly disagree*) to 7 (*strongly agree*) (Pretest $\alpha = .92$, $M = 4.41$, $SD = 1.58$; Posttest $\alpha = .94$, $M = 4.61$, $SD = 1.59$). These items were developed by Witte and colleagues (1996); “I am likely to get skin cancer sometime during my life,” “I am at risk of getting skin cancer sometime during my life,” and “It is possible that I will get skin cancer sometime during my life.”

Severity.—Severity was also measured by the items developed by Witte et al. (1996). These items are “I believe that skin cancer is a severe health problem,” “I believe that skin cancer is a serious threat to my health,” and “I believe that skin cancer is a significant disease.” These items were measured in a seven-point scale ranging from 1 (*strongly disagree*) to 7 (*strongly agree*) (Pretest $\alpha = .86$, $M = 5.42$, $SD = 1.32$; Posttest $\alpha = .9$, $M = 5.52$, $SD = 1.38$).

Fear.—A six-item scale developed by Witte (2000) was used to measure perceived fear produced by the study stimuli. The six items are assessed by a seven-point scale ranging from 1 (*not at all*) to 7 (*very much*) ($\alpha = .96$, $M = 2.77$, $SD = 1.75$) that asks participants to answer how much the message made them feel – “frightened,” “tense,” “nervous,” “anxious,” “uncomfortable,” and “nauseous.”

Randomization Check

We first ran a three-way MANOVA to check whether visual conditions (UV skin damage, sunburn, sun exposure, aging, and mole removal), efficacy conditions (no efficacy, text only, visual only, and text + visual) and the interaction of the two were related to demographic variables (age, education, income) and the BRAT index. The multivariate tests were not significant for visual condition, Pillai’s Trace = .01, $F(16, 8760) = .72$, $p = .78$, efficacy conditions, Pillai’s Trace = .01, $F(12, 6567) = .87$, $p = .58$, or the visual condition $\times$ efficacy condition, Pillai’s Trace = .02, $F(48, 8760) = 1.10$, $p = .30$. This supports that the demographic variables and BRAT index were successfully randomized across experimental conditions.

Next, a 5 (visual conditions) $\times$ 3 (replications) $\times$ 4 (efficacy conditions) MANOVA with replications as a nested factor examined randomization for all of the EPPM test variables (except for perceived fear) and sun safe behavior expectations. Fear was only measured in the post-test because it is a state-based measure (i.e., capturing the impact of exposure to the stimuli). The pre-test measures helped us identify if any of the main variables (mediators and outcome variables) were significantly related to any of the experimental conditions (i.e., failure of randomization). The multivariate test was not significant for visual condition, Pillai’s Trace = .01, $F(24, 8752) = 1.24$, $p = .20$, efficacy condition, Pillai’s Trace = .01, $F(18, 6561) = .76$, $p = .75$, or the visual condition $\times$ efficacy condition, Pillai’s Trace = .03, $F(72, 13140) = .97$, $p = .55$.

Results from these two MANOVAs demonstrate that randomization was successful for the study. Thus, we did not use any of the pretest variables and demographics in the analyses for the hypothesis testing. It is important to note that the basic results of the study do not change if the pre-test variables are included as controls.

Power analysis

G*Power was used to identify the optimum sample size for the study *a priori* (Erdfelder, Faul, & Buchner, 1996). G*Power estimated that a sample size of 1,788 was required to detect a small effect size of .10 with power of .95. Our final sample size was 2,219.

Results

Bivariate Correlations

Bivariate correlations were calculated to examine zero order relationships between all variables (see Table 1). As expected, there were significant positive correlations among the central constructs of the EPPM. Sun safe behavioral expectation was positively correlated with susceptibility ($r = .34, p < .001$), severity ($r = .57, p < .001$), self-efficacy ($r = .72, p < .001$), and response efficacy ($r = .61, p < .001$). A contrast variable was created comparing the UV skin damage visual (1) to all other visual conditions combined (0) (labeled, UV vs. All). UV vs. All was positively correlated with fear ($r = .09, p < .001$) and fear was also positively correlated with behavior expectation ($r = .22, p < .001$).

UV vs. All (H1 & H2)

The first set of hypotheses postulated that a UV skin damage visual would generate greater (a) susceptibility, (b) severity, and (c) fear compared to all other visual categories combined (i.e., UV vs. All). Analysis of variance (ANOVA) was utilized to test this hypothesis. Compared to all other conditions combined, the UV skin damage visual did not generate greater susceptibility, $F(1, 2199) = .06, p = .81$, or severity, $F(1, 2199) = .32, p = .57$. However, UVvsAll generated greater fear, $F(1, 2199) = 16.68, p < .001$. A pairwise comparison showed that the UV skin damage condition produced significantly greater fear ($M = 3.07, SE = .08$) than all other visuals combined ($M = 2.69, SE = .04, p < .001$, Cohen's $d = .27$), supporting H1c (means and standard errors are provided in Table 2).

The second set of hypotheses postulated that a UV efficacy visual condition would increase (a) self-efficacy and (b) response efficacy, when compared to a control or text-only efficacy condition (see Table 2). ANOVA analysis demonstrated that the efficacy conditions did not differ for response efficacy, $F(3, 2199) = .67, p = .57$, but there was a marginally significant difference for self-efficacy, $F(3, 2199) = 2.41, p = .07$. Pairwise comparisons revealed that the UV efficacy visuals increased self-efficacy ($M = 5.31, SE = .06$) compared to the control efficacy condition ($M = 5.06, SE = .06, p < .01$, Cohen's $d = .11$), text-only efficacy condition ($M = 5.12, SE = .06, p = .02$, Cohen's $d = .08$), and UV efficacy visual + text condition ($M = 5.12, SE = .06, p = .02$, Cohen's $d = .08$). There were no significant differences within types of efficacy condition for response efficacy. Thus, there was support for H2a, but not support for H2b.

Fear as a mediator (H3)

Our third hypothesis stated that fear would mediate the relationship between exposure to the UV skin damage visual and behavioral expectations such that those in the UV condition would report greater fear which would increase behavior expectations. Simple mediation analysis (PROCESS Model 4, see Hayes, 2018) was used to test this hypothesis. Consistent

with H3, simple mediation analysis revealed that fear significantly mediated the relationship between exposure to UV skin damage visuals and behavioral expectation, effect = .07, Boot $SE = .02$, 95% Boot $CI = .0373, .1086$, effect size k^2 (kappa-squared) = .02 (see Table 3). The UV skin damage visual condition generated greater fear (coefficient = .38, $SE = .09$, $t = 4.06$, $p < .001$), which then significantly triggered sun safe behavior expectation (coefficient = .18, $SE = .02$, $t = 10.72$, $p < .001$). The simple mediation models are presented in Figure 1.

UV efficacy as a moderator (H4)

Moderated mediation analysis (PROCESS Model 8, see Hayes, 2018) was used to test H4, which postulated that the UV efficacy visual would moderate the indirect path through fear such that the indirect effect of UV skin damage visuals on sun safe behavior expectations would be larger for individuals receiving the visual efficacy. Moderated mediation analysis revealed that the UV efficacy visual condition significantly moderated the indirect path through fear (see Figure 2). However, contrary to H4, the indirect effect was significant in the control (explaining 4% of the variance in behavior expectations) and text-only (explaining 3%) conditions. In those conditions, the UV threat condition increased fear which increased behavior expectations.

Readers might question whether this finding is an artifact of the non-UV condition containing UV imagery in the visual and visual + text efficacy conditions (i.e., the UV efficacy visual). If this explanation was valid, then fear would increase in the non-UV conditions when the UV efficacy visual was present. The data does not support this explanation as fear did not increase in the non-UV conditions when the UV efficacy visual was present (see Appendix I). Instead, fear decreased in the UV threat condition when the UV efficacy image was present.

Comparison of UV to other naturally occurring visual categories (RQ1)

RQ1 queried if there was another naturally occurring skin cancer risk visual type that yields equivalent or greater impact on (a) susceptibility (b) severity, (c) self-efficacy, (d) response efficacy, (e) fear, and (f) behavior expectations. A series of 5 (visual conditions) $\times$ 3 (replications) $\times$ 4 (efficacy conditions) between-participant ANOVAs were conducted with replications as a nested factor.

Visual condition was significantly related to self-efficacy, $F(4, 2190) = 3.06$, $p = .02$, and fear, $F(4, 2190) = 12.20$, $p < .001$. For self-efficacy, sunburn visuals ($M = 4.97$, $SE = .06$) were significantly different than sun exposure visuals ($M = 5.20$, $SE = .06$, $p < .01$, Cohen's $d = .18$), aging visuals ($M = 5.23$, $SE = .06$, $p < .01$, Cohen's $d = .21$), and mole removal visuals ($M = 5.23$, $SE = .06$, $p < .01$, Cohen's $d = .21$). None of the visuals were significantly different in producing self-efficacy compared to UV skin damage visual. For fear, the UV skin damage visual generated significantly greater fear ($M = 3.07$, $SE = .08$) when compared with the sunburn visual ($M = 2.61$, $SE = .08$, $p < .001$, Cohen's $d = .27$), sun exposure visual ($M = 2.39$, $SE = .08$, $p < .001$, Cohen's $d = .40$), and aging visual ($M = 2.76$, $SE = .08$, $p < .01$, Cohen's $d = .18$), but not with the mole removal visual ($M = 3.03$, $SE = .08$, $p = .72$, Cohen's $d = .02$). Thus, only the mole removal visuals produced equivalent fear as the UV sun damage visuals (see Table 5). Given this finding, readers might be interested

to know how mole removal images compare to other images in general. Results of ANOVAs with the contrast MolevsAll are presented in Table 2 and the simple mediation with fear and other EPPM variables are presented in Appendix K. When compared with all other visual conditions combined, mole removal visuals produce greater fear, and fear mediates the relationship between condition and behavior expectations. Thus, MolevsAll yields the same pattern of results as UVvsAll.

There was no significant interaction between visual and efficacy conditions on any of the dependent variables. Means, standard errors, and confidence intervals for interactions are presented in Appendix H. Some readers might be interested in an analysis that examines visual condition as a five-level categorical predictor. An output for simple mediation analyses with all 5 visual condition as a categorical predictor, fear as mediator, and behavior expectations as outcome is included in Appendix L.

Discussion

Our results demonstrate that stock UV skin damage visuals elicit fear, which in turn triggers positive sun-safe behavior expectations. Thus, it appears that stock UV skin damage visuals are best categorized as fear appeals. Mole removal visuals demonstrated a similar pattern (increased fear and fear as a mediator).

UV skin damage visuals triggered fear, but did not increase threat susceptibility, which raises questions about the relationship of fear and susceptibility. In past studies, personalized UV photos have increased perceived susceptibility (Emmons et al., 2011; see McWhirter & Hoffman-Goetz, 2013). Generally, and perhaps somewhat surprisingly, fear appeal research has not examined the relationship between fear and susceptibility (Tannenbaum et al., 2015). The research community would benefit from more fear appeal studies that examine the relationship between these two variables, and that test both as potential mediators. Researchers should also carefully consider how both constructs are measured. Indeed, studying and refining key constructs in fear appeal research is a crucial next step. The use of physiological measures—such as galvanic skin response (GSR), facial expression analysis and electroencephalogram (EEG)—may also help researchers to explicate measurement of, and the relationship between, fear and susceptibility.

Fear mediated the relationship between stock UV imagery and sun safe behavior expectations. This finding suggests that researchers should continue to explore the position of fear in the fear appeal research. For example, it is possible that fear appeals exert influence on outcomes by increasing fear directly. Researchers should engage the fear hypothesis by testing fear as a mediator. However, we should note that fear was the only affective construct measured in the study and the average fear produced was below the midpoint on a 7-point scale. This suggests that fear in public health campaigns might be relatively modest or, in a larger sense, that there might be other emotions in play. Researchers have reported the association of fear appeals with other emotions such as, hope (Nabi & Myrick, 2018) or mixture of sequential emotions such as sadness, fear, joy, and relief (Carrera, Muñoz, & Caballero, 2010). Thus, future fear appeal studies should include

self-reported as well as physiological measures of multiple discrete emotions so as to explore the role of different discrete emotions in fear appeal message processing.

Two types of visuals were found to generate more fear than others: UV skin damage and mole removal. One image within the mole removal category deserves additional commentary. Image 13 (see Appendix E) depicts a young girl with a particular gruesome wound. This image is unaltered—it has not been visually manipulated—and it has been used, and found to be effective at generating fear, by other researchers studying skin damage visuals (Mays & Zhao, 2016). Future research seeking a useful comparison visual to develop and refine alternative visual approaches would be well-advised to consider image 13, notably in situations where replications are challenging. Future studies should also examine mole removal and UV photos with a range of discrete emotions and other message variables such as defensive avoidance, memorability, and novelty to explicate the similarities and differences in impacts that these two categories of visuals create.

In the current study, UV efficacy visual appeal generated higher self-efficacy compared to the combination of UV visual and text. One possible explanation is that the text message could have increased the cognitive demands of the message as it recommended several sun safe behaviors; whereas, the UV efficacy visual focused on only one behavior—sunscreen use (see Appendix F and G). Follow-up studies should investigate the veracity of this explanation as well as the underlying mechanisms at play. Moreover, the results also question the moderating role of efficacy messages. Here, we found that, contrary to the proposed hypothesis, the indirect effect through fear was larger in the control and text-only conditions. The exposure to efficacious visual messages generated higher efficacy which then appeared to nullify fear; without that fear, participants had lower sun safe behavior expectations. EPPM assumes that threat message will be effective when there is sufficient efficacy but our analysis suggests that efficacy and threat appeals may interact in different ways – sometimes it might be the case that efficacy messages diffuse threat messages. If true, this has significant implications for fear appeal research. The question becomes, do we want to eliminate fear, or is there a certain level of fear that we want to maintain? Should efficacy temper fear, as opposed to remove it completely? This might also be a dosage effect. The exposure of one UV photo generates fear because it is novel but seeing the second UV photo (i.e., the UV efficacy visual) might have diffused that novelty aspect and diminished the fear. These questions need to be answered in future studies by evaluating the interaction of multiple forms, doses, and types of efficacy messages in subsiding fear and impacting behavioral outcomes (e.g., see Carcioppolo et al., 2013).

Another interesting finding of the study is the effect of sunburn visuals on self-efficacy. Participants in the sunburn visuals condition reported significantly less self-efficacy compared to other visuals except the UV skin damage visual (Table 5). This suggests participants might have believed it is easier to prevent aging and mole removal scars compared to sunburn. One of the striking difference between sunburn visuals and aging and mole removal visuals is the temporality of the threat (Shipp & Aeon, 2018). UV and sunburn visuals depicts immediate damage to the skin, whereas, aging and mole removal visuals show the threat that can happen in the future. It might be the case that people feel more in

control of future threats because they are temporally distant. Future research should examine the effect of threat temporality on self-efficacy and sun safe behavior.

The current study has number of limitations, which may be addressed in future studies. First, sun safe behavior expectations was measured instead of behavior, thus the effects seen here may not translate to actual behavior. We should also acknowledge that because the entire study was completed in a continuous series, this might have made the participants' responses vulnerable to demand effects. Future studies could engage this limitation via a Solomon four group design experiment (McCambridge, Kypri, & Elbourne, 2014; Solomon, 1949). Moreover, the mediators and outcome variables were all measured at the same point in time (i.e., the posttest) which limits the ability to perform meaningful mediation analysis and might introduce biases in the results (Kline, 2015; Maxwell & Cole, 2007; Tate, 2015). Researchers could design a longitudinal study that explores the impact of a stock UV photo in promoting sun-safe behaviors over time to mitigate these biases. Some UV intervention studies (e.g., Mahler, Kulik, Gerrard, & Gibbons, 2013) have used spectrophotometry that provides an objective measure of skin color, which tracks the actual practice of sun-safe behavior. This could be a superior outcome measure compared to self-report, and a valuable addition to longitudinal evaluations.

A second limitation is the use of self-reported fear measured at a single point in time. Future studies could utilize physiological measures to assess fear and examine how fear manifests and progresses as participants view UV photos. Third, we have only studied the impacts of stock UV photos in the context of sun-safe behavior; future studies can study the impacts of UV photos in promoting other skin cancer prevention behaviors such as skin self-examination. Fourth, the visuals used in this study varied in terms of demographics (i.e., age, sex, race) of the model and we did not study the potential effect of such factors. Future studies can systematically vary the demographics of the models—and perhaps the amount of skin damage (Mahler, 2018)—to understand the impact this might pose. Fifth, our analyses studied the danger control process portion of the EPPM model, but future UV intervention studies could test the full theoretical model of EPPM (including the fear control process). Sixth, some readers might question how participants perceived the UV visual-only efficacy stimuli. That condition did not include explanatory text about the visual or sun safe behavior. To engage this limitation, we examined thought listing from the 555 participants in the visual-only condition. Of those, only 15 participants expressed any confusion or negative thoughts about the visual. Still, it is possible that participants in that condition may have perceived the visual in unexpected ways given the lack of explanatory text.

The current study adds to the literature on UV photo interventions, the EPPM, and visual fear appeals because the findings demonstrate the potential of stock UV visuals in eliciting fear responses that lead to sun safe behavioral practices. This has a practical implication in the use of stock UV visuals in the promotion materials, websites, and social media pages of organizations working to prevent skin cancer. Indeed, stock images like those examined here are commonplace in social media messages, and have been shown to increase attention and response (Vraga, Bode, & Troller-Renfree, 2016). Our findings also have an important implication for fear appeal models such as the EPPM, and for research on visual communication. To that end, the current study utilized a design (multiple message categories

with replications) that is rarely encountered in behavioral research. Such designs require relatively large samples, but they also afford researchers numerous analytical opportunities. The current analysis examined the value of stock UV visuals compared to four alternative visual types. Other researchers may find value in carefully examining the other visuals and their impact. A larger goal of the study was to create a resource—including the visuals, data, and approach—to inform and support future research on visual communication, UV visuals, skin cancer, and fear appeals.

Acknowledgments

Funding: This research was funded by a New Innovator grant (#DP2EB022360) from the National Institutes of Health (NIH) (PI: JDJ; Co-I: KKJ) and in part by the National Cancer Institute of the National Institutes of Health (K07CA196985 to YPW). The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institutes of Health.

Appendix A: UV Skin Damage Visuals

Image 1.

Image 2.

Image 3.

Appendix B: Sun Exposure Visuals

Image 4.

Image 5.

Image 6.

Appendix C: Sunburn Visuals

Image 7.

Image 8.

Image 9.

Appendix D: Photo Ageing Visuals

Image 10.

Image 11.

Image 12.

Appendix E: Mole Removal Visuals

Image 13.

Image 14.

Image 15.

Appendix F: Text Efficacy Condition Stimuli

There are a number of things that you can do to reduce your risk of skin cancer, including:

- Wearing sunscreen
- Staying out of the sun between 10 AM and 4 PM
- Wearing protective clothing (e.g., long sleeves, long pants, a broad brimmed hat, sunglasses)

- Staying in the shade

Next we're going to ask you a bit about the image you just saw.

Appendix G: Visual Efficacy Condition Stimuli

Appendix H: Estimated Marginal Means and 95% Confidence Intervals: Visual conditions × Efficacy Conditions

Visual Condition	Efficacy Condition	Dependent Variables											
		Susceptibility		Severity		Self Efficacy		Response Efficacy		Fear		Behavior Expectation	
		Mean (SE)	95% CI	Mean (SE)	95% CI	Mean (SE)	95% CI	Mean (SE)	95% CI	Mean (SE)	95% CI	Mean (SE)	95% CI
Sun Exposure	No Efficacy	4.24(.15)	(3.95,4.54)	5.29(.13)	(5.03,5.55)	4.92(.13)	(4.67,5.17)	5.26(.13)	(5.00,5.52)	2.24(.16)	(1.92,2.56)	5.15(.14)	(4.88,5.42)
	Text	4.58(.15)	(4.28,4.87)	5.54(.13)	(5.28,5.79)	5.35(.13)	(5.10,5.59)	5.67(.13)	(5.41,5.92)	2.26(.16)	(1.94,2.59)	5.32(.14)	(5.05,5.59)
	Visual	4.72(.15)	(4.42,5.01)	5.79(.13)	(5.53,6.04)	5.48(.13)	(5.24,5.73)	5.68(.13)	(5.43,5.94)	2.47(.16)	(2.15,2.80)	5.53(.14)	(5.26,5.80)
	Visual + Text	4.32(.15)	(4.03,4.62)	5.40(.13)	(5.15,5.66)	5.07(.13)	(4.82,5.31)	5.31(.13)	(5.05,5.57)	2.58(.16)	(2.26,2.90)	5.08(.14)	(4.81,5.35)
Sunburn	No Efficacy	4.67(.15)	(4.37,4.97)	5.39(.13)	(5.13,5.64)	4.80(.13)	(4.55,5.04)	5.25(.13)	(5.00,5.51)	2.44(.16)	(2.12,2.76)	5.00(.14)	(4.73,5.27)
	Text	4.70(.15)	(4.40,4.99)	5.65(.13)	(5.39,5.91)	5.00(.13)	(4.75,5.25)	5.53(.13)	(5.27,5.79)	2.67(.16)	(2.34,2.99)	5.07(.14)	(4.80,5.34)
	Visual	4.63(.15)	(4.33,4.93)	5.35(.13)	(5.09,5.60)	5.08(.13)	(4.83,5.32)	5.28(.13)	(5.02,5.54)	2.73(.16)	(2.40,3.05)	5.20(.14)	(4.93,5.47)
	Visual + Text	4.75(.15)	(4.46,5.05)	5.47(.13)	(5.22,5.73)	5.01(.13)	(4.76,5.26)	5.43(.13)	(5.17,5.69)	2.59(.16)	(2.27,2.91)	5.22(.14)	(4.95,5.49)
Aging	No Efficacy	4.44(.15)	(4.14,4.73)	5.57(.13)	(5.31,5.83)	5.21(.13)	(4.96,5.46)	5.40(.13)	(5.14,5.66)	2.38(.16)	(2.06,2.71)	5.17(.14)	(4.90,5.44)
	Text	4.74(.15)	(4.45,5.04)	5.39(.13)	(5.14,5.65)	5.06(.13)	(4.81,5.31)	5.35(.13)	(5.09,5.61)	2.87(.16)	(2.55,3.19)	5.04(.14)	(4.77,5.30)
	Visual	4.72(.15)	(4.43,5.02)	5.69(.13)	(5.43,5.94)	5.48(.13)	(5.23,5.73)	5.62(.13)	(5.36,5.88)	2.85(.16)	(2.53,3.17)	5.41(.14)	(5.14,5.67)
	Visual + Text	4.57(.15)	(4.27,4.86)	5.40(.13)	(5.14,5.65)	5.17(.13)	(4.92,5.41)	5.50(.13)	(5.24,5.76)	2.93(.16)	(2.60,3.25)	5.31(.14)	(5.04,5.58)
Mole Removal	No Efficacy	4.93(.15)	(4.63,5.22)	5.61(.13)	(5.35,5.86)	5.28(.13)	(5.03,5.53)	5.60(.13)	(5.34,5.86)	3.28(.16)	(2.96,3.60)	5.22(.14)	(4.95,5.49)
	Text	4.48(.15)	(4.18,4.78)	5.45(.13)	(5.20,5.71)	5.15(.13)	(4.90,5.40)	5.54(.13)	(5.28,5.80)	3.05(.16)	(2.73,3.37)	5.17(.14)	(4.90,5.44)
	Visual	4.56(.15)	(4.26,4.85)	5.61(.13)	(5.35,5.87)	5.19(.13)	(4.94,5.44)	5.61(.13)	(5.35,5.87)	2.91(.16)	(2.59,3.23)	5.38(.14)	(5.11,5.65)
	Visual + Text	4.59(.15)	(4.29,4.88)	5.57(.13)	(5.31,5.82)	5.29(.13)	(5.04,5.54)	5.55(.13)	(5.29,5.81)	2.88(.16)	(2.55,3.20)	5.45(.14)	(5.18,5.72)

Visual Condition	Efficacy Condition	Dependent Variables											
		Susceptibility		Severity		Self Efficacy		Response Efficacy		Fear		Behavior Expectation	
		Mean (SE)	95% CI	Mean (SE)	95% CI	Mean (SE)	95% CI	Mean (SE)	95% CI	Mean (SE)	95% CI	Mean (SE)	95% CI
UV	No Efficacy	4.80(.15)	(4.51,5.10)	5.69(.13)	(5.43,5.94)	5.07(.13)	(4.82,5.32)	5.53(.13)	(5.27,5.79)	3.33(.16)	(3.00,3.65)	5.15(.14)	(4.88,5.41)
	Text	4.50(.15)	(4.20,4.79)	5.52(.13)	(5.27,5.78)	5.06(.13)	(4.81,5.31)	5.39(.13)	(5.13,5.65)	3.16(.16)	(2.84, 3.48)	5.27(.14)	(5.00,5.54)
	Visual	4.56(.15)	(4.27,4.86)	5.61(.13)	(5.36,5.87)	5.29(.13)	(5.04,5.54)	5.57(.13)	(5.31,5.82)	2.86(.16)	(2.53,3.18)	5.25(.14)	(4.98,5.52)
	Visual + Text	4.63(.15)	(4.33,4.93)	5.61(.13)	(5.12,5.64)	5.05(.13)	(4.80,5.30)	5.39(.13)	(5.13,5.64)	2.94(.16)	(2.62,3.26)	5.20(.14)	(4.93,5.47)

Means and standard errors (in parentheses).

Appendix I: Estimated Marginal Means and 95% Confidence Intervals for Fear: UVvsAll × Efficacy Conditions

Visual Condition	Efficacy Condition	Mean(SE)	95% CI
Non-UV Conditions	Control	2.59(.08)	(2.42, 2.75)
	Text	2.71(.08)	(2.55, 2.87)
	Visual	2.74(.08)	(2.58, 2.90)
	Visual + Text	2.74(.08)	(2.58, 2.90)
UV Condition	Control	3.33(.16) ^a	(3.00, 3.65)
	Text	3.16(.16) ^{ab}	(2.84, 3.49)
	Visual	2.86(.16) ^b	(2.53, 3.18)
	Visual + Text	2.94(.16) ^b	(2.62, 3.26)

Means and standard errors (in parentheses). Means with different superscripts are significantly different, $p < .10$. In Non-UV conditions, the means are not significantly different. In UV conditions, fear in the control efficacy condition is significantly greater than in the visual efficacy condition, $p = .04$ and approaching significance in the Visual +Text efficacy condition, $p = .098$.

Appendix J: Simple Mediation – Tests of Indirect Effects of EPPM variables (MolevsAll)

<i>N</i> = 2220	Models without mediator		Models with mediator									
	<i>B</i>		<i>B</i>						Bootstrap results for indirect effects (95% CI)		Bootstrap results for indirect effect sizes (95% CI)	
	<i>R</i> ²	<i>c</i>	<i>R</i> ²	<i>C</i> '	<i>a</i>	<i>b</i>	<i>ab</i>	Lower	Upper	<i>k</i> ²	Lower	Upper
Susceptibility	.00	.10	.12***	.08	.04	.31***	.01	−.0400	.0654	.00	.0000	.0116
Severity	.00	.10	.33***	.07	.05	.60***	.03	−.0570	.1144	.01	.0003	.0381
Self-Efficacy	.00	.10	.52***	.02	.10	.78***	.08	−.0273	.1876	.03	.0018	.0711
Response Efficacy	.00	.10	.38***	.02	.13 [†]	.64***	.08	−.0144	.1683	.03	.0025	.0567
Fear	.00	.10	.05***	.04	.32***	.18***	.06 [*]	.0233	.0963	.02	.0068	.0273

Process Model 4 with 1000 bootstraps where each mediator was tested one at a time. Fear is the only significant mediator as the boot confidence interval does not overlap zero. The predictor is the MolevsAll contrast, outcome is behavior expectation; *B* = unstandardized regression weights; *c* = total effect of predictor on outcome without the mediator in the model; *c*' = direct effect of predictor on outcome while controlling for the mediator; *a* = the path between the predictor and

the mediator; b = the path between the mediator and the outcome; ab = indirect effect of predictor on outcome thorough the mediator; R^2 = amount of variance explained by the model; CI = confidence intervals; k^2 = effect size.

[†]
 $p < .10$;

*
 $p < .05$;

 $p < .001$

Appendix K: Simple Mediation Models of the EPPM

Only fear significantly mediated the relation between X (MolevsAll) and Y (Behavior Expectation): effect = .06, Boot *SE* = .02, 95% Boot *CI*: .0233, .0963, Effect size (k^2) = .02
 † $p < .10$; *** $p < .001$.

Appendix L: PROCESS Model 4 Simple Mediation Analysis Output with Visual Conditions as Predictor, Fear as mediator, and Behavior Expectations as Outcome.

Run MATRIX procedure:

***** PROCESS Procedure for SPSS Version 3.00 *****

Written by Andrew F. Hayes, Ph.D.

www.afhayes.comDocumentation available in Hayes (2018). www.guilford.com/p/hayes3

Model : 4

Y : Behavior Expectation

X : Visual Conditions

M : Fear

Sample

Size: 2220

Coding of categorical X variable for analysis:

Visual Conditions	X1	X2	X3	X4
Sun Exposure	.000	.000	.000	.000
Sun Burn	1.000	.000	.000	.000
Ageing	.000	1.000	.000	.000
Mole Removal	.000	.000	1.000	.000
UV Skin dam	.000	.000	.000	1.000

X1: Sun Burn Visuals contrast with Sun Exposure Visuals**X2:** Ageing Visuals contrast with Sun Exposure Visuals**X3:** Mole Removal Visuals contrast with Sun Exposure Visuals**X4:** UV Skin Damage Visuals contrast with Sun Exposure Visuals

OUTCOME VARIABLE: Fear

Model Summary

R	R-sq	MSE	F	df1	df2	P
.1467	.0215	3.0094	12.1749	4.0000	2215.0000	.0000

Model

	coeff	se	t	P	LLCI	ULCI
Constant	2.3889	.0823	29.0169	.0000	2.2274	2.5503
X1	.2166	.1164	1.8603	.0630	-.0117	.4449
X2	.3682	.1164	3.1628	.0016	.1399	.5966
X3	.6400	.1164	5.4971	.0000	.4117	.8683
X4	.6821	.1164	5.8581	.0000	.4537	.9104

OUTCOME VARIABLE: Behavior Expectation

Model Summary

R	R-sq	MSE	F	df1	df2	P
.2259	.0510	1.9920	23.8007	5.0000	2214.0000	.0000

Model

	coeff	se	t	P	LLCI	ULCI
constant	4.8279	.0787	61.3553	.0000	4.6736	4.9822
X1	-.1878	.0948	-1.9809	.0477	-.3737	-.0019
X2	-.1081	.0949	-1.1385	.2550	-.2943	.0781
X3	-.0828	.0954	-.8682	.3854	-.2698	.1042
X4	-.1801	.0955	-1.8871	.0593	-.3673	.0071
EPPMFear	.1852	.0173	10.7118	.0000	.1513	.2191

***** TOTAL EFFECT MODEL *****

OUTCOME VARIABLE: Behavior Expectation

Model Summary

R	R-sq	MSE	F	df1	df2	P
.0427	.0018	2.0942	1.0131	4.0000	2215.0000	.3992

Model

	coeff	se	t	P	LLCI	ULCI
constant	5.2703	.0687	76.7381	.0000	5.1356	5.4050

X1	-.1477	.0971	-1.5205	.1285	-.3382	.0428
X2	-.0399	.0971	-.4108	.6813	-.2304	.1506
X3	.0357	.0971	.3677	.7131	-.1548	.2262
X4	-.0538	.0971	-.5543	.5794	-.2443	.1366

***** TOTAL, DIRECT, AND INDIRECT EFFECTS OF X ON Y *****

Relative total effects of X on Y:

	Effect	se	t	P	LLCI	ULCI	C_ps
X1	-.1477	.0971	-1.5205	.1285	-.3382	.0428	-.1021
X2	-.0399	.0971	-.4108	.6813	-.2304	.1506	-.0276
X3	.0357	.0971	.3677	.7131	-.1548	.2262	.0247
X4	-.0538	.0971	-.5543	.5794	-.2443	.1366	-.0372

Omnibus test of total effect of X on Y:

R2-chng	F	df1	df2	P
.0018	1.0131	4.0000	2215.0000	.3992

Relative direct effects of X on Y

	Effect	se	t	P	LLCI	ULCI	C'_ps
X1	-.1878	.0948	-1.9809	.0477	-.3737	-.0019	-.1298
X2	-.1081	.0949	-1.1385	.2550	-.2943	.0781	-.0747
X3	-.0828	.0954	-.8682	.3854	-.2698	.1042	-.0572
X4	-.1801	.0955	-1.8871	.0593	-.3673	.0071	-.1245

Omnibus test of direct effect of X on Y:

R2-chng	F	df1	df2	P
.0023	1.3194	4.0000	2214.0000	.2604

Relative indirect effects of X on Y

ImgCondi -> EPPMFear -> POSTBEas

	Effect	BootSE	BootLLCI	BootULCI
X1	.0401	.0212	.0004	.0838
X2	.0682	.0219	.0273	.1131
X3	.1185	.0238	.0742	.1689
X4	.1263	.0233	.0841	.1758

Partially standardized relative indirect effect(s) of X on Y:

ImgCondi -> EPPMFear -> POSTBEas

	Effect	BootSE	BootLLCI	BootULCI
X1	.0277	.0146	.0003	.0574
X2	.0471	.0151	.0188	.0780
X3	.0819	.0163	.0516	.1161
X4	.0873	.0160	.0585	.1207

***** ANALYSIS NOTES AND ERRORS *****

Level of confidence for all confidence intervals in output:

95.0000

Number of bootstrap samples for percentile bootstrap confidence intervals:

5000

----- END MATRIX -----

References

- Armitage CJ, Norman P, Alganem S, & Conner M (2015). Expectations are more predictive of behavior than behavioral intentions: Evidence from two prospective studies. *Annals of Behavioral Medicine*, 49, 239–246. [PubMed: 25623893]
- Aspinwall LG, Taber JM, Kohlmann W, Leaf SL, & Leachman SA (2014). Unaffected family members report improvements in daily routine sun protection 2 years following melanoma genetic testing. *Genetics in Medicine*, 16(11), 846–853. [PubMed: 24763292]
- Birmingham WC, Hung M, Boonyasiriwat W, Kohlmann W, Walters ST, Burt RW, ... Kinney AY (2015). Effectiveness of the extended parallel process model in promoting colorectal cancer screening. *Psycho-Oncology*, 24(10), 1265–1278. 10.1002/pon.3899 [PubMed: 26194469]
- Carcioppolo N, Jensen JD, Wilson SE, Collins WB, Carrion M, & Linnemeier G (2013). Examining HPV threat-to-efficacy ratios in the extended parallel process model. *Health Communication*, 28, 20–28. [PubMed: 23330855]
- Carrera P, Muñoz D, & Caballero A (2010). Mixed emotional appeals in emotional and danger control processes. *Health Communication*, 25(8), 726–736. 10.1080/10410236.2010.521914 [PubMed: 21153989]

- Demierre MF, Maguire-Eisen M, O'Connell N, Sorenson K, Berger J, Williams C, & Cabral H (2009). A sun protection community intervention in Quincy middle schools: insights from the use of ultraviolet photography and its impact on sunburn. *Journal of the Dermatology Nurses' Association*, 1(2), 111–118.
- Dillard JP, Li R, & Huang Y (2016). Threat appeals: The fear–persuasion relationship is linear and curvilinear. *Health Communication*, 1–10. 10.1080/10410236.2016.1220345
- Dillard JP, Li R, Meczowski E, Yang C, & Shen L (2016). Fear responses to threat appeals: Functional form, methodological considerations, and correspondence between static and dynamic data. *Communication Research*, 1–22. 10.1177/0093650216631097
- Erdfelder E, Faul F, & Buchner A (1996). GPOWER: A general power analysis program. *Behavior Research Methods, Instruments, & Computers*, 28(1), 1–11. 10.3758/BF03203630
- Fishbein M, & Cappella JN (2006). The role of theory in developing effective health communications. *Journal of Communication*, 56, S1–S17. 10.1111/j.1460-2466.2006.00280.x
- Gamble RG, Asdigian NL, Aalborg J, Gonzalez V, Box NF, Huff LS, ... Dellavalle RP (2012). Sun damage in ultraviolet photographs correlates with phenotypic melanoma risk factors in 12-year-old children. *Journal of the American Academy of Dermatology*, 67(4), 587–597. 10.1016/j.jaad.2011.11.922 [PubMed: 22406230]
- Gerrard M, Gibbons FX, Houlihan AE, Stock ML, & Pomery EA (2008). A dual-process approach to health risk decision making: The prototype willingness model. *Developmental Review*, 28(1), 29–61. 10.1016/j.dr.2007.10.001
- Gibbons FX, Gerrard M, Lane DJ, Mahler HIM, & Kulik JA (2005). Using UV photography to reduce use of tanning booths: A test of cognitive mediation. *Health Psychology*, 24(4), 358–363. 10.1037/0278-6133.24.4.358 [PubMed: 16045371]
- Glanz K, Schoenfeld E, Weinstock MA, Layi G, Kidd J, & Shigaki DM (2003). Development and reliability of a brief skin cancer risk assessment tool. *Cancer Detection and Prevention*, 27(4), 311–315. 10.1016/S0361-090X(03)00094-1 [PubMed: 12893080]
- Hayes AF (2013). *Introduction to mediation, moderation, and conditional process analysis: A regression-based approach*. Guilford Press.
- Heckman CJ, Handorf E, Darlow SD, Yaroch AL, & Raivitch S (2017). Refinement of measures to assess psychosocial constructs associated with skin cancer risk and protective behaviors of young adults. *Journal of Behavioral Medicine*, 40(4), 574–582. 10.1007/s10865-017-9825-3 [PubMed: 28155000]
- Jain P, Hoffman E, Beam M, & Xu SS (2017). Effect of message format and content on attitude accessibility regarding sexually transmitted infections. *Health Communication*, 32(11), 1376–1384. [PubMed: 27732067]
- Kline RB (2015). The mediation myth. *Basic and Applied Social Psychology*, 37, 202–213.
- King AJ (2015a). Visual messaging and risk communication In Cho H, Reimer T, & McComas KA (Eds.), *Sage handbook of risk communication* (pp. 193–205). Thousand Oaks, CA: Sage.
- King AJ, (2015b). A content analysis of visual cancer information: Prevalence and use of photographs and illustrations in printed health materials. *Health Communication*, 30(7), 722–731. [PubMed: 25061954]
- Krieger JL, & Sarge MA (2013). A serial mediation model of message framing on intentions to receive the human papillomavirus (HPV) vaccine: Revisiting the role of threat and efficacy perceptions. *Health Communication*, 28(1), 5–19. [PubMed: 23330854]
- Mahler HI (2018). The relative role of cognitive and emotional reactions in mediating the effects of a social comparison sun protection intervention. *Psychology & Health*, 33(2), 235–257. 10.1080/08870446.2017.1310860 [PubMed: 28398091]
- Mahler HI (2015). Interventions to promote sun protection behaviors: What do we know about the efficacy of health- and appearance-based messages and the role of cognitions and emotions? *Social and Personality Psychology Compass*, 9(5), 238–251. 10.1111/spc3.12173
- Mahler HI (2014). The role of emotions in UV protection intentions and behaviors. *Psychology, Health & Medicine*, 19(3), 344–354. 10.1080/13548506.2013.802359

- Mahler HI, Kulik JA, Gerrard M, & Gibbons FX (2007). Long-term effects of appearance-based interventions on sun protection behaviors. *Health Psychology*, 26(3), 350–360. 10.1037/0278-6133.26.3.350 [PubMed: 17500622]
- Mahler HI, Kulik JA, Gerrard M, & Gibbons FX (2013). Effects of photoaging information and UV photo on sun protection intentions and behaviours: A cross-regional comparison. *Psychology & Health*, 28(9), 1009–1031. 10.1080/08870446.2013.777966 [PubMed: 23537173]
- Mahler HI, Kulik JA, Gibbons FX, Gerrard M, & Harrell J (2003). Effects of appearance-based intervention on sun protection intentions and self-reported behaviors. *Health Psychology*, 22(2), 199–209. 10.1037/0278-6133.22.2.199 [PubMed: 12683740]
- Maloney EK, Lapinski MK, & Witte K (2011). Fear appeals and persuasion: A review and update of the extended parallel process model. *Social and Personality Psychology Compass*, 5(4), 206–219. 10.1111/j.1751-9004.2011.00341.x
- Maxweel SE & Cole DA (2007). Bias in cross-sectional analyses of longitudinal mediation. *Psychological Methods*, 12, 23–44 [PubMed: 17402810]
- Mays D, & Zhao X (2016). The influence of framed messages and self-affirmation on indoor tanning behavioral intentions among 18 to 30 year old women. *Health Psychology*, 35(2), 123–130. 10.1037/hea0000253 [PubMed: 26192383]
- McCambridge J, Kypri K, & Elbourne D (2014). In randomization we trust? There are overlooked problems in experimenting with people in behavioral intervention trials. *Journal of Clinical Epidemiology*, 67(3), 247–253. 10.1016/j.jclinepi.2013.09.004 [PubMed: 24314401]
- McWhirter JE, & Hoffman-Goetz L (2015). Systematic review of population-based studies on the impact of images on UV attitudes and behaviors. *Health Promotion International*, 30(2), 397–410. 10.1093/heapro/dat031 [PubMed: 23669159]
- Nabi RL, & Myrick JG (2018). Uplifting fear appeals: Considering the role of hope in fearbased persuasive messages. *Health Communication*, 1–12. 10.1080/10410236.2017.1422847
- O’Keefe DJ (2003). Message properties, mediating states, and manipulation checks: Claims, evidence, and data analysis in experimental persuasive message effects research. *Communication Theory*, 13, 251–274. doi:10.1111/j.1468-2885.2003.tb00292.x
- Peters GY, Ruiter RAC, & Kok G (2013). Threatening communication: A critical reanalysis and a revised meta-analytic test of fear appeal theory. *Health Psychology Review*, 7(sup1), S8–S31. 10.1080/17437199.2012.703527 [PubMed: 23772231]
- Popova L (2012). The extended parallel process model: Illuminating the gaps in research. *Health Education & Behavior*, 39(4), 455–473. 10.1177/1090198111418108 [PubMed: 22002250]
- Ruiter RAC, Kessels LTE, Peters G-JY, & Kok G (2014). Sixty years of fear appeal research: Current state of the evidence. *International Journal of Psychology*, 49(2), 63–70. 10.1002/ijop.12042 [PubMed: 24811876]
- Shen L, & Coles VB (2015). Fear and psychological reactance. *Zeitschrift Für Psychologie*, 223(4), 225–235. 10.1027/2151-2604/a000224
- Shi J, & Smith SW (2016). The effects of fear appeal message repetition on perceived threat, perceived efficacy, and behavioral intention in the extended parallel process model. *Health Communication*, 31(3), 275–286. [PubMed: 26305152]
- Shipp AJ, & Aeon B (2018). Temporal focus: Thinking about the past, present, and future. *Current Opinion in Psychology*, 26, 37–43. 10.1016/j.copsyc.2018.04.005 [PubMed: 29734132]
- Siegel RL, Miller KD, & Jemal A (2018). Cancer statistics, 2018. CA: A Cancer Journal for Clinicians, 68, 7–30. doi.org/10.3322/caac.21442 [PubMed: 29313949]
- So J (2013). A further extension of the extended parallel process model (E-EPPM): Implications of cognitive appraisal theory of emotion and dispositional coping style. *Health Communication*, 28(1), 72–83. [PubMed: 23330860]
- Solomon RL (1949). An extension of control group design. *Psychological Bulletin*, 46(2), 137–150. 10.1037/h0062958 [PubMed: 18116724]
- Stock ML, Gerrard M, Gibbons FX, Dykstra JL, Weng C-Y, Mahler HIM, ... Kulik JA (2010). Sun protection intervention for highway workers: Long-term efficacy of UV photography and skin cancer information on men’s protective cognitions and behavior: Erratum. *Annals of Behavioral Medicine*, 39(1), 100–100. 10.1007/s12160-010-9179-3

- Tannenbaum MB, Helpler J, Zimmerman RS, Saul L, Jacobs S, Wilson K, & Albarracin D (2015). Appealing to fear: A meta-analysis of fear appeal effectiveness and theories. *Psychological Bulletin*, 141(6), 1178–1204. [PubMed: 26501228]
- Taylor MF, Westbrook D, & Chang P (2016). Using UV photoaged photography to better understand Western Australian teenagers' attitudes towards adopting sun-protective behaviors. *International Journal of Adolescent Medicine and Health*, 28(1), 45–53. 10.1515/ijamh-2014-0071 [PubMed: 25781666]
- Tate CU (2015). On the overuse and misuse of mediation analysis: It may be a matter of timing. *Basic and Applied Social Psychology*, 37, 235–246.
- Vraga E, Bode L, & Troller-Renfree S (2016). Beyond self-reports: Using eye tracking to measure topic and style differences in attention to social media content. *Communication Methods and Measures*, 10(2–3), 149–164. 10.1080/19312458.2016.1150443
- Walsh LA, & Stock ML (2012). UV photography, masculinity, and college men's sun protection cognitions. *Journal of Behavioral Medicine*, 35(4), 431–442. 10.1007/s10865-011-9372-2 [PubMed: 21818599]
- Walsh LA, Stock ML, Peterson LM, & Gerrard M (2014). Women's sun protection cognitions in response to UV photography: The role of age, cognition, and affect. *Journal of Behavioral Medicine*, 37(3), 553–563. 10.1007/s10865-013-9512-y [PubMed: 23624642]
- Williams AL, Grogan S, Clark-Carter D, & Buckley E (2013). Appearance- based interventions to reduce ultraviolet exposure and/or increase sun protection intentions and behaviours: A systematic review and meta-analyses. *British Journal of Health Psychology*, 18(1), 182–217. 10.1111/j.2044-8287.2012.02089.x [PubMed: 22989352]
- Witte K (2000). EPPM: Examples of items. Retrieved from <http://www.msu.edu/~wittek/scale.htm>
- Witte K, & Allen M (2000). A meta-analysis of fear appeals: Implications for effective public health campaigns. *Health Education & Behavior*, 27(5), 591–615. 10.1177/109019810002700506 [PubMed: 11009129]
- Witte K (1992a). Putting the fear back into fear appeals: The extended parallel process model. *Communication Monographs*, 59(4), 329–349. 10.1080/03637759209376276
- Witte K (1992b). The role of threat and efficacy in AIDS prevention. *International Quarterly of Community Health Education*, 12(3), 225–249. 10.2190/U43P-9QLX-HJ5P-U2J5
- Witte K (1994). Fear control and danger control: A test of the extended parallel process model (EPPM). *Communication Monographs*, 61(2), 113–134. 10.1080/03637759409376328
- Witte K (2013). Introduction: Pathways. *Health Communication*, 28(1), 3–4. 10.1080/10410236.2013.743783 [PubMed: 23330853]
- Witte K, Cameron KA, Mckee JK, & Berkowitz JM (1996). Predicting risk behaviors: Development and validation of a diagnostic scale. *Journal of Health Communication*, 1(4), 317–342. 10.1080/108107396127988 [PubMed: 10947367]

Figure 1.

Simple mediation model of the EPPM. Only fear significantly mediated the relation between X (UV vs. All) and Y (Behavior Expectation): effect = .07, Boot SE = .02, 95% Boot CI .0373, .1086, effect size (k^2) = .02. *** p < .001

Figure 2.

Moderated Mediation – Indirect effect at Four Levels of Efficacy Condition. *Note.* Process Model 8 with 1000 bootstraps. The indirect path through fear was significant in the first two conditions (control and text) but it was no longer significant in the visual and visual + text condition.

Control: Effect = .14, SE = .04, 95% CI = (.0692, .2099), $k^2 = .04^a$, SE = .01, 95% CI for $k^2 = (.0220, .0708)$

Text: Effect = .08, SE = .04, 95% CI = (.0182, .1536), $k^2 = .03^a$, SE = .01, 95% CI for $k^2 = (.0068, .0507)$

Visual: Effect = .02, SE = .03, 95% CI = (-.0461, .0877), $k^2 = .01^{bc}$, SE = .01, 95% CI for $k^2 = (.0001, .0167)$

Visual + Text: Effect = .04, SE = .04, 95% CI = (-.0322, .1064), $k^2 = .01^{bc}$, SE = .01, 95% CI for $k^2 = (.0007, .0282)$

Pairwise contrasts were used to compare conditional indirect effects. k^2 that do not share superscripts are significantly different, $p < .05$. Notably, the conditional effect for control ($k^2 = .04$) is significantly different than visual ($k^2 = .01$) and visual+text ($k^2 = .01$).

* $p < .05$; *** $p < .005$

Table 1

Bivariate Correlations

	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.
1. Susceptibility	—												
2. Severity	.54***	—											
3. Self-efficacy	.42***	.66***	—										
4. Response efficacy	.46***	.72***	.79***	—									
5. Fear	.28***	.18***	.20***	.15***	—								
6. Behavior expectation	.34***	.57***	.72***	.61***	.22***	—							
7. UV vs. All	.01	.01	-.01	.00	.09***	.00	—						
8. Age	.04*	.12***	.14***	.16***	-.07***	.07**	.01	—					
9. Sex	.01	.09***	.09***	.10***	-.08***	.08***	.03	-.08***	—				
10. Education	.13***	.09***	.13***	.13***	.09***	.10***	-.03†	.02	-.06**	—			
11. Income	.16***	.13***	.19***	.19***	.15***	.14***	-.01	.03	.00	.44***	—		
12. White	.23***	.12***	.12***	.14***	-.01	.07***	-.01	.19***	.03	.06**	.15***	—	
13. Hispanic	-.04†	-.02	.00	-.04†	.04†	.04†	-.01	-.21***	-.03	-.02	-.02**	-.17*	—
14. BRAT index	.37***	.18***	.17***	.17***	.18***	.16***	.03	.04†	.00	.13***	.16***	.36***	-.03

UV vs. All is the UV skin damage visual condition compared with all other visual conditions combined (UV skin damage =1, all other conditions combined=0).

† $p < .10$;

* $p < .05$;

** $p < .01$;

*** $p < .001$

Table 2
Means and Standard Errors for Mediators and Outcomes by Visual and Efficacy Condition

	Susceptibility	Severity	Self-efficacy	Response Efficacy	Fear	Behavior Expectation
UV Vs. All	4.62(.08)	5.55(.07)	5.12(.06)	5.47(.07)	3.07(.08) ^a	5.21(.07)
Other Conditions combined	4.60(.04)	5.51(.03)	5.16(.03)	5.47(.03)	2.69(.04) ^b	5.23(.03)
Mole	4.64(.08)	5.56(.07)	5.23(.06)	5.58(.07)	3.03(.08) ^a	5.31(.07)
Other Conditions combined	4.60(.04)	5.51(.03)	5.13(.03)	5.45(.03)	2.71(.04) ^b	5.21(.03)
Efficacy conditions						
No Efficacy	4.62(.07)	5.51(.06) ^{ab}	5.06(.06) ^a	5.41(.06)	2.73(.07)	5.14(.06) ^a
Text	4.60(.07)	5.51(.06) ^{ab}	5.12(.06) ^a	5.50(.06)	2.80(.07)	5.17(.06) ^a
Visual	4.64(.07)	5.61(.06) ^a	5.31(.06) ^b	5.55(.06)	2.76(.07)	5.35(.06) ^b
Visual + Text	4.57(.07)	5.44(.06) ^b	5.12(.06) ^a	5.44(.06)	2.78(.07)	5.25(.06) ^{ab}

Means and standard errors (in parentheses). Means with different superscripts are significantly different, $p < .05$.

Table 3

Simple Mediation – Tests of Indirect Effects of EPPM variables

<i>N</i> = 2220	Models without mediator				Models with mediator				Bootstrap results for indirect effects (95% CI)				Bootstrap results for indirect effect sizes (95% CI)			
	<i>B</i>				<i>B</i>											
	<i>R</i> ²	<i>c</i>	<i>R</i> ²	<i>c'</i>	<i>a</i>	<i>b</i>	<i>ab</i>	Lower	Upper	<i>k</i> ²	Lower	Upper	Lower	Upper		
Susceptibility	.00	-.02	.12 ***	-.02	.02	.31 ***	.01	-.0473	.0582	.01	.0000	.0065	.0000	.0065		
Severity	.00	-.02	.33 ***	-.04	.04	.60 ***	.03	-.0621	.1153	.01	.0001	.0288	.0001	.0288		
Self-Efficacy	.00	-.02	.52 ***	.02	-.04	.78 ***	-.03	-.1392	.0790	.01	.0001	.0399	.0001	.0399		
Response Efficacy	.00	-.02	.37 ***	-.01	-.01	.64 ***	-.01	-.0995	.0947	.00	.0000	.0026	.0000	.0026		
Fear	.00	-.02	.05 ***	-.09		.38 ***	.07 *	.0373	.1086	.02	.0105	.0305				

Process Model 4 with 1000 bootstraps where each mediators was tested one at a time. Fear is the only significant mediator as the boot confidence interval does not overlap zero. Predictor is UVVsAll contrast, outcome is behavior expectation; *B* = unstandardized regression weights; *c* = total effect of predictor on outcome without the mediator in the model; *c'* = direct effect of predictor on outcome while controlling for the mediator; *a* = the path between the predictor and the mediator; *b* = the path between the mediator and the outcome; *ab* = indirect effect of predictor on outcome through the mediator; *R*² = amount of variance explained by the model; CI = confidence intervals; *k*² = effect size.

* *p* < .05;

*** *p* < .001

Table 4

Means and Standard Errors of Mediators and Outcomes by Visual Condition

	Susceptibility	Severity	Self Efficacy	Response Efficacy	Fear	Behavior Expectation
Sun Exposure	4.47(.08) ^a	5.50(.07)	5.20(.06) ^a	5.48(.07) ^{ab}	2.39(.08) ^a	5.27(.07)
Sunburn	4.69(.08) ^b	5.47(.07)	4.97(.06) ^b	5.37(.07) ^a	2.61(.08) ^{ab}	5.12(.07)
Aging	4.62(.08) ^{ab}	5.51(.07)	5.23(.06) ^a	5.47(.07) ^{ab}	2.76(.08) ^{bc}	5.23(.07)
Mole Removal	4.64(.08) ^a	5.56(.07)	5.23(.06) ^a	5.58(.07) ^b	3.03(.08) ^d	5.31(.07)
UV	4.62(.08) ^{ab}	5.55(.07)	5.12(.06) ^{ab}	5.47(.07) ^{ab}	3.07(.08) ^d	5.22(.07)

Means and standard errors (in parentheses). Means with different superscripts are significantly different, $p < .05$.