Published in final edited form as:

Dev Sci. 2019 July ; 22(4): e12814. doi:10.1111/desc.12814.

Seeing problems that may not exist: A reply to West et al.'s (2018) questioning of the procedural deficit hypothesis

Christopher M. Conway¹, Joanne Arciuli², Jarrad A.G. Lum³, and Michael T. Ullman^{4,*}

¹Center for Childhood Deafness, Language, and Learning, Boys Town National Research Hospital, Omaha, Nebraska

²Faculty of Health Sciences, University of Sydney

³School of Psychology, Deakin University, Melbourne Burwood Campus, Burwood, Victoria, Australia

⁴Department of Neuroscience, Georgetown University, EP-04 New Research Building, 20007 Washington DC, USA

Keywords

procedural memory; procedural deficit hypothesis; specific language impairment; dyslexia; language; implicit learning

In a recent paper ("The procedural learning deficit hypothesis of language learning disorders: We see some problems", *Developmental Science*, 2018), West, Vadillo, Shanks, and Hulme (2018) aimed to test the procedural deficit hypothesis (PDH) of specific language impairment (SLI) and dyslexia. This hypothesis proposes that abnormalities of brain structures underlying procedural memory can largely explain SLI, and perhaps developmental dyslexia (Ullman, 2004; Ullman & Pierpont, 2005; see also Nicolson & Fawcett, 2007, 2011).

West et al. examined aspects of declarative and procedural memory in a representative sample of 7-8 year old children, in relation to language, literacy, and mathematical abilities. They emphasized two findings. First, their declarative but not procedural learning measures correlated with language, reading, and math scores. Second, their procedural learning measures demonstrated relatively low reliability. West et al. concluded that their results "seriously question the suggestion that the construct of a 'procedural learning system' can be reliably measured and cast strong doubts on claims from earlier studies that deficits in such a system are related to language learning difficulties" (pg.10).

*Corresponding authors: Michael T. Ullman, Brain and Language Lab, Department of Neuroscience, Georgetown University, Address: EP-04 New Research Building, Georgetown University, Washington DC, USA, michael@georgetown.edu, Phone: +1-202-687-6064, Fax: +1-202-687-0617; Christopher M. Conway, Brain, Learning, and Language Lab, Center for Childhood Deafness, Language, and Learning, Boys Town National Research Hospital, Address: Lied Learning and Technology Center, 555 N. 30th St., Omaha, NE 68131, christopher.conway@boystown.org, Phone: +1-531-355-5038, Fax: +1-402-452-5028.

There are no conflicts of interest to report.

Their paper raises important questions about the nature of procedural learning, how best to measure it, and whether it is related to typical and atypical language and cognition. However, we suggest that there are a number of weaknesses with the study that invalidate their argument.

Finding #1: Their measures of procedural learning did not correlate with language (or reading or math) measures.

West et al. is framed as an investigation of the PDH of SLI and dyslexia. However, they examined a *representative* sample of children, who are likely to be mostly typically developing (TD). Thus, although their results could potentially inform procedural learning in typical development, the findings do not provide a test of the PDH.

Moreover, the tasks and analyses they employed throw doubt on whether they even assessed the functionality of procedural memory. Procedural memory is operationalized by the PDH as the implicit learning and memory that relies on a network rooted in the basal ganglia (Evans & Ullman, 2016; Hamrick, Lum, & Ullman, 2018; Ullman, 2004, 2016; Ullman & Pierpont, 2005). Crucially, on this view procedural memory is *not isomorphic* with implicit learning and memory. Rather, it is one among several types of learning and memory that appear to be largely implicit (Ashby et al., 2010; Doyon et al., 2009; Reber, 2013; Squire & Dede, 2015).

Unfortunately, the implicit/explicit and procedural/declarative distinctions are commonly confounded, including by West et al. As a result, most of their (verbal and nonverbal) implicit learning tasks do not clearly probe procedural memory. The Hebb serial-order learning task is an established paradigm for examining repetition learning (Hebb, 1961; Page & Norris, 2009), but to our knowledge has not been clearly linked to procedural memory, that is, to basal-ganglia-based learning. Worse, the contextual cueing task has been tied to the medial temporal lobe, and thus to declarative memory (Chun & Phelps, 1999; Greene, Gross, Elsinger, & Rao, 2007), which is operationalized as medial-temporal-lobe-based learning, independent of the implicit/explicit distinction (Ullman, 2004, 2016; Ullman & Pierpont, 2005).

The implicit learning of non-verbal perceptual-motor sequences (though not verbal sequences) in SRT tasks has, by contrast, been clearly linked to procedural memory (Clark, Lum, & Ullman, 2014; Hardwick et al., 2013). However, whereas most SRT studies test for sequence learning by comparing performance between final sequence and random blocks after training on the sequence, West et al. appear to have computed learning as the difference in performance between higher and lower probability sequences *throughout* the task. Their measure of sequence learning thus includes early stages when measurable learning might not yet be robust, since learning in this system is gradual. Moreover, early sequence learning may depend partially on declarative memory (Schendan et al., 2003). Thus their learning measure decreases the likelihood that sequence learning in procedural memory was reliably measured, reducing the probability that their correlations captured shared variance between procedural learning and language, reading, or math.

Finding #2: Poor reliability of their measures of procedural learning.

Though we laud West et al. for examining task reliabilities, their conclusion that poor reliabilities for their (purported) measures of procedural learning "...cast strong doubt..." on results from earlier research on procedural memory in SLI and dyslexia is not warranted. Low reliability attenuates effect sizes (Baugh, 2002), leading to an underestimation of the true effect size and potentially non-significant findings. Thus, a study might observe low effect sizes and non-significant results not because the true effect size is zero, but because the tasks used to measure the outcome variable had poor reliability, leading to a false negative error.

However, meta-analyses have clearly shown that individuals with SLI or dyslexia perform significantly worse than TD controls on the SRT task (Clark & Lum, 2017; Lum et al., 2013, 2014). Thus, the concern is not whether a false negative error has been made. Rather, with low SRT reliability, the observed group differences would likely be *underestimations* of the true effect sizes. This can be illustrated by adjusting effect size for reliability (Muchinsky, 1996). Indeed, we see in Figure 1 that correcting for low reliability leads to a *larger* effect size in the difference between TD and SLI/dyslexia, further supporting rather than weakening the PDH.

Conclusion.

The study by West et al. raises important issues about how best to measure procedural learning and assess its relationship with language, reading, and math development. Because West et al. did not examine language *dys*function and did not clearly probe procedural memory, their findings do not clearly inform the PDH. Additionally, even if their implicit learning measures are taken to reflect learning in procedural memory, low task reliabilities lead to an underestimation of effect sizes, serving to strengthen rather than weaken the evidence that children with SLI or dyslexia are impaired at procedural learning. In sum, rather than calling into question the PDH, we believe their findings serve to illustrate the complexities involved in properly assessing the role of procedural and implicit learning in typical and atypical language, reading, and math development.

Acknowledgements:

This work was supported by the National Institute on Deafness and other Communication Disorders (R01DC012037 to CMC), a mid-career fellowship granted by the Australian Research Council (FT130101570 to JA), the National Institute of Child Health and Human Development (R21HD087088 to MTU), the National Science Foundation (BCS1439290 to MTU), and a research grant from the Tourette Association of America (to MTU).

References

- Ashby FG, Turner BO, & Horvitz JC (2010). Cortical and basal ganglia contributions to habit learning and automaticity. *Trends in Cognitive Sciences*, 14(5), 208–215. [PubMed: 20207189]
- Baugh F (2002). Correcting effect sizes for score reliability: A reminder that measurement and substantive issues are linked inextricably. *Educational and Psychological Measurement*, 62(2), 254–263.

- Chun MM & Phelps EA (1999). Memory deficits for implicit contextual information in amnesic subjects with hippocampal damage. *Nature Neuroscience*, 2(9), 844–847. [PubMed: 10461225]
- Clark GM, & Lum JA (2017). Procedural learning in Parkinson's disease, specific language impairment, dyslexia, schizophrenia, developmental coordination disorder, and autism spectrum disorders: A second-order meta-analysis. *Brain and Cognition*, 117, 41–48. [PubMed: 28710941]
- Clark GM, Lum JAG, & Ullman MT (2014). A meta-analysis and meta-regression of serial reaction time task performance in Parkinson's disease. *Neuropsychology*, 28(6), 945–958. [PubMed: 25000326]
- Doyon J, Bellec P, Amsel R, Penhune VB, Monchi O, Carrier J, Lehericy S, & Benali H (2009). Contributions of the basal ganglia and functionally related brain structures to motor learning. *Behavioural Brain Research*, 199, 61–75. [PubMed: 19061920]
- Evans TM, & Ullman MT (2016). An extension of the procedural deficit hypothesis from developmental language disorders to mathematical disability. *Frontiers in Psychology*, 7, 1318. [PubMed: 27695426]
- Greene AJ, Gross WL, Elsinger CL & Rao SM (2007). Hippocampal differentiation without recognition: An fMRI analysis of the contextual cueing task. *Learning and Memory*, 14(8), 548–554. [PubMed: 17690338]
- Hamrick P, Lum JAG, & Ullman MT (2018, online). Child first language and adult second language are both tied to general-purpose learning systems. *Proceedings of the National Academy of Sciences*.
- Hardwick RM, Rottschy C., Miall RC, & Eickhoff SB. (2013). A quantitative meta-analysis and review of motor learning in the human brain. *Neuroimage*, 67, 283–297. [PubMed: 23194819]
- Hebb DO (1961). Distinctive features of learning in the higher animal In Delafresnaye JF (Ed.), *Brain Mechanisms and Learning* (pp. 37–46). Oxford: Blackwell.
- Lum JAG, Conti-Ramsden G, Morgan AT, & Ullman MT (2014). Procedural learning deficits in specific language impairment (SLI): A meta-analysis of serial reaction time task performance. *Cortex*, 51, 1–10. doi: 10.1016/j.cortex.2013.10.011 [PubMed: 24315731]
- Lum JAG, Ullman MT & Conti-Ramsden G (2013). Procedural learning is impaired in dyslexia: Evidence from a meta-analysis of serial reaction time studies. *Research in Developmental Disabilities*, 34, 3460–3476. doi: 10.1016/j.ridd.2013.07.017 [PubMed: 23920029]
- Muchinsky PM (1996). The correction for attenuation. *Educational and Psychological Measurement*, 56(1), 63–75.
- Nicolson RI & Fawcett AJ (2007). Procedural learning difficulties: reuniting the developmental disorders?. *Trends in Neurosciences*, 30(4), 135–141. [PubMed: 17328970]
- Nicolson RI & Fawcett AJ (2011). Dyslexia, dysgraphia, procedural learning and the cerebellum. *Cortex*, 47 (1), 117–127. doi: 10.1016/j.cortex.2009.08.016 [PubMed: 19818437]
- Page MPA & Norris D (2009). A model linking immediate serial recall, the Hebb repetition effect and the learning of phonological word forms. *Philosophical Transactions of the Royal Society B Biological Sciences*, 364, 3737–3753. doi: 10.1098/rstb.2009.0173
- Reber PJ (2013). The neural basis of implicit learning and memory: A review of neuropsychological and neuroimaging research. *Neuropsychologia*, 51, 2026–2042. [PubMed: 23806840]
- Schendan H, Searl M, Melrose R, & Stern C (2003). An fMRI study of the role of the medial temporal lobe in implicit and explicit sequence learning. *Neuron*, 37(6), 1013–1025. [PubMed: 12670429]
- Semel EM, Wiig EH, & Secord W (2004). *CELF 4: Clinical Evaluation of Language Fundamentals-4*. San-Antonio: Pearson.
- Squire LR, & Zola-Morgan AJO (2015). *Conscious and Unconscious Memory Systems*. Cold Spring Harbor Perspectives in Biology, 7(3), 1–14
- Ullman MT (2004). Contributions of neural memory circuits to language: The declarative/procedural model. *Cognition*, 92(1–2). 231–270. [PubMed: 15037131]
- Ullman MT (2016). The declarative/procedural model: A neurobiological model of language learning, knowledge and use In Hickok G & Small SA (Eds.), *The Neurobiology of Language*. Elsevier pp. 953–68.

- Ullman MT, & Pierpont EI (2005). Specific language impairment is not specific to language: the procedural deficit hypothesis. *Cortex* 41, 399–433. doi: 10.1016/S0010-9452(08)70276-4 [PubMed: 15871604]
- West G, Vadillo MA, Shanks DR, and Hulme C (2018). The procedural learning deficit hypothesis of language learning disorders: We see some problems. *Developmental Science*, 21, e12552. doi.org/10.1111/desc.12552

Figure 1. Forest plot showing unadjusted effect sizes (diamonds filled in black) and reliability-corrected effect sizes (unfilled diamonds). The figure shows that the impact of correcting for reliability, following Muchinsky’s (1996) reliability correction for correlation coefficients, increases the magnitude of the effect size, for two recent relevant meta-analyses. The meta-analysis by Clark and Lum (2017) provides the most recent summary of studies comparing SRT learning between individuals with SLI and TD controls. The meta-analysis by Lum et al. (2013) compared SRT learning differences between individuals with dyslexia and TD controls. For illustrative purposes, the reliability of the SRT task was set to 0.21, which was the lowest reliability found by West et al. for the non-verbal SRT task. The reliability of the tests used to identify children with SLI and dyslexia was set to 0.90. This value roughly corresponds to the internal consistency of the overall composite score used to identify language and reading impairments in most standardized tests of language and reading (e.g., Semel et al., 2004).