Published in final edited form as:

Cognit Ther Res. 2019 February ; 43(1): 1–5. doi:10.1007/s10608-018-9988-4.

Cognitive Processes in Anxiety and Comorbid Physical Illness and Health Behavior: Introduction to the Special Issue

Samantha G. Farris, Ph.D.^a, Michael J. Zvolensky, Ph.D.^{b,c,d}

^aRutgers, The State University of New Jersey

^bUniversity of Houston, Houston, Texas

^cThe University of Texas MD Anderson Cancer Centers, Houston, Texas

^dHEALTH Institute, Houston, Texas

Abstract

Anxiety symptoms and disorders are the most common psychiatric problems world-wide and are vastly overrepresented among individuals with chronic illness and poor health behavior. The purpose of the current special series is to bolster attention and highlight new research on cognitive processes as a basic element that may undergird the association between anxiety and chronic illness and health behavior. Findings in this issue highlight cognitive-based risk and resilience factors related to anxiety in individuals with various chronic conditions problematic health behaviors.

Introduction

Burden of Chronic Illness and Health Behaviors

Chronic health conditions/diseases are the leading causes of morbidity and mortality in the United States (Yoon et al., 2014) and are prevalent in approximately one in every two adults in the United States (Ward, Schiller, & Goodman, 2014). Multimorbidity of chronic disease is also common in roughly one in four adults in the United States (Ward et al., 2014) and contributes to greater healthcare utilization and burden (Salisbury, Johnson, Purdy, Valderas, & Montgomery, 2011; U.S. Burden of Disease Collaborators, 2013). Further, health behaviors are significant contributing factors to preventable forms of chronic illness, including nicotine and tobacco use, alcohol and drug use, poor sleep, and physical inactivity (Ford, Zhao, Tsai, & Li, 2011; Yoon et al., 2014). Living with chronic illness can be a stressful experience for a myriad of reasons, including but not limited to, medical management of symptoms, medication adherence, and greater levels of life impairment. In fact, persons with chronic illness and poor health behaviors experience an increased risk of mood disturbances (e.g., Teesson et al., 2011).

* **Corresponding author:** Samantha G. Farris, Ph.D. at Rutgers, the State University of New Jersey, Department of Psychology, 53 Avenue East, Piscataway, NJ 08854. samantha.farris@rutgers.edu.

Ethical Approval: This article does not contain any studies with human participants or animals performed by any of the authors.

Informed Consent: This article does not contain any studies with human participants.

Conflict of Interest: Drs. Farris and Zvolensky declare that they have no conflict of interest.

Anxiety Symptoms and Disorders

There have been decades of sustained scholarly attention on several psychological factors (e.g., personality types, depression) in the context of chronic illness and health behavior (Byrne, 1983; Dembroski, MacDougall, Williams, Haney, & Blumenthal, 1985; Elliott & Eisdorfer, 1982; Karren, Smith, & Gordon, 2013). Comparably less research has focused on anxiety and its disorders in relation to chronic illness and health behavior. The paucity of work on anxiety is alarming because anxiety symptoms and disorders are the most common psychiatric problems world-wide and account for significant social cost, disability, and morbidity (Greenberg et al., 1999; Lecrubier, 2001; Lépine, 2002; Stein, Scott, de Jonge, & Kessler, 2017; U.S. Burden of Disease Collaborators, 2013). Anxiety and its disorders are also vastly overrepresented among individuals with chronic illness. For example, anxiety is commonly comorbid and independently implicated in the maintenance of various medical conditions (Sareen, Cox, Clara, & Asmundson, 2005), including but not limited to pain disorders (Asmundson, Abrams, & Collimore, 2008; Means-Christensen, Roy-Byrne, Sherbourne, Craske, & Stein, 2008), pulmonary disease (Montserrat-Capdevila et al., 2018; Yohannes, Baldwin, & Connolly, 2000), irritable bowel syndrome (Fond et al., 2014; Lydiard, 2001), cardiovascular disease (Celano, Daunis, Lokko, Campbell, & Huffman, 2016; Tully, Cosh, & Baumeister, 2014), cancer (Slaughter et al., 2000; Yi & Syrjala, 2017), metabolic conditions (Strine et al., 2008), and neurological conditions (Johnson, McLeish, Shear, & Privitera, 2018; Minen et al., 2016). Moreover, the presence of anxiety is related to more severe symptom presentations, disability, and mortality risk (Sareen et al., 2005, 2006). Similarly, anxiety is highly prevalent among those engaging in poor health behavior (e.g., Goodwin, 2003; Piper, Cook, Schlam, Jorenby, & Baker, 2011; Smith & Book, 2010) and is robustly related to the maintenance of such behavior (e.g., Buckner et al., 2012; Moylan, Jacka, Pasco, & Berk, 2012).

Theoretical Framework

Theoretically, anxiety symptoms and disorders may be related to the onset and maintenance of health behavior and chronic illness in different ways. Potential pathways supported, at least in part, by past work, include condition-specific fears (e.g., pain-related anxiety; Asmundson et al., 2008), avoidance behavior (e.g., Vlaeyen & Linton, 2012), affect-based health habits (e.g., emotional eating; Hawkins & Clement, 1984), and altering of somatic processes (e.g., inflammation; Felger, 2018; McEwen, 2015). Each of these pathways can be highly influenced by cognitive-based factors implicated in the expression, etiology, and maintenance of anxiety (Asmundson, Wright, & Hadjistavropoulos, 2000; Horenstein, Potter, & Heimberg, 2018; Otto et al., 2016). To this end, the purpose of the current special series is to bolster attention and highlight new research on cognitive processes as a basic element that may undergird the association between anxiety and chronic illness and health behavior.

Current Special Issue

We invited contributions from a diverse group of researchers to highlight recent work on cognitive processes involved with anxiety and their relation to chronic illness and health behavior. Findings in this issue highlight cognitive processes related to anxiety in individuals

with various chronic conditions, including individuals with epilepsy (Lidgard *et al.*), dermatological conditions (Dixon *et al.*), asthma (McLeish *et al.*), cancer (Gallagher *et al.*), and cannabis-using veterans (Stewart *et al.*). This special issue also presents a series of studies that evaluate anxiety-related cognitive processes linked to health behaviors, including health care utilization (Horenstein *et al.*), sleep quality (Smith *et al.*), and physical activity experiences (Farris *et al.*), and engagement in problematic health behaviors like non-suicidal self-injury (Hughes *et al.*), painmotivated cigarette smoking (LaRowe *et al.*), and electronic cigarette use (Versella *et al.*, Zvolensky *et al.*). These works identified cognitive-based risk and resilience factors related to emotional and physical health and functioning.

Anxiety Sensitivity.—The fear of anxiety-related arousal sensations (Reiss, Peterson, Gursky, & McNally, 1986), is a cognitive construct of anxiety that appears to be related to disease-related impairment. In this series, Lidgard *et al.* present findings that indicate anxiety sensitivity was significantly associated with greater functional impairment in adults with epilepsy, but not seizure likelihood. Dixon *et al.* also document anxiety sensitivity's link to anxiety symptoms and skin-related disability among individuals with skin disease. Stewart *et al.* document anxiety sensitivity's association with poorer perceived physical health and healthrelated functional impairment in cannabis-using veterans, particularly among frequent cannabis users. In terms of health behaviors, LaRowe *et al.* present a theoretical model of cognitive factors related to pain and cigarette smoking, which posits a feedback-loop wherein painsmoking is maintained by anxious interpretations and responses to pain, particularly in the context of elevated anxiety sensitivity, which may motivate use of cigarettes to escape pain and anxiety. Anxiety sensitivity is also related to the affective experience of health-promoting behaviors, like exercise. In this special issue, Farris *et al.* present findings linking anxiety sensitivity to lower enjoyment of physical activity higher levels of anxiety and negative mood immediately prior to engaging in exercise, and an anxiogenic response to exercise.

Distress Intolerance.—One's perceived or actual inability to tolerate distress states (Leyro, Zvolensky, & Bernstein, 2010) is an anxiety-relevant cognitive process that is linked to chronic illness and health behavior. In this special issue, intolerance of various distress states is examined, including physical discomfort, broad psychological distress, and specific psychological distress (i.e., uncertainty). Specifically, McLeish *et al.* present findings that link intolerance of physical discomfort with poorer lung function, asthma control, and asthma-related quality of life in adults with asthma. Regarding intolerance of psychological distress, findings from Smith *et al.* indicate that one's perceived intolerance of psychological distress, in the context of problematic alcohol use, is associated with greater sleep disturbances in firefighters. Additionally, Horenstein *et al.* present evidence linking both intolerance of uncertainty and anxiety sensitivity, and their interplay with health anxiety and greater likelihood of emergency care utilization in young adults.

Difficulties with Emotion Regulation.—Deficits in one's ability to use situationally appropriate regulation strategies flexibility to modulate emotional responses (Gratz & Roemer, 2004) is related to anxiety and has also been linked to various problem health behaviors, including cigarette smoking. As an extension of line of research, in the current

issue Versella *et al.* evaluate anxiety and cognitive-affective vulnerability factors related to electronic cigarette use. Their findings that indicate individuals who use electronic cigarettes have higher levels of anxiety compared to those who use electronic cigarettes and combustible cigarettes (i.e., dualusers), and difficulties with emotion regulation specifically, but not other cognitive vulnerabilities, may be related to elevated anxiety in electronic cigarettes users.

Repetitive Negative Thinking.—The tendency to ruminate on the past or worry about the future (Ehring & Watkins, 2008) is a transdiagnostic cognitive factor linked to anxiety and health behaviors. In this special issue, Hughes *et al.* present findings linking repetitive negative thinking to non-suicidal self-injury, which is associated with physical risk and healthcare utilization. Findings indicate anxiety and feeling overwhelmed were affective antecedents to non-suicidal self-injury, particularly in the context of repetitive negative thinking, which suggests that this cognitive vulnerability may increase risk for maladaptive coping via non-suicidal selfinjury in the context of acute anxious states.

Health Literacy.—One's understanding and use of health information to make health behavior decisions (Institute of Medicine Committee on Health Literacy, 2004) is generally associated with positive health outcomes and adaptive health behaviors. However, in the context of anxiety, higher health literacy has been linked to maladaptive behaviors like reassurance-seeking. In this issue, Zvolensky *et al.* evaluate anxiety and health literacy as it relates to electronic cigarettes beliefs and behavior. They present findings that indicate higher health literacy about electronic cigarettes is associated with stronger beliefs about the risk and benefits of electronic cigarettes and higher dependence, and these associations were amplified in individual with elevated anxiety sensitivity.

Positive Expectancy Factors.—Certain cognitive protective factors may be protective against anxiety, and in turn, related to better physical health outcomes. In this issue, Gallagher *et al.* present an evaluation of two positive expectancy processes in cancer survivors: optimism (i.e., the tendency to expect positive outcomes in the future; Scheier & Carver, 1992) and mastery (i.e., one's perceived control over outcomes; Pearlin, Lieberman, Menaghan, & Mullan, 1981). The findings indicate that both optimism and mastery are linked with adaptive coping, and greater emotional and physical health in cancer survivors.

Summary.—Our goal with this special issue is to present recent research focused on (a) identifying cognitive vulnerabilities that are candidate treatment 'targets' and (b) understanding how identified targets influence emotional and physical health in individuals with chronic health conditions and maladaptive health behaviors. This type of approach is consistent with research initiatives in precision medicine (Ma, Rosas, & Lv, 2016), NIH's Science of Behavior Change (Riley, 2017), and experimental therapeutics (Lewandowski, Ongur, & Keshavan, 2018) – all which aim to systematically identify potential mechanisms that can be targeted in tailored treatment with the ultimate goal of improving symptom management, quality of life, and reducing healthcare burden. We believe that this special series will (1) inform readers of the significance of this work at a variety of different levels of analysis; (2) illustrate current research questions being explored across a range of clinical

populations through diverse approaches; and (3) identify promising areas for future research and clinical advances

Acknowledgments

Funding: None.

References

- Asmundson GJG, Abrams MP, & Collimore KC (2008). Pain and Anxiety Disorders In Zvolensky JAJ, Smits MJ (Ed.), *Anxiety in health behaviors and physical illness* (pp. 207–235). Springer.
- Asmundson GJG, Wright KD, & Hadjistavropoulos HD (2000). Anxiety Sensitivity and Disabling Chronic Health Conditions State of the Art and Future Directions. *Scandinavian Journal of Behaviour Therapy*, 29(3–4), 100–117. 10.1080/028457100300049719
- Buckner JD, Heimberg RG, Schneier FR, Liu S-M, Wang S, & Blanco C (2012). The relationship between cannabis use disorders and social anxiety disorder in the National Epidemiological Study of Alcohol and Related Conditions (NESARC). *Drug and Alcohol Dependence*, 124(1–2), 128–134. 10.1016/j.drugalcdep.2011.12.023 [PubMed: 22266089]
- Byrne DG (1983). Personal Determinants of Life Event Stress and Myocardial Infarction. *Psychotherapy and Psychosomatics*, 40(1–4), 106–114. 10.1159/000287758 [PubMed: 6657868]
- Celano CM, Daunis DJ, Lokko HN, Campbell KA, & Huffman JC (2016). Anxiety Disorders and Cardiovascular Disease. *Current Psychiatry Reports*, 18(11), 101 10.1007/s11920-016-0739-5 [PubMed: 27671918]
- Dembroski TM, MacDougall JM, Williams RB, Haney TL, & Blumenthal JA (1985). Components of Type A, hostility, and anger-in: relationship to angiographic findings. *Psychosomatic Medicine*, 47(3), 219–233. [PubMed: 4001281]
- Ehring T, & Watkins ER (2008). Repetitive Negative Thinking as a Transdiagnostic Process. *International Journal of Cognitive Therapy*, 1(3), 192–205. 10.1521/ijct.2008.1.3.192
- Elliott GR, & Eisdorfer C (1982). *Stress and Human Health*. New York: Springer Publishing Company.
- Felger JC (2018). Imaging the Role of Inflammation in Mood and Anxiety-related Disorders. *Current Neuropharmacology*, 16(5), 533–558. 10.2174/1570159X15666171123201142 [PubMed: 29173175]
- Fond G, Loundou A, Hamdani N, Boukouaci W, Dargel A, Oliveira J, Boyer L (2014). Anxiety and depression comorbidities in irritable bowel syndrome (IBS): a systematic review and meta-analysis. *European Archives of Psychiatry and Clinical Neuroscience*, 264(8), 651–660. 10.1007/s00406-014-0502-z [PubMed: 24705634]
- Ford ES, Zhao G, Tsai J, & Li C (2011). Low-Risk Lifestyle Behaviors and All-Cause Mortality: Findings From the National Health and Nutrition Examination Survey III Mortality Study. *American Journal of Public Health*, 101(10), 1922–1929. 10.2105/AJPH.2011.300167 [PubMed: 21852630]
- Goodwin RD (2003). Association between physical activity and mental disorders among adults in the United States. *Preventive Medicine*, 36(6), 698–703. 10.1016/S0091-7435(03)00042-2 [PubMed: 12744913]
- Gratz KL, & Roemer L (2004). Multidimensional assessment of emotion regulation: Development, factor structure, and initial validation of the Difficulties in Emotion Regulation Scale. *Journal of Psychopathology and Behavioral Assessment*, 26(1), 41–54.
- Greenberg PE, Sisitsky T, Kessler RC, Finkelstein SN, Berndt ER, Davidson JR, Fyer AJ (1999). The economic burden of anxiety disorders in the 1990s. *The Journal of Clinical Psychiatry*, 60(7), 427–435. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10453795> [PubMed: 10453795]
- Hawkins RC, & Clement PF (1984). Binge eating: Measurement problems and a conceptual model In Hawkins RC, Fremouw WJ, & Clement PF (Eds.), *The binge purge syndrome: Diagnosis treatment, and research* (pp. 229–251). New York: Springer.

- Horenstein A, Potter CM, & Heimberg RG (2018). How does anxiety sensitivity increase risk of chronic medical conditions ?, (4 2017), 1–22. 10.1111/cpsp.12248
- Institute of Medicine Committee on Health Literacy. (2004). Health Literacy: A Prescription to End Confusion. Executive Summary. (Nielsen-Bohlman L, Panzer A, & Kindig D, Eds.). Washington (DC): National Academies Press.
- Johnson AL, McLeish AC, Shear PK, & Privitera M (2018). Panic and epilepsy in adults: A systematic review. *Epilepsy & Behavior*, 85, 115–119. 10.1016/j.yebeh.2018.06.001 [PubMed: 29940374]
- Karren KJ, Smith NL, & Gordon KJ (2013). *Mind/Body Health: The Effects of Attitudes, Emotions, and Relationships* (5th Editio). Pearson Education, Inc.
- Lecrubier Y (2001). The burden of depression and anxiety in general medicine. *The Journal of Clinical Psychiatry*, 62 Suppl 8, 4–9; discussion 10–1. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12108821>
- Lépine J-P (2002). The epidemiology of anxiety disorders: prevalence and societal costs. *The Journal of Clinical Psychiatry*, 63 Suppl 14, 4–8. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12562112>
- Lewandowski KE, Ongur D, & Keshavan MS (2018). Development of novel behavioral interventions in an experimental therapeutics world: Challenges, and directions for the future. *Schizophrenia Research*, 192, 6–8. 10.1016/j.schres.2017.06.010 [PubMed: 28629888]
- Leyro TM, Zvolensky MJ, & Bernstein A (2010). Distress tolerance and psychopathological symptoms and disorders: a review of the empirical literature among adults. *Psychological Bulletin*, 136(4), 576–600. 10.1037/a0019712 [PubMed: 20565169]
- Lydiard RB (2001). Irritable bowel syndrome, anxiety, and depression: What are the links? *J Clin Psychiatry*, 62(Suppl 8), 38–45. Retrieved from http://www-psychiatristcom.revproxy.brown.edu/JCP/article/_layouts/ppp.psych.controls/BinaryViewer.ashx?Article=JCP/article/Pages/2001/v62s08/v62s0807a.aspx&Type=Article
- Ma J, Rosas LG, & Lv N (2016). Precision Lifestyle Medicine: A New Frontier in the Science of Behavior Change and Population Health. *American Journal of Preventive Medicine*, 50(3), 395–397. 10.1016/j.amepre.2015.09.035 [PubMed: 26651423]
- McEwen BS (2015). Biomarkers for assessing population and individual health and disease related to stress and adaptation. *Metabolism*, 64(3), S2–S10. 10.1016/j.metabol.2014.10.029 [PubMed: 25496803]
- Means-Christensen AJ, Roy-Byrne PP, Sherbourne CD, Craske MG, & Stein MB (2008). Relationships among pain, anxiety, and depression in primary care. *Depression and Anxiety*, 25(7), 593–600. 10.1002/da.20342 [PubMed: 17932958]
- Minen MT, Begasse De Dhaem O, Kroon Van Diest A, Powers S, Schwedt TJ, Lipton R, & Silbersweig D (2016). Migraine and its psychiatric comorbidities. *Journal of Neurology, Neurosurgery & Psychiatry*, 87(7), 741–749. 10.1136/jnnp-2015-312233
- Montserrat-Capdevila J, Godoy P, Marsal JR, Ortega M, Pifarré J, Alsedà M, ... Barbé F (2018). Mental disorders in chronic obstructive pulmonary diseases. *Perspectives in Psychiatric Care*. 10.1111/ppc.12274
- Moylan S, Jacka FN, Pasco JA, & Berk M (2012). Cigarette smoking, nicotine dependence and anxiety disorders: A systematic review of population-based, epidemiological studies. *BMC Medicine*, 10 10.1186/1741-7015-10-123
- Otto MW, Eastman A, Lo S, Hearon BA, Bickel WK, Zvolensky M, ... Doan SN (2016). Anxiety sensitivity and working memory capacity: Risk factors and targets for health behavior promotion. *Clinical Psychology Review*, 49, 67–78. 10.1016/j.cpr.2016.07.003 [PubMed: 27611632]
- Pearlin LI, Lieberman MA, Menaghan EG, & Mullan JT (1981). The stress process. *Journal of Health and Social Behavior*, 22(4), 337–356. [PubMed: 7320473]
- Piper ME, Cook JW, Schlam TR, Jorenby DE, & Baker TB (2011). Anxiety diagnoses in smokers seeking cessation treatment: relations with tobacco dependence, withdrawal, outcome and response to treatment. *Addiction*, 106(2), 418–427. 10.1111/j.1360-0443.2010.03173.x [PubMed: 20973856]

- Reiss S, Peterson RA, Gursky DM, & McNally RJ (1986). Anxiety sensitivity, anxiety frequency and the prediction of fearfulness. *Behaviour Research and Therapy*, 24(1), 1–8. 10.1016/0005-7967(86)90143-9 [PubMed: 3947307]
- Riley WT (2017). Behavioral and social sciences at the National Institutes of Health: Methods, measures, and data infrastructures as a scientific priority. *Health Psychology : Official Journal of the Division of Health Psychology, American Psychological Association*, 36(1), 5–7. 10.1037/hea0000464
- Salisbury C, Johnson L, Purdy S, Valderas JM, & Montgomery AA (2011). Epidemiology and impact of multimorbidity in primary care: a retrospective cohort study. *The British Journal of General Practice : The Journal of the Royal College of General Practitioners*, 61(582), e12–21. 10.3399/bjgp11X548929 [PubMed: 21401985]
- Sareen J, Cox BJ, Clara I, & Asmundson GJG (2005). The relationship between anxiety disorders and physical disorders in the U.S. National Comorbidity Survey. *Depression and Anxiety*, 21(4), 193–202. 10.1002/da.20072 [PubMed: 16075453]
- Sareen J, Jacobi F, Cox BJ, Belik S-L, Clara I, & Stein MB (2006). Disability and Poor Quality of Life Associated With Comorbid Anxiety Disorders and Physical Conditions. *Archives of Internal Medicine*, 166(19), 2109–2110. 10.1001/archinte.166.19.2109 [PubMed: 17060541]
- Scheier MF, & Carver CS (1992). Effects of optimism on psychological and physical wellbeing: Theoretical overview and empirical update. *Cognitive Therapy and Research*, 16(2), 201–228. 10.1007/BF01173489
- Slaughter JR, Jain A, Holmes S, Reid JC, Bobo W, & Sherrod NB (2000). Panic disorder in hospitalized cancer patients. *Psycho-Oncology*, 9(3), 253–258. 10.1002/1099-1611(200005/06)9:3<AID-PON449>3.0.CO;2-C [PubMed: 10871721]
- Smith JP, & Book SW (2010). Comorbidity of generalized anxiety disorder and alcohol use disorders among individuals seeking outpatient substance abuse treatment. *Addictive Behaviors*, 35(1), 42–45. 10.1016/j.addbeh.2009.07.002 [PubMed: 19733441]
- Stein DJ, Scott KM, de Jonge P, & Kessler RC (2017). Epidemiology of anxiety disorders: from surveys to nosology and back. *Dialogues in Clinical Neuroscience*, 19(2), 127–136. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/28867937> [PubMed: 28867937]
- Strine TW, Mokdad AH, Dube SR, Balluz LS, Gonzalez O, Berry JT, ... Kroenke K (2008). The association of depression and anxiety with obesity and unhealthy behaviors among community-dwelling US adults. *General Hospital Psychiatry*, 30(2), 127–137. 10.1016/j.genhosppsych.2007.12.008 [PubMed: 18291294]
- Teesson M, Mitchell PB, Deady M, Memedovic S, Slade T, & Baillie A (2011). Affective and Anxiety Disorders and their Relationship with Chronic Physical Conditions in Australia: Findings of the 2007 National Survey of Mental Health and Wellbeing. *Australian & New Zealand Journal of Psychiatry*, 45(11), 939–946. 10.3109/00048674.2011.614590 [PubMed: 21967412]
- Tully PJ, Cosh SM, & Baumeister H (2014). The anxious heart in whose mind? A systematic review and meta-regression of factors associated with anxiety disorder diagnosis, treatment and morbidity risk in coronary heart disease. *Journal of Psychosomatic Research*, 77(6), 439–448. 10.1016/j.jpsychores.2014.10.001 [PubMed: 25455809]
- U.S. Burden of Disease Collaborators. (2013). The state of US health, 1990–2010: burden of diseases, injuries, and risk factors. *Journal of the American Medical Association*, 310(6), 591–608. 10.1001/jama.2013.13805 [PubMed: 23842577]
- Vlaeyen JWS, & Linton SJ (2012). Fear-avoidance model of chronic musculoskeletal pain: 12 years on. *Pain*, 153(6), 1144–1147. 10.1016/j.pain.2011.12.009 [PubMed: 22321917]
- Ward BW, Schiller JS, & Goodman RA (2014). Multiple chronic conditions among US adults: a 2012 update. *Preventing Chronic Disease*, 11, E62. 10.5888/pcd11.130389 [PubMed: 24742395]
- Yi JC, & Syrjala KL (2017). Anxiety and Depression in Cancer Survivors. *Medical Clinics of North America*, 101(6), 1099–1113. 10.1016/j.mcna.2017.06.005 [PubMed: 28992857]
- Yohannes AM, Baldwin RC, & Connolly MJ (2000). Mood disorders in elderly patients with chronic obstructive pulmonary disease. *Reviews in Clinical Gerontology*, 10(2), S0959259800002100. 10.1017/S0959259800002100

Yoon PW, Bastian B, Anderson RN, Collins JL, Jaffe HW, & Centers for Disease Control and Prevention (CDC). (2014). Potentially preventable deaths from the five leading causes of death--United States, 2008–2010. *MMWR. Morbidity and Mortality Weekly Report*, 63(17), 369–374. [PubMed: 24785982]

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript