ERRATUM

Erratum to: The long pollen tube journey and in vitro pollen germination of *Phalaenopsis* orchids

Jhun-Chen Chen^{1,2} · Su-Chiung Fang^{1,2}

Published online: 9 August 2017
© Springer-Verlag GmbH Germany 2017

Erratum to: Plant Reprod (2016) 29:179–188 DOI 10.1007/s00497-016-0280-z

Figure 3b in the original publication shows the wrong image for the mBK + 30% sucrose treatment. Inadvertently, the same picture was used as shown in Fig. 3a for the 30% sucrose treatment. The figure below shows the correct image. The error does not affect the interpretation and conclusion of the study. The authors apologize for any inconvenience caused (Fig. 3).

The online version of the original article can be found under doi:[10.1007/s00497-016-0280-z](https://doi.org/10.1007/s00497-016-0280-z).

✉ Su-Chiung Fang
scfang@gate.sinica.edu.tw

Jhun-Chen Chen
denseperu@gmail.com

¹ Biotechnology Center in Southern Taiwan, Academia Sinica, Tainan 741, Taiwan

² Agricultural Biotechnology Research Center, Academia Sinica, Taipei 115, Taiwan

Fig. 3 Pollen germinated 60 days after treatment under various conditions. **a** Pollen germinated in 0, 10, 20, and 30 % sucrose. **b** Pollen germinated in modified BK medium supplemented with 0, 10, 20, or 30 % sucrose. Scale bar 20 μ m. Stigma tissue extract was added under all of the described conditions