Cochrane
Library

Cochrane Database of Systematic Reviews

Full publication of results initially presented in abstracts (Review)

Scherer RW, Meerpohl JJ, Pfeifer N, Schmucker C, Schwarzer G, von Elm E

Scherer RW, Meerpohl JJ, Pfeifer N, Schmucker C, Schwarzer G, von Elm E.
Full publication of results initially presented in abstracts.
Cochrane Database of Systematic Reviews 2018, Issue 11. Art. No.: MR000005.
DOI: [10.1002/14651858.MR000005.pub4](https://doi.org/10.1002/14651858.MR000005.pub4).

www.cochranelibrary.com

Full publication of results initially presented in abstracts (Review)

Copyright © 2018 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.

WILEY

TABLE OF CONTENTS

ABSTRACT	1
PLAIN LANGUAGE SUMMARY	2
BACKGROUND	4
OBJECTIVES	4
METHODS	4
RESULTS	6
Figure 1.	8
Figure 2.	11
Figure 3.	12
Figure 4.	27
Figure 5.	28
DISCUSSION	31
AUTHORS' CONCLUSIONS	34
ACKNOWLEDGEMENTS	34
REFERENCES	35
CHARACTERISTICS OF STUDIES	65
DATA AND ANALYSES	479
Analysis 1.1. Comparison 1 Proportion of abstracts published, Outcome 1 Overall proportion of abstracts published.	480
Analysis 2.1. Comparison 2 Time to publication, Outcome 1 Cumulative percent publication by month.	494
Analysis 2.2. Comparison 2 Time to publication, Outcome 2 Mean or median time to publication.	505
Analysis 3.1. Comparison 3 'Positive' versus 'not positive' results, Outcome 1 Publication by 'positive' versus 'not positive' results.	527
Analysis 3.2. Comparison 3 'Positive' versus 'not positive' results, Outcome 2 Publication by 'positive' versus 'not positive' results, randomized or controlled clinical trials.	529
Analysis 4.1. Comparison 4 Sample size, Outcome 1 Publication by larger versus smaller sample size.	530
Analysis 4.2. Comparison 4 Sample size, Outcome 2 Publication by larger versus smaller sample size; randomized or controlled clinical trials.	531
Analysis 5.1. Comparison 5 Oral versus poster presentations, Outcome 1 Publication by oral versus poster presentations.	532
Analysis 5.2. Comparison 5 Oral versus poster presentations, Outcome 2 Publication by oral versus poster presentations, randomized or controlled clinical trials.	535
Analysis 6.1. Comparison 6 Accepted abstracts versus rejected abstracts, Outcome 1 Publication by acceptance versus rejection for presentation.	535
Analysis 7.1. Comparison 7 Clinical versus basic research, Outcome 1 Publication by clinical research versus basic science.	536
Analysis 8.1. Comparison 8 Study design, Outcome 1 Publication by randomized trial versus other study designs.	539
Analysis 8.2. Comparison 8 Study design, Outcome 2 'Prospective' versus 'retrospective'.	540
Analysis 8.3. Comparison 8 Study design, Outcome 3 Level of evidence.	541
Analysis 9.1. Comparison 9 Multi-centered versus single center, Outcome 1 Multi-centered versus single center.	541
Analysis 9.2. Comparison 9 Multi-centered versus single center, Outcome 2 Multi-centered versus single center, randomized or controlled clinical trials.	542
Analysis 10.1. Comparison 10 Higher versus lower quality, Outcome 1 Higher versus lower quality.	543
Analysis 10.2. Comparison 10 Higher versus lower quality, Outcome 2 Higher versus lower quality, randomized or controlled clinical trials.	543
Analysis 11.1. Comparison 11 Abstract author characteristics, Outcome 1 Academic center versus non-academic center.	544
Analysis 11.2. Comparison 11 Abstract author characteristics, Outcome 2 Female versus male.	545
Analysis 12.1. Comparison 12 Impact, Outcome 1 High versus low importance or impact.	546
Analysis 13.1. Comparison 13 Funding, Outcome 1 Funding reported versus no funding or funding not reported.	547
Analysis 13.2. Comparison 13 Funding, Outcome 2 Industry funding versus other type or no funding.	547
Analysis 14.1. Comparison 14 North America versus Europe versus other origin, Outcome 1 North America versus Other.	548
Analysis 14.2. Comparison 14 North America versus Europe versus other origin, Outcome 2 Europe versus Other.	550
Analysis 14.3. Comparison 14 North America versus Europe versus other origin, Outcome 3 North America versus Europe.	551
Analysis 14.4. Comparison 14 North America versus Europe versus other origin, Outcome 4 USA versus Other.	552
Analysis 14.5. Comparison 14 North America versus Europe versus other origin, Outcome 5 UK versus Other.	552

Analysis 14.6. Comparison 14 North America versus Europe versus other origin, Outcome 6 Australia/New Zealand versus Other.	553
Analysis 14.7. Comparison 14 North America versus Europe versus other origin, Outcome 7 Brazil versus Other.	553
Analysis 15.1. Comparison 15 English language vs non-English language, Outcome 1 English language versus non-English language.	553
ADDITIONAL TABLES	555
APPENDICES	558
WHAT'S NEW	561
CONTRIBUTIONS OF AUTHORS	562
DECLARATIONS OF INTEREST	562
SOURCES OF SUPPORT	562
DIFFERENCES BETWEEN PROTOCOL AND REVIEW	562
INDEX TERMS	562

[Methodology Review]

Full publication of results initially presented in abstracts

Roberta W Scherer¹, Joerg J Meerpohl², Nadine Pfeifer³, Christine Schmucker⁴, Guido Schwarzer⁵, Erik von Elm⁶

¹Department of Epidemiology, Johns Hopkins Bloomberg School of Public Health, Baltimore, Maryland, USA. ²Institute for Evidence in Medicine (for Cochrane Germany Foundation), Medical Center - University of Freiburg, Freiburg, Germany. ³UCLPartners, London, UK.

⁴Evidence in Medicine / Cochrane Germany, Medical Center – Univ. of Freiburg, Faculty of Medicine, Univ. of Freiburg, Freiburg, Germany.

⁵Institute for Medical Biometry and Statistics, Faculty of Medicine and Medical Center, University of Freiburg, Freiburg, Germany.

⁶Cochrane Switzerland, Institute of Social and Preventive Medicine, Lausanne University Hospital, Lausanne, Switzerland

Contact: Roberta W Scherer, Department of Epidemiology, Johns Hopkins Bloomberg School of Public Health, Room W6138, 615 N. Wolfe St., Baltimore, Maryland, 21205, USA. rschere1@jhu.edu, rschere1@jhu.edu.

Editorial group: Cochrane Methodology Review Group.

Publication status and date: New search for studies and content updated (conclusions changed), published in Issue 11, 2018.

Citation: Scherer RW, Meerpohl JJ, Pfeifer N, Schmucker C, Schwarzer G, von Elm E. Full publication of results initially presented in abstracts. *Cochrane Database of Systematic Reviews* 2018, Issue 11. Art. No.: MR000005. DOI: [10.1002/14651858.MR000005.pub4](https://doi.org/10.1002/14651858.MR000005.pub4).

Copyright © 2018 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.

ABSTRACT

Background

Abstracts of presentations at scientific meetings are usually available only in conference proceedings. If subsequent full publication of results reported in these abstracts is based on the magnitude or direction of the results, publication bias may result. Publication bias creates problems for those conducting systematic reviews or relying on the published literature for evidence about health and social care.

Objectives

To systematically review reports of studies that have examined the proportion of meeting abstracts and other summaries that are subsequently published in full, the time between meeting presentation and full publication, and factors associated with full publication.

Search methods

We searched MEDLINE, Embase, the Cochrane Library, Science Citation Index, reference lists, and author files. The most recent search was done in February 2016 for this substantial update to our earlier Cochrane Methodology Review (published in 2007).

Selection criteria

We included reports of methodology research that examined the proportion of biomedical results initially presented as abstracts or in summary form that were subsequently published. Searches for full publications had to be at least two years after meeting presentation.

Data collection and analysis

Two review authors extracted data and assessed risk of bias. We calculated the proportion of abstracts published in full using a random-effects model. Dichotomous variables were analyzed using risk ratio (RR), with multivariable models taking into account various characteristics of the reports. We assessed time to publication using Kaplan-Meier survival analyses.

Main results

Combining data from 425 reports (307,028 abstracts) resulted in an overall full publication proportion of 37.3% (95% confidence interval (CI), 35.3% to 39.3%) with varying lengths of follow-up. This is significantly lower than that found in our 2007 review (44.5%. 95% CI, 43.9% to 45.1%). Using a survival analyses to estimate the proportion of abstracts that would be published in full by 10 years produced proportions of 46.4% for all studies; 68.7% for randomized and controlled trials and 44.9% for other studies. Three hundred and fifty-three reports were at high risk of bias on one or more items, but only 32 reports were considered at high risk of bias overall.

Forty-five reports (15,783 abstracts) with 'positive' results (defined as any 'significant' result) showed an association with full publication (RR = 1.31; 95% CI 1.23 to 1.40), as did 'positive' results defined as a result favoring the experimental treatment (RR = 1.17; 95% CI 1.07 to 1.28) in 34 reports (8794 abstracts). Results emanating from randomized or controlled trials showed the same pattern for both definitions (RR = 1.21; 95% CI 1.10 to 1.32 (15 reports and 2616 abstracts) and RR = 1.17; 95% CI, 1.04 to 1.32 (13 reports and 2307 abstracts), respectively.

Other factors associated with full publication include oral presentation (RR = 1.46; 95% CI 1.40 to 1.52; studied in 143 reports with 115,910 abstracts); acceptance for meeting presentation (RR = 1.65; 95% CI 1.48 to 1.85; 22 reports with 22,319 abstracts); randomized trial design (RR = 1.51; 95% CI 1.36 to 1.67; 47 reports with 28,928 abstracts); and basic research (RR = 0.78; 95% CI 0.74 to 0.82; 92 reports with 97,372 abstracts). Abstracts originating at an academic setting were associated with full publication (RR = 1.60; 95% CI 1.34 to 1.92; 34 reports with 16,913 abstracts), as were those considered to be of higher quality (RR = 1.46; 95% CI 1.23 to 1.73; 12 reports with 3364 abstracts), or having high impact (RR = 1.60; 95% CI 1.41 to 1.82; 11 reports with 6982 abstracts). Sensitivity analyses excluding reports that were abstracts themselves or classified as having a high risk of bias did not change these findings in any important way.

In considering the reports of the methodology research that we included in this review, we found that reports published in English or from a native English-speaking country found significantly higher proportions of studies published in full, but that there was no association with year of report publication. The findings correspond to a proportion of abstracts published in full of 31.9% for all reports, 40.5% for reports in English, 42.9% for reports from native English-speaking countries, and 52.2% for both these covariates combined.

Authors' conclusions

More than half of results from abstracts, and almost a third of randomized trial results initially presented as abstracts fail to be published in full and this problem does not appear to be decreasing over time. Publication bias is present in that 'positive' results were more frequently published than 'not positive' results. Reports of methodology research written in English showed that a higher proportion of abstracts had been published in full, as did those from native English-speaking countries, suggesting that studies from non-native English-speaking countries may be underrepresented in the scientific literature. After the considerable work involved in adding in the more than 300 additional studies found by the February 2016 searches, we chose not to update the search again because additional searches are unlikely to change these overall conclusions in any important way.

PLAIN LANGUAGE SUMMARY

Full publication of results initially presented in abstracts

Key message

Two important factors increase the probability that a study described in an abstract will subsequently be published in full, (1) the presence of 'positive' or statistically significant results in the abstract and (2) whether the team examining subsequent full publication were from an English-speaking country or wrote their report in English. The consequence is that systematic reviews relying on fully published research may provide inaccurate or biased findings because of an over-reliance on studies with positive results or from English-speaking countries.

Our question

We reviewed the evidence about how often studies submitted as abstracts at a scientific meeting are published in full, usually as a journal article. We found 425 relevant reports, involving 307,028 abstracts.

Background

Investigators prepare and submit abstracts for presentation at scientific meetings. Abstracts selected for presentation are usually collated as conference proceedings, but these are not easily found. Thus, it is important to know whether the work submitted and presented is later published as a journal article, which can easily be identified and contains more study information than the abstract. It is also important to know if the publication of the study depends on the size or direction of results or other factors. If so, systematic reviews relying on the published literature for evidence about health and social care will have incomplete or unbalanced information, leading to inaccurate or biased estimates of the effects of the interventions studied.

Study characteristics

We included 425 research reports described in 551 articles, which had studied the subsequent full publication of 307,028 abstracts from a variety of biomedical and social sciences. Fifty-four reports included data from abstracts describing randomized or controlled trials. Of the 425 reports, 376 were published in English, and 49 in other languages.

Key results

1. Less than half of all studies, and about two-thirds of randomized trials, initially presented as summaries or abstracts at meetings, are published as journal articles in the 10 years after presentation.
2. Studies with positive results are more likely to be published.

3. Studies with larger sample sizes are more likely to be published.
4. Studies with abstracts presented orally are more likely to be published than those presented as posters.
5. Studies accepted for presentation at a meeting are more likely to be published than those not accepted.
6. Studies describing basic science are more likely to be published than those describing clinical research.
7. Studies describing randomized trials are more likely to be published than those describing other types of studies.
8. Studies that took place in multiple centers are more likely to be published than those at a single center.
9. Studies classified as 'high quality' are more likely to be published than 'low quality' studies.
10. Studies with authors from an academic setting are more likely to be published than those with authors from other settings.
11. Studies considered by the report authors to have a high impact are more likely to be published than other studies.
12. Studies with funding source reported are more likely to be published than those not reporting funding.
13. Studies originating in North America or Europe are more likely to be published than those originating elsewhere.
14. Studies from English-speaking countries are more likely to be published than studies originating elsewhere.

Quality of the evidence

We have confidence in our findings. We considered five criteria to constitute a risk of bias in the included reports, including methods to identify and match full publications to abstracts, and methods to determine whether a factor was associated with full publication. Overall, 7.5% (32/425) of the reports were scored as having an overall high risk of bias, 83.1% (353/425) had at least one criterion at high risk of bias, and 6.1% (26/425) had all criteria at low risk of bias.

Search Date

Our search updated our 2007 review and is current to February 2016. After the considerable work involved in including more than 300 additional studies from the February 2016 searches, we chose not to update the search again because additional searches are unlikely to change our overall conclusions in any important way.

BACKGROUND

Results of many types of scientific research are presented at professional meetings and summarized in abstracts. Most abstracts are available only in proceedings or journal supplements, although abstracts of many biomedical conferences have been indexed in the bibliographic database Embase from 2009 forward. This means that only some results presented in abstract form are available to those without access to conference proceedings and even though these are increasingly available online (such as on the website of the society hosting the meeting), the abstracts might still need to be checked through individually.

Publication of a trial is more common when its results are 'positive' or 'significant' (Dickersin 1987; Dickersin 1992; Dickersin 1993; Easterbrook 1991; Hopewell 2009; Schmucker 2014; Simes 1986). This publication bias can be divided into two main time periods: from the analysis of the trial to publication of a meeting abstract, and from publication of a meeting abstract to subsequent full publication (von Elm 2003a).

For systematic reviewers, there is difficulty not only in finding studies that are only reported as abstracts, but also in correctly identifying the study design and methods used as described within an abstract (Scherer 2012; Scherer 2013; Scherer 2015). Even for abstracts describing studies with randomized treatment assignment, it is not always possible to tell whether the results are truly those of a randomized trial (Scherer 1994; Scherer 2012). Also, it might not be possible to include results from abstracts in meta-analyses because of insufficient information describing the outcome or results (Mayo-Wilson 2017).

The reliability of results presented in abstract form is also questionable. Abstracts may present preliminary results of an ongoing study and may differ from those eventually published in full. Authors, sample sizes, and estimates of treatment effects reported in abstracts have been shown to differ from those presented in subsequent peer-reviewed publications (Chokkalingam 1998; Hopewell 2003b; Rosmarakis 2005; Saldanha 2016; Weintraub 1987).

For these reasons, attempts to prepare unbiased systematic reviews of a body of evidence may be thwarted by the existence of unpublished studies or by incomplete or imprecise information provided in abstracts. It is important that authors of systematic reviews take the extra time and effort to contact the authors of abstracts to verify information presented in their abstract. If this is not done, then conclusions drawn from the review may be biased or imprecise. On the other hand, the paucity of information within an abstract makes inclusion of study data in a systematic review difficult without the accompanying detail from a full publication or entry in a trials registry. The conflicting information between abstract and full journal report presents yet another problem.

Determining the proportion of studies that were initially presented in abstract form but never published in full is important in assessing the size and nature of the problem. The previous version of this Cochrane Methodology Review found that less than half of all studies initially presented as abstracts were published in full, confirming that this is a major problem (Scherer 2007). That systematic review also found evidence of publication bias in that full publication was associated with 'significant' or 'positive' results. The estimated publication proportion using survival analyses at

nine years was 52.6% for all studies and 63.1% for randomized or controlled trials. This earlier review included 79 reports, and findings from all medical specialties were considered together. Since then, a substantial number of reports on the subsequent publication of study results have been published, allowing the proportion of abstracts that are published by medical specialty to be considered separately, as reported for oral health by Hua and colleagues (Hua 2016). These newly published reports also considered other factors impacting the proportion of abstracts published, such as academic affiliation. Lastly, because multiple factors may contribute to the probability that an abstract is published, it is important to consider these together using a multivariable model. Therefore, this version of our review updates and extends the earlier Cochrane Methodology Review.

OBJECTIVES

- To determine the proportion of abstracts of any study design that are subsequently published in full.
- To determine the proportion of abstracts describing results of randomized or controlled trials that are subsequently published in full.
- To determine the publication rate by time, i.e. the distribution of mean and/or median times to publication and the cumulative publication rate by time.
- To determine the association between full publication of results initially presented in abstracts and characteristics of these abstracts and the studies they report on.
- To determine the association between full publication of results initially presented in abstracts and characteristics of the reports examining full publication of abstracts.

METHODS

Criteria for considering studies for this review

Types of studies

We included all reports that examined the proportion of studies that were initially presented in abstract or summary form, which go on to be published in full. We will refer to the papers considered for this systematic review as 'reports', which analyzed abstracts describing various 'studies'.

Eligible reports included information on the following:

- the number of abstracts identified;
- the number or proportion of abstracts followed by full publication of the studies; and
- follow-up of at least 24 months to assess full publication.

Types of data

Biomedical research studies.

Types of methods

The following study, abstract and report characteristics were examined for association with publication:

- 'positive' or 'significant' results;
- sample size equal to or above the median or mean of all presented studies, or as dichotomized by the report author;
- oral versus poster presentations;

- acceptance (versus rejection) for presentation at a scientific meeting;
- clinical research versus basic science;
- study design;
- multi-center versus single-center studies;
- study quality, as defined by the report author;
- academic affiliation versus other type of affiliation;
- other author characteristics;
- perceived potential impact of the abstract results, as defined by the report author;
- funding source;
- country of origin (North American versus European versus rest of the world) of the abstract as classified in the report;
- report written in English versus other languages; and
- correspondence address for the report being in a native English-speaking country versus elsewhere (reports from Australia, Canada, New Zealand, the UK and the USA were considered native English-speaking countries).

We did not impose our definitions for 'positive' results, 'clinical research', or 'basic science', but used the definitions used by the authors of the included reports, and recognize that abstracts describing clinical research most likely include many types of study designs, covering a spectrum that includes case studies and randomized trials. We also used the report authors' classification of whether an abstract described a randomized or controlled trial.

Types of outcome measures

Outcomes were subsequent full publication of study results described in the abstract and the time interval between presentation at meetings and subsequent full publication.

Search methods for identification of studies

Electronic searches

We searched MEDLINE, Embase, the Cochrane Library, Web of Science, reference lists, and author files. For the full search strategy, see appendices ([Appendix 1](#); [Appendix 2](#); [Appendix 3](#)). Science Citation Index and Google Scholar "cited by" function was searched for articles that cited included identified reports. We ran these searches in February 2016 and have agreed with the Cochrane Methodology Review Group that the search should not be updated further at this time. This is because the very large number of reports identified in the February 2016 search and the stability of our overall conclusions means that updating our searches would be of much less relevance than it would be for Cochrane Reviews focusing on clinical questions.

Searching other sources

References listed in each identified report were reviewed for inclusion ([Horsley 2011](#)), and additional reports were found through author files or by word of mouth.

Data collection and analysis

Two review authors independently screened each title and abstract obtained from the electronic or reference searches, classifying each for inclusion as 'Yes', 'No', or 'Maybe'. Full-text articles were obtained for all reports classified as 'Yes' or 'Maybe'. Two review authors independently compared each full-length article with the eligibility

criteria for the review. We resolved disagreements on classification of eligibility through discussion and consensus.

Data extraction and management

We included reports if abstracts or other research summaries were followed for at least 24 months after presentation and the proportion of abstracts that were published was presented or could be calculated from reported results or from personal communication with the author. For reports that followed abstracts for varying lengths of time, only data from follow-up of abstracts for 24 months or more were included. If an explicit length of follow-up was not given, the number of follow-up months was calculated. If a month (e.g. for the date of the original meeting) was not given or could not be extracted from additional sources (e.g. meeting or relevant society websites), we used the middle of the year. If authors of reports determined the proportion of abstracts that were subsequently published in full using survival analysis, we included the reports because follow-up of less than 24 months was taken into account in determining the proportion of abstracts that were published in full. We assumed that the criterion for a minimum follow-up of 24 months had been met if the length of time between the original meeting and the publication of the report was at least three years. If the time between the meeting and the publication of the report was only two years or less, we assumed that this inclusion criterion could not have been met.

At least two review authors extracted information related to publication from each report. This included total number of abstracts, number or proportion of abstracts subsequently published in full, proportion of abstracts published in full by six-month time intervals since presentation, median or mean time to publication, median or mean sample size, and proportion of abstracts subsequently published by the risk factors indicated above. We also extracted information related to full publication and study characteristics for abstracts describing randomized or controlled trials separately. We asked the corresponding authors for data that were collected but not published. One reminder email was sent to authors not initially responding. We resolved disagreements by discussion and consensus.

Assessment of risk of bias in included studies

Two review authors independently assessed the risk of bias; conflicts were resolved by discussion. For this update to our review, we modified the 'Risk of bias' assessment developed by Schmucker and colleagues ([Schmucker 2014](#)), who studied reports looking at publication of trials from inception. The following five items were considered to constitute a risk of bias in the included reports.

- Methods used to sample abstracts
 - Reports with a low risk of bias included all studies presented at a meeting, a random sample of studies, a systematic subset of studies, or a sample based on a specific study design.
 - Reports with a high risk of bias included only abstracts based on 'selected' questionnaires, if author contact was used to identify publications, or other methods subject to selection bias were used.
 - Reports with an unclear risk of bias did not report the sampling method.
- Length of follow-up time between presentation at the meeting and date of the search for publications.

- Reports with a low risk of bias had a follow-up time of 48 months or longer.
- Reports with a high risk of bias had a follow-up time of less than 48 months.
- Reports with an unclear risk of bias did not report the date of the search for full publications and it could not be calculated to allow classification as either high or low risk of bias.
- If a report included meetings held in multiple years, we considered the length of follow-up between the majority of the meetings and the search for subsequent publications.
- Methods used to identify full publications
 - Reports with a low risk of bias searched at least two electronic databases for publications, or searched at least one database followed by author contact, or contacted authors with a response rate of at least 80%. For this criterion, we considered MEDLINE, PubMed, and PreMEDLINE to be the same database, because they differ only by when citations are added to the database.
 - Reports with a high risk of bias searched only one database, or had a response rate of less than 80% when they contacted authors.
 - Reports with an unclear risk of bias did not report the search methods, or did not report the response rate with author contact.
- Methods used to match an abstract with a full publication
 - Reports with a low risk of bias matched the abstract with the full publication using two or more criteria (e.g. author name, sample size, contents, etc.) when full publications were identified using electronic databases, or used author contact to identify or confirm publication match.
 - Reports with a high risk of bias matched the abstract with the full publication using only one criterion.
 - Reports with an unclear risk of bias did not report the matching criteria.
- Adjustment for factors possibly related to full publication
 - Reports with a low risk of bias reported on two or more factors possibly associated with publication, adjusted using multivariable analyses, either for proportion published or for time to publication.
 - Reports with a high risk of bias reported on only one factor associated with publication, or on two or more factors possibly associated with publication without using multivariable analyses.
 - Reports with an unclear risk of bias reported on two or more factors possibly associated with publication, but the methods used for analyses were not reported.
 - Reports that did not report on any factors possibly associated with publication were classified as not applicable.

We classified reports as having high overall risk of bias if they had been classified as high risk of bias for three or more of the risk items described above, or for two or more items if only four items could be assessed.

Data synthesis

Estimates of proportion of abstracts published

We estimated the overall proportion of abstracts subsequently published as journal articles for all included reports using a random-effects meta-analysis based on logit-transformed

proportions (Borenstein 2010). The between-study variance was estimated using the Paule-Mandel method (Paule 1982), and the 95% confidence interval (95% CI) for the overall proportion was calculated using the Hartung-Knapp method (Hartung 2001). We also calculated the proportion of published abstracts describing various subgroups, including study design, medical specialty, source of abstract (meeting, register, etc.), and type of sample (oral, poster, submitted, etc.). We did not attempt to separate the same abstracts in the few instances where a single meeting was reported in more than one report, but included all abstracts in the analyses.

Time to publication was analyzed by using survival analyses to allow for differing lengths of follow-up. We pooled reported numbers of full publications at six-month intervals since presentation. Abstracts that had not been published were censored at the point in time when follow-up for that report was ended, because subsequent publication could not be ascertained. We did not analyze time to publication by looking at mean or median time to publication because those values are dependent on the length of follow-up.

We combined reports that examined the association of the same factor with subsequent full publication. Strengths of association of factors possibly associated with publication are expressed as risk ratios (RR) with 95% CIs using a random-effects model. We tested for heterogeneity by using χ^2 test or I^2 statistic and looked for sources of heterogeneity when statistical heterogeneity was present.

We evaluated year of report publication to assess differences over time using meta-regression and a mixed model with the publication year centered at year 2000 and a logit transformed scale. We also conducted a mixed-effect multivariable analysis of the association of subsequent full publication with characteristics of the reports. Characteristics of the reports that we considered for inclusion in the model included: year report was published, report in English language or not; funding reported or not; report from a native English-speaking country or not; and type of sample (submitted abstract, oral presentation only, poster presentation only, or mixed). However, we found that including the latter covariate in the model resulted in loss of information. With several P values for this covariate, it was impossible to interpret, especially when using a different reference group than 'oral only'. Therefore, we used a likelihood-ratio test to evaluate the overall effect of the covariate 'type of sample'.

Analyses not available in RevMan 5 were conducted using R package meta, version 4.9-0 (Schwarzer 2007).

Sensitivity analysis

We performed sensitivity analyses, firstly, excluding reports that were themselves published only as abstracts and, secondly, excluding reports that had a high overall risk of bias.

RESULTS

Description of studies

Results of the search

From the 6872 reports we identified in electronic searching and other sources, we retrieved 626 full-text articles (Figure 1). Of these, 75 were excluded. The majority of excluded reports (41

of 75) investigated other aspects related to publication such as the process for selecting abstracts for presentation at a meeting, comparison of results represented in abstracts with those in a full-length report, or evaluating the quality of reporting of abstracts. Sixteen reports were excluded because they were editorials or commentaries (Alfaro 2015; Castro 2009; de Carvalho 2013; de Castro 2011; Floch 2002; Hayes 2011; Humberto 2011; Knobloch 2009; Leder 1985; Mallory 1999; Olsson 2006; Stewart 2013; Tannenbaum 1978; Tintinalli 2001; von Elm 2001; Wein 2005); and

11 because no relevant numeric data were given (Covington 2012; Garvey 1971; Gidding 1992; Godkin 1993; Jourbert 2004; Kain 2010; Koren 1986; Kurien 2014; Singer 1999; Taran 2008; Timmer 2001b). Four reports reported a follow-up period of less than 24 months between the meeting and search for full publications (Cuellar 2005; De Giorgi 2014; Garvey 1970; Huber 2001); and two reports did not describe a biomedical meeting topic (Aleixandre-Benavent 2009; Fennewald 2005).

Figure 1. Study flow diagram.

Included reports

In this updated review, we have included 425 eligible biomedical research reports, described in 551 articles. The total number of abstracts followed in all reports was 307,028 and ranged from nine to 27,208 (median = 383) in individual reports. Sixty reports were only presented in abstract format, and 17 were letters to the editor. One report was an unpublished manuscript provided by the author ([Halpern 2002](#)), and the remainder were available in one or more full-length articles. Most reports investigated studies presented at meetings, but seven reported on abstracts located in a specialized register or other abstract collections (([Chalmers 1990a](#); [Cheng 1998](#); [Delamere 2005](#); [Koene 1994](#); [Lensen 2015](#); [Siegfried 2007](#); [Tieman 2010](#)). Specialized registers included the Oxford Database of Perinatal Trials ([Chalmers 1990a](#)), all abstracts published in the *Nederlands Tijdschrift voor Geneeskunde* ([Koene 1994](#)), abstracts within Cochrane specialized registers ([Cheng 1998](#); [Delamere 2005](#); [Lensen 2015](#)), abstracts within AIDSearch ([Siegfried 2007](#)), or abstracts within CareSearch, a database of palliative care grey literature ([Tieman 2010](#)). Two reports studied abstracts presented at various meetings by a specific group of authors ([Dirk 1996](#); [Morrison 1994](#)) rather than from a specific meeting.

Overall report characteristics

Of the 416 reports that examined meeting abstracts, 18 looked at abstracts that were submitted to a meeting ([Camacho 2005](#); [Canosa 2011](#); [Cauchy 2014](#); [Dhaliwal 2008](#); [Duchini 1997](#); [Fede 2010](#); [Feldman 2015](#); [Hashkes 2003](#); [Jörgens 2014](#); [Leles 2006](#); [Moorthi 2013](#); [Saeed 2011](#); [Toro-Polo 2012](#); [Varghese 2011](#); [Winnik 2012](#); [Wong 2006](#); [Yamaguchi 1990](#); [Yoon 2010](#)), 16 examined both submitted and presented abstracts ([Bernstein 1983](#); [Callaham 1998](#); [Carroll 2003](#); [Cifuentes 2007](#); [De Bellefeuille 1992](#); [de Meijer 2015](#); [Eloubeydi 2001](#); [Goldman 1980](#); [Goldman 1982](#); [Jackson 2000](#); [McCormick 1985](#); [Ohlsson 1999](#); [Papoutsis 2015](#); [Schibilisky 2014](#); [Timmer 2002](#); [Todd 1997](#)), and the remaining 382 examined only those abstracts that had been accepted and presented at a meeting.

Among all reports, 54 only included abstracts presented orally and 10 only those presented as posters. Four only looked at abstracts describing results presented in a plenary session ([Cohen 2012](#); [Kaifi 2013](#); [O' Connor 2015](#); [Riordan 2000](#)).

Fifty-four reports included data from abstracts describing randomized or controlled trials, of which 26 included only randomized trials ([Autorino 2010](#); [Chalmers 1990a](#); [Cheng 1998](#); [Curry 2003](#); [Das 2013](#); [Delamere 2005](#); [Diezel 1999](#); [Evers 2000](#); [Herbison 2004](#); [Hopewell 2003](#); [Klassen 2002](#); [Kottachchi 2010](#); [Krzyzanowska 2003](#); [Lensen 2015](#); [Moorthi 2013](#); [Ohlsson 1999](#); [Ospina 2006](#); [Polyzos 2011](#); [Saldanha 2016](#); [Scherer 1994](#); [Siegfried 2007](#); [Tam 2008](#); [Tam 2011](#); [Toma 2006](#); [Turpen 2010](#); [Zaretsky 2002](#)), with another six including both randomized and controlled trials ([Akbari-Kamrani 2008](#); [Blackwell 2009](#); [Camacho 2005](#); [De Sio 2012](#); [Hoeg 2009](#); [Vecchi 2009](#)), and one included randomized trials and observational studies ([Jones 2014](#)). Other investigators limited the study design of the abstracts they examined to diagnostic accuracy studies ([Brazzelli 2009](#)); surveys ([Joe 2015](#)); qualitative studies ([Petticrew 2008](#)); cost-effectiveness studies ([Chan 2013](#)), or systematic reviews ([Hopewell 2015](#)). Ten investigators limited their report to a subset of abstracts by authors from a specific country or region that had been presented at a multi-national meeting. These authors included those from Brazil ([Arap 2014](#); [Fernandes 2008](#);

[Pinheiro 2009](#); [Saad 2008](#)); India and the UK ([Arora 2012](#)); Malaysia ([Chan 2002](#)); Korea ([Ha 2008](#)); China ([Lin 2011](#)); Africa and North America ([Siegfried 2007](#)); or Serbia ([Vuckovic-Dekic 2001](#)). One author looked only at abstracts from English-speaking countries ([Sivan 2010](#)). The geographic location of local or national meetings in a large number of reports typically resulted in a higher proportion of studies from local or national authors, although abstract authors from other countries were usually not excluded. Eight investigators looked at abstracts presented by residents or medical students, or abstracts from meetings aimed at resident presentations ([Ahlers-Schmidt 2009](#); [Duthie 2012](#); [McKelvey 2010](#); [Mowla 2006](#); [O'Dell 2012](#); [Olmos-de-Aguilera 2013](#); [Susarla 2015](#); [Toro-Polo 2012](#)).

Three hundred and seventy-six reports were published in English, and 264 were authored by individuals from native English-speaking countries. Of 49 reports not written in the English language, 15 were in Spanish, seven in French, six in German, six in Portuguese, six in Turkish, four in Korean, two in Dutch, two in Chinese and one in Japanese. Funding information was reported in 90 reports with 19 authors reporting having received funds from government, 18 from a foundation, one from industry and 42 reporting having received no funds.

Abstracts represented work in many different medical specialties as well as basic and other related sciences (see [Characteristics of included studies](#) and Proportion of Abstracts Published ([Analysis 1.1](#), and [Table 1](#)). Within broad classification by medical specialty, there were nine reports in anesthesiology; 14 in cardiology; seven in dermatology; 24 in emergency medicine; four in endocrinology/nutrition; 18 in gastroenterology; 16 in general medicine/primary care; 18 in gynecology/obstetrics; four in hematology; nine in human reproduction and development; six in infectious disease/immunology; two in nephrology; six in neurology; 21 in oncology; nine in ophthalmology/optometry; 15 in oral health; 37 in orthopedics/orthopedic surgery; 15 in otolaryngology/head and neck surgery; three in pathology; 13 in pediatrics; nine in physical and rehabilitation medicine; six in psychiatry; 16 in radiology; seven in rheumatology; 49 in surgery; 27 in urology, and 17 in other clinical specialties. There were also reports from allied health fields, including two in nursing, 14 in pharmacology, and three in sociology. Five reports covered medical decision making/health policy and seven medical education/library science. Lastly, there were 13 reports in other non-clinical specialties, such as biochemistry or clinical chemistry, food safety research, or forensic science. These latter reports were included because they addressed human health in some way.

One hundred and eighty-one reports calculated a cumulative publication proportion by time for a total of 253 meetings. Two-hundred and sixty-seven reports included a median or mean time to publication. Forty-five reports examined the association between 'positive' results and publication in which 'positive' was defined as statistically significant results and 34 in which it was defined by direction of the results presented in the abstract. Fifteen reports examined the association with publication using both definitions ([Akbari-Kamrani 2008](#); [Harris 2006](#); [Harris 2007](#); [Izadpanah 2014](#); [Klassen 2002](#); [Krzyzanowska 2003](#); [Lensen 2015](#); [Mily 2008](#); [Ospina 2006](#); [Polyzos 2011](#); [Salami 2013](#); [Saldanha 2016](#); [Sinno 2011](#); [Tam 2008](#); [Toma 2006](#)). Twenty-three reports examined the association between sample size and publication, with 13 looking specifically at the proportion published with sample size above or below the median. The association between type of presentation (oral or

poster) and subsequent publication was examined in 141 reports, and the type of research (clinical or basic science) was examined in 68 reports. The proportion of abstracts accepted for presentation at meetings with subsequent publication was compared with that for rejected abstracts in 22 reports. Fifty-four reports compared the subsequent publication of randomized or controlled trials with that of other study designs. Authors of 15 reports scored the quality of abstracts and examined the association of such quality with subsequent full publication. Forty-four reports compared the publication of abstracts from multi- versus single-centered studies. However, the definition of multi-center status varied from more than one center to more than three centers. Eight reports compared the proportion of abstracts published that had been written in the English language versus non-English language abstracts. The association between country of origin of the abstract and publication was compared in 52 reports, defined as North America, Europe, or the rest of the world. However, not all reports included all three geographical categories.

The association between funding source and full publication was evaluated in 12 studies and the association between authors with an academic versus other affiliation in 28 reports. Six reports examined the association of gender and 10 reports the association of expected impact with full publication. Impact was defined in various ways, including award winning, late breaking, or highly clinically important. Some associations were investigated in reports that only looked at abstracts describing randomized trials. Fifteen reports examined the association of significant results and 13 of results in a positive direction with subsequent full publication. Other factors analyzed in samples of abstracts describing randomized trials were sample size in six reports; oral versus poster presentation in nine reports, multi-center versus single-center status in seven reports, higher versus lower quality in three reports, and industry versus other or no funding in 12 reports.

Risk of bias in included studies

We evaluated five aspects contributing to risk of bias in each report as described above in the [Methods](#).

Methods used to sample abstracts

Almost all (416 of 425; 97.9%) reports were at a low risk of bias for the methods used to sample abstracts, including either an entire set of abstracts presented at, or submitted to, a meeting (297 reports), a set of abstracts systematically or randomly selected from all abstracts (28 reports), a specified subset of abstracts (70 reports), abstracts that covered a specific topic (27 reports), or some combination of these. Four reports had insufficient information to assess the risk of bias on this item ([Amarilyo 2013](#); [Arrive 2004](#); [Chan 2008](#); [Smith 2014](#)), usually because the sample was not clearly defined. These were scored as unclear. Five reports were considered at high risk of bias in cases where the report authors collected information directly from abstract authors. In three of these instances, the response rate was less than 80% ([Dicembrino 2014](#); [Nader 2009](#); [Yamaguchi 1990](#)) and in one case, the report author selected which responses to use in their report ([Seaton 1983](#)). One report was considered to be at high risk of bias because there was substantial variation in the sample size as described in the report ([Kunadian 2015](#)).

Length of follow-up between presentation at the meeting and date of the search for publications

Based on our previous results ([Scherer 2007](#)), we chose a cut-off of 48 months as consideration for a low risk of bias related to the length of the interval between the date of the relevant meeting and the search for subsequent full publications. Typically, the date of search was reported either as the month and year of an electronic database search or the date when abstract authors were directly contacted about subsequent publications. A majority of reports (266 of 425, 62.6%) had a follow-up of 48 or more months and so were considered at low risk of bias. The date of the search was not reported in 105 reports, in which case the risk of bias was classified as unclear. The remaining 54 reports were at high risk of bias because the length of follow-up was less than 48 months. No report had follow-up less than 24 months, in keeping with our inclusion criteria.

Methods used to identify full publications

Overall, 199 of 425 (46.8%) reports were classified as having a low risk of bias for identification of subsequent full publications, seven were unclear, and 219 were judged to be at high risk of bias because they searched a single database or had a response rate to abstract author queries of less than 80%. Of the 410 reports that included a search of one or more databases, 241 searched a single database, 79 searched two databases, 27 searched three, and the remainder searched four or more (range, one to 11, median 1). The majority of reports (407 of 425; 95.8%) looked for full publications by searching the US National Library of Medicine's MEDLINE database, either as PubMed or an earlier version of this database (e.g. MEDLARS, Index Medicus). The authors of 53 reports searched Embase, 59 searched Google/Google Scholar, and 27 searched the Cochrane Library or the Cochrane Central Register of Controlled Trials. Sixty-nine reports used questionnaires sent directly to the abstract authors to obtain information about subsequent publication. Of these, 60 also searched electronic databases and were considered at low risk of bias. Of the six reports that only contacted the authors and did not search any database, two had a response rate of less than 80% ([Dicembrino 2014](#); [Seaton 1983](#)) and one did not report the response rate ([Dirk 1996](#)). These were classified as high and unclear risk of bias, respectively. Other sources that authors used to search for publications included handsearching of journals ([Castaldi 2015](#); [Chan 2002](#); [Chapman 2012](#); [Dooley 2003](#); [Evers 2000](#); [Maxwell 1981](#); [Schwartz 1992](#); [Stöcker 2009](#); [van der Steen 2004](#); [Walby 2001](#)), publication lists or curriculum vitae of abstract authors ([Cornu 2012](#); [de Oliveira 2012](#); [Fede 2010](#); [Halpern 2002](#); [Perron 2011](#); [Richling 2014](#)), websites ([Dressler 2015](#); [Fernandes 2008](#)), and 'personal contact' ([Nasir 2012](#)).

Methods used to match an abstract with a full publication

Overall, 194 of 425 (45.6%) reports were at low risk of bias, indicating that the investigators used two or more criteria to match the abstract to the publication or had contacted the abstract author. Match criteria often included names of one or more authors; 47 reports matched by the first author, and 72 by all authors. Other criteria used for matching included title (95 reports), content (85 reports), methods (70 reports), results (58 reports), sample size (42 reports), and keywords (10 reports). Almost half of the reports (211 of 425; 49.6%) did not describe any matching criteria and the risk of bias was thus unclear. The remaining 20 reports (4.7%) were judged as of high risk of bias because only a single criterion was used to match an abstract with a full publication.

Adjustment for factors possibly related to full publication

Fifty-nine reports did not look at any factors that might be related to full publication and so were classified as not applicable for this item. Of the remaining 366 (86.1%) reports that evaluated factors associated with full publication, 99 used some kind of multivariable model to assess the impact of two or more factors on either the proportion of abstracts published or the time to publication. They were considered to have a low risk of bias. Two hundred and sixty-one reports did not use any type of multivariable model, but used stratified analyses, simple t tests or Fisher tests to evaluate the association between individual factors and full publication. They were considered to have a high risk of bias. Six reports did not mention the analytical method used to determine the association and were classified as unclear risk of bias.

Overall risk of bias

Overall, 32 reports were scored as having a high risk of bias because three or more of the five items were classified as high risk, or

two or more of four items were classified as high risk for reports where the fifth criterion was not applicable (Arrive 2001; Beker-Acay 2015; Ciesla 2001; Czorlich 2016; de Oliveira 2012; Dicembrino 2014; Dudley 1978; Facione 2007; Ginzburg 2014; Goldman 1980; Gorman 1990; Hopewell 2015; Koene 1994; Korn 2000; Kumar 1995; Levett 2000; Lloyd 2006; Meissner 2014; Meranze 1982; O'Dell 2012; Ohtori 2013; Papagikos 2005; Parkar 2013; Rabenda 2015; Rao 2006; Riessland 2004; Rodriguez 2012; Seaton 1981; Seaton 1983; ul Haq 2011; Yamaguchi 1990; Yilmaz 2013) (Figure 2; Figure 3). Among the remaining reports, 353 (83.1% of 425 reports) had at least one criterion scored as high risk of bias. Twenty-six reports (6.1%) had all criteria scored as low risk of bias (Bello 2013; Bergoli 2011; Callahan 1998; Castaldi 2015; Dumville 2008; Elder 1994; Elliot 2016; Eloubeidi 2001; Glick 2006; Harel 2011; Jones 2008; Livas 2014; Ospina 2006; Petticrew 2008; Richling 2014; Rollin 2009; Smart 2013; Snedeker 2010; Stolk 2002; Susarla 2015; Toma 2006; Toro-Polo 2012; Varghese 2011; Winnik 2012; Wong 2009; Zheng 2007.)

Figure 2. 'Risk of bias' graph: review authors' judgements about each risk of bias item presented as percentages across all included studies.

Figure 3. 'Risk of bias' summary: review authors' judgements about each risk of bias item for each included study.

	Sampling method	Search for publications	Follow-up time	Matching	Adjustment for confounding
Abes 2004	+	-	?	?	-
Abicht 2012	+	+	+	+	-
Abuzeid 2013	+	-	-	?	+
Abzug 2014	+	+	+	+	-
Acevedo 2014	+	-	+	?	-
Adhikari 2011	+	-	+	+	-
Aggarwal 2012	+	+	?	?	-
Ahlers-Schmidt 2009	+	+	?	?	-
Akbari-Kamrani 2008	+	+	+	+	-
Allart 2013	+	+	-	?	+
Allart 2015	+	-	+	?	+
Alonso-Arroyo 2014	+	+	+	?	-
Alpi 2011	+	+	?	?	
Al-Qaoud 2013	+	-	+	+	+
Amarilyo 2013	?	-	+	+	-
Amirhamzeh 2012	+	+	?	+	-
Arap 2014	+	+	?	?	-
Arora 2012	+	+	+	-	+
Arrive 2001	+	-	-	+	
Arrive 2004	?	-	+	+	+
Autorino 2006	+	-	+	+	+
Autorino 2007	+	-	+	+	+
Autorino 2008	+	-	+	+	+
Autorino 2010	+	-	?	?	-
Bagheri 2005	+	-	+	?	-
Bakum 2014	+	+	+	+	-

Figure 3. (Continued)

Baynori 2009	+	+	+	+	+
Bakkum 2014	+	+	+	+	+
Bakkum 2015	+	+	+	+	+
Balasubramanian 2006	+	+	+	?	+
Beker-Acay 2015	+	+	+	?	+
Bello 2013	+	+	+	+	+
Bergoli 2011	+	+	+	+	+
Bergqvist 2008	+	+	?	+	+
Bernstein 1983	+	+	?	?	+
Berookhim 2013	+	+	+	+	+
Bhandari 2002	+	+	+	+	+
Bhasin 2007	+	+	+	?	+
Bird 1999	+	+	+	+	+
Blackwell 2009	+	+	?	?	+
Bolac 2009	+	+	+	+	+
Boldt 1999	+	+	+	+	+
Bonitz 2011	+	+	+	?	+
Bowrey 1999	+	+	+	?	+
Brace 2010	+	+	?	+	+
Brazzelli 2009	+	+	+	?	+
Brost 2005	+	+	?	?	+
Buchan 2011	+	+	+	+	+
Burden 2014	+	+	?	?	+
Bydder 2004	+	+	+	?	+
Byerly 2000	+	+	+	+	+
Callahan 1998	+	+	+	+	+
Camacho 2005	+	+	+	+	+
Canosa 2011	+	+	?	+	+
Carroll 2003	+	+	+	+	+
Cartwright 2007a	+	+	+	?	+
Cartwright 2007b	+	+	+	?	+
Castagnetti 2012	+	+	+	?	+

Figure 3. (Continued)

Cartwright 2007b	+	-	+	?	-
Castagnetti 2013	+	-	+	?	-
Castaldi 2015	+	+	+	+	+
Castillo 2000	+	-	+	+	
Castillo 2002	+	+	+	?	-
Cauchy 2014	+	-	-	+	+
Chalmers 1990a	+	-	?	?	+
Chan 2002	+	+	+	?	-
Chan 2008	?	+	+	?	
Chan 2011	+	+	-	+	-
Chan 2013	+	+	+	?	-
Chand 2008	+	-	+	+	-
Chapman 2012	+	+	+	-	-
Cheng 1998	+	+	?	+	-
Chung 2012	+	+	+	+	-
Chung 2012a	+	+	+	+	-
Ciesla 2001	+	-	-	+	-
Cifuentes 2007	+	-	+	?	+
Clemency 2014	+	-	+	?	-
Cobos 1998	+	-	?	?	
Cohen 2012	+	-	+	?	+
Cohen 2012a	+	-	+	+	-
Collet 1993	+	+	?	+	-
Collet 1997	+	-	?	+	-
Collet 2006	+	-	?	+	-
Collier 2010	+	-	?	?	-
Cornu 2012	+	+	+	?	-
Corry 1990	+	+	+	+	-
Costa 2009	+	-	?	?	-
Craig 2001	+	-	+	+	-
Cromer 1998	+	-	+	+	
Cruz 2003	+	-	?	?	

Figure 3. (Continued)

Cromer 1998	+	-	+	+	
Curry 2003	+	-	?	?	
Czorlich 2016	+	-	-	+	-
Dahllof 2008	+	-	+	+	+
Daluiski 1998	+	+	+	+	-
Dangouloff-Ros 2015	+	-	+	+	+
Daruwalla 2015	+	+	?	?	+
Das 2013	+	-	+	?	
Davies 2002	+	+	-	+	-
de Andrade 2011	+	+	-	?	-
De Bellefeuille 1992	+	+	?	+	+
Delamere 2005	+	-	?	?	-
Delgado Gallego 2007	+	+	+	?	-
Del Rio Moro 2010	+	+	+	?	-
de Meijer 2015	+	-	+	+	-
DeMola 2009	+	-	+	+	+
de Oliveira 2012	+	+	-	-	-
De Sio 2012	+	-	-	+	+
Dhaliwal 2008	+	-	+	+	-
Dicembrino 2014	-	-	?	+	-
Diezel 1999	+	+	+	?	-
Dirk 1996	+	?	?	+	
Doğan 2012	+	+	?	?	-
Donegan 2010	+	-	+	+	-
Dooley 2003	+	+	-	+	-
Dressler 2015	+	+	+	?	-
Drury 2012	+	+	?	?	+
Duchini 1997	+	-	+	?	-
Dudley 1978	+	-	-	?	
Dumville 2008	+	+	+	+	+
Durinka 2014	?	?	?	+	-
Durinka 2014b	+	-	?	+	

Figure 3. (Continued)

Durinka 2014	+	+	+	+	+
Durinka 2014b	+	-	?	+	
Duthie 2012	+	+	-	+	-
Dyson 2006	+	+	+	+	-
Eck 2005	+	-	+	+	-
Ejnisman 2013	+	+	?	+	-
Elder 1994	+	+	+	+	
Elliot 2016	+	+	+	+	+
Eloubeidi 2001	+	+	+	+	+
Ensom 1998	+	+	+	?	-
Erdağ 2014	+	+	+	?	-
Ersoy 2015a	+	+	+	?	-
Ersoy 2015b	+	+	+	+	-
Evans 2015	+	+	?	?	-
Evers 2000	+	+	+	+	-
Facione 2007	+	-	-	-	
Fede 2010	+	+	?	?	+
Feldman 2015	+	-	+	?	+
Fernandes 2003	+	-	?	?	-
Fernandes 2008	+	+	+	+	-
Fernandez 2011	+	+	+	-	-
Fesperman 2008	+	-	+	+	+
Forlin 2013	+	+	+	?	-
Fosbol 2012	+	-	-	?	+
Freeman 2012	+	+	+	+	-
Frost 2015	+	-	+	?	-
Galang 2011	+	-	+	+	+
Gandhi 2004	+	-	?	?	+
Garcia-Covarrubias 2002	+	-	+	?	-
Garcia-Muret 2009	+	+	+	?	-
Gaundong Mbethe 2008	+	-	?	?	-
Gaundong Mbethe 2008	+	-	+	+	-

Figure 3. (Continued)

Gaundang Moore 2008	+	-	?	?	-
Gavazza 1996	+	-	+	+	-
Gilbert 2004	+	-	?	?	+
Ginzburg 2014	+	-	-	+	
Glick 2006	+	+	+	+	+
Goldman 1980	+	-	-	+	-
Goldman 1982	+	-	-	+	+
Gorman 1990	+	-	-	+	-
Gourtaud 2009	+	-	+	?	-
Greenberg 2008	+	-	+	+	-
Gregory 2012	+	-	+	+	-
Grzeskowiak 2014	+	+	+	?	-
Guryel 2006	+	-	?	?	-
Ha 2008	+	+	+	+	-
Hackett 2014	+	-	+	+	-
Hajji 2016	+	-	+	+	-
Halpern 2002	+	+	+	?	-
Hamlet 1997	+	-	+	+	-
Hanchanale 2014	+	-	+	?	-
Harel 2011	+	+	+	+	+
Harris 2006	+	+	+	?	+
Harris 2007	+	+	+	?	+
Harshavardhana 2009	+	-	+	+	-
Harshavardhana 2009a	+	-	+	+	-
Harvey 2010	+	+	+	?	-
Hashkes 2003	+	+	+	?	-
Herbison 2004	+	+	+	+	-
Hernandez-Garcia 2011	+	+	+	+	-
Hernández-Jiménez 2011	+	+	?	?	-
Herron 1993	+	+	-	?	-
Hoag 2006	+	-	+	+	-
Hoag 2008	+	+	+	?	?

Figure 3. (Continued)

Hoag 2008	+	+	+	+	+
Hoeg 2009	+	+	+	?	?
Hogan 2009	+	+	?	?	
Hopewell 2001	+	+	+	+	
Hopewell 2003	+	+	+	?	
Hopewell 2015	+	+	+	?	+
Hopper 2009	+	+	+	?	+
Housri 2008	+	+	+	+	+
Hussein 2014	+	+	?	?	
Izadpanah 2014	+	+	+	?	+
Jackson 2000	+	+	+	+	+
Jamjoom 2014	+	+	+	?	+
Jamjoom 2015	+	+	+	?	+
Jara-Tracchia 2010	+	+	+	+	+
Jasko 2003	+	+	?	+	+
Joe 2015	+	?	?	?	
Jones 2008	+	+	+	+	
Jones 2014	+	+	+	?	+
Jörgens 2014	+	+	+	?	+
Juzych 1991	+	+	+	+	+
Juzych 1993	+	+	+	+	+
Kabay 2005	+	+	?	?	+
Kaifi 2013	+	+	+	+	+
Kalkan 2015	+	+	?	+	+
Kalyoncu 2011	+	+	+	?	+
Kaya 2010	+	+	+	?	+
Kaya Mutlu 2013	+	+	+	+	+
Kearney 2012	+	+	?	?	+
Kim 1998	+	?	+	?	+
Kim 2011	+	+	+	?	+
Kinsella 2015	+	+	+	+	?
Kivimäki 2004	+	+	?	+	+

Figure 3. (Continued)

Kirsena 2013	+	+	+	+	?
Kiroff 2001	+	-	?	+	-
Klappenbach 2011	+	+	?	+	
Klassen 2002	+	+	+	-	+
Kleine-Konig 2014	+	-	+	+	-
Kleweno 2008	+	-	?	+	-
Koçak 2014	+	+	?	?	
Koene 1994	+	-	+	-	
Korn 2000	+	-	-	-	-
Kottachchi 2010	+	+	+	?	+
Krzyzanowska 2003	+	+	+	?	+
Kumar 1995	+	-	+	?	-
Kunadian 2015	-	+	+	?	-
Kwong 2007	+	+	?	+	-
Landry 1996	+	-	+	+	-
Larian 2001	+	+	+	+	-
Lau 2016	+	-	?	+	-
Lee 2012	+	-	?	?	+
Leles 2006	+	-	+	?	
Lensen 2015	+	+	+	?	-
Levett 2000	+	-	-	?	-
Li 2004	+	-	+	+	-
Lim 2013	+	+	+	+	?
Lin 2011	+	+	+	?	
Liu 1996	+	-	?	?	
Livas 2014	+	+	+	+	+
Lloyd 2006	+	-	?	-	-
Loewy 1997	+	-	+	+	-
Macdonald 2012	+	-	?	+	
Macmillan 2007	+	-	+	?	-
Maguire 2014	+	-	+	?	
Malak 1998	+	+	-	+	-

Figure 3. (Continued)

Maygure 2014	+	+	+	+	+
Maleck 1998a	+	+	+	+	+
Maleck 1998b	+	+	+	+	+
Malicki 2014	+	+	+	?	+
Manuck 2015	+	+	+	+	+
Martinez 2008	+	+	?	?	+
Marx 1999	+	+	+	+	+
Maxwell 1981	+	+	+	?	+
McCormick 1985	+	+	+	?	+
McCue 2005	+	+	?	?	+
McKelvey 2010	+	+	+	+	+
McKinley 2010	+	+	+	+	+
McLennan 2008	+	+	?	?	+
Meininger 2011	+	+	+	+	+
Meissner 2014	+	+	+	+	+
Menditto 2015	+	+	+	?	+
Meral 2016	+	+	+	+	+
Meranze 1982	+	+	+	+	+
Micieli 2012	+	+	+	?	+
Miguel-Dasit 2006a	+	+	+	?	+
Miguel-Dasit 2006b	+	+	+	?	+
Miguel-Dasit 2007	+	+	+	?	+
Mihok 2013	+	+	?	+	?
Miller 2015	+	+	?	+	+
Mily 2008	+	+	+	?	+
Mittal 2011	+	+	+	+	+
Moar 2013	+	+	+	+	+
Montane 2007	+	+	+	?	?
Moorthi 2013	+	+	+	?	+
Morgan 2005	+	+	+	?	+
Morrison 1994	+	?	+	+	+
Mosley 2006	+	+	+	+	+

Figure 3. (Continued)

Morrison 1994	+	?	+	+	+
Mowla 2006	+	-	+	+	+
Muffy 2014	+	-	-	?	+
Murrey 1999	+	-	+	?	-
Mutlu 2015	+	+	+	+	-
Nader 2009	-	+	+	+	+
Nasir 2012	+	+	-	+	-
Nasir 2013	+	+	+	+	-
Ng 2004	+	-	-	+	+
Nguyen 1998	+	+	+	+	-
Nqwena 2007	+	-	?	+	
O'Connor 2015	+	+	?	+	-
O'Dell 2012	+	-	-	?	
O'Kelly 2015	+	+	+	+	-
O'Neill 2014	+	-	?	?	-
Odunsi 2015	+	-	?	?	-
Ogilvie 2014	+	+	?	+	-
Ohlsson 1999	+	+	+	?	-
Ohtori 2013	+	-	+	-	-
Okafor 2015	+	-	+	?	-
Olive 2004	+	-	+	?	
Oliveira 2009	+	+	+	?	-
Oliver 2003	+	-	?	+	-
Olmos-de-Aguilera 2013	+	+	?	?	
Olson 2012	+	+	+	?	-
Ospina 2006	+	+	+	+	+
Ozel 2007	+	?	-	?	-
Ozkösem 2013	+	+	+	?	+
Ozkösem 2013a	+	+	+	?	+
Özyurt 2012	+	-	+	?	-
Paes 2015	+	+	+	?	+
Pengzhen 2005	+	-	-	?	-

Figure 3. (Continued)

Paes 2013	+	+	+	?	+
Papagikos 2005	+	-	-	?	-
Papoutsis 2015	+	-	+	?	-
Papp 2011	+	+	+	?	
Parkar 2013	+	-	-	?	-
Patel 2011	+	-	+	+	-
Paulson 2011	+	-	+	?	-
Payne 1999	+	+	?	?	-
Peng 2006	+	-	+	+	+
Pereyra-Elias 2011	+	-	+	+	+
Perez 2004	+	+	-	?	
Perron 2011	+	+	+	+	-
Petticrew 1999	+	+	?	?	-
Petticrew 2008	+	+	+	+	
Pinheiro 2009	+	+	+	?	-
Polyzos 2011	+	+	+	?	+
Post 2013	+	-	+	+	-
Prendergast 2013	+	+	+	?	-
Preston 2005	+	-	+	+	-
Prohaska 2013	+	+	+	+	-
Propst 2015	+	-	?	+	-
Rabenda 2015	+	-	-	+	-
Ramsey 1995	+	-	?	?	-
Rao 2006	+	-	-	+	-
Ravn 2014	+	+	-	+	-
Richling 2014	+	+	+	+	+
Riessland 2004	+	-	+	-	-
Riordan 2000	+	+	-	?	+
Rodriguez 2012	+	-	-	?	-
Rollin 2009	+	+	+	+	+
Rosmarakis 2005	+	-	+	?	
Rouk 2014	+	+	+	?	-

Figure 3. (Continued)

Rusmarakis 2009	+	+	+	?	+
Roukis 2011	+	+	+	?	-
Roy 2001	+	-	?	+	-
Rubin 2014	+	+	+	+	?
Saad 2008	+	+	?	?	-
Saeed 2011	+	+	+	?	-
Salami 2013	?	-	+	?	-
Saldanha 2016	+	+	+	?	+
Sanders 2001	+	+	?	?	-
Sanossian 2006	+	+	+	?	+
Sanz Arrufat 2003	+	+	+	+	-
Sawatsky 2015	+	+	+	+	-
Scherer 1994	+	+	+	+	-
Schibilisky 2014	+	?	?	?	+
Schnatz 2008	+	-	+	+	-
Schoenfeld 2012	+	+	+	?	-
Scholey 2005	+	-	+	?	-
Schulte 2012a	+	-	+	+	-
Schulte 2012b	+	-	+	+	-
Schwartz 1992	+	+	?	?	
Seaton 1981	+	-	+	-	-
Seaton 1983	-	-	-	+	
Sebel 2001	+	-	+	?	
Secil 2005	+	-	+	?	-
Secil 2007	+	-	+	?	-
Shelmerdine 2015	+	-	?	?	-
Siegfried 2007	+	+	?	?	-
Simons 2007	+	+	+	?	-
Singh 2015	+	+	+	+	-
Sinno 2011	+	+	+	?	+
Sivan 2010	+	+	-	?	-
Smet 2012	+	+	+	+	

Figure 3. (Continued)

Sivari 2010	+	+	+	?	+
Smart 2013	+	+	+	+	
Smith 2007	+	-	-	+	+
Smith 2011a	+	+	+	-	+
Smith 2014	?	+	?	?	-
Smollin 2006	+	-	?	?	-
Snedeker 2010	+	+	+	+	+
Song 2010	+	-	?	+	-
St John 2013	+	-	+	?	+
Stöcker 2009	+	+	+	?	
Stolk 2002	+	+	+	+	+
Stranges 2015	+	+	+	?	+
Sullivan 2014	+	-	+	?	-
Sun 2011	+	-	?	?	+
Susarla 2015	+	+	+	+	+
Tam 2008	+	+	+	?	+
Tam 2011	+	+	+	?	
Tambuscio 2010	+	+	?	+	-
Tan 2010	+	-	+	?	
Theman 2014	+	-	+	+	-
Tieman 2010	+	+	+	?	-
Timmer 2001	+	-	+	?	+
Timmer 2002	+	+	?	?	+
Todd 1997	+	-	+	?	-
Toma 2006	+	+	+	+	+
Toro-Polo 2012	+	+	+	+	+
Turpen 2010	+	-	+	?	
Tyagi 2013	+	+	?	+	-
ul Haq 2011	+	-	+	-	
Uysal 2008	+	-	+	-	+
Uzun 2013	+	+	+	?	+
Valderama-Zurita 2008	+	-	+	+	-

Figure 3. (Continued)

Ozun 2013	+	+	+	?	+
Valderrama-Zurian 2009	+	-	+	+	-
Van Balken 2005	+	?	?	?	
van der Steen 2004	+	+	+	?	-
Van Royen 2010	+	+	?	?	
Varghese 2011	+	-	+	+	+
Vecchi 2009	+	+	+	+	-
Vo 2005	+	-	?	+	
Vogt 2008	+	+	?	+	
von Hardenberg 2013	+	-	?	+	
Vuckovic-Dekic 2001	+	-	+	+	-
Wai 2006	+	-	?	?	+
Walby 2001	+	+	-	?	
Walsh 2013	+	+	+	?	+
Wang 1999	+	-	+	+	-
Waters 2011	?	-	?	?	-
Weale 2006	+	-	-	+	?
Weitz 2005	+	+	?	?	
Whitehouse 2009	+	+	?	-	-
Wieser 2015	+	+	?	+	-
Wilson 2015	+	+	?	?	+
Winnik 2012	+	+	+	+	+
Wong 2006	+	-	+	?	-
Wong 2009	+	+	+	+	+
Wong 2013	+	-	?	?	+
Yalcinkaya 2013	+	-	?	+	-
Yamaguchi 1990	-	-	+	+	-
Yentis 1993	+	-	+	+	-
Yilmaz 2013	+	-	-	?	-
Yolcu 2015	+	+	+	?	-
Yoo 2002	+	-	+	+	-
Yoon 2007	+	-	?	?	-
Yoon 2010	+	+	+	?	-

Effect of methods

Proportion of abstracts published as full publications

The number or proportion of results presented in abstracts and subsequently published in full was reported for all included reports (in keeping with our inclusion criteria). The proportion published within each report ranged from 2.6% to 90.7% (median 38.4%). A random-effects meta-analysis showed the overall proportion of abstracts published in full was 37.3% (95% CI, 35.3% to 39.3%), but with very high heterogeneity ($I^2 = 98.5\%$). This represents subsequent full publication of results from 107,959 studies out of 307,028 presented at biomedical meetings. The proportion of abstracts published did not differ by whether the report was a full publication (37.0%; 95% CI, 34.8% to 39.2%), abstract (38.2%; 95% CI, 27.4% to 50.3%), or letter (38.2%; 95% CI, 27.4% to 50.3%), but heterogeneity remained high for all three report formats. The result of our sensitivity analysis excluding 32 reports at high risk of bias showed similar results.

The pooled proportion of abstracts published in full in the 26 reports that looked separately at abstracts describing randomized trials was 59.8% (95% CI, 52.1% to 67.0%). The median proportion was 55.4% (range, 11.1% to 90.7%). This represents subsequent publication of results from 3592 randomized trials out of 5763 presented at biomedical meetings. In the other seven reports that examined both randomized and controlled trials, the proportion of abstracts subsequently published in full was 47.6% (95% CI, 28.4% to 67.5%). None of these 33 reports was at high risk of bias. For the one report on abstracts of diagnostic accuracy studies ([Brazzelli 2009](#)), the proportion of published abstracts was 75.6% (95% CI, 69.0% to 82.2%); for the one on systematic reviews ([Hopewell 2015](#)), it was 53.3% (95% CI, 46.3% to 60.3%); for the one on cost-effectiveness studies ([Chan 2013](#)), it was 39.6% (95% CI, 32.2% to 47.1%); and for the one on qualitative studies ([Petticrew 2008](#)), it was 44.2% (95% CI, 37.7% to 50.7%).

The proportion of abstracts reaching full publication for 34 reports that focused on abstracts submitted to a meeting was 39.3% (95% CI, 32.3% to 46.8%). It was similar to the pooled estimate in the 314 reports that included abstracts that had been presented at a meeting without specifying the type of presentation (plenary, oral, or poster) (36.0%; 95% CI, 33.7% to 38.3%). Nine reports obtained abstracts from a register or a specific author group (e.g. all members of a specific department) and found a slightly higher proportion of fully published abstracts (44.1%; 95% CI, 31.3% to 57.8%). For the four reports specifying type of presentation, we found that abstracts presented at plenary sessions had the highest proportion of abstracts subsequently published in full (70.8%; 95% CI, 47.8% to 86.6%). In 54 reports that only included abstracts presented orally, the proportion of abstracts reaching full publication was 43.1% (95% CI, 37.9% to 48.6%), which is higher than in the 10 reports that only included poster presentations (24.6%; 95% CI, 17.7% to 33.0%). [Table 1](#) shows the proportion

of abstracts subsequently published by biomedical specialty and the number of reports contributing to that specialty by type of presentation. The proportion of abstracts published in full by specialty ranged from 15.4% (pharmacology) to 57.1% (infectious disease/immunology).

When we examined the language of the report, we found that the proportion of abstracts subsequently published in full in the 376 reports that were written in English was 39.1% (95% CI, 37.0% to 41.2%). The proportion was, in general, lower in those reports not in English language. For the 15 reports in Spanish it was 15.6% (95% CI, 11.2% to 21.3%); seven reports in French 31.4% (95% CI, 17.8% to 49.1%); six reports in German 42.7% (95% CI, 29.2% to 57.3%); six reports in Portuguese 9.9% (95% CI, 4.2% to 21.5%); six reports in Turkish 21.6% (95% CI, 16.0% to 28.5%); four reports in Korean 35.3% (95% CI, 13.6% to 65.4%); two reports in Dutch 47.9% (95% CI, 46.6% to 49.2%); two reports in Chinese 53.7% (95% CI, 0.3% to 99.8%); and one report in Japanese 81.5% (95% CI, 78.2% to 84.4%). We also compared the 164 reports in which the correspondence address was in native English-speaking countries with the 161 reports where it was not. A random-effects model showed that the proportion of abstracts published in full for reports from native English-speaking countries was 42.7% (95% CI, 40.4% to 45.1%) as opposed to 29.0% (95% CI, 26.2% to 32.1%) for reports from non-native English-speaking countries. The reports from non-native English-speaking countries typically evaluated abstracts from national meetings, abstracts presented in national sections of international meetings ([Collet 1993](#); [Collet 1997](#); [Collet 2006](#); [Jara-Tracchia 2010](#)), or abstracts by authors from the same country or region as the report ([Acevedo 2014](#); [Arap 2014](#); [Chan 2002](#); [Fernandes 2008](#); [Ha 2008](#); [Lin 2011](#); [Pinheiro 2009](#); [Saad 2008](#); [Vuckovic-Dekic 2001](#)).

Reports were published from 1978 to 2016, with a larger proportion of reports appearing in more recent years. We evaluated time of report publication in a mixed model and found a significant effect of time, with an intercept of -0.4036 (95% CI, -0.5283 to -0.2790) and a yearly decrease of -0.0155 (95% CI, -0.0275 to -0.0034). These values translate to publication probabilities of 43.82%, 40.04%, and 36.39% for reports published in years 1990, 2000, and 2010, respectively.

Cumulative proportion of abstracts published over time

Data on cumulative time to publication was reported in 181 reports. Using survival analysis, the estimated cumulative publication rate for all studies was 46.4% after 120 months ([Figure 4](#)). The annualized rate of publication was highest during the first three to four years following presentation at a meeting, and decreased during each subsequent year. After 10 years, the estimated publication rate for abstracts describing results of randomized or controlled trials in 18 reports was 68.7%, compared to 44.9% for abstracts describing other types of study design in 163 reports ([Figure 5](#)).

Figure 4. Kaplan-Meier survival curve showing proportion of abstracts published in full

Figure 5. Kaplan-Meier survival curve showing proportion of abstracts describing trials and all other abstracts published in full

Factors associated with publication

'Positive' versus not 'positive' results

Overall, 64 reports examined whether 'positive' results were associated with full publication. In the previous version of this review ([Scherer 2007](#)), we investigated individual authors' definition of 'positive' results, and identified two different definitions. The first definition described 'positive' results as those showing statistically significant results or a definite preference for either treatment arm compared to neutral results. Pooled results from the 15,783 abstracts in 45 reports using this definition also show an association between 'positive' results and full publication (risk ratio (RR) = 1.31; 95% CI 1.23 to 1.40), and this was unchanged after excluding one report at high risk of bias. We did not pool results because some studies examined both definitions. The second definition described 'positive' results as those showing a statistically significant result in the direction of, or a stated preference for, the experimental intervention compared with the control intervention. In this updated review, the pooled results from 8794 abstracts in 34 reports using this definition show an association between positive results and full publication (RR = 1.17; 95% CI 1.07 to 1.28). See [Analysis 3.1](#) for forest plots for both definitions. Heterogeneity was high in both meta-analyses with an

I^2 of 66% and 69%, respectively. No reports contributing to this meta-analysis were at high risk of bias. One report ([Mily 2008](#)) that examined publication using both definitions was an abstract itself. A sensitivity analysis excluding it did not change the pooled estimate. An additional eight reports that examined whether the presence of positive results was associated with full publication did not provide data that could be included in a meta-analysis ([Buchan 2011](#); [Cartwright 2007a](#); [Dumville 2008](#); [Moorthi 2013](#); [Snedeker 2010](#); [Wai 2006](#); [Wong 2013](#); [Zaretsky 2002](#)). Using either univariate or multivariable analyses, three of these reported an association between full publication and positive results ([Dumville 2008](#); [Snedeker 2010](#); [Wong 2013](#)); three found no association ([Cartwright 2007a](#); [Moorthi 2013](#); [Zaretsky 2002](#)), and the remaining two simply reported that the proportion of abstracts reaching full publication was higher than that of those not reporting positive results.

In 20 of the reports that looked at the influence of 'positive' results, only randomized or controlled trials were included ([Analysis 3.2](#)). We again looked at the subgroups using both definitions of 'positive' results. We found an association with full publication in 2616 abstracts in 15 reports using the first definition (RR = 1.21; 95% CI, 1.10 to 1.32) and in 2307 abstracts in 13 reports using

the second definition (RR = 1.17; 95% CI, 1.04 to 1.32) ([Analysis 3.2](#)). In both meta-analyses, heterogeneity remained moderately high (I^2 of 47% and 56%, respectively). Eight of the 20 reports examined the association of 'positive' results with full publication using both definitions, but did not find any striking differences ([Akbari-Kamrani 2008](#); [Klassen 2002](#); [Krzyzanowska 2003](#); [Ospina 2006](#); [Polyzos 2011](#); [Saldanha 2016](#); [Tam 2008](#); [Toma 2006](#)). None of the reports contributing to these meta-analyses were at high risk of bias.

Sample size

In the previous version of this review ([Scherer 2007](#)), we combined the results of reports that compared the full publication of abstracts with a study sample size equal to or above the median of all presented studies with those below the median. However, we found that authors of more recent reports frequently reported on sample size using an alternative numeric threshold (e.g. less than 200 participants versus 200 or more participants). We thus broadened our definition regarding sample size to "larger versus smaller", using the report authors' definitions. The pooled results from 8689 abstracts in 23 reports showed that larger versus smaller sample size failed to be associated with full publication (RR = 1.09; 95% CI, 0.99 to 1.19; [Analysis 4.1](#)) with an I^2 of 65%; no reports were at high risk of bias. However, the six reports (727 abstracts) that only examined abstracts describing randomized or controlled trials showed an association of larger versus smaller sample size with full publication (RR = 1.25; 95% CI, 1.08 to 1.46; [Analysis 4.2](#)) and showed no heterogeneity (I^2 = 0%). The five reports that examined this factor but did not report data that could be included in a meta-analysis showed mixed results; three showing an association ([DeMola 2009](#); [Schibilisky 2014](#); [Zaretsky 2002](#)), one not finding an association ([Sanders 2001](#)), and one only reporting that a higher percentage of abstracts with a sample size above the median were published in full compared with those below the median ([Yilmaz 2013](#)).

Oral versus poster presentation

Results from 115,910 abstracts in 143 reports showed that abstracts presented orally rather than as posters were associated with full publication (RR = 1.46; 95% CI, 1.40 to 1.52; [Analysis 5.1](#)), although heterogeneity was high with an I^2 statistic of 83%. Excluding 14 reports that were abstracts ([Abes 2004](#); [Cartwright 2007b](#); [Harshavardhana 2009a](#); [Kumar 1995](#); [Lensen 2015](#); [Maleck 1998a](#); [McCue 2005](#); [Menditto 2015](#); [Mily 2008](#); [Ng 2004](#); [Odunsi 2015](#); [Ozel 2007](#); [Schibilisky 2014](#); [Walsh 2013](#)) did not change this association (RR = 1.45; 95% CI, 1.39 to 1.52) or heterogeneity (I^2 = 83%). These results are consistent with the meta-analyses presented above of the proportion of abstracts published in full when authors only included abstracts presented orally (43.1%) or as posters (24.6%). Excluding reports at high risk of bias changed neither the pooled estimate nor the level of heterogeneity appreciably (RR = 1.46; 95% CI, 1.40 to 1.52; I^2 = 82%). The association of full publication with oral (versus poster) presentation in nine reports that examined abstracts of randomized or controlled trials was slightly less (RR = 1.32, 95% CI, 1.13 to 1.54 (I^2 = 70%); [Analysis 5.2](#)). Of 13 reports that looked at this factor but did not report data that could be included in the meta-analysis, seven used statistical testing and found that abstracts presented orally were more likely to be published than those presented as posters ([Abuzeid 2013](#); [Amirhamzeh 2012](#); [Daruwalla 2015](#); [Glick 2006](#); [Moorthi 2013](#); [O'Kelly 2015](#); [Snedeker](#)

[2010](#), while one did not ([Goldman 1980](#)). All reports that simply reported the proportion of abstracts that went on to full publication showed that a higher proportion of abstracts that had been presented orally were published in full as compared with those presented as posters ([Aggarwal 2012](#); [Buchan 2011](#); [Ramsey 1995](#); [Tambuscio 2010](#); [Tiemann 2010](#)).

Acceptance versus rejection

Twenty-two reports (22,319 abstracts) evaluated associations between acceptance (versus rejection) of abstracts for presentation at a meeting and full publication. The pooled results from these 22 reports showed a strong association between acceptance of abstracts for presentation at a meeting and full publication (RR = 1.65; 95% CI, 1.48 to 1.85; [Analysis 6.1](#)), but with high heterogeneity (I^2 = 87%). Excluding four reports which are abstracts themselves ([Bernstein 1983](#); [Jørgens 2014](#); [Ohlsson 1999](#); [Todd 1997](#)) resulted in a similar estimate (RR = 1.61; CI, 1.43 to 1.82), as did excluding one report at high risk of bias (RR = 1.66; 95% CI, 1.47 to 1.86).

Clinical versus basic science

Pooled results from 97,372 abstracts in 92 reports showed that clinical research was not published in full as often as basic science (RR = 0.78; 95% CI, 0.74 to 0.82; ([Analysis 7.1](#)), but again there was high heterogeneity (I^2 = 84%), possibly because report authors may have used differing definitions for clinical research or basic science. Excluding nine reports which were themselves abstracts ([Bernstein 1983](#); [Jamjoom 2014](#); [Kaya 2010](#); [Korn 2000](#); [Menditto 2015](#); [Ng 2004](#); [Ozkösem 2013a](#); [Schibilisky 2014](#); [St John 2013](#)) did not change this association (RR = 0.78; 95% CI, 0.74 to 0.82). The sensitivity analysis excluding four reports at high risk of bias also did not change this association (RR = 0.77; 95% CI, 0.73 to 0.81). Reports that investigated this factor but did not provide data that could be included in a meta-analysis had mixed results, with three reports showing a statistically significant association ([Glick 2006](#); [Kunadian 2015](#); [Ozkösem 2013](#)), and three not ([Al-Qaoud 2013](#); [Gilbert 2004](#); [Muffy 2014](#)). A further four reports that evaluated this factor only reported percentages of abstracts that went on to full publication with all showing that abstracts describing basic science were published in full more often than those describing clinical research ([Buchan 2011](#); [Duchini 1997](#); [Sullivan 2014](#); [Wai 2006](#)).

Study design

With regard to study design, the pooled results from 28,928 abstracts in 47 reports showed that abstracts describing randomized trials were published in full more often than abstracts describing other types of clinical research (RR = 1.51; 95% CI, 1.36 to 1.67; [Analysis 8.1](#)) with high heterogeneity (I^2 = 81%). This value was unchanged when four reports published as abstracts ([Menditto 2015](#); [Mily 2008](#); [Ozkösem 2013a](#); [Schibilisky 2014](#)) were excluded (RR = 1.49; 95% CI, 1.34 to 1.65). This analysis did not include the reports that combined randomized and controlled trials or the three reports that compared the proportion of publication of abstracts describing randomized versus controlled trials ([Akbari-Kamrani 2008](#); [Blackwell 2009](#); [Vecchi 2009](#)). Of three reports that examined this factor but without reporting data that could be used in a meta-analysis, two found a significant association of randomized trial design with full publication compared with other study designs ([Sun 2011](#); [Wong 2013](#)), and one found no association ([Muffy 2014](#)).

Thirty reports (14,938 abstracts) compared the proportion of abstracts published when the study design was described as 'prospective' versus 'retrospective'. These reports showed that prospective studies are more likely to be published in full than retrospective studies (RR = 1.17; 95% CI, 1.06 to 1.30; [Analysis 8.2](#)), but with high heterogeneity ($I^2 = 74\%$). There was no difference in this finding when a single report ([Korn 2000](#)) that was itself an abstract was excluded nor when three reports at high risk of bias were excluded (RR = 1.14; 95% CI, 1.02 to 1.28). One report that could not be included in the meta-analysis but which did statistical testing showed that a higher proportion of abstracts describing prospective studies resulted in full publication compared with abstracts describing retrospective studies ([Gilbert 2004](#)), and two showed no effect ([Gandhi 2004](#); [Muffy 2014](#)). Reports that only included the relative percentage of abstracts that were published in full had mixed results. One of these reports showed a higher proportion of abstracts describing prospective studies ([Gourtaud 2009](#)), and two showed a higher percentage of abstracts describing retrospective studies ([Autorino 2006](#); [Buchan 2011](#)) published in full.

As a surrogate for study design, seven authors reported the numbers of abstracts published in full by 'level of evidence' ([Castagnetti 2013](#); [Forlin 2013](#); [Izadpanah 2014](#); [Kiroff 2001](#); [Kleine-Konig 2014](#); [Schulte 2012a](#); [Schulte 2012b](#)). Compared with abstract results classified as evidence levels III, IV, and V, those with results classified at lower evidence levels (I and II) had a higher proportion of abstracts leading to full publication (RR = 1.50; 95% CI, 1.20 to 1.86; [Analysis 8.3](#); $I^2 = 82\%$). In one report ([Sinno 2011](#)), there was no statistically significant difference in the proportion of abstracts published in full by level of evidence (odds ratio (OR) = 0.10, 95% CI, 0.0 to 5.93).

Multi-centered versus single center

The pooled results from 44 reports (22,780 abstracts) found that abstracts describing studies with multiple centers rather than a single center were more likely to lead to full publication (RR = 1.32; 95% CI, 1.21 to 1.44) ([Analysis 9.1](#)), but with high heterogeneity ($I^2 = 82\%$). This result was unchanged when five reports that were abstracts ([Brost 2005](#); [Menditto 2015](#); [Odunsi 2015](#); [Ozkösem 2013a](#); [Walsh 2013](#)) were excluded (RR = 1.34; 95% CI, 1.24 to 1.46). It was also unchanged after excluding two reports at high risk of bias (RR = 1.33; 95% CI, 1.21 to 1.46). We found a somewhat stronger association in 1539 abstracts described in seven reports that examined publication of abstracts describing randomized or controlled trials (RR = 1.47; 95% CI, 1.09 to 1.98; [Analysis 9.2](#)) but again with high heterogeneity ($I^2 = 88\%$). Five reports presented results of statistical testing that could not be included in the meta-analysis, with two reports showing an association between multi-center status and full publication ([Fesperman 2008](#); [Zaretsky 2002](#)) and three showing no association ([Balasubramanian 2006](#); [Cartwright 2007a](#); [Moorthi 2013](#)).

Higher versus lower 'quality'

Twelve reports (3364 abstracts) scored abstracts by quality and compared the proportion achieving full publication in those having higher versus lower quality. Definitions or methods to determine quality varied across reports from those that used some kind of scale ([Callahan 1998](#); [Castaldi 2015](#); [Chalmers 1990a](#); [Jörgens 2014](#); [Menditto 2015](#); [Sawatsky 2015](#); [Scherer 1994](#); [Timmer 2002](#)), to others that used a single methodological criterion for assessment

(e.g. blinding or allocation concealment) ([Brazzelli 2009](#); [Herbison 2004](#); [Mily 2008](#); [Sinno 2011](#)). Pooling all results, we found that higher (versus lower) quality abstracts were more likely to be fully published (RR = 1.46; 95% CI, 1.23 to 1.73; [Analysis 10.1](#)), but had high heterogeneity ($I^2 = 72\%$). Removing three reports ([Jörgens 2014](#); [Menditto 2015](#); [Mily 2008](#)) that were abstracts attenuated this association (RR = 1.29; 95% CI, 1.14 to 1.47). There was no association between quality and the probability of publication in three reports ([Chalmers 1990a](#); [Herbison 2004](#); [Scherer 1994](#)) that examined abstracts describing randomized or controlled trials (RR = 1.09; 95% CI, 0.84 to 1.42; [Analysis 10.2](#)) and this analysis had an I^2 of 0%.

Abstract author characteristics

Thirty-four reports (16,913 abstracts) examined the association of abstracts prepared at a university or academic center versus those prepared elsewhere and found an association with full publication (RR = 1.60; 95% CI, 1.34 to 1.92; [Analysis 11.1](#)) with high heterogeneity ($I^2 = 90\%$). Seven of these reports were abstracts themselves ([Feldman 2015](#); [Jamjoom 2014](#); [Kaya 2010](#); [Menditto 2015](#); [Ozel 2007](#); [Schibilisky 2014](#); [St John 2013](#)), and excluding them from the analyses decreased the effect slightly (RR = 1.48; 95% CI, 1.21 to 1.88), but excluding two reports at high risk of bias did not change the association (RR = 1.58; 95% CI, 1.31 to 1.89). Five other reports evaluated this factor statistically but did not present data that could be included in a meta-analysis. Among these five, three found no association ([Gandhi 2004](#); [Gilbert 2004](#); [Muffy 2014](#)), and two showed that a higher percentage of abstracts of academic origin went on to full publication compared with abstracts originating elsewhere ([Buchan 2011](#); [Montane 2007](#)).

Six reports (10,935 abstracts) ([Canosa 2011](#); [Castaldi 2015](#); [Cohen 2012a](#); [Fesperman 2008](#); [Papoutsis 2015](#); [Winnik 2012](#)) examined the proportion of abstracts published in full when the primary author was female (as compared with male). Pooling the data showed no association with full publication (RR = 0.89; 95% CI, 0.77 to 1.03; [Analysis 11.2](#)), but again had high heterogeneity ($I^2 = 62\%$). All of these reports were full-length articles and none were at high risk of bias. Other characteristics of abstract authors examined in these reports included professional status, either comparing trainees (e.g. residents) and faculty or some comparison of faculty rank ([Gavazza 1996](#); [Nasir 2012](#); [Susarla 2015](#)), or whether a physician ([McKelvey 2010](#)), individual holding a PhD degree ([Elliot 2016](#)), or member of the society organizing the meeting ([Bolac 2009](#)) was an author. Five reports evaluated the number of abstract authors, with most finding a higher proportion of abstracts published in full when there was a higher number of authors ([Buchan 2011](#); [Grzeskowiak 2014](#); [Kim 1998](#); [Micieli 2012](#); [Uzun 2013](#)). Lastly, one report showed no difference between abstracts with an author who disclosed at least one conflict of interest versus those with no author with a disclosed conflict of interest ([Saldanha 2016](#)).

Abstract impact

Eleven reports classified abstracts as 'high versus low impact' and investigated the association of this distinction with full publication. Abstracts that were considered to have a high impact were placed into three subgroups: 'award-winning' ([Ensom 1998](#); [Fede 2010](#); [Frost 2015](#); [Kalyoncu 2011](#); [Manuck 2015](#); [Okafor 2015](#); [Peng 2006](#)); considered to be of significant clinical importance by the report authors ([Klassen 2002](#)), and those that were high impact for another

reason (e.g. assessed at the meeting as 'top ranking' (Burden 2014), having a 'high profile' (Simons 2007) or late-breaking (Toma 2006)). In these 11 reports, of 6982 abstracts, those considered as having a high impact were more likely to lead to full publication compared with those not considered to have a high impact (RR = 1.60; 95% CI, 1.41 to 1.82; Analysis 12.1). These findings had high heterogeneity ($I^2 = 74\%$), but were consistent across all three subgroups. The only exception was a single study in the subgroup defined by clinical importance, which was not statistically significant. The overall association was only slightly weaker when one report (Burden 2014) that was an abstract was not included in the meta-analysis (RR = 1.52; 95% CI, 1.37 to 1.68).

Funding

Thirteen reports (5832 abstracts) examined the association of funding with full publication. The proportion of abstracts going on to be published in full was higher for those with funding of any type reported compared with those without funding or with funding not reported (RR = 1.48; 95% CI, 1.27 to 1.73; Analysis 13.1; $I^2 = 77\%$). Abstracts whose authors reported funding from industry (versus other sources of funding or no funding) showed a possible association with full publication in 12 reports (3938 abstracts) (RR = 1.18; 95% CI, 1.00 to 1.40; Analysis 13.2; $I^2 = 80\%$). None of the reports contributing to these analyses were themselves abstracts. In contrast to the findings of our meta-analysis, a statistically significant association between industry funding and full publication was reported in two reports whose data could not be included in the meta-analysis (Glick 2006; Moorthi 2013).

North America versus Europe versus other origin

Some reports examined the full publication of abstracts by country of origin, comparing those originating in either North America or Europe versus those from the rest of the world. Using two-way comparisons, there was an association between full publication and country of origin. For 19,984 abstracts described in 52 reports, those from North America were more likely to be published than those from the rest of the world (RR = 1.13; 95% CI, 1.04 to 1.22; Analysis 14.1). Among 21,281 abstracts described in 44 reports, those from Europe were more likely to be published when compared with the rest of the world (RR = 1.24; 95% CI, 1.11 to 1.39; Analysis 14.2). There was no association of full publication with country of origin when comparing North America versus Europe (RR = 1.04; 95% CI, 0.97 to 1.13; Analysis 14.3) in 41 reports (20,669 abstracts). These results showed high heterogeneity ($I^2 = 70\%$, 83% , and 72% , respectively). Results were unchanged when reports that were abstracts themselves were not included in each of the analyses or when reports at high risk of bias were excluded.

Some reports looked at the full publication of abstracts originating in a specific country versus elsewhere. Twenty-four reports compared the full publication of 45,931 abstracts by origin in the USA versus elsewhere, finding a small effect (RR = 1.05; 95% CI, 1.01 to 1.09; Analysis 14.4; $I^2 = 84\%$). Other reports that compared national versus other origin of the abstracts included the UK (RR = 0.90; 95% CI, 0.67 to 1.21; Analysis 14.5; three reports, 1070 abstracts, $I^2 = 5\%$), Australia/New Zealand (RR = 0.67; 95% CI, 0.54 to 0.84; Analysis 14.6; two reports, 1262 abstracts, $I^2 = 0\%$), and Brazil (RR = 1.26; 95% CI, 0.22 to 7.02; Analysis 14.7; two reports, 966 abstracts, $I^2 = 70\%$). Single studies compared the subsequent publication of results from abstracts originating in France (Cauchy

2014), India (Dhaliwal 2008), Saudi Arabia (Jamjoom 2014), Quebec (Al-Qaoud 2013), Ireland (O' Connor 2015) or Spain (Hernandez-Garcia 2011) versus elsewhere with mixed results. Results from 4825 abstracts in eight reports sought, but did not find, an association between English language versus non-English language abstracts and full publication (RR = 1.16; 95% CI, 0.96 to 1.41; Analysis 15.1), with high heterogeneity ($I^2 = 80\%$). None of these reports were abstracts or at high risk of bias. The meetings covered in these reports were all either international or European based, apart from one meeting held in Malaysia (Chan 2002).

Multivariable models

To evaluate whether any characteristics of the reports influenced the estimated proportion of subsequent full publication, we conducted a mixed-effect multivariable analysis. Covariates included the publication year of the report, report in English language or not; report from a native English-speaking country (Australia, Canada, New Zealand, the UK and the USA) or not, type of abstract sample (oral versus poster versus submitted versus accepted versus other); and funding reported or not. The intercept of the model was set to year 2000, report not in English and not from a native-English-speaking country, sample of orally presented abstracts, and no reported funding. Type of sample was removed from the model due to uninterpretable results. Covariables that remained significant in the final model included English language (versus not) (0.33; 95% CI, 0.04 to 0.61); and native English-speaking country (0.47; 95% CI, 0.28 to 0.66). For this model, the intercept corresponded to a proportion of abstracts published in full of 31.9%. The probability of full publication for the other characteristics was 40.5% for English language reports, 42.9% for reports from native English-speaking countries, and 52.2% when both were included. Evaluation of 'type of sample' using a likelihood-ratio test showed that it also had an influence on the probability of publication ($P = 0.00002$).

DISCUSSION

Summary of main results

Overall proportion of abstracts published in full

We found that less than half of all studies first presented as abstracts were published in full following presentation at meetings or publication as a summary report. The estimated proportion in a random-effects model was 37.3% (95% CI, 35.3% to 39.3%) and it was 46.4% at 120 months using survival analyses. This may represent an underestimate for two reasons. Firstly, some reports had a short follow-up time of between two and three years and full publication may have occurred later. Secondly, most reports found subsequent publications only by searching electronic databases, and may have missed publications that are not included in these databases. The survival analysis takes into account the first limitation and indicates a somewhat higher publication rate. Abstract results that are published after the stated length of the follow-up cannot be considered when calculating an average proportion, but they are considered when using a time-to-event analysis and so the survival analyses most likely presents a more accurate assessment of the true proportion of abstracts that are published in full. In determining time to publication, none of the reports mentioned whether they considered online publication prior to final journal publication in their consideration of this. Although online publication could shorten the interval between

presentation at a meeting and the time to full publication, it would not necessarily change the final proportion of abstracts that are published in full. Given the shift from print to online journals and the increase in the number of journals overall, it is somewhat unexpected that we found a proportion of abstracts published in full that is so similar to that in the previous version of this review (Scherer 2007). However, the main reason given by abstract authors for not publishing the results presented as abstracts in full continues to be lack of time (Scherer 2015a), and if the time that authors have available for writing papers has not increased, this finding is not so surprising regardless of the increase in the number of journals over the past decade.

The survival analysis shows that a somewhat larger proportion of studies describing randomized or controlled trials are published in full than other study designs, with an estimated proportion of full publication at 108 months of 68.5% and at 120 months of 68.7%, compared with 44.9% for other types of studies. The proportion of randomized or controlled trials subsequently published in full is slightly higher than we found in the previous version of this review (68.5% versus 63.1% at 108 months) (Scherer 2007) suggesting that trial authors are more aware of the need to publish trial results or are taking more advantage of easier access to publishing (e.g. in electronic journals).

At least when patients are involved in the research, this under-reporting constitutes scientific misconduct (Antes 2003; Chalmers 1990b). Many trial participants give consent to the potential harms and inconveniences involved in an experimental study under the assumption that they are making a contribution to science. If the study they took part in remains unpublished, their contribution may be for naught. In addition, those who rely on the scientific literature to make healthcare decisions are faced with a possibly biased subset of scientific evidence. However, recent studies question whether the inclusion of 'grey' literature or unpublished study results in a systematic review has the potential to change the treatment estimate (Mayo-Wilson 2017; Schmucker 2017).

In this updated review, we used data from 252 meetings in 181 reports in the survival analysis to estimate the proportion of fully published abstracts at time intervals ranging from two to 10 years following presentation. Examination of the time course confirms our earlier findings that the highest annualized rates of publication are in the first three to four years following presentation at a meeting (Scherer 2007). We did not update the cumulative proportion of presented abstracts that we had presented in the earlier version of this review and elsewhere (Scherer 1994; Scherer 2007; von Elm 2003a) because of the large variation in the lengths of follow-up among reports.

Association of factors with full publication

We found evidence for publication bias in the studies reported as abstracts, in that 'positive' results were associated with full publication, no matter how 'positive' was defined. In the context of studies of the effects of interventions, some authors defined 'positive' results as those showing that the experimental treatment was better than the control treatment, while others defined 'positive' results as those showing a statistically significant difference or a preference for either treatment arm. Only two reports defined 'positive' results for non-inferiority or equivalence trials (Cheng 1998; Klassen 2002), categorizing study results as 'positive' if the study hypothesis had been supported. Some

heterogeneity persisted when results were divided into the subgroups categorized by type of definition for 'positive'. There was no clear difference among reports within the subgroups to identify the source of the heterogeneity. However, the significant association between direction of results and subsequent full publication using either definition indicates that this is a robust finding. Bias favoring positive outcomes is also supported by the findings in unpublished studies (Schmucker 2014), and that significant (i.e. 'positive') results are published sooner than non-significant results (Hopewell 2007; Ioannidis 1998; Stern 1997). Twenty reports that looked only at abstracts describing randomized or controlled trials also found an association of 'positive' results to publication. Because this association is present in this particular subgroup, authors of systematic reviews of the effects of interventions should be especially aware of this potential for bias.

Studies with larger sample sizes had appeared more likely to be published in full in the previous version of this review (Scherer 2007). In this update, rather than classifying sample size in groups by median, we used the report authors' definition. We still found a significant association of larger sample size with full publication. It is not possible to isolate the association of sample size from the association of significant results with full publication: significant results are published more often; and studies with small sample sizes are less likely to achieve statistical significance. In this situation, lack of publication may be due to lack of significant results and not necessarily small sample size. In all cases, studies with small sample sizes should still be published because, through a meta-analysis, they can contribute to pooled estimates in proportion to their size.

Results from clinical research studies presented in abstracts were published in full less often than results from basic science. This finding seems inconsistent with the observation that abstracts describing randomized trials were published more often than abstracts of other study designs, but there are several possible reasons for this apparent discrepancy. First, we used the report authors' definitions of 'clinical research' versus 'basic science'. So, the group of 'clinical' abstracts most likely includes, besides randomized trials, studies with many different types of study design that are often not published, a suggestion supported by the apparent heterogeneity of the meta-analysis. Second, some 'clinical research' abstracts may describe protocols for studies that may or may not be eventually completed and would not necessarily be expected to be subsequently published. Study discontinuation is prevalent in clinical research, mostly due to problems with recruitment of participants (Kasenda 2014). Third, it may be that less time and effort is needed to complete the process to publish basic science in full.

Acceptance of an abstract for presentation at a meeting (compared to those that were submitted but not accepted) was strongly associated with full publication (RR = 1.65; 95% CI 1.48 to 1.85). Abstract authors may believe that rejected abstracts are also more likely to be rejected for subsequent publication due to implied lack of quality or disinterest by peers. This may represent a disincentive to prepare a manuscript for publication. The suggestion we had found earlier (Scherer 2007) towards an association between full publication of abstracts with 'high' compared with 'low' quality scores is significant in the present update (RR = 1.62; 95% CI, 1.27 to 2.05). However, when we looked only at full publication of

abstracts describing randomized or controlled trials, we found no clear evidence of an association with publication (RR = 1.09; 95% CI 0.84 to 1.42). It should be noted that report authors used a variety of methods to gauge abstract quality, so these results may not be robust. Similarly, report authors classified abstracts as having a 'high impact' using different criteria and this was also associated with publication.

Among abstracts accepted for presentation, study results presented orally appear more likely to be subsequently published in full than results presented in poster sessions (RR = 1.46; 95% CI, 1.40 to 1.52). Four reports also looked at the proportion of abstracts presented in plenary sessions that were published in full, finding a high proportion of abstracts being published (70.3%; 95% CI, 47.8% to 86.6%). Typically, there is a perception on the part of authors that research selected for oral presentation is more interesting or of higher quality and thus is more likely to be accepted for full publication subsequently. The most common reason for non-publication elicited by surveys of authors of non-published abstracts is lack of time or low priority (Dickersin 1992; Easterbrook 1991; Scherer 2015a; Weber 1998). We also found a significant association between oral presentation and full publication for randomized or controlled trials (RR = 1.26; 95% CI, 1.10 to 1.45), in contrast to the lack of an effect reported in the previous version of this review (Scherer 2007).

Some report authors examined the influence of language and country of origin on full publication of abstract results. Possible influences include the relation between language proficiency and publication, since such a high proportion of scientific journals are published in North America and Europe. It is also possible that full publication of abstracts from other countries may be higher in journals that are not indexed in MEDLINE, Embase and other electronic databases used by report authors for ascertainment of subsequent full publication. When we examined the combined results however, we did not find an association between abstract language (English versus other) and full publication. However, the meetings that were examined in the reports that specifically looked at this factor were either international or European, and arguably the non-English speaking presenters were more fluent in English than persons not presenting at that meeting. Furthermore, when we looked at language of the report of the methodology study or the correspondence address for those reports in a separate mixed multivariable model, we found a strong association between English language and the estimated proportion of full publication. Possible explanations are that the authors of these reports found it easier to identify the subsequent publications (e.g. due to their language proficiency), or that their samples had a higher proportion of English language abstracts. The association of language of the report with full publication of the abstracts is also reflected in our initial finding (in the previous version of this review (Scherer 2007)) of a significant effect of year of report with full abstract publication, although this report-related characteristic was not significant in the multivariable model. Most likely, this is because we have now included more reports from non-native English-speaking countries. Together, these results are evidence of language bias; that is, research conducted in non-native English-speaking countries is published less frequently than that conducted in English-language countries. Others have found language bias in reporting of randomized trials (Song 2010a) and systematic reviews (Juni 2002). Frequently, the authors of the reports from non-native English-speaking countries studied

abstracts from national meetings, which predominantly presented studies done in that country. With the lower proportion of these studies subsequently being published in full, one could view language bias not only as bias due to the language of the report, but also due to the location where a study is conducted. This suggests that studies conducted in non-native English-speaking countries might not be available to systematic reviewers who are seeking to answer questions that would be relevant to settings in these same countries.

Report authors infrequently evaluated funding source. This is possibly due to the fact that, in general, abstracts do not provide information about funding. Reports that examined funding were not consistent in the approach or definitions used. Overall, while funding itself appears to be associated with subsequent full publication, the effect of funding source is less clear and we found no evidence for an association of industry funding with subsequent full publication.

Overall completeness and applicability of evidence

With 425 reports, we believe that further reports will not add substantially to the body of information presented here, which, in part, influenced the decision not to update our February 2016 searches. Although there are differences by medical specialty, the results are generally applicable to all fields of biomedical science.

Quality of the evidence

We have confidence in the findings presented here in that only 7.5% (32/425) of reports were classified as having high risk of bias. Although 83.1% had a high risk of bias for a single criterion, this failing was usually due to the lack of a multivariable model in the analysis rather than the methods used to identify and match abstracts with full publications. All reports directly addressed the question asking what proportion of abstracts presented at meetings are subsequently published in full.

Potential biases in the review process

When pooling the results of reports looking at factors associated with full publication, we found substantial statistical heterogeneity with I^2 values exceeding 50% in 22 of 24 analyses. Reasons for heterogeneity may be methodological differences between studies with regard to definition of factors, ascertainment of full publication, study design, and type of abstracts evaluated. To our knowledge, there is no commonly agreed standard methodology for this type of investigation. We were not able to identify any consistent factors that contributed to the heterogeneity and so the association of publication with factors based on pooled results needs to be interpreted cautiously. To account for the differences in the included reports, we used a random-effects model rather than a fixed-effect model for all analyses.

Access to unpublished studies

The promise of prospective registration of randomized trials as a means to alleviate many of the problems created by failure to publish study results (Dickersin 2003) has not materialized so far. Complete trial registration, including both initial registration and reporting of trial results, would enable authors of systematic reviews and consumers alike to have access to information about completed or ongoing trials, including their published and unpublished results. However, adherence to trial registration is

less than optimal and results are still missing from the registry entries of many trials (Dickersin 2012; Zarin 2017). In recent studies, the proportion of published trials in specific journals ranges from 25% (Rongen 2016) to almost 100% (Harriman 2016). In 2012, the median proportion for registered trials supporting the Food and Drug Administration (FDA) approval of 15 drugs was 57% (interquartile range (IQR) (32% to 83%) (Miller 2015a). In addition, reports show that compliance with posting results in ClinicalTrials.gov is neither timely nor complete (Anderson 2015; Zarin 2015), notwithstanding the requirement to post results by the FDA. Nevertheless, trial registration still provides promise for access to more complete information on unpublished trials than many other sources.

Given that there is evidence to suggest that some trial results cannot reliably be included in systematic reviews of the effects of interventions because of missing data or missing information about study conduct (Mayo-Wilson 2017), it is even more important to stress the importance of full publication of all relevant study information. With regard to industry-funded research, good publication practice recommendations state that "Companies should endeavour to publish the results from all of their clinical trials of marketed products. These publications should present the results of the research accurately, objectively, and in a balanced fashion". (<http://www.ich.org/products/guidelines/efficacy/article/efficacy-guidelines.html>). The same is true of results from research using any study design, whether in industry or academia, or from a high-, middle-, or low-income country. The large proportion of abstract results that are not published in full is another egregious example of research waste, as described by Glasziou and colleagues (Glasziou 2014). Fully-published results are essential to provide the evidence needed to inform clinical practice and to reduce the prevailing waste of the limited resources available for biomedical research.

AUTHORS' CONCLUSIONS

Implication for methodological research

Investigators who wish to add to the vast literature that has already been produced examining full publication of results initially presented in abstracts should follow several minimal requirements to ensure methodological quality, including: follow-up time of at

least 24 months; searches of more than one database as well as author contact to determine subsequent publication; and use of more than a single criterion to match an abstract with retrieved journal articles. Given the abundance of already available data, the added value of new studies of this kind is questionable, except perhaps for investigators wishing to look at full publication to inform a specific medical subspecialty or specific meeting. When studying factors associated with full publication, investigators should explicitly define 'positive' results and describe how the definition applies to non-inferiority trials; define 'clinical research' and 'basic science' and examine the impact of funding source on subsequent full publication. The low proportion of results from non-native English-speaking countries that are published after meeting presentation needs to be examined further, by classifying the location of the meetings as international, national, or regional. Methodological differences between reports and the existence of heterogeneity need to be addressed in further systematic reviews of this kind. The robustness of the results of this systematic review should be examined further, especially when focusing on reports that look at randomized trials.

ACKNOWLEDGEMENTS

We thank Dr. Halpern for providing us with a copy of his unpublished manuscript, and Drs. Begum, Bhandari, Callahan, Cheng, Feldman, Hoeg, Jones, Kiroff, Klassen, Kryzanowska, Marx, Meral, Mowla, Muffy, Propst, Rubin, Sawatsky, Schibilsky, Schnatz, St John, Stolk, Timmer, Todd, and Wieser for providing additional data from their studies.

Funding was provided for this review to:

- Roberta Scherer by the National Institutes of Health, National Eye Institute.
- Joerg J Meerpohl, Christine Schmucker, and Guido Schwarzer by the European Union Seventh Framework Programme under grant agreement number 285453.
- Nadine Pfeifer and Erik von Elm by the Institute of Social and Preventive Medicine, Lausanne University Hospital.

No funders had any role in study design, data collection analysis, or interpretation of the data of this review.

REFERENCES

References to studies included in this review

Abes 2004 {published data only}

Abes M, Sarihan H. The contribution of Annual Meetings of Turkish Association of Pediatric Surgeons on international literature. [Turkish]. *Pediatric Cerrahi Dergisi*. 2004; Vol. 18, issue 1:14-6.

Abicht 2012 {published data only}

Abicht BP, Donnenwerth MP, Borkosky SL, Plovanich EJ, Roukis TS. Publication rates of poster presentations at the American College of Foot and Ankle Surgeons annual scientific conference between 1999 and 2008. *Journal of Foot & Ankle Surgery* 2012;**51**(1):45-9.

Abuzeid 2013 {published data only}

* Abuzeid W, Fosbol EL, Fosbol PL, Zarinehbab S, Ross H, et al. Rate and predictors of the conversion of abstracts presented at the Canadian Cardiovascular Congress scientific meetings to full peer-reviewed publications. *Canadian Journal of Cardiology* 2013;**29**(11):1520-3. [PUBMED: 24182758]

Abuzeid W, Fosbol E, Fosbol PL, Zarinehbab S, Bennell M, Wijeyesundera H. Factors impacting the conversion of abstracts presented at the Canadian Cardiovascular Congress meetings to full publications. *Canadian Journal of Cardiology*. 2013; Vol. 29, issue 10:s369.

Abzug 2014 {published data only}

Abzug JM, Osterman M, Rivlin M, Paryavi E, Osterman AL. Current rates of publication for podium and poster presentations at the American Society for Surgery of the Hand Annual Meetings. *Archives of Bone and Joint Surgery* 2014;**2**(3):199-202.

Acevedo 2014 {published data only}

Acevedo AM, Gómez A, Becerra HA, Ríos AP, Zambrano PC, Obando EP, et al. Distribution and trends of hematology and oncology research in Latin America: a decade of uncertainty. *Cancer* 2014;**120**(8):1237-45.

Adhikari 2011 {published data only}

Adhikari S, Blaivas M, Frrokaj I, Shostrom V. Meeting abstracts to published manuscripts: how does emergency ultrasound compare?. *Journal of Ultrasound in Medicine* 2011;**30**(9):1275-9. [PUBMED: 21876099]

Aggarwal 2012 {published data only}

Aggarwal A. Full scientific paper publications of research papers presented as abstracts at IRA: analysis of 3 years. *Indian Journal of Rheumatology*. 2012; Vol. 7:S4.

Ahlers-Schmidt 2009 {published data only}

Ahlers-Schmidt CR, Chesser A, Maher J, Vernon S. Dissemination of student and resident research: Publication rates after poster presentation. *Medical Teacher* 2009; Vol. 31, issue 3:267.

Akbari-Kamrani 2008 {published data only}

Akbari-Kamrani M, Shakiba B, Parsian S. Transition from congress abstract to full publication for clinical trials presented at laser meetings. *Lasers in Medical Science* 2008;**23**(3):295-9.

Allart 2013 {published data only}

* Allart E, Beaucamp F, Thevenon A. Fate of abstracts presented at the 2008 congress of the French Physical and Rehabilitation Medicine Society. *Annals of Physical and Rehabilitation Medicine* 2013;**56**(7-8):492-502. [PUBMED: 23938338]

Allart E, Beaucamp F, Tiffreau V, Thevenon A. Fate of abstracts presented at the 2008 congresses of the French and the European societies of PRM (SOFMER vs ESPRM). *Annals of Physical and Rehabilitation Medicine*. 2013; Vol. 56:e273-e274.

Allart 2015 {published data only}

* Allart E, Beaucamp F, Tiffreau V, Thevenon A. Fate of abstracts presented at the 2008 European Congress of Physical and Rehabilitation Medicine. *European Journal of Physical and Rehabilitation Medicine* 2015;**51**(4):469-75. [PUBMED: 26365260]

Allart E, Beaucamp F, Tiffreau V, Thevenon A. Fate of abstracts presented at the 2008 congresses of the French and the European societies of PRM (SOFMER vs ESPRM). *Annals of Physical and Rehabilitation Medicine*. 2013; Vol. 56:e273-e274.

Alonso-Arroyo 2014 {published data only}

Alonso-Arroyo A, Aleixandre-Benavent R, Vidal-Infer A, Anguita-Sánchez M, Chorro-Gascó FJ, Bolaños-Pizarro M, et al. Subsequent full publication of abstracts presented in the Annual Meetings of the Spanish Society of Cardiology [Publicaciones derivadas de las comunicaciones a los congresos anuales de la Sociedad Española de Cardiología]. *Revista Española de Cardiología (English Edition)* 2014;**67**(1):15-21.

Alpi 2011 {published data only}

Alpi KM, Fenske R. Previous research shows Medical Library Association award winner publication rate. *Journal of the Medical Library Association : JMLA* 2011; Vol. 99, issue 1:3.

Al-Qaoud 2013 {published data only}

Al-Qaoud TM, Yafi FA, Aprikian AG. From podium to press: the 10-year publication rate of abstracts presented at the annual meetings of the Quebec Urological Association (QUA). *Canadian Urological Association Journal* 2013;**7**(5-6):407-10.

Amarilyo 2013 {published data only}

* Amarilyo G, Woo JM, Furst DE, Hoffman OL, Eyal R, Piao C, et al. Publication outcomes of abstracts presented at an American College of Rheumatology/Association of Rheumatology Health Professionals annual scientific meeting. *Arthritis Care & Research* 2013;**65**(4):622-9. [PUBMED: 23045154]

Woo JM, Furst D, McCurdy DK, Lund OI, Eyal R, Piao C, Amarilyo G. Factors contributing to non-publication of abstracts presented at the American College of Rheumatology/ Association of Rheumatology Health Professionals annual meeting. *Arthritis and Rheumatism*. 2012; Vol. 64, issue 10:s806-7.

Amirhamzeh 2012 {published data only}

Amirhamzeh D, Moor MA, Baldwin K, Hosalkar HS. Publication rates of abstracts presented at Pediatric Orthopaedic Society of North America meetings between 2002 and 2006. *Journal of Pediatric Orthopedics* 2012;**32**(2):e6-e10.

Arap 2014 {published data only}

Arap MA, Reis RB, Torricelli FC, Masson AL, Saad ED. Brazilian abstracts presented at the American Urological Association annual meetings: contribution, publication rates, and comparison with oncology abstracts. *International Brazilian Journal of Urology* 2014;**40**(6):730-7. [PubMed: 25615241]

Arora 2012 {published data only}

Arora RS, Arora P, Prabhu V, Eden T. Subsequent publication rate of studies from India presented at the annual congresses of SIOP. *Pediatric Blood & Cancer* 2012;**59**(5):956-8.

Arrive 2001 {published data only}

Arrive L, Dono P, Lewin M, Dahan H, Monnier-Cholley, Tubiana JM. Publication rate of papers originally presented at the National French Congress of Radiology in 1996 [Taux de publication des travaux originaux presentes oralement lors des Journees Francaises de Radiologie 1996]. *Journal de Radiologie* 2001;**82**:1719-22. [MEDLINE: 21915778]

Arrive 2004 {published data only}

Arrive L, Boelle PY, Dono P, Lewin M, Monnier-Cholley L, Tubiana JM. Subsequent publication of orally presented original studies within 5 years after 1995 RSNA Scientific Assembly. *Radiology* 2004;**232**(1):101-6.

Autorino 2006 {published data only}

Autorino R, Quarto G, De Sio M, Lima E, Quarto E, Damiano R, et al. Fate of abstracts presented at the World Congress of Endourology: are they followed by publication in peer-reviewed journals?. *Journal of Endourology* 2006;**20**(12):996-1001.

Autorino 2007 {published data only}

Autorino R. Re: Factors associated with the full publication of studies presented in abstract form at the annual meeting of the American urological association. *Journal of Urology* 2007;**178**(3):1125.

Autorino R, Di Lorenzo G, D'Armiento M. Re: Abstracts presented at the American Urological Association Annual Meeting: determinants of subsequent peer reviewed publication: Hoag CC, Elterman DS and MacNeily AE. *J Urol* 2006; 176: 2624-2629. Re: Factors associated with the full publication of studies presented in abstract form at the annual meeting of the American Urological Association: Smith WA, Cancel QV, Tseng TY, Sultan S, Vieweg J, Dahm P. *J Urol* 2007; 177: 1084-8. *Journal of Urology* 2007;**178**(3 Pt 1):1124-5; author reply 1125.

* Autorino R, Quarto G, Di Lorenzo G, De Sio M, Damiano R. Are abstracts presented at the EAU meeting followed by publication in peer-reviewed journals? a critical analysis. *European Urology* 2007;**51**(3):833-40.

Autorino 2008 {published data only}

Autorino R, Quarto G, Di Lorenzo G, Giugliano F, Quattrone C, Neri F, et al. What happens to the abstracts presented at the Societe Internationale d'Urologie meeting?. *Urology* 2008;**71**(3):367-71.

Autorino 2010 {published data only}

Autorino R, Borges C, White MA, Altunrende F, Perdon S, Haber GP, et al. Randomized clinical trials presented at the World Congress of Endourology: how is the quality of reporting?. *Journal of Endourology / Endourological Society* 2010;**24**(12):2067-73.

Bagheri 2005 {published data only}

Bagheri SC, Lenox N, Verschueren DS, Holmgren E, Kademani D, Bell RB, et al. Abstracts from the American Association of Oral and Maxillofacial Surgeons annual scientific meeting: proportion published and time to publication. *Journal of Oral and Maxillofacial Surgery* 2005;**63**(6):838-40.

Bakkum 2014 {published data only}

Bakkum BW, Chapman C, Johnson C. Publication rates of abstracts presented at the Association of Chiropractic Colleges Educational Conference/Research Agenda Conference from 2002 to 2008. *Journal of Chiropractic Education* 2014;**28**(1):32-40.

Bakkum 2015 {published data only}

Bakkum BW, Trachimowicz R. Publication rates of abstracts presented at the 2006 meeting of the American Academy of Optometry. *Optometry and Vision Science* 2015;**92**(11):1069-75. [PubMed: 26390353]

Balasubramanian 2006 {published data only}

Balasubramanian SP, Kumar ID, Wyld L, Reed MW. Publication of surgical abstracts in full text: a retrospective cohort study. *Annals of the Royal College of Surgeons of England* 2006;**88**(1):57-61.

Beker-Acay 2015 {published data only}

Beker-Acay M, Fidan N, Unlu E, Katirag A, Ulker H, Acay A, et al. The fate of abstracts presented at Turkish national radiology congresses in 2010-2012. *Diagnostic and Interventional Radiology* 2015;**21**(4):322-6.

Bello 2013 {published data only}

Bello J. Quality of urological research in sub-saharan Africa: an appraisal of Nigerian Research. *Urology*. 2013; Vol. September 2013:s312.

* Bello JO. Urological research in sub-Saharan Africa: a retrospective cohort study of abstracts presented at the Nigerian Association of Urological Surgeons conferences. *BMC Urology* 2013;**13**(1):59-64.

Bergoli 2011 {published data only}

Bergoli CD, Amaral M, Abreu de Rosa R, Machado Ardenghi T. Subsequent publication of abstracts presented at the Brazilian Society of Oral Research meeting. *International Journal of Dentistry*. 2011; Vol. 10, issue 4:200-3.

Bergqvist 2008 {published data only}

Bergqvist D. The annual meeting of the European Society for Vascular Surgery - the scientific contents over the years. *European Journal of Vascular and Endovascular Surgery* 2008;**36**(1):114-7.

Bernstein 1983 {published data only}

Bernstein F, Conn HO. The natural history of the publication of abstracts. *Hepatology*. 1983; Vol. 3:867.

Berookhim 2013 {published data only}

Berookhim BM, Kaya Y, Devenci S, Nelson CJ, Mulhall JP. Factors predicting publication of sexual medicine abstracts presented at the annual meeting of the American Urological Association. *Journal of Sexual Medicine* 2013;**10**(10):2394-8. [PUBMED: 23530605]

Bhandari 2002 {published and unpublished data}

* Bhandari M, Devereaux PJ, Guyatt GH, Cook DJ, Swiontkowski MF, Sprague S, et al. An observational study of orthopaedic abstracts and subsequent full-text publications. *Journal of Bone and Joint Surgery* 2002;**84-A**(4):615-21. [MEDLINE: 21938282]

Sprague S, Bhandari M, Devereaux PF, Swiontski MG, Tornetta P, Cook DJ, et al. Barriers to full-text publication following presentation of abstracts at annual orthopaedic meetings. *Journal of Bone and Joint Surgery* 2003;**85-A**:158-63.

Bhasin 2007 {published data only}

Bhasin N, Scott DJA. Publication outcome for research presented at the Vascular Society of Great Britain and Ireland annual meetings. *Annals of the Royal College of Surgeons of England* 2007;**89**(3):292-7.

Bird 1999 {published data only}

Bird JE, Bird MD. Do peer-reviewed journal papers result from meeting abstracts of the biennial conference on the biology of marine mammals?. *Scientometrics* 1999;**46**(2):287-97.

Blackwell 2009 {published data only}

Blackwell SC, Thompson L, Refuerzo J. Full publication of clinical trials presented at a national maternal-fetal medicine meeting: is there a publication bias?. *American Journal of Perinatology* 2009;**26**(9):679-82.

Bolac 2009 {published data only}

Bolac C, Orosco A, Guillet G, Quist D, Derancourt C. Publication rate for oral presentations made at the Journées Dermatologiques de Paris meeting [Publication des communications orales présentées aux "Journées dermatologiques de Paris"]. *Annales de Dermatologie et de Vénéréologie* 2009;**136**(1):21-7.

Boldt 1999 {published data only}

Boldt J, Maleck W. Fate of presentations given at German anesthesia congresses ['Schicksal' wissenschaftlicher Beiträge auf grossen Anästhesiekongressen]. *Anaesthesist* 1999;**48**:802-6. [MEDLINE: 20097014]

Bonitz 2011 {published data only}

Bonitz RP, Nyirenda T, Lowe H, Shin D. The publication fate of male reproduction abstracts presented at the annual ASRM meeting. *Fertility and Sterility*. 2011; Vol. 96, issue Suppl 3:S52.

Bowrey 1999 {published data only}

Bowrey DJ, Morris-Stiff GJ, Clark GW, Carey PD, Mansel RE. Peer-reviewed publication following presentation at a regional surgical meeting. *Medical Education* 1999;**33**(3):212-4. [MEDLINE: 99227688]

Brace 2010 {published data only}

Brace S, Taylor D, O'Connor AM. The quality of reporting and publication status of vaccines trials presented at veterinary conferences from 1988 to 2003. *Vaccine* 2010;**28**(32):5306-14.

Brazzelli 2009 {published data only}

Brazzelli M, Lewis SC, Deeks JJ, Sandercock PAG. No evidence of bias in the process of publication of diagnostic accuracy studies in stroke submitted as abstracts. *Journal of Clinical Epidemiology* 2009;**62**(4):425-30.

Brost 2005 {published data only}

Brost B, Chauhan SP. Abstract to publication rates for papers presented to the SMFM: how does maternal fetal medicine compare?. *American Journal of Obstetrics and Gynecology*. 2005; Vol. 193, issue 6:S96.

Buchan 2011 {published data only}

Buchan JC, Bastawrous A, Aldawoud M, Shickle D. Peer-reviewed publication of abstracts presented at the Royal College of Ophthalmologists (RCOphth) Annual Congress. *Eye*. 2011; Vol. 25, issue 7:958.

Burden 2014 {published data only}

Burden M, Mooney PD, Bardhan KD, Kurien M, Sanders DS. Are publication rates from regional meetings comparable with those from national meetings?. *Gut*. 2014; Vol. 63:A41.

Bydder 2004 {published data only}

Bydder SA, Joseph DJ, Spry NA. Publication rates of abstracts presented at annual scientific meetings: how does the Royal Australian and New Zealand College of Radiologists compare?. *Australasian Radiology* 2004;**48**(1):25-8.

Byerly 2000 {published data only}

Byerly WG. Publication rates of abstracts - reply. *Annals of Pharmacotherapy* 2000; Vol. 34, issue 12:1489.

* Byerly WG, Rheney CC, Connelly JF, Verzino KC. Publication rates of abstracts from two pharmacy meetings. *Annals of Pharmacotherapy* 2000;**34**:1123-7. [MEDLINE: 20508763]

Callaham 1998 {published and unpublished data}

Callaham ML, Wears RL, Weber EJ, Barton C, Young G. Positive-outcome bias and other limitations in the outcome of research abstracts submitted to a scientific meeting. *JAMA* 1998;**280**(3):254-7. [MEDLINE: 98339295]

Camacho 2005 {published data only}

Camacho LH, Bacik J, Cheung A, Spriggs DR. Presentation and subsequent publication rates of Phase I oncology clinical trials. *Cancer* 2005;**104**(7):1497-504.

Canosa 2011 {published data only}

Canosa D, Ferrero F, Melamud A, Otero PD, Merech RS, Cernadas JMC. Full-text publication of abstracts presented at the 33th Argentinean Pediatric meeting and non publication related factors. *Archivos Argentinos De Pediatría* 2011;**109**(1):56-9.

Carroll 2003 {published data only}

Carroll AE, Sox CM, Tarini BA, Ringold S, Christakis DA. Does presentation format at the Pediatric Academic Societies' annual meeting predict subsequent publication?. *Pediatrics* 2003;**112**(6):1238-41.

Cartwright 2007a {published data only}

Cartwright R, Khoo AK, Cardozo L. Publish or be damned? the fate of abstracts presented at the International Continence Society Meeting 2003. *Neurology and Urodynamics* 2007;**26**(2):154-7.

Cartwright 2007b {published data only}

Cartwright R, Khoo C, Cardozo L. Full publication of abstracts presented at the International Urogynecological Association Meeting 2003. *International Urogynecology Journal*. 2007; Vol. 18:S86.

Castagnetti 2013 {published data only}

Castagnetti M, Subramaniam R, El-Ghoneimi A. Abstracts presented at the European Society for Pediatric Urology (ESPU) meetings (2003-2010): characteristics and outcome. *Journal of Pediatric Urology* 2014;**10**(2):355-60.

Castaldi 2015 {published data only}

Castaldi S, Giacometti M, Toigo W, Bert F, Siliquini R. Analysis of full-text publication and publishing predictors of abstracts presented at an Italian public health meeting (2005-2007). *BMC Research Notes* 2015;**8**:492. [PUBMED: 26415871]

Castillo 2000 {published data only}

Castillo J, Garcia-Guasch R, Cifuentes I. Publications derived from free communications at the XX Congress of the Spanish Anesthesiology and Resuscitation Association (Anestesia 92) [Publicaciones derivadas de las comunicaciones libres del XX congreso de la Sociedad Espanola de Anestesiología y Reanimación (Anestesia 92)]. *Revista Espanola de Anestesiología y Reanimación* 2000;**47**(2):53-6. [MEDLINE: 20232384]

Castillo 2002 {published data only}

* Castillo J, Garcia-Guasch R, Cifuentes I. Fate of abstracts from the Paris 1995 European Society of Anaesthesiologists meeting. *European Journal of Anaesthesia* 2002;**19**(12):888-93. [MEDLINE: 22398685]

Guasch RG, Castillo J, Cifuentes I. The fate of abstracts presented at 1995 European Society of Anaesthesiologists Congress. *European Society of Anaesthesiologists*. 2000:1.

Cauchy 2014 {published data only}

Cauchy F, Benoist S, Gaujoux S, Regimbeau JM, Mariette C, Fuks D. What is the fate of the abstracts submitted at the French Congress of Digestive and Hepato-biliary Surgery?. *Journal of Visceral Surgery* 2014;**151**(3):175-82. [PUBMED: 24861940]

Chalmers 1990a {published data only}

Chalmers I, Adams M, Dickersin K, Hetherington J, Tarnow-Mordi W, Meinert C, et al. A cohort study of summary reports on controlled trials. *JAMA* 1990;**263**(10):1401-5. [MEDLINE: 90156659]

Chan 2002 {published data only}

Chan PWK, Norzila MZ, Bilkis AA, Mazidah A. Do paediatric research presentations at local meetings get published?. *Medical Journal of Malaysia* 2002;**57**:482-6. [MEDLINE: 22618970]

Chan 2008 {published data only}

Chan L, Stafinski T, Menon D. Past international HTA conferences: where have all the abstracts gone?. Fifth Annual Meeting HTAi 2008 July 6-9; Montreal, Canada. 2008:M9.6.

Chan 2011 {published data only}

Chan JW, Graham CA. Full text publication rates of studies presented at an international emergency medicine scientific meeting. *Emergency Medicine Journal* 2011;**28**(9):802-3.

Chan 2013 {published data only}

Chan KK. Are cancer cost-effectiveness analyses presented at major conferences published timely without bias? A systematic review. *Journal of Clinical Oncology*. 2009; Vol. 27, issue 15.

* Chan KK, Siu E, Mozesohn L, Cheung MC. Publication patterns of cancer cost-effectiveness studies presented at major conferences. *Current Oncology* 2013;**20**(6):319-25.

Mozesohn L, Chan KK, Cheung MC. Publication patterns of cancer cost-effectiveness studies presented at the American society of hematology: Timeliness of publication, quality and possible bias. *Blood*. 2010; Vol. 116, issue 21.

Chand 2008 {published data only}

Chand V, Rosenfeldt FL, Pepe S. The publication rate and impact of abstracts presented at the Cardiac Society of Australia and New Zealand (1999-2005). *Heart Lung and Circulation* 2008;**17**(5):375-9.

Chapman 2012 {published data only}

Chapman S, Eisinga A, Clarke MJ, Hopewell S. Passport to publication? Do methodologists publish after Cochrane Colloquia? Oral presentation at the Joint Cochrane and Campbell Colloquium; 2010 Oct 18-22; Keystone, Colorado, USA. *Cochrane Database of Systematic Reviews*, Supplement. 2010; Vol. Suppl, issue Cd000002:14.

* Chapman S, Eisinga A, Hopewell S, Clarke M. Two-thirds of methodological research remained unpublished after presentation at Cochrane Colloquia: an empirical analysis. *Journal of Clinical Epidemiology* 2012;**65**(5):493-6. [PUBMED: 22214733]

Cheng 1998 {published and unpublished data}

* Cheng K, Preston C, Ashby D, O'Hea U, Smyth RL. Time to publication as full reports of abstracts of randomized controlled trials in cystic fibrosis. *Pediatric Pulmonology* 1998;**26**:101-5. [MEDLINE: 98394743]

Cheng K, Preston C, O'Hea UM, Ashby D, Smyth RL. Survival analysis used to estimate time to publication of reports of randomised controlled trials. Second International Conference Scientific Basis of Health Services & Fifth Annual Cochrane Colloquium; 1997 Oct 8-12; Amsterdam, the Netherlands. 1997:254.

Chung 2012 {published data only}

Chung JH, Autorino R, Kang DH, Lee JY, Moon HS, Choi HY, et al. Fate of abstracts presented at the annual meeting of the Korean Urological Association. *Korean Journal of Urology* 2012;**53**(4):280-4.

Chung 2012a {published data only}

Chung KJ, Lee JH, Kim YH, Kim TG, Ha JH. How many presentations are published as full papers?. *Archives of Plastic Surgery* 2012;**39**(3):238-43. [PUBMED: 22783533]

Ciesla 2001 {published data only}

Ciesla MC, Wojcik EM. Outcomes of cytopathology studies presented at national pathology meetings. *Diagnostic Cytopathology* 2001;**25**:265-9. [MEDLINE: 21481724]

Cifuentes 2007 {published data only}

Cifuentes I, Bartoli SR, Miquel PM, Cabre GE, Morillas CR, Planas VR. How many reach their goal? Outcome of abstracts presented at the XXIV AAEH (Spanish Liver Study Association) Congress and their progress over time. *Gastroenterologia y Hepatologia* 2007;**30**(5):263-7.

Clemency 2014 {published data only}

Clemency BM, Thompson JJ, Lindstrom HA, Gurien S, Jaison BA, Grates-Sciarrino AA. Frequency of manuscript publication following presentation of EMS abstracts at national meetings. *Prehospital and Disaster Medicine* 2014;**29**(3):294-8.

Cobos 1998 {published data only}

Cobos MA, Alvarez L, Bratos J, Carrasco J, Casero A, Munoz C, et al. [Un nuevo índice bibliométrico para la evaluación de reuniones científicas: aplicación al congreso nacional de la sociedad española de cardiología]. *Revista Espanola de Cardiologia*. 1998; Vol. 51, issue Suppl 5:76.

Cohen 2012 {published data only}

Chan J, Cohen J, Shin J, Hamilton C, Chen L, Kapp D. Characteristics of SGO plenary presentations that result in subsequent publication in peer-reviewed journals: what factors are responsible?. *Gynecologic Oncology*. 2010; Vol. 116, issue 3 (Suppl 1):S151.

* Cohen JG, Kiet T, Shin JY, Sherman AE, Hamilton CA, Brooks RA, et al. Factors associated with publication of plenary presentations at the Society of Gynecologic Oncologists annual meeting. *Gynecologic Oncology* 2012;**11**(12):682-8.

Cohen 2012a {published data only}

Cohen MA, Mirza N, Dow K, Abboud SK. Presentation and publication rates among women and men at AAO-HNS meetings. *ORL: journal for oto-rhino-laryngology and its related specialties* 2012;**74**(6):325-9. [PUBMED: 23295356]

Collet 1993 {published data only}

Collet AM, Piloni MJ, Keszler A. Scientific presentations and their publication. Experience over a 10-year period in the Argentine division of the I. A. D. R. [Presentaciones científicas y su publicación. Experiencia de 10 años en la división Argentina de la I.A.D.R.]. *Acta Odontologica Latinoamericana* 1993;**7**:39-46. [MEDLINE: 21883164]

Collet 1997 {published data only}

Collet AM, Piloni MJ, Keszler A. Scientific presentations and publications on odontological research in Argentina. *Acta Odontologica Latinoamericana* 1997;**10**:63-9. [MEDLINE: 21883000]

Collet 2006 {published data only}

Collet AM, Jara-Trachia L, Palacios SB, Itolz ME. Dental research productivity in Argentina (1993 to 2003) [Producción Científica en la investigación odontológica en Argentina (1993 - 2003)]. *Acta Odontologica Latinoamericana* 2006;**19**(2):81-4.

Collier 2010 {published data only}

Collier JM, Vig N, Hammond D. Publish or perish? A survey of abstracts accepted for meetings of the British Association of Oral and Maxillofacial Surgeons, and subsequently published. *British Journal of Oral & Maxillofacial Surgery* 2010;**48**(7):540-3.

Cornu 2012 {published data only}

Cornu JN. The fate of oral communications presented at the 107th congress of the French Association of Urology: lessons and perspectives [Devenir des communications orales présentées lors du 107ème congrès de l'Association Française d'Urologie: leçons et perspectives]. *Diplome Interuniversitaire de Pedagogie Medicale* 2012-2013.

Corry 1990 {published data only}

Corry AM. A survey of publication history of randomly selected IADR/AADR abstracts presented in 1983 and 1984. *Journal of Dental Research* 1990;**69**(8):1453-5. [MEDLINE: 90347107]

Costa 2009 {published data only}

Costa SD, Ignatov AS, Bischoff J, Taran AF. European and North American scientific meetings under review: presentation and subsequent publication of breast cancer related abstracts in peer-reviewed journals. *Cancer Research*. 2009; Vol. 69, issue 2:236S.

Craig 2001 {published data only}

Craig NJ, Lothian L, Maffulli N. Publication rates for presentations at British Orthopaedic Association meetings from 1980 to 1984 and 1990 to 1994. *CME Orthopaedics* 2001;**2**:40-3.

Cromer 1998 {published data only}

Cromer BA, Heald F. Scientific abstracts at the Society for Adolescent Medicine meetings: a 3-decade comparison. *Journal of Adolescent Medicine* 1998;**23**(6):332-7. [MEDLINE: 99085873]

Curry 2003 {published data only}

Curry JI, Reeves B, Stringer MD. Randomized controlled trials in pediatric surgery: could we do better?. *Journal of Pediatric Surgery* 2003;**38**:556-9.

Czorlich 2016 {published data only}

Czorlich P, Regelsberger J, Meixensberger J, Westphal M, Eicker SO. From abstract to publication in a peer-reviewed journal: evaluation of the 63rd Annual Meeting of the German Society of Neurosurgery. *Journal of Neurological Surgery. Part A, Central European Neurosurgery* 2016;**77**(1):46-51. [PUBMED: 26444960]

Dahllof 2008 {published data only}

Dahllof G, Wondimu B, Maniere MC. Subsequent publication of abstracts presented at the International Association of Paediatric Dentistry meetings. *International Journal of Paediatric Dentistry* 2008;**18**(2):91-7.

Daluiski 1998 {published data only}

Daluiski A, Kuhns CA, Jackson KR, Lieberman JR. Publication rate of abstracts presented at the annual meeting of the Orthopaedic Research Society. *Journal of Orthopaedic Research* 1998;**16**(6):645-9. [MEDLINE: 99093213]

Dangouloff-Ros 2015 {published data only}

Dangouloff-Ros V, Ronot M, Lagadec M, Vilgrain V. Analysis of subsequent publication of scientific orally presented abstracts of the French National Congress of Radiology. Part I: general characteristics. *Diagnostic and Interventional Imaging* 2015;**96**(5):461-6.

Daruwalla 2015 {published data only}

Daruwalla ZJ, Huq SS, Wong KL, Nee PY, Murphy DP. "Publish or perish"—presentations at annual national orthopaedic meetings and their correlation with subsequent publication. *Journal of Orthopaedic Surgery and Research* 2015;**10**(1):58-65.

Das 2013 {published data only}

Das RR, Mehta KK. Reporting and publication of randomized trial abstracts at the American Epilepsy Society meeting. *Epilepsy Currents*. 2013; Vol. 13:388.

Davies 2002 {published data only}

Davies MW, Dunster KR, East CE, Lingwood BE. Fate of abstracts published in the proceedings of the first annual Perinatal Society of Australia and New Zealand Congress in 1997. *Journal of Paediatrics and Child Health* 2002;**38**:501-6. [MEDLINE: 22242333]

de Andrade 2011 {published data only}

de Andrade VA, Carpini S, Schwingel R, Calderan TR, Fraga GP. Publication of papers presented in a Brazilian Trauma Congress. *Revista do Colegio Brasileiro de Cirurgioes* 2011;**38**(3):172-6.

De Bellefeuille 1992 {published data only}

De Bellefeuille C, Morrison CA, Tannock IF. The fate of abstracts submitted to a cancer meeting: factors which influence presentation and subsequent publication. *Annals of Oncology* 1992;**3**:191-2. [MEDLINE: 92265643]

Delamere 2005 {published data only}

Delamere F, Williams H. To what extent are conference abstracts reporting randomised controlled trials of skin diseases published subsequently?. XIII Cochrane Colloquium; 2005 Oct 22-26; Melbourne, Australia. 2005:101.

Delgado Gallego 2007 {published data only}

Delgado Gallego S, de León AJ, Moreno FJ, Ballesteros JG, Martín JL. Impact of communications to national primary care congresses [Impacto de las comunicaciones a congresos nacionales de atención primaria]. *Revista Clínica de Medicina de Familia* 2007;**2**(1):11-4.

Del Río Moro 2010 {published data only}

Del Río Moro OD, Perezagua García MC. Analysis of publications of the studies presented at the annual congress of the Spanish Association of Nursing in Cardiology [Análisis de las publicaciones de los estudios presentados en los congresos anuales de la Asociación Española de Enfermería en Cardiología (años 2001-2007)]. *Enfermería en Cardiología* 2010;**50**(2):28-32.

de Meijer 2015 {published data only}

de Meijer VE, Knops SP, van Dongen JA, Eyck BM, Vles WJ. The fate of research abstracts submitted to a national surgical conference: a cross-sectional study to assess scientific impact. *American Journal of Surgery* 2015;**211**(1):166-71. [PUBMED: 26349584]

DeMola 2009 {published data only}

DeMola PM, Hill DL, Rogers K, Abboud JA. Publication rate of abstracts presented at the shoulder and elbow session of the American Academy of Orthopaedic Surgery. *Clinical Orthopaedics & Related Research* 2009;**467**(6):1629-33.

de Oliveira 2012 {published data only}

de Oliveira TR. Publication rate of scientific papers presented during the 9th Brazilian Congress on Pain [Frequência de publicação de trabalhos científicos apresentados no 9º Congresso Brasileiro de Dor]. *Revista Dor* 2012;**13**(2):124-7.

De Sio 2012 {published data only}

De Sio M, Yakoubi R, De Nunzio C, Damiano R, Balsamo R, Di Palma C, et al. Reporting quality of abstracts presented at the European Association of Urology meeting: a critical assessment. *Journal of Urology* 2012;**188**(5):1883-6.

Dhaliwal 2008 {published data only}

Dhaliwal U, Kumar R. An observational study of the proceedings of the All India Ophthalmological Conference, 2000 and subsequent publication in indexed journals. *Indian Journal of Ophthalmology* 2008;**56**(3):189-95.

Dicembrino 2014 {published data only}

Dicembrino M, Anderson M, Vely AG, Ossorio MF, Ferrero F. Full text publications of abstracts presented at annual meetings of the Latin American Society for Pediatric Research (SLAIP). *Pediatric Research* 2014;**75**(3):473.

* Dicembrino M, Anderson M, Vely AG, Ossorio MF, Ferrero F. Full-text publication of abstracts presented at meetings of

a Latin American scientific society. *Archivos Argentinos de Pediatría* 2014;**112**(6):532-6. [PUBMED: 25362912]

Diezel 1999 {published data only}

Diezel K, Pharoah FM, Adams CE, Cochrane Schizophrenia Group. Abstracts of trials presented at the Vth World Congress of Psychiatry (Mexico, 1971): a cohort study. *Psychological Medicine* 1999;**29**:491-4. [MEDLINE: 99233325]

Dirk 1996 {published data only}

Dirk L. From laboratory to scientific literature. *Science Communication* 1996;**18**(1):3-28.

Doğan 2012 {published data only}

Doğan E, Durmuşoğlu M, Erdağ TK. Publication rates of presentations which were presented at Turkish National Rhinology Congresses. *Kulak Burun Bogaz Ihtisas Dergisi : KBB [Journal of Ear, Nose, and Throat]* 2012;**23**(5):282-7.

Donegan 2010 {published data only}

* Donegan DJ, Kim TW, Lee GC. Publication rates of presentations at an annual meeting of the American Academy of Orthopaedic Surgeons. *Clinical Orthopaedics & Related Research* 2010;**468**(5):1428-35.

Voleti PB, Donegan DJ, Kim TW, Lee GC. Level of evidence: does it change the rate of publication and time to publication of American Academy of Orthopaedic Surgeons presentations?. *Journal of Bone and Joint Surgery. American volume* 2013;**95**(1):e2. [PUBMED: 23283379]

Dooley 2003 {published data only}

Dooley MJ, Singh S. Publication rate of abstracts presented at The Society of Hospital Pharmacists of Australia 24th Federal Conference. *Journal of Pharmacy Practice & Research* 2003;**33**(2):111-3.

Dressler 2015 {published data only}

Dressler D, Leswick D. Canadian Association of Radiologists annual scientific meetings: how many abstracts go on to publication?. *Canadian Association of Radiologists Journal* 2015;**66**(2):96-101.

Drury 2012 {published data only}

Drury NE, Maniakis-Grivas G, Rogers VJ, Williams LK, Pagano D, Martin-Ucar AE. The fate of abstracts presented at annual meetings of the Society for Cardiothoracic Surgery in Great Britain and Ireland from 1993 to 2007. *European Journal of Cardio-Thoracic Surgery* 2012;**42**(5):885-9.

Duchini 1997 {published data only}

Duchini A, Genta RM. From abstract to peer-reviewed article: the fate of abstracts submitted to the DDW. *Gastroenterology*. 1997; Vol. 112, issue Suppl 4:A12.

Dudley 1978 {published data only}

Dudley HAF. Surgical research: Master or servant. *American Journal of Surgery* 1978;**135**:458-60. [MEDLINE: 78121675]

Dumville 2008 {published data only}

Dumville JC, Petherick ES, Cullum N. When will I see you again? The fate of research findings from international wound care conferences. *International Wound Journal* 2008;**5**(1):26-33.

Durinka 2014 {published data only}

* Durinka JB, Chang PN, Ortiz J. Fate of abstracts presented at the 2009 American Transplant Congress. *Journal of Surgical Education* 2014;**71**(5):674-9. [PUBMED: 24813340]

Durinka JB, Ortiz J. Reply to Fate of abstracts presented at the 2004-2008 International Liver Transplantation Society meetings. *Liver Transplantation* 2014; Vol. 20, issue 8:1016. [PUBMED: 24760719]

Durinka JB, Parsikia A, Karipineni F, Ortiz J. Fates of abstracts submitted to American Transplant Congress. *Gastroenterology*. 2014; Vol. 146, issue 5:S944.

Durinka 2014b {published data only}

Durinka JB, Parsikia A, Chang PN, Ortiz J. Over 80% of posters presented at the 2009 American College of Surgeons are never accepted for publication. *Journal of the American College of Surgeons*. 2014; Vol. 219, issue 4:e165.

Duthie 2012 {published data only}

Duthie AC, Shand AJ, Anderson SM, Hamilton RJ. Experience of an inter-regional research symposium for higher psychiatric trainees in Scotland. *Irish Journal of Psychological Medicine* 2012;**29**(2):122-4.

Dyson 2006 {published data only}

Dyson DH, Sparling SC. Delay in final publication following abstract presentation: American College of Veterinary Anesthesiologists Annual Meeting. *Journal of Veterinary Medical Education* 2006;**33**(1):145-8.

Eck 2005 {published data only}

Eck JC. Publication rates of abstracts presented at biennial meetings of the International Society of Arthroscopy, Knee Surgery and Orthopaedic Sports Medicine. *Knee Surgery, Sports Traumatology, Arthroscopy* 2005;**13**(5):426-9.

Ejnisman 2013 {published data only}

Ejnisman L, Gomes GS, de Oliveira RG, Malavolta EA, Gobbi RG, de Camargo OP. Publication rates of papers presented at the Brazilian Orthopedic Meeting. *Acta Ortopedica Brasileira* 2013;**21**(5):285-7. [PUBMED: 24453684]

Elder 1994 {published data only}

Elder NC, Blake RL. Publication patterns of presentations at the Society of Teachers of Family Medicine and North American Primary Care Research Group annual meetings. *Family Medicine* 1994;**26**(6):362-5. [MEDLINE: 94327015]

Elliot 2016 {published data only}

Elliott CA, Mehta V, Poon C, Oliver M, Gourishankar S. The fate of abstracts presented at the annual meeting of the Congress of Neurologic Surgeons. *Open Journal of Modern Neurosurgery* 2016;**6**:1-8.

Eloubeidi 2001 {published data only}

Eloubeidi MA, Provenzale D. Overall publication rates (response). *Gastrointestinal Endoscopy* 2001;**54**(4):542-3.

* Eloubeidi MA, Wade SB, Provenzale D. Factors associated with acceptance and full publication of GI endoscopic research originally published in abstract form. *Gastrointestinal Endoscopy* 2001;**53**:275-82. [MEDLINE: 21153347]

Eloubeidi MA, Wade SB, Provenzale D. Factors predicting acceptance and full publication of abstracts reporting endoscopic research. *Gastrointestinal Endoscopy*. 1999; Vol. 49, issue 4:AB141.

von Elm BE. Overall publication rates. *Gastrointestinal Endoscopy* 2001;**54**(4):542.

Ensom 1998 {published data only}

Ensom MHH, Walker SE. Comment: publication rates of abstracts. *Annals of Pharmacotherapy* 2000; Vol. 34, issue 12:1488-9.

* Ensom, MHH, Walker SE. From abstract to publication: what makes the grade?. *Canadian Journal of Hospital Pharmacy* 1998;**51**:280-4.

Erdağ 2014 {published data only}

Erdağ TK, Durmuşoğlu M, Demir AO, Ersoy Doğan D, İkiz AÖ. Analysis and publication rate of the presentations at the Turkish National Otorhinolaryngology and Head and Neck Surgery meetings [Türk Ulusal Kulak Burun Boğaz ve Baş Boyun Cerrahisi Kongre bildirilerinin analizi ve yayımlanma oranları]. *Kulak Burun Boğaz İhtisas Dergisi* 2014;**24**(2):89-96.

Ersoy 2015a {published data only}

Ersoy GŞ, Öztekin D, Kebapçılar AG, Gürbüz T. What is the fate of scientific abstracts? The publication rates of abstracts presented at the 7th National Congress of Gynecology and Obstetrics [Kongrede sunulan bildirilerin kaderi nedir? 7. Ulusal Jinekolojive Obstetrik Kongresi'nde sunulan sözel ve poster bildirilerinyayına dönüştürülme oranları]. *Turkish Journal of Obstetrics and Gynecology* 2015;**12**:25-9.

Ersoy 2015b {published data only}

Ersoy GŞ, Meryem EK, Öztekin D, Çöğendez E, Eroğlu MU. The international publication rates of abstracts presented in The National Gynecology and Obstetrics Meetings in the field of reproductive endocrinology and infertility [Ulusal jinekoloji ve Obstetrik Kongresi'nde Üreme endokrinolojisi ve infertilite alanında sunulan bildirilerin uluslararası yayına dönüştürülme oranları]. *Zeynep Kamil Tıp Bülteni* 2015;**46**(2):63-8.

Evans 2015 {published data only}

Evans R, Quidley AM, Blake EW, Maxwell WD, Rac H, Shah PJ, et al. Pharmacy resident research publication rates: a national and regional comparison. *Currents in Pharmacy Teaching and Learning* 2015;**7**(6):787-93.

Evers 2000 {published data only}

Evers JLH. Publication bias in reproductive research. *Human Reproduction* 2000;**15**:2063-6. [MEDLINE: 20463262]

Facione 2007 {published data only}

Facione J, Chapus JJ, Lagauche D, Amarenco G. The fate of abstracts presented at the SIFUD-PP meeting: a retrospective study of full-text publications of communications over four years. *Pelvi-Perineologie* 2007;**2**(4):309-12.

Fede 2010 {published data only}

Fede AB, Miranda Mda C, Lera AT, Ueda A, Antonangelo DV, Schaffhausser Hde L, et al. Experience with the ABC Foundation School of Medicine undergraduate meeting. *Revista da Associação Médica Brasileira* 2010;**56**(3):313-7.

Feldman 2015 {published and unpublished data}

Feldman AZ, Staley EM, Williams III L, Pham HP. Abstracts published as full manuscripts on apheresis research. *Transfusion*. 2015; Vol. 55, issue Suppl 3:206A.

Fernandes 2003 {published data only}

Fernandes FA, Ventura DE, Del Grande JC. Publication index of the papers presented at the XXIV Brazilian Congress of Surgery. *Revista do Colegio Brasileiro de Cirurgioes* 2003;**30**(5):392-5.

Fernandes 2008 {published data only}

Fernandes IA, Alvaresi TS, Arteiro SM, Vianna LC, Araújo CG. Free communication presentations in sport medicine and science meetings and publication in indexed journals [Apresentação de temas livres em eventos científicos de ciências e medicina do esporte e publicação em periódicos indexado]. *Revista Brasileira de Cineantropometria & Desempenho Humano* 2008;**10**(1):50-5.

Fernandez 2011 {published data only}

Fernandez RS, Rowe A, Redfern J, Neubeck L, Briffa T. Knowledge dissemination resulting from the Australian Cardiac Rehabilitation Association annual scientific meetings. *Heart Lung and Circulation* 2011;**20**(1):19-23.

Fesperman 2008 {published data only}

Fesperman SF, West CS, Bischoff CJ, Algood CB, Vieweg J, Dahm P. Study characteristics of abstracts presented at the annual meetings of the southeastern section of the American Urological Association (1996-2005). *Journal of Urology* 2008;**179**(2):667-2. [PUBMED: 18082209]

Forlin 2013 {published data only}

Forlin E, Fedato RA, Junior WA. Publication of studies presented as free papers at a Brazilian national orthopedics meeting. *Revista Brasileira de Ortopedia (English Edition)* 2013;**48**(3):216-20.

Fosbol 2012 {published data only}

Fosbol E, Fosbol PL, Eapen ZJ, Harrington RA, Peterson ED. From abstract to peer-reviewed publication: country matters. *European Heart Journal*. 2013; Vol. 34, issue Suppl 1:P2531.

Fosbol EL, Harrington RA, Eapen Z, Peterson ED, Fosbol PL. Response to letters regarding article, "Conversion of cardiovascular conference abstracts to publications". *Circulation* 2013; Vol. 128, issue 2:e29. [PUBMED: 23991451]

- * Fosbøl EL, Fosbøl PL, Harrington RA, Eapen ZJ, Peterson ED. Conversion of cardiovascular conference abstracts to publications. *Circulation* 2012;**126**(24):2819-25. [PUBMED: 23124031]
- Østergaard L, Fosbøl PL, Harrington RA, Eapen ZJ, Peterson ED, Fosbøl EL. From abstract to peer-reviewed publication: country matters. *International Journal of Cardiology* 2014; Vol. 174, issue 3:830-2.
- Freeman 2012** {published data only}
- Freeman GA, Kimmelman J. Publication and reporting conduct for pharmacodynamic analyses of tumor tissue in early-phase oncology trials. *Clinical Cancer Research* 2012;**18**(23):6478-84.
- Frost 2015** {published data only}
- Frost C, Rubery PT, Mesfin A. The publication rate of presentations at two international spine meetings: Scoliosis Research Society and International Meeting of Advanced Spinal Techniques. *Spine Deformity* 2015;**3**(6):528-32.
- Galang 2011** {published data only}
- Galang MT, Yuan JCC, Lee DJ, Barao VAR, Shyamsunder N, Sukotjo C. Factors influencing publication rates of abstracts presented at the ADEA Annual Session & Exhibition. *Journal of Dental Education* 2011;**75**(4):549-56.
- Gandhi 2004** {published data only}
- Gandhi SG, Gilbert WM. Society of Gynecologic Investigation: what gets published?. *Journal of the Society for Gynecologic Investigation* 2004;**11**(8):562-5.
- Garcia-Covarrubias 2002** {published data only}
- Garcia-Covarrubias L, Van Meter KW. Publication rate of abstracts presented at annual meeting of the Undersea and Hyperbaric Medical Society 1996-1998. <http://archive.rubicon-foundation.org/1144> (accessed March 18, 2016). 2002.
- Garcia-Muret 2009** {published data only}
- Garcia-Muret MP, Pujol RM. Assessment of the scientific impact of presentations at Spanish National Dermatology and Venereology Congresses from 2000 through 2003. [Spanish]. *Actas Dermo-Sifiliograficas* 2009;**100**(1):38-45.
- Gaundong Mbethe 2008** {published data only}
- Gaundong Mbethe GL, Grenouillet-Delacré M, Salmi LR, Mercie P, Longy-Boursier M. The fate of the abstracts presented to the biannual meetings of the French National Society of Internal Medicine. *Revue De Medecine Interne* 2008;**29**(12):1080-2.
- Gavazza 1996** {published data only}
- Gavazza JB, Foulkes GD, Meals RA. Publication pattern of papers presented at the American Society for Surgery of the Hand annual meeting. *Journal of Hand Surgery* 1996;**21A**(5):742-5. [MEDLINE: 97047046]
- Gilbert 2004** {published data only}
- Gilbert WM, Pitkin RM. Society for Maternal-Fetal Medicine meeting presentations: what gets published and why?. *American Journal of Obstetrics and Gynecology* 2004;**191**(1):32-5.
- Ginzburg 2014** {published data only}
- Ginzburg N, Morrissey D, O'Hare P, Whitmore K. Publication rates of podium presented abstracts at SUFU meetings 2008-2013. *Neurourology and Urodynamics*. 2014; Vol. 33, issue 2:197.
- Glick 2006** {published data only}
- Glick N, MacDonald I, Knoll G, Brabant A, Gourishankar S. Factors associated with publication following presentation at a transplantation meeting. *American Journal of Transplantation* 2006;**6**(3):552-6.
- Goldman 1980** {published data only}
- Goldman L, Loscalzo A. Fate of cardiology research originally published in abstract form. *New England Journal of Medicine* 1980;**303**(3):255-9. [MEDLINE: 80209969]
- Goldman 1982** {published data only}
- Goldman L, Loscalzo A. Publication rates of research originally presented in abstract form in three subspecialties of internal medicine. *Clinical Research* 1982;**30**:13-7.
- Gorman 1990** {published data only}
- Gorman RL, Oderda GM. Publication of presented abstracts at annual scientific meetings: a measure of quality?. *Veterinary and Human Toxicology* 1990;**32**(5):470-2. [MEDLINE: 91049380]
- Gourtaud 2009** {published data only}
- Gourtaud G, Bruyere F. What is the publication rate of papers presented at the French Association of Urology annual conferences?. *Progres En Urologie* 2009;**19**(1):60-4.
- Greenberg 2008** {published data only}
- * Greenberg D, Wacht O, Pliskin JS. Factors associated with the full-length publication of studies presented in abstract form at the annual meeting of the Society for Medical Decision Making. *Medical Decision Making* 2008;**28**(6):938-42.
- Greenberg D, Wacht O, Pliskin JS. What is the fate of abstracts presented at the Annual Meeting of the Society for Medical Decision Making?. *Medical Decision Making*. 2009; Vol. 29:E23-4.
- Gregory 2012** {published data only}
- Gregory TN, Liu T, Machuk A, Arneja JS. What is the ultimate fate of presented abstracts? The conversion rates of presentations to publications over a five-year period from three North American plastic surgery meetings. *Canadian Journal of Plastic Surgery* 2012;**20**(1):33-6.
- Grzeskowiak 2014** {published data only}
- Grzeskowiak LE, Thomas AE. Paediatric and perinatal health abstracts at SHPA National Conferences: trends in presentation and subsequent publication. *Journal of Pharmacy Practice and Research* 2014;**44**(1):22-5.
- Guryel 2006** {published data only}
- Guryel E, Durrant AW, Alakeson R, Ricketts DM. From presentation to publication: the natural history of orthopaedic abstracts in the United Kingdom. *Postgraduate Medical Journal* 2006;**82**(963):70-2.

Ha 2008 {published data only}

Ha TH, Yoon DY, Goo DH, Chang SK, Seo YL, Yun EJ, et al. Publication rates for abstracts presented by Korean investigators at major radiology meetings. *Korean Journal of Radiology* 2008;**9**(4):303-11.

Hackett 2014 {published data only}

* Hackett PJ, Guirguis M, Sakai N, Sakai T. Fate of abstracts presented at the 2004-2008 International Liver Transplantation Society meetings. *Liver Transplantation* 2014;**20**(3):355-60. [PUBMED: 24497441]

Hackett PJ, Guirguis M, Sakai N, Sakai T. Fate of the abstracts presented at the International Liver Transplantation Society Meetings (2004-2008). *Liver transplantation*. 2013; Vol. 19:s288-9.

Hajji 2016 {published data only}

Hajji A, Deffieux X. The fate of the oral communications presented at the SIFUD Congress (2006–2012) [Devenir des communications libres présentées au congrès de la SIFUD-PP (2006–2012)]. *Progrès en Urologie* 2016;**26**(10):547-52.

Halpern 2002 {published and unpublished data}

Halpern SH, Palmer C, Angle P, Tarshis. Published abstracts in obstetrical anesthesia: full publication rates and data reliability. *Anesthesiology*. 2001; Vol. 94:A69.

* Halpern SH, Palmer S, Angle P, Tarshis J. Published abstracts in obstetrical anesthesia: full publication rates and data reliability. personal communication.

Hamlet 1997 {published data only}

Hamlet WP, Fletcher A, Meals RA. Publication patterns of papers presented at the annual meeting of the American Academy of Orthopaedic Surgeons. *Journal of Bone and Joint Surgery* 1997;**79-A**(8):1138-43. [MEDLINE: 97422304]

Hanchanale 2014 {published data only}

Hanchanale SV, Jordan A. From abstract to publication: The fate of research presented at the European Association for Palliative Care Congress Meeting. *Palliative Medicine* 2014; Vol. 28, issue 6:534-5. [PUBMED: 24831054]

Harel 2011 {published data only}

Harel Z, Wald R, Juda A, Bell CM. Frequency and factors influencing publication of abstracts presented at three major nephrology meetings. *International Archives of Medicine* 2011;**4**(1):40.

Harris 2006 {published data only}

Harris IA, Mourad MS, Kadir A, Solomon MJ, Young JM. Publication bias in papers presented to the Australian Orthopaedic Association Annual Scientific Meeting. *ANZ Journal of Surgery* 2006;**76**(6):427-31.

Harris 2007 {published data only}

Harris IA, Mourad M, Kadir A, Solomon MJ, Young JM. Publication bias in abstracts presented to the annual meeting of the American Academy of Orthopaedic Surgeons. *Journal of Orthopaedic Surgery* 2007;**15**(1):62-6.

Harshavardhana 2009 {published data only}

Harshavardhana NS, Dabke HV, Dormans JP. Observational analysis of CSRS annual meeting: (2000-04) free-papers: from presentation to publication. *Spine*. 2009; Vol. CSRS 2009 Paper Abstracts:130-1.

Harshavardhana 2009a {published data only}

Harshavardhana NS, Mehdian R, Nutt JL, Mehdian HS, Debnath UK. The natural history & fate of SRS presentations (2000-04). 44th Annual Meeting & Course San Antonio Texas. 2009; Vol. Paper 50.

Harvey 2010 {published data only}

Harvey SA, Wandersee JR. Publication rate of abstracts of papers and posters presented at Medical Library Association annual meetings. *Journal of the Medical Library Association* 2010;**98**(3):250-5.

Hashkes 2003 {published data only}

Haskes PJ, Uziel Y. The publication rate of abstracts from the 4th Park City Pediatric Rheumatology meeting in peer-reviewed journals: what factors influenced publication?. *Journal of Rheumatology* 2003;**30**:597-602. [MEDLINE: 22497568]

Herbison 2004 {published data only}

* Herbison P. Full publication of abstracts of randomised controlled trials published at International Continence Society Meetings. *Neurourology and Urodynamics*: 2004;**23**(2):101-3.

Herbison P. Late publication of randomized trials presented as abstracts at ICS meetings. *Neurourology and Urodynamics*: 2006; Vol. 25, issue 4:300.

Hernandez-Garcia 2011 {published data only}

Hernandez-Garcia I. Proportion of presentations published after the 2006 Conference of the Spanish Society for Quality in Healthcare. *Revista de Calidad Asistencial* 2011;**26**(3):201-2.

Hernández-Jiménez 2011 {published data only}

Hernández-Jiménez SC, García-Ulloa AC, Aguilar-Salinas CA, Gómez-Pérez FJ. Evaluation of free papers presented at congresses of the Mexican Society of Nutrition and Endocrinology, AC between 2000 and 2009. [Evaluación de trabajos libres presentados en congresos de la Sociedad Mexicana de Nutrición y Endocrinología, AC entre 2000 y 2009]. *Revista de Endocrinología y Nutrición* 2011;**19**(1):12-6.

Herron 1993 {published data only}

Herron H, Falcone RE. Research presented at AMTC: subsequent publication in indexed journals. *Air Medical Journal* 1993;**12**(5):119-22.

Hoag 2006 {published data only}

Cartwright R, Khoo AK, Cardozo L. Re: Abstracts presented at the American Urological Association annual meeting: determinants of subsequent peer reviewed publication - Hoag, C Elterman DS and MacNeily AE - J Urol 2006; 176 : 2624-2629. *Journal of Urology* 2007; Vol. 177, issue 6:2401.

* Hoag CC, Elterman DS, MacNeily AE. Abstracts presented at the American Urological Association annual meeting:

determinants of subsequent peer reviewed publication. *Journal of Urology* 2006;**176**(6):2624-9.

Hoag CC, Elterman DS, MaeNeily AE. Re: Abstracts presented at the American urological association annual meeting: determinants of subsequent peer reviewed publication. *Journal of Urology* 2007; Vol. 178, issue 3:1124.

Hoeg 2009 {published and unpublished data}

Hoeg RT, Lee JA, Mathiason MA, Rokkones K, Serck SL, Crampton KL, et al. Outcome of phase II oncology clinical trial abstracts presented at annual meeting of the American Society of Clinical Oncology (ASCO). *Journal of Clinical Oncology*. 2006; Vol. 24, issue Suppl 18:303s.

* Hoeg RT, Lee JA, Mathiason MA, Rokkones K, Serck SL, Crampton KL, et al. Publication outcomes of phase II oncology clinical trials. *American Journal of Clinical Oncology* 2009;**32**(3):253-7.

Hogan 2009 {published data only}

Hogan DJ, McKinley LH. Abstracts presented at annual meetings of the American Contact Dermatitis Society that lead to publication. *Dermatitis*. 2009; Vol. 20, issue 4:225.

Hopewell 2001 {published data only}

Hopewell S, Clarke M. Abstract to full publication - findings from the 1st Symposium on Systematic Reviews. 3rd Symposium on Systematic Reviews: Beyond the Basics. Oxford, UK, July, 2000.

* Hopewell S, Clarke M. Methodologists and their methods: Do methodologists write up their conference presentations or is it just 15 minutes of fame?. *International Journal of Technology Assessment in Health Care* 2001;**17**:601-3. [MEDLINE: 21594898]

Hopewell 2003 {published data only}

Hopewell S, McDonald S. Full publication of trials initially reported as abstracts in the Australian and New Zealand Journal of Medicine 1980-2000. *Internal Medicine Journal* 2003;**33**:192-4. [MEDLINE: 22568527]

Hopewell 2015 {published data only}

Hopewell S, Boutron I, Altman DG, Ravaud P. Deficiencies in the publication and reporting of the results of systematic reviews presented at scientific medical conferences. *Journal of Clinical Epidemiology* 2015;**68**(12):1488-95. [PUBMED: 25890806]

Hopper 2009 {published data only}

Hopper AD, Atkinson RJ, Razak A, Rahim A, Perera A, Jones G, et al. Is medical research within the UK in decline? A study of publication rates from the British Society of Gastroenterology from 1994 to 2002. *Clinical Medicine, Journal of the Royal College of Physicians of London* 2009;**9**(1):22-5.

Housri 2008 {published data only}

Housri N, Cheung MC, Gutierrez JC, Zimmers TA, Koniaris LG. SUS/AAS abstracts: what is the scientific impact?. *Surgery* 2008;**144**(2):322-31.

Hussein 2014 {published data only}

Hussein N, Buxton P, Pherwani A, Rajagopalan S. Qualitative outcome of vascular society abstracts and its implications for

future trainees and training units. *International Journal of Surgery*. 2014; Vol. 12:S117.

Izadpanah 2014 {published data only}

Izadpanah A, Izadpanah A, Islur A, Sinno H. Publication bias in plastic and reconstructive surgery: a retrospective review on 128 abstracts presented to the Annual EURAPS Meeting. *European Journal of Plastic Surgery* 2014;**37**(7):387-92.

Jackson 2000 {published data only}

Jackson KR, Daluiski A, Kay RM. Publication of abstracts submitted to the annual meeting of the Pediatric Orthopaedic Society of North America. *Journal of Pediatric Orthopedics* 2000;**20**(1):2-6. [MEDLINE: 20104645]

Jamjoom 2014 {published data only}

Jamjoom AA, Jamjoom BA, Jamjoom AB. Rate of full publication of presentations from the Saudi Association of Neurological Surgery meetings. *Neurosciences* 2014;**19**(1):60-2.

Jamjoom 2015 {published data only}

Jamjoom AA, Chuen CK, Hammersley RL, Hughes MA, Fouyas IP. Do SBNS abstracts punch their scientific weight? A bibliometric analysis of publication rate and impact. *British Journal of Neurosurgery*. 2013; Vol. 27, issue 5:570-1.

* Jamjoom AA, Hughes MA, Chuen CK, Hammersley RL, Fouyas IP. Publication fate of abstracts presented at Society of British Neurological Surgeons meetings. *British Journal of Neurosurgery* 2015;**29**(2):164-8. [PUBMED: 24814530]

Jara-Tracchia 2010 {published data only}

Jara-Tracchia L, Aromando RF, Itoiz ME. Publication: presentation rate in the Latin American region of the International Association for Dental Research. *Acta Odontologica Latinoamericana* 2010;**23**(2):150-2.

Jasko 2003 {published data only}

Jasko JJ, Wood JH, Schwartz HS. Publication rates of abstracts presented at annual musculoskeletal tumor society meetings. *Clinical Orthopaedics & Related Research* 2003;**415**:98-103.

Joe 2015 {published data only}

Joe VC, Martinez A, Cartotto R, Jeng JC, Wolf SE, Pressman MA. An analysis of survey-based abstracts accepted to the American Burn Association annual meeting, 2009-2014. *Journal of Burn Care and Research*. 2015; Vol. 36:S90.

Jones 2008 {published data only}

Jones S. The fate of abstracts presented at the International AIDS Conference. *AIDS & Hepatitis Digest* 2008;**127**:1-4.

Jones 2014 {published and unpublished data}

Jones JE, Lam JH, Stewart GD, McNeill SA, Laird A. An assessment on the quality of abstracts presented at the British Association of Urological Surgeons annual meeting. *Journal of Clinical Urology* 2014;**7**(5):351-6.

Jörgens 2014 {published data only}

Jörgens V, Grusser M, Schurmann P, Muller UA. Fate of abstracts submitted to the 2004 EASD annual meeting in Munich. *Diabetologia* 2014; Vol. 57, issue 9:1997-9. [PUBMED: 24962671]

Juzych 1991 {published data only}

Juzych MS, Shin DH. Publications from abstracts. *Ophthalmology*. 1991; Vol. 98:1607.

* Juzych MS, Shin DH, Coffey JB, Parrow KA, Tsai CS, Briggs KS. Pattern of publication of ophthalmic abstracts in peer-reviewed journals. *Ophthalmology* 1991;**98**(4):553-6. [MEDLINE: 91270798]

Juzych 1993 {published data only}

* Juzych MS, Shin DH, Coffey J, Juzych L, Shin D. Whatever happened to abstracts from different sections of the Association for Research in Vision and Ophthalmology?. *Investigative Ophthalmology & Visual Science* 1993;**34**(5):1879-82. [MEDLINE: 93231779]

Juzych MS, Shin DH, Coffey J, Parrow K, Briggs KS. Pattern of publication of ophthalmic abstracts in peer-reviewed journals. *American Academy of Ophthalmology*. Atlanta, Georgia, 1990.

Kabay 2005 {published data only}

Kabay B, Teke Z, Erbis H, Kocbil G, Tekin K, Erdem E. Publication rates of scientific presentations in Turkish National Surgical Congress. [Turkish]. *Turkish Journal of Surgery* 2005;**21**(3):130-4.

Kaifi 2013 {published data only}

Kaifi JT, Kibbe MR, LeMaire SA, Staveley-O'Carroll KF, Kao LS, Sosa JA, et al. Scientific impact of AAS/SUS plenary session abstract increases in the era of the Joint Academic Surgical Congress, 2006-2010. Conference: 7th Annual Academic Surgical Congress of the Association for Academic Surgery, AAS and the Society of University Surgeons, SUS Las Vegas, NV United States. 2012:219.

* Kaifi JT, Kibbe MR, LeMaire SA, Staveley-O'Carroll KF, Kao LS, Sosa JA, et al. Scientific impact of Association for Academic Surgery and Society of University Surgeons plenary session abstracts increases in the era of the Academic Surgical Congress, 2006 to 2010. *Journal of Surgical Research* 2013;**182**:6-10.

Kalkan 2015 {published data only}

Kalkan A, Kose O, Bilir O, Ersunan G, Ozel D, Guler F. Publication rate of abstracts presented at the emergency medicine congresses held by the European Society for Emergency Medicine (EUSEM) in 2011 and 2012. *Emergency Medicine Journal* 2015;**32**(9):728-32.

Kalyoncu 2011 {published data only}

Kalyoncu U, Çınar M, Demirağ MD, Yılmaz S, Erdem H, Kiraz S, et al. The assessment of abstracts presented in National Rheumatology Congresses: where do we stand? [Ulusal Romatoloji Kongrelerinde sunulan bildirilerin irdelenmesi: Neredeyiz?]. *RAED Dergisi* 2011;**3**(1-2):6-10.

Kaya 2010 {published data only}

Kaya Y, Deveci S, Nelson CJ, Mulhall JP. The publication fate of sexual medicine abstracts presented at the annual AUA meeting. *Journal of Urology* 2010;**183**(4 (Suppl 1)):e575.

Kaya Mutlu 2013 {published data only}

Kaya Mutlu E, Çelik D, Mutlu C, Razak Özdingler A. Publication rates of oral presentations accepted at advances in physiotherapy symposiums [Fizyoterapi gelişmeler sempozyumlarında kabul edilen sözel bildirimlerin yayımlanma oranı]. *Turkish Journal of Physiotherapy Rehabilitation* 2013;**24**(2):145-9.

Kearney 2012 {published data only}

Kearney DE, Conneely M, Kerin MJ, Sweeney KJ. From presentation to publication: 10-year publication rates and journal impact factors from an international surgical meeting. *British Journal of Surgery*. 2012; Vol. 99:136.

Kim 1998 {published data only}

Kim YJ, Chang JW, Park DM, Kim HK. Publication patterns of papers presented at the annual Fall Congress of the Korean Orthopaedic Association. *Journal of the Korean Orthopaedic Association* 1998;**33**(2):472-6.

Kim 2011 {published data only}

Kim JO, Choi BW, Kim JH, Song KJ, Lee KB. Observational analysis of Korean Society of Spine Surgery annual congress: (2001-05) free paper: from presentation to publication. *Journal of Korean Society of Spine Surgery* 2011;**18**(1):19-23.

Kinsella 2015 {published data only}

Kinsella SD, Menge TJ, Anderson AF, Spindler K. Publication rates of podium versus poster presentations at the American Orthopaedic Society for Sports Medicine meetings: 2006-2010. *American Journal of Sports Medicine* 2015;**43**(4):1255-9.

Kiroff 2001 {published and unpublished data}

Kiroff GK. Publication bias in presentations to the annual scientific congress. *ANZ Journal of Surgery* 2001;**71**:167-71. [MEDLINE: 21170729]

Klappenbach 2011 {published data only}

Klappenbach RF. Are the papers submitted to the Argentine Congress of Surgery published? [¿Se publican los trabajos presentados al congreso argentino de cirugía?]. *Revista Argentina de Residentes de Cirugía* 2011;**16**(1):32-6.

Klassen 2002 {published and unpublished data}

Hartling L, Craig WR, Russell K, Stevens K, Klassen TP. Factors influencing the publication of randomized controlled trials in child health research. *Archives of Pediatrics & Adolescent Medicine* 2004;**158**(10):983-7.

* Klassen TP, Wiebe N, Russell K, Stevens K, Hartling L, Craig WR, et al. Abstracts of randomized controlled trials presented at the Society for Pediatric Research meeting. *Archives of Pediatrics & Adolescent Medicine* 2002;**156**(5):474-9. [MEDLINE: 21976971]

Kleine-Konig 2014 {published data only}

Kleine-Konig MT, Schulte TL, Gosheger G, Rodl R, Schiedel FM. Publication rate of abstracts presented at European Paediatric Orthopaedic Society annual meetings, 2006 to 2008. *Journal of Pediatric Orthopedics* 2014;**34**(6):e33-8. [PUBMED: 24590329]

Kleweno 2008 {published data only}

Kleweno CP, Brynat WK, Jacir AM, Levine WN, Ahmad CS. Discrepancies and rates of publication in orthopaedic sports medicine abstracts. *American Journal of Sports Medicine* 2008;**36**(10):1875-9.

Koçak 2014 {published data only}

Koçak UZ, Bayraktar D, Unver B. Investigating the publication rates of physiotherapy abstracts presented in EULAR congresses. *Annals of the Rheumatic Diseases*. 2014; Vol. 73, issue Suppl 2:1208.

Koene 1994 {published data only}

Koene HR, Overbeke AJPM. The scientific value of society reports in the Netherlands Tijdschrift voor Geneeskunde [De wetenschappelijke waarde van verenigingsverslagen in het Nederlands Tijdschrift voor Geneeskunde]. *Nederlands Tijdschrift voor Geneeskunde* 1994;**138**(37):1868-71. [MEDLINE: 95021856]

Korn 2000 {published data only}

Korn CS, O'Henderson S. Publication of research abstracts presented at four emergency medicine research forums. *SAEM: Society of Academic Emergency Medicine*. 2000; Vol. 7, issue 5:534.

Kottachchi 2010 {published data only}

Kottachchi D, Nguyen GC. From abstract to publication: Characteristics and natural history of abstracts from phase III randomized clinical trials in IBD therapeutics presented at Digestive Disease Week. *Gastroenterology*. 2009; Vol. 136, issue 5 (Suppl. 1):A520.

* Kottachchi D, Nguyen GC. Quality and publication success of abstracts of randomized clinical trials in inflammatory bowel disease presented at Digestive Disease Week. *Inflammatory Bowel Diseases* 2010;**16**(6):993-8.

Krzyzanowska 2003 {published and unpublished data}

Krzyzanowska MK, Pintilie M, Tannock IF. Factors associated with failure to publish large randomized trials presented to an oncology meeting. *JAMA* 2003;**290**:495-501. [MEDLINE: 22758717]

Kumar 1995 {published data only}

Kumar A. Eventual publishability as full-length reports of ASGE abstracts. *Gastrointestinal Endoscopy* 1995;**41**(4):323.

Kunadian 2015 {published data only}

Kunadian V, Batty J, Stone E, Okonkwo A. The full publication rate of abstracts presented at the British Cardiovascular Society annual conference remains high, comparing favourably with other cardiology annual scientific sessions worldwide. *Heart*. 2015; Vol. 101, issue Suppl 4:A64.

Kwong 2007 {published data only}

Kwong Y, Kwong FN, Patel J. Publication rate of trauma abstracts presented at an international orthopaedic conference. *Injury* 2007;**38**(7):745-9.

Landry 1996 {published data only}

Landry VL. The publication outcome for the papers presented at the 1990 ABA conference. *Journal of Burn Care & Rehabilitation* 1996;**17**:23A-6A. [MEDLINE: 96404072]

Larian 2001 {published data only}

Larian B, Namazie A, Agha N, Azizzadeh V, Blackwell K, Wang MB. Publication rate of abstracts presented at the annual meeting of the American Academy of Otolaryngology-Head and Neck Surgery. *Otolaryngology and Head and Neck Surgery* 2001;**125**(3):166-9. [MEDLINE: 21439827]

Lau 2016 {published data only}

Lau AS, Krishnan M, Williams SP, Mamais C, Sweed A, Bhat J, et al. A re-appraisal of publication rates of scientific papers presented at the Otorhinolaryngology Research Society meetings. *Clinical Otolaryngology* 2016;**41**:694-9.

Lee 2012 {published data only}

* Lee DJ, Yuan JC, Prasad S, Barao VA, Shyamsunder N, Sukotjo C. Analysis of abstracts presented at the prosthodontic research section of IADR General Sessions 2004-2005: demographics, publication rates, and factors contributing to publication. *Journal of Prosthodontics* 2012;**21**(3):225-31.

Prasad S, Lee DJ, Yuan JC, Barao VA, Shyamsunder N, Sukotjo C. Discrepancies between abstracts presented at International Association for Dental Research annual sessions from 2004 to 2005 and full-text publication. *International Journal of Dentistry* 2012;**2012**:859561.

Leles 2006 {published data only}

Leles CR, Rocha SS, Simoes PA, Compagnoni MA. Rate of publication, in the form of complete articles, of abstracts presented at a scientific dental research event [Taxa de publicacao, na forma de artigos completos, deresumos apresentados em evento cientifico de pesquisa odontologica]. *Revista de Odontologia da UNESP* 2006;**35**(3):141-7.

Lensen 2015 {published data only}

Lensen S, Jordon V, Showell M, Showell E, Shen V, Venetis C, et al. Publication bias in the field of subfertility. *Human Reproduction*. 2015; Vol. 30:442.

Levett 2000 {published data only}

Levett PN. Converting conference presentations into publications. *West Indian Medical Journal* 2000;**49**:197-9. [MEDLINE: 205268937]

Li 2004 {published data only}

Li SF, Umemoto T, Crosley P, Cassidy C. SAEM abstracts to articles: 1997 and 1999-2001. *Academic Emergency Medicine* 2004;**11**(9):985-7.

Lim 2013 {published data only}

Lim JK, Han JY, Lee HC, Lee J, Chung H, Kim JM, et al. Analysis of publication status of abstracts presented at the annual meeting of the Korean Academy of Rehabilitation Medicine. *Annals of Rehabilitation Medicine* 2013;**37**(3):413-9. [PUBMED: 23869340]

Lin 2011 {published data only}

Lin N, Chen X, Zhang X (林娜, 陈新, 张谢). Follow-up publication of international conference abstracts: China's heart rhythm loss [国际会议论文摘要的后续发表情况追踪：我国心律失常学科实例分析]. ##### [Chinese Science and Technology Research] 2011;**22**(3):396-7.

Liu 1996 {published data only}

Liu L, Danziger RS. Fate of conference abstracts. *Nature* 1996;**383**:20. [MEDLINE: 96373408]

Livas 2014 {published data only}

Livas C, Pandis N, Ren Y. Full-text publication of abstracts presented at European Orthodontic Society congresses. *European Journal of Orthodontics* 2014;**36**(5):569-75. [PUBMED: 24550346]

Lloyd 2006 {published data only}

Lloyd EW, Geller JA, Iorio R, Yoon RS, Huo M, Macaulay W. Publication rates of scientific presentations at the American Association of Hip and Knee Surgeons annual meetings from 1996 to 2001. *Journal of Arthroplasty* 2006;**21**(6):2-5.

Loevy 1997 {published data only}

Loevy HT, Curtis KL, Goldberg AF. Conversion rate of research abstracts to publications in pediatric dentistry. *Pediatric Dentistry* 1997;**19**(6):432-3. [MEDLINE: 98009218]

Macdonald 2012 {published data only}

Macdonald AL, Parsons C, Davenport M. Outcome of abstracts presented at the British Association of Paediatric Surgeons congresses (1999-2008). *Journal of Pediatric Surgery* 2012;**47**(2):386-90. [PUBMED: 22325397]

Macmillan 2007 {published data only}

Macmillan CD, Moore AK, Cook RJ, Pedley DK. Abstract-to-publication ratio for papers presented at scientific meetings: a quality marker for UK emergency medicine research. *Emergency Medicine Journal* 2007;**24**(6):425-6.

Maguire 2014 {published data only}

Maguire K, Guiahi M. Will my abstract get published? Reproductive health abstracts (2004-2010) rate and predictors of publication. *Contraception*. 2014; Vol. 90:197.

Maleck 1998a {published data only}

Maleck WH, Koetter KP, Lenz M. Are papers presented at prehospital care research forum published in Medline-indexed journals?. Proceedings of the Prehospital Care Research Forum; 1998 March 11-14; Baltimore. Carlsbad (CA): Jems Communications, 1998:S-12.

Maleck 1998b {published data only}

Maleck WH, Petroianu GA, Jatzko A. Are papers presented at PECEMS published in Medline-indexed journals?. Proceeding

of the Fourth Pan-European Conference on Emergency Medical Systems; 1998 Aug 23-27; Opatija, Croatia. 1998:22.

Malicki 2014 {published data only}

Malicki M, von Elm E, Marusic A. Study design, publication outcome, and funding of research presented at international congresses on peer review and biomedical publication. *JAMA* 2014;**311**(10):1065-7. [PUBMED: 24618970]

Manuck 2015 {published data only}

Manuck TA, Barbour K, Janicki L, Blackwell SC, Berghella V. Conversion of Society for Maternal-Fetal Medicine abstract presentations to manuscript publications. *American Journal of Obstetrics and Gynecology* 2015;**213**(3):405.e1-6. [PUBMED: 25981850]

Martinez 2008 {published data only}

Martinez AM, Fink NE. Transition from congress abstract to full paper: the case of a national Argentinean congress in clinical laboratory. *Clinical Chemistry and Laboratory Medicine* 2008;**46**(11):1568-74.

Marx 1999 {published and unpublished data}

Marx WF, Cloft HJ, Do HM, Kallmes DR. The fate of neuroradiologic abstracts presented at national meetings in 1993: rate of subsequent publication in peer-reviewed, indexed journals. *ANJR: American Journal of Neuroradiology* 1999;**20**(6):1173-7. [MEDLINE: 99372639]

Maxwell 1981 {published data only}

Maxwell MB. Published or perished: what becomes of papers presented at Oncology Nursing Society congresses?. *Oncology Nursing Forum* 1981;**8**(3):73-4. [MEDLINE: 81246994]

McCormick 1985 {published data only}

McCormick MC, Holmes JH. Publication of research presented at the pediatric meetings: Change in selection. *American Journal of Diseases of Children* 1985;**139**:122-6. [MEDLINE: 85145692]

McCue 2005 {published data only}

McCue JD, Baxter NN, Rothenberger DA, Ricciardi R. Publication rates from the annual meeting of the American Society of Colon and Rectal Surgeons. *Diseases of the Colon & Rectum*. 2005; Vol. 48, issue 3:684.

McKelvey 2010 {published data only}

McKelvey RP, Hatton RC, Kimberlin CA. Pharmacy resident project publication rates and study designs from 1981, 1991, and 2001. *American Journal of Health-System Pharmacy* 2010;**67**(10):830-6.

McKinley 2010 {published data only}

McKinley LH, Hogan DJ. Publication of abstracts presented at annual American Contact Dermatitis Society meetings. *Dermatitis* 2010;**21**(5):280-3.

McLennan 2008 {published data only}

McLennan M, Leong FC, Steele A, Harris J. The influence of industry sponsorship on the acceptance of abstracts and

their publication. *American Journal of Obstetrics & Gynecology* 2008;**198**(5):579.e1-4.

Meininger 2011 {published data only}

Meininger D, Buck M, Bohlmann S, Weber CF, Strouhal U, Ihlow K, et al. Gone with the wind or ... fate of scientific articles presented at large anesthesia congresses - an update [Vom Winde verweht oder..."Schicksal" wissenschaftlicher Beiträge auf grossen Anästhesiekongressen - ein Update]. *Anaesthesist* 2011;**60**(2):118-24.

Meissner 2014 {published data only}

Meissner A, Delouya G, Marcovitch D, Donath D, Taussky D. Publication rates of abstracts presented at the 2007 and 2010 Canadian Association of Radiation Oncology meetings. *Current Oncology (Toronto, Ont.)* 2014;**21**(2):e250-4. [PUBMED: 24764710]

Menditto 2015 {published data only}

Menditto VG, Tedesco S, Barbadoro P, Pomponio G, Gabrielli A. Abstract-to-publication ratio for papers presented at Italian emergency medicine meeting: a retrospective study. *European Journal of Internal Medicine*. 2013; Vol. 24:e248.

* Menditto VG, Tedesco S, Manfredi L, Postacchini L, Pomponio G. Abstract-to-publication ratio and predictors for publication success for papers presented at the Italian Emergency Medicine Meeting: a cross-sectional study. *European Journal of Internal Medicine* 2015; Vol. 26, issue 2:141-2. [PUBMED: 25550148]

Meral 2016 {published and unpublished data}

Meral UM, Alakus U, Urkan M, Ureyen O, Oren NC, Ozturk Meral A, et al. Publication rate of abstracts presented at the annual congress of the European Society for Surgical Research during 2008–2011. *European Surgical Research* 2016;**56**(3-4):132-40.

Meranze 1982 {published data only}

Meranze J, Ellison N, Greenhow DE. Publications resulting from anesthesia meeting abstracts. *Anesthesia and Analgesia* 1982;**61**(5):445-8. [MEDLINE: 82158253]

Micieli 2012 {published data only}

Micieli JA, Tsui E, Smith AF. Trends in Canadian ophthalmology research. *Ophthalmology* 2012;**119**(3):654-5.

Miguel-Dasit 2006a {published data only}

Miguel-Dasit A, Marti-Bonmati L, Aleixandre R, Sanfeliu P, Valderrama JC. Publications resulting from Spanish radiology meeting abstracts: which, where and who. *Scientometrics* 2006;**66**(3):467-80.

Miguel-Dasit 2006b {published data only}

Miguel-Dasit A, Marti-Bonmati L. Scientific presentations at radiologic meetings, subsequent full-text publications, and authors' country of origin - reply. *Radiology* 2008;**246**(1):331.

* Miguel-Dasit A, Marti-Bonmati L, Aleixandre R, Sanfeliu P, Bautista D. Publication of material presented at radiologic meetings: authors' country and international collaboration. *Radiology* 2006;**239**(2):521-8.

Miguel-Dasit A, Marti-Bonmati L, Sanfeliu P, Aleixandre R. Scientific papers presented at the European Congress of Radiology 2000: publication rates and characteristics during the period 2000-2004. *European Radiology*: 2006;**16**(2):445-50.

Miguel-Dasit 2007 {published data only}

Miguel-Dasit A, Marti-Bonmati L, Sanfeliu-Montoro A, Aleixandre R, Valderrama JC. Scientific papers presented at the European Congress of Radiology: a two-year comparison. *European Radiology* 2007;**17**(5):1372-6.

Mihok 2013 {published data only}

Mihok P, Worley S, Hassaballa M, Punwar S, Porteous A, Murray J. BASK presentations: progress to journal publication. *Orthopedics* 2013;**36**(10):e1269-71.

Miller 2015 {published data only}

Miller J, Thomas J, Miller M. Predictors of publication by dietitians from conference abstracts presented at national conferences 2006-2009. *Nutrition & Dietetics* 2015;**72**:190-6.

Mily 2008 {published data only}

* Mily M, Bulatova I. History of full-paper publication of abstracts on evaluation of antihypertensive therapies presented at the 12th and 13th ESH meetings. *Journal of Hypertension* 2008;**26**:S463.

Mily MN. History of full-paper publication of abstracts on evaluation of antihypertensive therapies presented at the 12th and 13th ESH meetings. *Pharmacoepidemiology and Drug Safety*. 2008; Vol. 17:S230.

Mittal 2011 {published data only}

Mittal H, Gupta P. Fate of award winning papers at annual conference of Indian Academy of Pediatrics: a 13 years experience. *Indian Pediatrics* 2011; Vol. 48, issue 10:818-9.

Moar 2013 {published data only}

Moar K, Butterworth S. If you present will you publish? An analysis of abstracts at the Craniofacial Society of Great Britain and Ireland conferences 2000-2009. *Cleft Palate-craniofacial Journal* 2013;**50**(6):713-6. [PUBMED: 23509906]

Montane 2007 {published data only}

Montane E, Vidal X. Fate of the abstracts presented at three Spanish clinical pharmacology congresses and reasons for unpublished research. *European Journal of Clinical Pharmacology* 2007;**63**(2):103-11.

Moorthi 2013 {published data only}

Moorthi RN, Lam A, Tangri N, Sood MM, Wagner M, Alam A. Predictors of publication of randomized controlled trials in nephrology. *Clinical Nephrology* 2013;**80**(4):280-5. [PUBMED: 23782546]

Morgan 2005 {published data only}

Morgan CJ, Cooper AJ, Dyer JP, Friedmann PS. The publication rate of abstracts presented at the British Association of Dermatologists Annual Meeting. *British Journal of Dermatology* 2005;**153**(4):855-7.

Morrison 1994 {published data only}

Morrison JC, Meeks GR, Martin JN, Cowan BD, Whitworth NS, Wiser WL. Resident research projects: frequency of presentation and publication in a national forum. *American Journal of Obstetrics and Gynecology* 1994;**170**(3):777-81. [MEDLINE: 94189625]

Mowla 2006 {published and unpublished data}

Mowla A, Bajestan MN, Imanieh MH. Iranian medical sciences students participate in science production: publication rate of abstracts presented at annual research meetings of Iranian medical sciences students. *Southern Medical Journal* 2006;**99**(10):1145-6.

Muffy 2014 {published data only}

Muffy TM, Calderwood CS, Davis KM, Connell KA. The fate of abstracts presented at annual meetings of the American Urogynecologic Society from 2007 to 2008. *Female Pelvic Medicine & Reconstructive Surgery* 2014;**20**(3):137-40.

Murrey 1999 {published data only}

Murrey DB, Wright RW, Seiler JG III, Day TE, Schwartz HS. Publication rates of abstracts presented at the 1993 annual academy meeting. *Clinical Orthopaedics and Related Research* 1999;**359**:247-53. [MEDLINE: 99177876]

Mutlu 2015 {published data only}

Mutlu C, Kaya Mutlu E, Kiliçoğlu AG, Yorbik Ö. From poster presentation to publication: National Congress of Child and Adolescent Psychiatry. *Noro Psikiatri Arsivi* 2015;**52**(2):111-6. [PUBMED: 28360689]

Nader 2009 {published data only}

Nader F, Mousavizadeh K, Ghafourifar P. Annual International Geographic Medicine Congress meetings in Shiraz, Iran: publication rates during 1999-2006. *International Journal of Biomedical Science* 2009;**5**(1):44-9.

Nasir 2012 {published data only}

Nasir AA, Ameh EA. Fate of abstracts presented at Association of Paediatric Surgeons of Nigeria annual meetings. *African Journal of Paediatric Surgery* 2012;**9**(2):132-6. [PUBMED: 22878762]

Nasir 2013 {published data only}

Nasir AA, Ameh EA, Poenaru D. Completion publication of abstracts presented at the scientific meetings of the Pan-African Pediatric Surgical Association. *African Journal of Paediatric Surgery* 2013;**10**(3):246-51. [PUBMED: 24192469]

Ng 2004 {published data only}

Fleshner NE, Ng L, Hersey K. Publication rate of abstracts presented at the annual meeting of the American Urological Association. *Journal of Urology*. 2003; Vol. 169, issue 4:35.

* Ng L, Hersey K, Fleshner N. Publication rate of abstracts presented at the annual meeting of the American Urological Association. *BJU International* 2004;**94**(1):79-81.

Nguyen 1998 {published data only}

Nguyen V, Tornetta P III, Bkaric M. Publication rates for the scientific sessions of the OTA. *Journal of Orthopaedic Trauma* 1998;**12**(7):457-9. [MEDLINE: 98453027]

Nqwena 2007 {published data only}

Nqwena L, Myers E, Kavanagh DO, Mallon J, Evoy D, McDermott EW, et al. Peer review publication rates following abstracts presentation at the Sylvester O Halloran meeting. *Irish Journal of Medical Science* 2007;**176**:S47.

O' Connor 2015 {published data only}

O'Connor DJ, Lowery AJ, Kearney D, McAnena OJ, Sweeney KJ, Kerin MJ. Analysis of subsequent publication and impact of abstracts presented at the Sir Peter Freyer Surgical Symposium: focus on the plenary session. *Irish Journal of Medical Science* 2015;**184**(Suppl 9):353-60. [PUBMED: 26329311]

O'Dell 2012 {published data only}

O'Dell KM, Shah SA. Evaluation of pharmacy practice residents' research abstracts and publication rate. *Journal of the American Pharmaceutical Association* 2012;**52**(4):524-7.

O'Kelly 2015 {published data only}

O'Kelly F, Nason GJ, Bell S, Galbraith A, McLoughlin LC, Quinlan DM, et al. Conversion rates of abstracts to publications from the Irish Society of Urology annual meeting (2005-2011) – questioning the scientific value of national urological meetings for smaller European nations. *Journal of Clinical Urology* 2015;**8**(4):261-7.

O'Neill 2014 {published data only}

O'Neill BJ, O'heireamhoin S, Byrne AM, Kenny PJ, O'Flanagan SJ, Keogh P. Publication rates of presentations at the Irish Orthopaedic Association annual meeting. *Irish Journal of Medical Science* 2014;**183**(1):111-6. [PUBMED: 24072432]

Odunsi 2015 {published data only}

* Odunsi S, Kobylecki C, Jones M. Abstracts presented at the Association of British Neurologists: what becomes of them and what is their impact?. *Journal of Neurology, Neurosurgery & Psychiatry* 2015;**86**(6):701-2.

Odunsi S, Kobylecki C, Jones M. The fate of abstracts at the ABN. *Journal of Neurology, Neurosurgery & Psychiatry*. 2014; Vol. 85, issue 10:e4.

Ogilvie 2014 {published data only}

Ogilvie LN, Pauwels J, Chadha NK, Kozak FK. Publication rate of abstracts presented at the Canadian Society of Otolaryngology-Head and Neck Surgery annual meetings: a five year study 2006-2010. *Journal of Otolaryngology* 2014;**43**(1):51. [PUBMED: 25515294]

Ohlsson 1999 {published data only}

* Ohlsson A, Walia R. Differences between information provided in abstracts of randomized controlled trials in neonates submitted to the annual meeting of the American Pediatric Society and the Society for Pediatric Research (APS/SR) and final publications - implications for meta-analyses. 7th Annual Cochrane Colloquium. Rome, Italy, October 1999.

- Walia R, Ohlsson A. Clinical trials in perinatal-neonatal medicine. 7th Annual Cochrane Colloquium. Rome, Italy, October, 1999.
- Walia R, Ohlsson A. Outcomes of abstracts submitted for annual conference of the American Pediatric Society and the Society for Pediatric Research - limited to randomized controlled trials in neonatology. *Pediatric Research*. 1999; Vol. 45:231A.
- Ohtori 2013** {published data only}
- Ohtori S, Kubota G, Inage K, Yamauchi K, Orita S, Suzuki M, et al. English publication rate of 3,205 abstracts presented at the annual meeting of the Japanese Orthopaedic Association and the annual research meeting of the Japanese Orthopaedic Association. *Journal of Orthopaedic Science* 2013;**18**(6):1031-6. [PUBMED: 23873278]
- Okafor 2015** {published data only}
- Okafor L, Frost C, Mesfin A. Publication rate of paper presentations from the Cervical Spine Research Society annual meeting. *Spine* 2015;**40**(10):699-702. [PUBMED: 25705960]
- Olive 2004** {published data only}
- Olive A, Cifuentes I, Roca J. The fate of abstracts: without publication, science is dead. *Journal of Rheumatology* 2004;**31**(5):1007; author reply 1007-8.
- Oliveira 2009** {published data only}
- Oliveira LRS, Figueiredo AA, Choi M, Ferrarez CE, Bastos AN, Netto JM. The publication rate of abstracts presented at the 2003 Urological Brazilian meeting. *Clinics (Sao Paulo, Brazil)* 2009;**64**(4):345-9.
- Oliver 2003** {published data only}
- Oliver DW, Whitaker IS, Chohan DP. Publication rates for abstracts presented at the British Association of Plastic Surgeons meetings: how do we compare with other specialties?. *British Journal of Plastic Surgery* 2003;**56**(2):158-60.
- Olmos-de-Aguilera 2013** {published data only}
- Olmos-de-Aguilera AR, Alfaro-Tolosa P, Sánchez-González JP, Abudinén AG. Original articles published in biomedical journals from medical students congresses of Chile in 2009-2011 [Publicación de artículos originales en revistas biomédicas provenientes de congresos estudiantiles de medicina de Chile 2009-2011]. *Revista Científica Ciencia Médica* 2013;**16**(2):18-21.
- Olson 2012** {published data only}
- Olson KL, Holmes M, Dang C, Patel RJ, Witt DM. Publication rates of abstracts presented by pharmacy residents at the Western States Conference. *American Journal of Health-System Pharmacy* 2012;**69**(1):59-62.
- Ospina 2006** {published data only}
- Ospina MB, Kelly K, Klassen TP, Rowe BH. Publication bias of randomized controlled trials in emergency medicine. *Academic Emergency Medicine* 2006;**13**(1):102-8.
- Ozel 2007** {published and unpublished data}
- Ozel B. Transition of SGS meeting abstracts to full journal articles: how are we doing?. *Journal of Pelvic Medicine & Surgery*. 2007; Vol. 13, issue 2:90.
- Ozkösem 2013** {published data only}
- Ozkösem B. Fate of abstracts from the Society for Free Radical Biology and Medicine meetings. *Free Radical Biology and Medicine*. 2013; Vol. 65:S110.
- Ozkösem 2013a** {published data only}
- Ozkösem B. Conversion of reproductive biology meeting abstracts to publications. SIG-MET Metrics (ASIST2013). Poster presentation. Montreal Nov 3, 2013.
- Özyurt 2012** {published data only}
- Özyurt S, Kaptanoğlu AF. Publication rates of abstracts presented at the biannual Turkish National Dermatology meetings between 2004 and 2008 [2004-2008 Yılları Arasında İki Yılda Bir Yapılan Ulusal Dermatoloji Kongrelerinde Sunulan Özetlerin Yayınlanma Oranları]. *Dermatoz* 2012;**3**(1):7-11.
- Paes 2015** {published data only}
- Paes AS, Teixeira TA, Tabosa GV, Luna RM, Saraiva LD. Publications generated from abstracts presented at the 28th Congresso Brasileiro de Patologia and the 28th Congresso de la Sociedad Latinoamericana de Patologia, in 2011. *Jornal Brasileiro de Patologia e Medicina Laboratorial* 2015;**51**(4):240-5.
- Papagikos 2005** {published data only}
- Papagikos MA, Rossi PJ, Lee WR. Publication rate of abstracts from the annual ASTRO meeting: common or uncommon and how do we compare. *International Journal of Radiation Oncology Biology Physics*. 2004; Vol. 60, issue 1:S552-3.
- * Papagikos MA, Rossi PJ, Lee WR. Publication rate of abstracts from the annual ASTRO meeting: comparison with other organizations. *Journal of the American College of Radiology*: 2005;**2**(1):72-5.
- Papoutsis 2015** {published data only}
- Bohm M, Papoutsis K, Gottwik M, Ukena C. Publication performance of women compared to men in German cardiology. *International Journal of Cardiology* 2015;**181**:267-9. [PUBMED: 25535689]
- * Papoutsis K, Ukena C, Gottwik M, Bohm M. Predictive value of congress abstracts for later publication: analysis of the the congresses 2006-2010 of the German Cardiac Society [Prädiktiver Wert der Evaluation von Kongressabstracts für die Publikationshäufigkeit und -qualität: Analyse der Jahreskongresse der Deutschen Gesellschaft für Kardiologie]. *Deutsche Medizinische Wochenschrift (1946)* 2015;**140**(6):e56-9. [PUBMED: 25774738]
- Papp 2011** {published data only}
- Papp KK, Baker EA, Dyrbye LN, Elnicki DM, Hemmer PA, Mechaber AJ, et al. Analysis and publication rates of Clerkship Directors in Internal Medicine (CDIM) annual meeting abstracts 1995-2005. *Teaching & Learning in Medicine* 2011;**23**(4):342-6.

Parkar 2013 {published data only}

Parkar A, Vanhoenacker F, Adriaensen M. Duration of intellectual property and scientific output of the ESSR 2008 and 2009. 19th Annual scientific meeting of the European Society of Musculoskeletal Radiology (ESSR) 2012. 2012; Vol. 41, issue 7:874-5.

* Parkar AP, Vanhoenacker FM, van Roij MA. Publication rate of scientific abstracts presented at ESSR 2008 and 2009. *Skeletal Radiology* 2013;**42**(4):561-5.

Patel 2011 {published data only}

Patel AJ, Cherian J, Fox BD, Whitehead WE, Curry DJ, Luerssen TG, et al. Publication patterns of oral and poster presentations at the annual meetings of the Congress of Neurological Surgeons and the American Association of Neurological Surgeons. *Journal of Neurosurgery* 2011;**115**(6):1258-61.

Paulson 2011 {published data only}

Paulson K, Saeed M, Mills J, Cuvelier GD, Kumar R, Morcombe K, et al. Publication bias in blood and marrow transplantation: an analysis of the tandem meeting abstracts. *Biology of Blood and Marrow Transplantation*. 2011; Vol. 17, issue 2:S190.

* Paulson K, Saeed M, Mills J, Cuvelier GD, Kumar R, Raymond C, et al. Publication bias is present in blood and marrow transplantation: an analysis of abstracts at an international meeting. *Blood* 2011;**118**(25):6698-701.

Payne 1999 {published data only}

Payne C. Publication of abstracts presented at diabetes meetings. *Diabetes Care* 1999;**22**(2):362. [MEDLINE: 99183923]

Peng 2006 {published data only}

Peng PH, Wasserman JM, Rosenfeld RM. Factors influencing publication of abstracts presented at the AAO-HNS Annual Meeting. *Otolaryngology - Head & Neck Surgery* 2006;**135**(2):197-203.

Pereyra-Elias 2011 {published data only}

Pereyra-Elias R, Ng-Sueng LF, Toro-Polo LM, Nizama-Via A, Piscocoy A, Mayta-Tristan P. Low publication of the papers presented at the congresses of Gastroenterology Society of Peru 1998-2008. *Revista de Gastroenterologia del Peru* 2011;**31**(2):124-32.

Perez 2004 {published data only}

Perez S, Hashkes PJ, Uziel Y. The impact of the annual scientific meetings of the Israel Society of Rheumatology as measured by publication rates of the abstracts in peer-reviewed journals. *Harefuah* 2004;**143**(4):266-9, 319.

Perron 2011 {published data only}

Perron BE, Taylor HO, Vaughn MG, Grogan-Kaylor A, Ruffolo MC, Spencer M. From SSWR to peer-reviewed publication: how many live and how many die?. *Research on Social Work Practice* 2011;**21**(5):594-8.

Petticrew 1999 {published data only}

Petticrew M, Gilbody S, Song F. Lost information? The fate of papers presented at the 40th Society for Social Medicine Conference. *Journal of Epidemiology and Community Health* 1999;**53**:442-3. [MEDLINE: 99422410]

Petticrew 2008 {published data only}

Petticrew M, Egan M, Thomson H, Hamilton V, Kunkler R, Roberts H. Publication bias in qualitative research: what becomes of qualitative research presented at conferences?. *Journal of Epidemiology and Community Health* 2008;**62**(6):552-4.

Pinheiro 2009 {published data only}

Masson AL, Mangabeira A, Bueno da Silva AE, Saad ED. Assessment of the Brazilian scientific production based on papers selected for the ASCO annual meetings: where are we going? [Avaliação da Produção Científica Brasileira pelos Trabalhos Seleccionados para Encontros Anuais da ASCO: para onde estamos indo?]. *Revista Brasileira de Oncologia Clínica* 2008;**5**(15):7-13.

* Pinheiro CM, Masson AL, Faingezicht AM, Borghesi G, Rotea W Jr, Prisco FE, et al. Brazilian studies presented at the ASCO annual meetings - 2001 through 2007: increasing output with low publication rates [Estudos Brasileiros Apresentados nos Encontros Anuais da ASCO entre 2001 e 2007: Aumento de Produção, com Baixa Taxa de Publicação]. *Revista Brasileira de Cancerologia* 2009;**55**:221-7.

Polyzos 2011 {published data only}

Polyzos NP, Valachis A, Patavoukas E, Papanikolaou EG, Messinis IE, Tarlatzis BC. Are presentations eventually getting published in a peer-review journal?. *Human Reproduction: ESHRE annual meeting*. 2010; Vol. 25:i258-9.

* Polyzos NP, Valachis A, Patavoukas E, Papanikolaou EG, Messinis IE, Tarlatzis BC, et al. Publication bias in reproductive medicine: from the European Society of Human Reproduction and Embryology annual meeting to publication. *Human Reproduction* 2011;**26**(6):1371-6.

Post 2013 {published data only}

Post RE, Mainous AG 3rd, O'Hare KE, King DE, Maffei MS. Publication of research presented at STFM and NAPCRG conferences. *Annals of Family Medicine* 2013;**11**(3):258-61. [PUBMED: 23690326]

Prendergast 2013 {published data only}

Prendergast S, Mattishent K, Broughton T, Beales I. Is gastroenterology research in decline? A comparison of abstract publication rates from The British Society of Gastroenterology meetings between 1995 and 2005. *F1000Research* 2013;**2**:59-64.

Preston 2005 {published data only}

Preston CF, Bhandari M, Fulkerson E, Ginat D, Egol KA, Koval KJ. The consistency between scientific papers presented at the Orthopaedic Trauma Association and their subsequent full-text publication. *Journal of Orthopaedic Trauma* 2006;**20**(2):129-33.

* Preston CF, Bhandari M, Fulkerson E, Ginat D, Koval KJ, Egol KA. Podium versus poster publication rates at the

Orthopaedic Trauma Association. *Clinical Orthopaedics and Related Research* 2005;**437**:260-4.

Prohaska 2013 {published data only}

Prohaska E, Generali J, Zak K, Grauer D. Publication rates of abstracts presented at five national pharmacy association meetings. *Hospital Pharmacy* 2013;**48**(3):219-26. [PUBMED: 24421465]

Propst 2015 {published and unpublished data}

Propst K, O'Sullivan D, Tulikangas P. Quality evaluation of abstracts presented at the Society of Gynecologic Surgeons annual scientific meeting. *Journal of Minimally Invasive Gynecology* 2015;**22**(6):1045-8.

Rabenda 2015 {published data only}

Rabenda V, Bruyere O, Cooper C, Rizzoli R, Buckinx F, Quabron A, et al. Publication outcomes of the abstracts presented at the 2011 European Congress on Osteoporosis, Osteoarthritis and Musculo-Skeletal Diseases (ECCEO-IOF11): a position paper of the European Society for Clinical and Economical Aspects of Osteoporosis, Osteoarthritis and Musculo-Skeletal Diseases (ESCEO) and the International Osteoporosis and Other Skeletal Diseases Foundation (IOF). *Archives of Osteoporosis* 2015;**10**:11. [PUBMED: 25910868]

Ramsey 1995 {published data only}

Ramsey G, Sherman LA. The publication rate of scientific abstracts presented at the American Association of Blood Banks annual meeting. *Transfusion*. 1995; Vol. 35, issue 10:S1.

Rao 2006 {published data only}

Rao AR, Beatty JD, Laniado M, Motiwala HG, Karim OM. Publication rate of abstracts presented at the British Association of Urological Surgeons annual meeting. *BJU International* 2006;**97**(2):306-9.

Ravn 2014 {published data only}

Ravn AK, Petersen DB, Folkestad L, Hallas P, Brabrand M. Full-text publication of abstracts in emergency medicine in Denmark. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine* 2014;**22**:33. [PUBMED: 24887146]

Richling 2014 {published data only}

Richling SM, Rapp JT, Funk JA, D'Agostini J, Garrido N, Moreno V. Low publication rate of 2005 conference presentations: implications for practitioners serving individuals with autism and intellectual disabilities. *Research in Developmental Disabilities* 2014;**35**(11):2744-50. [PUBMED: 25077833]

Riessland 2004 {published data only}

Riessland M, Tomalik-Scharte D, Fuhr U. Do data presented at an American Society for Clinical Pharmacology and Therapeutics meeting make it to full publication?. *Clinical Pharmacology & Therapeutics* 2004; Vol. 75, issue 1:123-4.

Riordan 2000 {published data only}

Riordan FAI. Do presenters to paediatric meetings get their work published?. *Archives of Disease in Childhood* 2000;**83**:524-6. [MEDLINE: 20539806]

Rodriguez 2012 {published data only}

Rodriguez JL, Laskin DM. Subsequent publication of oral and maxillofacial surgery meeting abstracts. *Journal of Oral and Maxillofacial Surgery* 2012;**70**(5):1261-4.

Rollin 2009 {published data only}

Rollin L, Darmoni S, Caillard JF, Gehanno JF. Fate of abstracts presented at an International Commission on Occupational Health (ICOH) congress - followed by publication in peer-reviewed journals?. *Scandinavian Journal of Work Environment & Health* 2009;**35**(6):461-5.

Rosmarakis 2005 {published data only}

Rosmarakis ES, Soteriades ES, Vergidis PI, Kasiakou SK, Falagas ME. From conference abstract to full paper: differences between data presented in conferences and journals. *FASEB Journal* 2005;**19**(7):673-80.

Roukis 2011 {published data only}

Roukis TS. Publication rates of manuscript presentations at the American College of Foot and Ankle Surgeons annual scientific conference between 1999 and 2008. *Journal of Foot & Ankle Surgery* 2011;**50**(4):416-9.

Roy 2001 {published data only}

Roy D, Sankar V, Hughes JP, Jones A, Fenton JE. Publication rates of scientific papers presented at the Otorhinolaryngological Research Society meetings. *Clinical Otolaryngology* 2001;**26**:253-6. [MEDLINE: 21331463]

Rubin 2014 {published and unpublished data}

Rubin JN, Atkinson CD, Viana A, Neviackas J, deHaan KP, Shergill K, et al. The fate and reliability of endoscopy research presented at Digestive Disease Week. *Gastrointestinal Endoscopy* 2014;**80**(3):504-7. [PUBMED: 25012559]

Saad 2008 {published data only}

Saad ED, Pinheiro CM, Masson AL, Borghesi G, Hoff PM, Prisco FE. Increasing output and low publication rate of Brazilian studies presented at the American Society of Clinical Oncology Annual Meetings. *Clinics* 2008;**63**(3):293-6.

Saeed 2011 {published data only}

Paulson C, Saeed M, Szwajcer D, Seftel M. Where have all the abstracts gone? publication bias in blood and marrow transplantation. *Haematologica*. 2010; Vol. 95, issue Suppl 2:644.

* Saeed M, Paulson K, Lambert P, Szwajcer D, Seftel M. Publication bias in blood and marrow transplantation. *Biology of Blood & Marrow Transplantation* 2011;**17**(6):930-4.

Salami 2013 {published data only}

Salami K, Alkayed K. Publication bias in pediatric hematology and oncology: analysis of abstracts presented at the annual meeting of the American Society of Pediatric Hematology and Oncology. *Pediatric Hematology and Oncology* 2013;**30**(3):165-9. [PUBMED: 23461713]

Saldanha 2016 {published data only}

Rodriguez-Barraquer I, Swenor B, Scherer R, Dickersin K. Commercial relationships, funding and full publication of randomized controlled trials initially reported in conference abstracts. Sixth International Congress on Peer Review and Biomedical Publication. 2009;13-4.

* Saldanha IJ, Scherer RW, Rodriguez-Barraquer I, Jampel HD, Dickersin K. Dependability of results in conference abstracts of randomized controlled trials in ophthalmology and author financial conflicts as a factor associated with full publication. *Trials* 2016; Vol. 26, issue 17:213.

Sanders 2001 {published data only}

* Sanders DS, Carter MJ, Hurlstone DP, Lobo AJ, Hoggard N. Research outcomes in British gastroenterology: an audit of the subsequent full publication of abstracts presented at the British Society of Gastroenterology. *Gut* 2001;**49**:154-5. [MEDLINE: 21337145]

Sanders DS, Carter MJ, Hurlstone JP, Hoggard N, Lobo AJ. Full publication of abstracts presented at the British Society of Gastroenterology. *Gut*. 2000; Vol. 46:A18.

Sanossian 2006 {published data only}

Sanossian N, Ohanian AG, Kim LI, Saver JL, Ovbiagele B. Is there publication bias in the stroke literature? Factors associated with full publication of stroke research originally presented in abstract form. *Stroke*. 2006; Vol. 37, issue 2:743.

* Sanossian N, Ohanian AG, Saver JL, Kim LI, Ovbiagele B. Frequency and determinants of nonpublication of research in the stroke literature. *Stroke* 2006;**37**(10):2588-92.

Sanz Arrufat 2003 {published data only}

Sanz Arrufat A. Proportion of reports published after their presentation in meetings of Farmacia Hospitalaria [Proporción de comunicaciones publicadas tras su presentación en congresos de Farmacia Hospitalaria]. *Farmacia Hospitalaria* 2003;**27**(4):224-30.

Sawatsky 2015 {published and unpublished data}

Sawatsky A, Beckman TJ, Wang AT. Publication rates of medical education abstracts presented at the Society of General Internal Medicine 2009 annual meeting. *Journal of General Internal Medicine*. 2014; Vol. 29:s188.

* Sawatsky AP, Beckman TJ, Edakkanambeth Varayil J, Mandrekar JN, Reed DA, Wang AT. Association between study quality and publication rates of medical education abstracts presented at the Society of General Internal Medicine annual meeting. *Journal of General Internal Medicine* 2015;**30**(8):1172-7. [PUBMED: 25814265]

Scherer 1994 {published data only}

Scherer RW. Erratum: Full publication of results initially presented in abstracts (Journal of the American Medical Association (July 13, 1994) 272 (158-162)). *JAMA* 1994; Vol. 272, issue 18:1410.

Scherer RW, Dickersin K. Publication of randomized clinical trials in vision research submitted as abstracts to national

ophthalmology meetings. *Controlled Clinical Trials*. 1992; Vol. 13:421.

* Scherer RW, Dickersin K, Langenberg P. Full publication of results initially presented in abstracts. *JAMA* 1994;**272**(2):158-62. [MEDLINE: 94285369]

Schibilsky 2014 {published and unpublished data}

Schibilsky D, Haller C, Woernle B, Krueger T, Glanville A, Reichensperner H, et al. The scientific impact of the annual meeting of the International Society for Heart & Lung Transplantation. *Journal of Heart and Lung Transplantation*. 2014; Vol. 33, issue 4:S9.

Schnatz 2008 {published and unpublished data}

Schnatz PF, Romegialli A, Abrantes J, Marakovits K, Cunningham D, O'Sullivan DM, et al. The North American Menopause Society: from abstract to publication. *Menopause* 2008;**15**(5):996-1001.

Schoenfeld 2012 {published data only}

Fuller BC, Dowd TC, Masini BD, Gerlinger TL. Publication rates of abstracts presented at the annual meeting of the Society of Military Orthopaedic Surgeons. *Journal of Surgical Orthopaedic Advances* 2011;**21**(2):88-91.

* Schoenfeld AJ, Carey PA, Frye BD, Weaver CR, Belmont PJ. Publication rate of presentations at an annual military orthopaedic meeting. *Journal of Surgical Orthopaedic Advances* 2012;**21**(4):204-9.

Scholey 2005 {published data only}

Scholey JM, Harrison JE. Delay and failure to publish dental research. *Evidence-Based Dentistry* 2005;**6**(3):58-61.

Schulte 2012a {published data only}

Schulte TL, Trost M, Osada N, Huck K, Lange T, Gosheger G, et al. Publication rate of abstracts presented at the annual congress of the German Society of Orthopaedics and Trauma Surgery. *Archives of Orthopaedic & Trauma Surgery* 2012;**132**(2):271-80.

Schulte 2012b {published data only}

Schulte T, Huck K, Osada N, Trost M, Bullmann V. Publication rate of scientific congress presentations at the annual meeting of the Spine Society of Europe. *European Spine Journal*. 2010; Vol. 19, issue 11:2017.

Schulte TL, Huck K, Osada N, Trost M, Bullmann V. Publication rate of congress presentations at the Spine Society of Europe. *European Spine Journal*. 2011; Vol. 20, issue 4:s531.

* Schulte TL, Huck K, Osada N, Trost M, Lange T, Schmidt C, et al. Publication rate of abstracts presented at the annual congress of the Spine Society of Europe (years 2000-2003). *European Spine Journal* 2012;**21**(10):2105-12. [DOI: [10.1007/s00586-012-2211-5](https://doi.org/10.1007/s00586-012-2211-5)]

Schwartz 1992 {published data only}

Schwartz RJ, Jacobs LM. Analysis and comparison of research abstracts at AAMS, 1987-1990. *Journal of Air Medical Transport* 1992;**11**(6):7-11.

Seaton 1981 {published data only}

Seaton WH, Cosker L, Weinrod H. Post-convention dissemination of papers presented at AHA national conventions, 1967-1976: stuttering, hearing aids, and alaryngeal speech. *ASHA* 1981;**23**(6):425-33. [MEDLINE: 83230904]

Seaton 1983 {published data only}

Seaton WH, Bermejo J. The 1978 ASHA national convention: III. journal publication fate of convention presentations. *International Journal of Rehabilitation Research* 1983;**6**(2):27-39. [MEDLINE: 84007159]

Sebel 2001 {published data only}

Sebel SJ, Duensing PS. Abstracts from the IARS clinical and scientific congress: proportion published and time to publication. *Anesthesia and Analgesia*. 2001; Vol. 92:S109.

Secil 2005 {published data only}

Secil M, Ucar G, Senturk C, Karasu S, Dicle O. Publication rates of scientific presentations in Turkish national radiology congresses. *Diagnostic & Interventional Radiology* 2005;**11**(2):69-73.

Secil 2007 {published data only}

Secil M, Ucar G, Dicle O. Scientific papers presented at the 2000-2001 European Society of Gastrointestinal and Abdominal Radiology (ESGAR) meetings: publication rates during the period 2000-2004. *European Radiology* 2007;**17**(8):2183-8.

Shelmerdine 2015 {published data only}

Shelmerdine S, Lynch J. Posters to publications in paediatric radiology –worthy of a paper?. *Pediatric Radiology*. 2015; Vol. 1:S329-30.

Siegfried 2007 {published data only}

Siegfried N, Oliver J, Clarke M. Does location affect the publication of trial results presented at conferences? A case-study of African and North American HIV/AIDS trials. XV Cochrane Colloquium; 2007 Oct 23-27; Sao Paulo, Brazil. 2007:77.

Simons 2007 {published data only}

Simons FE. Eventual full-text publication of research abstracts presented at an allergy/immunology meeting. *Journal of Allergy and Clinical Immunology* 2007;**119**(2):499-501.

Singh 2015 {published data only}

Singh A, Solanki P, Mishra D. Publication rate of scientific papers presented at the XXVI annual convention of National Neonatology Forum (NEOCON 2006). *Indian Journal of Pediatrics* 2015;**82**(1):25-8. [PUBMED: 25005939]

Sinno 2011 {published data only}

Sinno H, Izadpanah A, Izadpanah A, Gilardino MS. Publication bias in abstracts presented to the annual scientific meeting of the American Society of Plastic Surgeons. *Plastic & Reconstructive Surgery* 2011;**128**(2):106e-8e.

Sivan 2010 {published data only}

Sivan M, Smith M, Bavikatte G, Bradley L. The academic value of rehabilitation medicine meetings. *Disability & Rehabilitation* 2010;**32**(23):1894-6.

Smart 2013 {published data only}

Smart RJ, Susarla SM, Kaban LB, Dodson TB. Factors associated with converting scientific abstracts to published manuscripts. *Journal of Craniofacial Surgery* 2013;**24**(1):66-70.

Smith 2007 {published data only}

Cancel QV, Smith WA, Tseng TY, Vieweg J, Dahm P. Factors associated with the full publication of studies presented in abstract form at the annual meeting of the AUA. *Journal of Urology*. 2006; Vol. 175, issue 4:77-8.

* Smith WA, Cancel QV, Tseng TY, Sultan S, Vieweg J, Dahm P. Factors associated with the full publication of studies presented in abstract form at the annual meeting of the American Urological Association. *Journal of Urology* 2007;**177**(3):1084-8; discussion 1088-9.

Smith 2011a {published data only}

Smith HD, Bogenschutz ED, Bayliss AJ, Altenburger PA, Warden SJ. Full-text publication of abstract-presented work in physical therapy: do therapists publish what they preach?. *Physical Therapy* 2011;**91**(2):234-45.

Smith 2014 {published data only}

Smith S, Kind T, Beck G, Schiller J, McLauchlan H, Harris M, et al. Further dissemination of medical education projects after presentation at a pediatric national meeting (1998-2008). *Teaching and Learning in Medicine* 2014;**26**(1):3-8. [PUBMED: 24405340]

Smollin 2006 {published data only}

Smollin CG, Nelson LS. Official Journal of the American College of Medical Toxicology: Publication of abstracts presented at 2001 NAACT. *Journal of Medical Toxicology* 2006;**2**(3):97-100.

Snedeker 2010 {published data only}

Snedeker KG, Campbell M, Totton SC, Guthrie A, Sargeant JM. Comparison of outcomes and other variables between conference abstracts and subsequent peer-reviewed papers involving pre-harvest or abattoir-level interventions against foodborne pathogens. *Preventive Veterinary Medicine* 2010;**97**(2):67-76.

* Snedeker KG, Totton SC, Sargeant JM. Analysis of trends in the full publication of papers from conference abstracts involving pre-harvest or abattoir-level interventions against foodborne pathogens. *Preventive Veterinary Medicine*: 2010;**95**(1-2):1-9.

Song 2010 {published data only}

Song J, Hwang DH, Ricciotti RW, Li M, Chang A. The outcome of USCAP abstracts. *Laboratory Investigation*. 2010; Vol. 90:125A.

* Song J, Li M, Hwang DH, Ricciotti RW, Chang A. The outcome of abstracts presented at the United States and Canadian Academy of Pathology annual meetings. *Modern Pathology* 2010;**23**(5):682-5.

St John 2013 {published and unpublished data}

St John AT, Hewett DG. Low rate of publication following abstract submission to AGW 2009 for advanced trainees in gastroenterology. *Journal of Gastroenterology and Hepatology*. 2013; Vol. 28, issue Suppl 2:127.

Stöcker 2009 {published data only}

Stöcker J, Fischer T, Hummers-Pradier E. Better than presumed - German College of General Practitioners' (DEGAM) congress abstracts and published articles. [German]. *Zeitschrift für Allgemeinmedizin* 2009;**85**(3):123-9.

Stolk 2002 {published and unpublished data}

Stolk P, Egberts AC, Leufkens HG. Fate of abstracts presented at five International Conferences on Pharmacoepidemiology (ICPE): 1995-1999. *Pharmacoepidemiology and Drug Safety* 2002;**11**:105-11. [MEDLINE: 21995555]

Stranges 2015 {published data only}

Stranges PM, Vouri SM, Bergfeld F, Crain M, Jindal N, Erdbruegger M, et al. Pharmacy resident publication success: factors of success based on abstracts from a regional meeting. *Currents in Pharmacy Teaching & Learning* 2015;**7**(6):780-6.

Sullivan 2014 {published data only}

Sullivan JF, Dowling CM, Power RE. Publication rates of abstracts presented at the Irish Society of Urology annual meeting: analysis and predictors of conversion to full text articles. *BJUI*. 2014; Vol. 114:19.

Sun 2011 {published data only}

Sun MT, Wong CX, Casson R, Selva D. Trends and impact of ophthalmology research. *Ophthalmology* 2011; Vol. 118, issue 6:1216.e3-4. [PUBMED: 21640261]

Susarla 2015 {published data only}

Susarla SM, Lopez J, Mundinger GS, Lifchez SD, Redett RJ. Abstract presentations by residents at an intramural research day: what factors affect publication?. *Journal of Surgical Education* 2015;**72**(4):566-71.

Tam 2008 {published data only}

Tam VC, Hotte SJ. Consistency of phase III clinical trial abstracts presented at an annual meeting of the American Society of Clinical Oncology compared with their subsequent full-text publications. *Journal of Clinical Oncology* 2008;**26**(13):2205-11.

Tam 2011 {published data only}

Tam VC, Tannock I, Rauw J, Krzyzanowska MK. A compendium of unpublished phase III trials in oncology: characteristics and impact on clinical practice. *Journal of Clinical Oncology*. 2010; Vol. 28, issue 15 SUPPL. 1.

* Tam VC, Tannock IF, Massey C, Rauw J, Krzyzanowska MK. Compendium of unpublished Phase III trials in oncology: characteristics and impact on clinical practice. *Journal of Clinical Oncology*: 2011;**29**(23):3133-9.

Tambuscio 2010 {published data only}

Tambuscio S, Boghossian E, Sauvageau A. From abstract to publication: the fate of research presented at an annual forensic meeting. *Journal of Forensic Sciences* 2010;**55**(6):1494-8.

Tan 2010 {published data only}

Tan PC, Graham CA. Full text publication rates of studies presented at an Asian emergency medicine scientific meeting. *Hong Kong Journal of Emergency Medicine* 2010;**17**(2):154-7.

Theman 2014 {published data only}

Theman TA, Labow BI, Taghinia A. Discrepancies between meeting abstracts and subsequent full text publications in hand surgery. *Journal of Hand Surgery* 2014;**39**(8):1585-90.e3. [PUBMED: 24934603]

Tieman 2010 {published data only}

Tieman JJ, Abernethy A, Currow DC. Not published, not indexed: issues in generating and finding hospice and palliative care literature. *Journal of Palliative Medicine* 2010;**13**(6):669-75.

Timmer 2001 {published data only}

Timmer A, Blum T, Lankisch PG. Publication rates following pancreas meeting. *Pancreas* 2001;**23**:212-5. [MEDLINE: 21377152]

Timmer 2002 {published and unpublished data}

Timmer A, Cole JH, Macarthur C, Brasher P, Hailey D, Sutherland LR. Acceptance by the AGA is the single best indicator of subsequent full publication of research. *Gastroenterology*. 1998; Vol. 114:G0185.

* Timmer A, Hilsden RJ, Cole J, Hailey D, Sutherland LR. Publication bias in gastroenterological research - a retrospective cohort study based on abstracts submitted to a scientific meeting. *BMC Medical Research Methodology* 2002;**2**:7. [MEDLINE: 22944932]

Todd 1997 {published and unpublished data}

Todd NW. Selection of abstracts for an otolaryngology meeting: correlation of blinding with subsequent publication. *Proceedings of The International Congress on Biomedical Peer Review and Global Communications*; 1997 Sept 17-21; Prague, Czech Republic. 1997:47.

Toma 2006 {published data only}

Toma M, McAlister FA, Bialy L, Adams D, Vandermeer B, Armstrong PW. Transition from meeting abstract to full-length journal article for randomized controlled trials. *JAMA* 2006;**295**(11):1281-7.

Toro-Polo 2012 {published data only}

Toro-Polo M, Pereyra-Elías R, Nizama-Vía A, Ng-Sueng LF, Vélez-Segovia E, Galán-Rodas E, et al. Publication of summaries presented at the scientific congresses of medical students, Peru 2002-2009: characteristics and related factors [Publicación de los trabajos presentados a los congresos científicos de estudiantes de medicina, Perú 2002-2009: características y factores asociados]. *Revista Peruana de Medicina Experimental y Salud Publica* 2012;**29**(4):461-8.

Turpen 2010 {published data only}

* Turpen RM, Fesperman SF, Smith WA, Vieweg J, Dahm P. Reporting quality and information consistency of randomized, controlled trials presented as abstracts at the American Urological Association annual meetings. *Journal of Urology* 2010;**184**(1):249-53.

Turpen RM, Smith WA, Fesperman SF, Parekattil SJ, Vieweg JW, Dahm P. An observational study of the information consistency of urological abstracts and subsequent full-text publications. *Journal of Urology* 2009;**181**(4):5-5.

Tyagi 2013 {published data only}

Tyagi A, Chugh V, Kumar S, Sethi AK. Presentation of research in anesthesia: culmination into publication?. *Journal of Anaesthesiology, Clinical Pharmacology* 2013;**29**(2):216-20. [PUBMED: 23878445]

ul Haq 2011 {published data only}

ul Haq MI, Gill I. Observational analysis of BOA free-papers (2001): from presentation to publication and comparison with the American Academy of Orthopaedic Surgeons (AAOS). *Injury* 2011;**42**(4):418-20.

Uysal 2008 {published data only}

Uysal S, Tuglu B, Ozalp Y, Onvural B. Fate of abstracts presented at the 2002 IFCC meeting. *Clinical Chemistry and Laboratory Medicine* 2008;**46**(11):1562-7.

Uzun 2013 {published data only}

Uzun G, Mutluoglu M, Bakir A, Senocak MS. Fate of abstracts presented at the annual scientific meeting of the Undersea and Hyperbaric Medical Society. *Undersea & Hyperbaric Medicine* 2013;**40**(5):387-93. [PUBMED: 24224282]

Valderrama-Zurian 2009 {published data only}

Valderrama-Zurian JC, Bolanos-Pizarro M, Bueno-Canigral FJ, Alvarez FJ, Ontalba-Ruiperez JA, Aleixandre-Benavent R. An analysis of abstracts presented to the college on problems of drug dependence meeting and subsequent publication in peer review journals. *Substance Abuse Treatment, Prevention, and Policy* 2009;**4**:19.

Van Balken 2005 {published data only}

Van Balken MR. Publication as article of abstracts presented at the scientific meeting of the NVU. [Dutch]. *Nederlands Tijdschrift voor Urologie* 2005;**13**(1):11-5.

van der Steen 2004 {published data only}

van der Steen LP, Hage JJ, Loonen MP, Kon M. Full publication of papers presented at the 1995 through 1999 European Association of Plastic Surgeons annual scientific meetings: a systemic bibliometric analysis. *Plastic and Reconstructive Surgery* 2004;**114**(1):113-20.

Van Royen 2010 {published data only}

Van Royen P, Sandholzer H, Griffiths F, Lionis C, Rethans JJ, Gali F, et al. Are presentations of abstracts at EGPRN meetings followed by publication?. *European Journal of General Practice* 2010;**16**(2):100-5.

Varghese 2011 {published data only}

Varghese RA, Chang J, Miyanji F, Reilly CW, Mulpuri K. Publication of abstracts submitted to the annual meeting of the Pediatric Orthopaedic Society of North America: is there a difference between accepted versus rejected abstracts?. *Journal of Pediatric Orthopaedics* 2011;**31**(3):334-40.

Vecchi 2009 {published data only}

Vecchi S, Belleudi V, Amato L, Davoli M. Full publication of abstracts submitted at a major international conference on drug addiction: a longitudinal study. XIV Cochrane Colloquium; 2006 October 23-26; Dublin, Ireland.. 2006:157.

* Vecchi S, Belleudi V, Amato L, Davoli M, Perucci CA. Does direction of results of abstracts submitted to scientific conferences on drug addiction predict full publication?. *BMC Medical Research Methodology* 2009;**9**:23.

Vo 2005 {published data only}

Vo PG, Nichol MB, Borok GM. An analysis of publication rates of abstracts presented at the International Society for Pharmacoeconomics and Outcomes Research (ISPOR) International and European Conferences during years 2000 through 2003. *Value in Health*. 2005; Vol. 8, issue 3:291.

Vogt 2008 {published data only}

Vogt L, Schunck NM, Himmelreich H, Banzer W. Publication rate of abstracts presented at the congress of the German Sports Medicine Association in 1997. *Deutsche Zeitschrift Fur Sportmedizin* 2008;**59**(4):95-7.

von Hardenberg 2013 {published data only}

Von Hardenberg J, Worst TS, Weiß C, Michel MS. How can the quality of congresses be improved? Results from an analysis of the annual congress of the German Society of Urology. *European Urology Supplements*. 2014; Vol. 1, issue 13:e884.

* von Hardenberg J, Worst T, Weiß C, Michel MS. Abstracts at congresses of the German Society of Urology. Trends and quality [Beitrage des Kongresses der Deutschen Gesellschaft fur Urologie. Trends und Qualitat]. *Der Urologe. Ausg. A* 2013;**52**(9):1296-301. [PUBMED: 23942740]

Vuckovic-Dekic 2001 {published data only}

Vuckovic-Dekic L, Gajic-Veljanoski O, Jovicevic-Bekic A, Jelic S. Research results presented at scientific meetings: to publish or not?. *Archives of Oncology* 2001;**9**:161-3.

Wai 2006 {published data only}

Wai EK, Vexler L, Fraser RD. The International Society for the Study of the Lumbar Spine: research trends over time and publication rates. *Spine* 2006;**31**(26):3070-5.

Walby 2001 {published data only}

Walby A, Kelly AM, Georgakas C. Abstract to publication ratio for papers presented at scientific meetings: how does emergency medicine compare?. *Emergency Medicine* 2001;**13**:460-4. [MEDLINE: 21906287]

Walsh 2013 {published data only}

Walsh CM, Fung M, Ginsburg S. Publication of results of abstracts presented at medical education conferences. *JAMA* 2013; Vol. 310, issue 21:2307-9. [PUBMED: 24302094]

Wang 1999 {published data only}

Wang JC, Yoo S, Delamarter RB. The publication rates of presentations at major spine specialty society meetings (NASS, SRS, ISSLS). *Spine* 1999;**24**(5):425-7. [MEDLINE: 99183923]

Waters 2011 {published data only}

Waters L, Soni S, Fisher M. Quality not quantity? Publication success following BHIVA presentation. *HIV Medicine*. 2011; Vol. 12:14.

Weale 2006 {published data only}

Weale AR, Edwards AG, Lear PA, Morgan JD. From meeting presentation to peer-review publication - a UK review. *Annals of the Royal College of Surgeons of England* 2006;**88**(1):52-6.

Weitz 2005 {published data only}

Weitz JC, Silva C. Presentations versus publications: an analysis of papers presented at five Chilean Congresses of Gastroenterology (1998-2002) [Presentación versus publicación. Análisis de trabajos presentados en Congresos Chilenos de Gastroenterología 1998 al 2002]. *Gastroenterol. latinoam* 2005;**16**(3):287-92.

Whitehouse 2009 {published data only}

Whitehouse MR, Atwal NS, Blom AW. Publication rates for hip surgery-related abstracts presented at national and international meetings. *Orthopedics* 2009;**32**(6):407.

Wieser 2015 {published and unpublished data}

Wieser M, Braun C, Moens Y. Publication rate of studies presented at veterinary anaesthesia specialty meetings during the years 2003-2008. *Veterinary Anaesthesia and Analgesia* 2015;**43**(2):118-27. [PUBMED: 26267162]

Wilson 2015 {published and unpublished data}

Wilson C, Kerr D, Noel-Storr A, Quinn TJ. Associations with publication and assessing publication bias in dementia diagnostic test accuracy studies. *International Journal of Geriatric Psychiatry* 2015;**30**(12):1250-6.

Winnik 2012 {published data only}

Winnik S, Raptis DA, Komajda M, Bax JJ, Tendera M, Fox K, et al. The peer review process of the ESC - impact on cardiovascular science in Europe. *European Heart Journal*. 2012; Vol. 32:701.

* Winnik S, Raptis DA, Walker JH, Hasun M, Speer T, Clavien P-A, et al. From abstract to impact in cardiovascular research: factors predicting publication and citation. *European Heart Journal* 2012;**33**(24):3034-5.

Wong 2006 {published data only}

Wong SW, Crowe PJ. Does presentation at the Registrars' Papers Day predict future publication?. *ANZ Journal of Surgery* 2006;**76**(6):522-5.

Wong 2009 {published data only}

* Wong CX, Wong MX, Wong NX, Sun MT, Brooks AG, Stiles MK, et al. Impact of research presentations at the annual scientific sessions of the Heart Rhythm Society. *Heart Rhythm* 2009;**6**(9):1345-8.

Wong NX, Wong CX, Sun MT, Wong MX, Brooks AG, Stiles MK, et al. Abstract presentations at the Heart Rhythm Society's annual scientific sessions: publication rates and impact on the literature. *Heart Rhythm*. 2009; Vol. 6, issue 5 (Suppl. 1):S43-4.

Wong 2013 {published data only}

Wong CX, Sun MT, Cheng YH, Dang J, Barlow DS, Chia NH, et al. Temporal and comparative outcomes of cardiac electrophysiology abstracts. *American Journal of Cardiology* 2013;**112**(2):251-4. [PUBMED: 23582627]

Yalcinkaya 2013 {published data only}

Yalcinkaya M, Bagatur E. Fate of abstracts presented at a National Turkish Orthopedics and Traumatology congress: publication rates and consistency of abstracts compared with their subsequent full-text publications. *Acta Orthopaedica et Traumatologica Turcica* 2013;**47**(4):223-30. [PUBMED: 23999508]

Yamaguchi 1990 {published data only}

Yamaguchi N. Rate of presentations at medically-oriented meetings in Japan becoming full-length journal articles questionnaire responses [圈内医学関連学会における発表のフルペーパーとなる割合]. ##### 1990;**37**(3):125-30.

Yentis 1993 {published data only}

Yentis SM, Campbell FA, Lerman J. Publication of abstracts presented at anaesthesia meetings. *Canadian Journal of Anaesthesia* 1993;**40**(7):632-4. [MEDLINE: 94006833]

Yilmaz 2013 {published data only}

Yilmaz S, Kalyoncu U, Cinar M, Karadag O, Koca SS, Simsek I, et al. Features and publication rates of scientific abstracts presented at a rheumatology congress--EULAR 2008. *Bulletin of the Hospital for Joint Disease (2013)* 2013;**71**(2):124-7. [PUBMED: 24032612]

Yolcu 2015 {published data only}

Yolcu U, Ozcan A. Publication rates in peer-reviewed journals of abstracts presented at the Oral and Maxillofacial Surgery Society of Turkey meetings 2007-2012. *British Journal of Oral and Maxillofacial Surgery* 2015;**53**(9):849-53.

Yoo 2002 {published data only}

Yoo S, Oh G, Wang JC. Publication rates of presentations made at annual meetings of the American Orthopaedic Society of Sports Medicine and the Arthroscopy Association of North America. *American Journal of Orthopedics* 2002;**6**:367-9. [MEDLINE: 22078287]

Yoon 2007 {published data only}

Yoon RS, Lloyd EW, McGrory B, Bal BS, Macaulay W. Studies presented in poster format at the annual meetings of the American Association of Hip And Knee Surgeons: how do they fare in the peer review process?. *Journal of Arthroplasty* 2007;**22**(6 Suppl 2):17-20.

Yoon 2010 {published data only}

Yoon JH, Lee HS, Kim CD. The analysis and full-length publication ratio of paper for pancreato-biliary abstracts presented at the scientific meeting [국내학술대회 채담도분야 발표연제 분석 및 논문화 비율]. ##### [Korean Pancreatobiliary Association Journal] 2010;**15**(2):128-34.

Yoon 2012a {published data only}

Yoon U, Knobloch K. Assessment of reporting quality of conference abstracts in sports injury prevention according to CONSORT and STROBE criteria and their subsequent publication rate as full papers. *BMC Medical Research Methodology* 2012;**12**(1):47.

Yoon 2012b {published data only}

Yoon DY, Chalasani V, Woo HH. Conversion rates of abstracts presented at the Urological Society of Australia and New Zealand (USANZ) Annual Scientific Meeting into full-text journal articles. *BJU International* 2012;**110**:485-9.

Yoshida 2008 {published data only}

Yoshida WB, Holmo NF, Corregliano GT, Baldon KM, Silva ND. Indexed publications generated from abstracts of angiology and vascular surgery congresses in Brazil. [Portuguese]. *Jornal Vascular Brasileiro* 2008;**7**(4):293-7.

Yuan 2011 {published data only}

Yuan JC, Galang MT, Lee DJ, Barao VA, Shyamsunder N, Sukotjo C. Differences between ADEA annual session poster abstracts and their corresponding full published articles. *Journal of Dental Education* 2011;**75**(11):1476-81.

Yun 1999 {published data only}

Yun EH, Chun KA, Kim YJ, Park SH. Fate of Abstracts presented at the scientific meetings of the Korean Radiological Society. *Journal of the Korean Radiological Society* 1999;**41**(5):1029-34.

Zamakhshary 2006 {published data only}

Zamakhshary M, Abuznadah W, Zacny J, Giacomantonio M. Research publication in pediatric surgery: a cross-sectional study of papers presented at the Canadian Association of Pediatric Surgeons and the American Pediatric Surgery Association. *Journal of Pediatric Surgery* 2006;**41**(7):1298-301.

Zaretsky 2002 {published data only}

Zaretsky Y, Imrie K. The fate of phase III trial abstracts presented at the American Society of Hematology. *Blood* 2002;**100**(11):185a.

Zheng 2007 {published data only}

Zheng Y-N, Liu T, Gu Z-Y. Investigation of changes of articles on China national academic stomatological conferences in the last two decades. *Stomatology* 2007;**27**(12):643-5.

References to studies excluded from this review
Agustsdottir 1995 {published data only}

Agustsdottir A, Holcombe J, Wright P, Daffin P, Ogletree G. Publication of patient-related oncology nursing research.

Oncology Nursing Forum 1995;**22**(5):827-30. [MEDLINE: 95406102]

Aleixandre-Benavent 2009 {published data only}

Aleixandre-Benavent R, Gonzalez-Alcaide G, Miguel-Dasit A, Navarro-Molina C, Valderrama-Zurian JC. Full-text publications in peer-reviewed journals derived from presentations at three ISSI conferences. *Scientometrics* 2009;**80**(2):407-18.

Alfaro 2015 {published data only}

Alfaro V. Encore abstracts in medical/scientific meetings [Comunicaciones repetidas en congresos medicos/cientificos]. *Medicina Clinica* 2015; Vol. 144, issue 10:477-8. [PUBMED: 25192580]

Bax 2014 {published data only}

Bax JJ, Delgado V. Abstracts, articles, citations. *Revista Espanola de Cardiologia (English)* 2014; Vol. 67, issue 1:1-2. [PUBMED: 24774256]

Berger 2000 {published data only}

Berger MS. Research abstracts: publish or perish. *Family Medicine* 2000;**32**:7-8. [MEDLINE: 20194790]

Bhandari 2005 {published data only}

Bhandari M, Patenall V, Devereaux PJ, Tornetta P 3rd, Dirschl D, Leece P, et al. An observational study of duplicate presentation rates between two national orthopedic meetings. *Canadian Journal of Surgery. Journal Canadien de Chirurgie* 2005;**48**(2):117-22. [PUBMED: 15887791]

Bydder 2006 {published data only}

Bydder S, Marion K, Taylor M, Semmens J. Assessment of abstracts submitted to the annual scientific meeting of the Royal Australian and New Zealand College of Radiologists. *Australasian Radiology* 2006;**50**(4):355-9. [PUBMED: 16884423]

Callaham 2001 {published data only}

Callaham M, Weber E, Wears R. Citation characteristics of research published in emergency medicine versus other scientific journals. *Annals of Emergency Medicine* 2001;**38**:513-7. [MEDLINE: 21536118]

Castro 2009 {published data only}

Castro RCF. Clinical trials registers and their implicaitons for scientific publication [Registros de ensaios clínicos e as consequências para as publicações científicas]. *Medicina* 2009;**42**(1):31-5.

Cloft 2001 {published data only}

Cloft HJ, Shengelaia GC, Marx WF, Kallmes DF. Preliminary reports and the rates of publication of follow-up reports in peer-reviewed, indexed journals. *Academic Medicine* 2001;**76**:638-41. [MEDLINE: 21294590]

Covington 2012 {published data only}

Covington DL, Churchill P, Crampton LB. Medications in pregnancy abstracts presented at ICPE 2001-2009: trends in subsequent publication. *Pharmacoepidemiology and Drug Safety*. 2012; Vol. 21:341-2.

Cuellar 2005 {published data only}

Cuellar de Leon AJ, Ruiz Garciab V, Cuadrado Escamilla JL. What impact did the papers at the last Atencion Primaria Congress in Castilla-La Mancha have? [Que impacto tuvieron las comunicaciones del ultimo Congreso de Atencion Primaria de Castilla-La Mancha?]. *Atencion Primaria / Sociedad Espanola de Medicina de Familia y Comunitaria* 2005; Vol. 36, issue 1:51-2. [PUBMED: 15946618]

de Carvalho 2013 {published data only}

de Carvalho BR, Braga DP, Setti AS. Abstracts for 2013. *Jornal Brasileiro de Reproducao Assistida* 2013; Vol. 17, issue 4:232.

de Castro 2011 {published data only}

de Castro F. National impact. *Brazilian Journal of Cardiovascular Surgery* 2011;**26**(4):676-7.

Decullier 2007 {published data only}

Decullier E, Chapuis F. Oral presentation bias: a retrospective cohort study. *Journal of Epidemiology and Community Health* 2007;**61**(3):190-3.

De Giorgi 2014 {published data only}

De Giorgi A, Fabbian F, Pala M, Manfredini R, Salmi R. Conversion of conference abstracts to publication: 3-year experience of the Emilia-Romagna and Marche section of the Italian Society of Internal Medicine. *Internal and Emergency Medicine* 2014;**9**(3):355-7. [PUBMED: 24287573]

Dyrbye 2008 {published data only}

Dyrbye LN, Davidson LW, Cook DA. Publications and presentations resulting from required research by students at Mayo Medical School, 1976-2003. *Academic Medicine* 2008;**83**(6):604-10. [PUBMED: 18520471]

Estes 2009 {published data only}

Estes NA 3rd. Abstracts to manuscripts: advancing the HRS research mission. *Heart Rhythm* 2009;**6**(9):1349-50.

Fennewald 2005 {published data only}

Fennewald J. Perished or published: The fate of presentations from the Ninth ACRL Conference. *College & Research Libraries* 2005;**66**(6):517-25.

Floch 2002 {published data only}

Floch MH. Publication of BIOIRON 2001 World Congress abstracts. *Journal of Clinical Gastroenterology*. 2002; Vol. 34, issue 3:199.

Garvey 1970 {published data only}

Garvey WD, Lin N, Nelson CE. Communication in the physical and social sciences: the process of disseminating and assimilating information differ in these two groups of science. *Science* 1970;**170**:1166-73. [MEDLINE: 71030146]

Garvey 1971 {published data only}

Garvey WD, Griffith BC. Scientific communication: its role in the conduct of research and creation of knowledge. *American Psychologist* 1971;**26**:349-62.

Gidding 1992 {published data only}

Gidding SS, Benson W, Clark EB, Rocchini AP. Pediatric cardiology research in 1990: a review of abstracts submitted to the Society for Pediatric Research, American Academy of Pediatrics, and American Heart Association Scientific sessions. *Pediatric Research* 1992;**32**:10-6. [MEDLINE: 92342495]

Godkin 1993 {published data only}

Godkin MA. A successful research assistantship program as reflected by publications and presentations. *Family Medicine* 1993;**25**:45-7. [MEDLINE: 93202355]

Graber 2013 {published data only}

Graber MA, Dachs R, Endres J. Do abstracts of articles in major journals contain the same information as the body of the paper?. *American Family Physician* 2013;**88**(7):466-7. [PUBMED: 24134088]

Harris 2010 {published data only}

Harris P, Takeda A, Loveman E, Hartwell D. Time to full publication of studies of anticancer drugs for breast cancer, and the potential for publication bias. *International Journal of Technology Assessment in Health Care* 2010;**26**(1):110-6.

Hayes 2011 {published data only}

Hayes DF. Clinical trials: the silent minority--unpublished data on cancer care. *Nature Reviews. Clinical Oncology* 2011; Vol. 8, issue 11:631-2. [PUBMED: 21971591]

Holmes 2006 {published data only}

Holmes JF, Sokolove PE, Panacek EA. Ten-year experience with an emergency medicine resident research project requirement. *Academic Emergency Medicine* 2006;**13**(5):575-9. [PUBMED: 16569749]

Hopewell 2006 {published data only}

Hopewell S, Clarke M, Askie L. Reporting of trials presented in conference abstracts needs to be improved. *Journal of Clinical Epidemiology* 2006;**59**(7):681-4. [PUBMED: 16765270]

Hopewell 2007a {published data only}

Hopewell S, Clarke M, Stewart L, Tierney J. Time to publication for results of clinical trials. *Cochrane Database of Systematic Reviews*: 2007;**2**:MR000011.

Huber 2001 {published data only}

Huber TS, Seeger JM. Contribution of the Southern Association for Vascular Surgery to the scientific literature. *Journal of Vascular Surgery* 2001;**34**:393-6. [MEDLINE: 21424442]

Humberto 2011 {published data only}

Humberto RB, Andresen MH, Palma JH. The relevance and fate of abstracts presented in scientific meetings [La importancia y el destino de los resúmenes presentados en reuniones científicas]. *Revista Medica de Chile* 2011;**139**:7-10.

Jourbert 2004 {published data only}

Jourbert G, Cronje HS. From research presentation to publication. *South African Medical Journal* 2004;**94**(12):965-6.

Kain 2010 {published data only}

Kain N, Mishra A, McArthur P. Are we still publishing our presented abstracts from the British Association of Plastic and Reconstructive Surgery (BAPRAS)? *Journal of Plastic, Reconstructive & Aesthetic Surgery* 2010;**63**(9):1572-3.

Kelly 1998 {published data only}

Kelly JA. Scientific meeting abstracts: significance, access, and trends. *Bulletin of the Medical Library Association* 1998;**86**(1):68-76.

Khanna 2013 {published data only}

Khanna SK, Boyko MJ, Heng DY, Vickers MM, Tam VC. Concordance between abstracts, virtual meeting (VM) presentations, and final publication of phase III clinical trials presented at the annual meeting of the American Society of Clinical Oncology. *Journal of Clinical Oncology*. 2013; Vol. 31, issue 15.

Kho 2009 {published data only}

Kho ME, Brouwers MC. Conference abstracts of a new oncology drug do not always lead to full publication: proceed with caution. *Journal of Clinical Epidemiology* 2009;**62**(7):752-8.

Knobloch 2009 {published data only}

Knobloch K. Discrepancies and rates of publication in orthopaedic sports medicine abstracts. *American Journal of Sports Medicine*: 2009; Vol. 37, issue 3:e1-2; author reply e2.

Koren 1986 {published data only}

Koren G. A simple way to improve the chances for acceptance of your scientific paper. *New England Journal of Medicine* 1986; Vol. 315, issue 20:1298. [MEDLINE: 87039240]

Kurien 2014 {published data only}

Kurien M, Ejenavi E, Hopper AD, Sanders DS. Is British gastroenterology research in decline?. *European Journal of Gastroenterology & Hepatology* 2014; Vol. 26, issue 6:686-7. [PUBMED: 24781311]

Leal 2010 {published data only}

Leal AI, Barra WF, Saragiotto DF, Saad ED, Hoff PM. Publication bias in randomized controlled trials (RCTs) of colorectal cancer presented at ASCO Annual Meetings. *Journal of Clinical Oncology*. 2010; Vol. 28, issue 15 Suppl 1.

Leder 1985 {published data only}

Leder O. The scientific value of congresses, of original work published in journals and congress volumes and of fully published texts summarized as congress presentations. *Acta Sterol* 1989;**8**:61-2.

Lohr 2006 {published data only}

Lohr J, Smith JM, Welling R, Engel A, Hasselfeld K, Rusche J. Stimulating resident research in a general surgery residency community program. *Current Surgery* 2006;**63**(6):426-34. [PUBMED: 17084772]

Mallory 1999 {published data only}

Mallory D, McGinniss M. What happens to abstracts?. *Immunohematology* 1999; Vol. 15, issue 3:130.

Manjarin 2009 {published data only}

Manjarin M, Cutri AM, Torres FA, Noguerol ME, Ossorio MF, Duran P, et al. Evaluation of scientific production in a pediatric residency [Evaluación de la producción científica en la residencia de pediatría]. *Archivos Argentinos de Pediatría* 2009;**107**(1):26-9. [PUBMED: 19350140]

Martinez Rubio 2002 {published data only}

Martinez Rubio D, Jarma R, Cintoni J, Saravia Toledo R, Monla C, Wahren C, et al. Pediatric research in Argentina: a systematic review of abstracts presented at the Argentinian Congress of Pediatrics 2000 [La investigación pediátrica en Argentina: un análisis sistemático de los resúmenes de trabajos presentados en el 32 congreso Argentina de Pediatría 2000]. *Archivos Argentinos de Pediatría* 2002;**100**(4):310-5.

McLennan 2009 {published data only}

McLennan MT, Leong FC, Steele AC, Harris JK. The influence of national society annual scientific meetings on publication in general obstetrics and gynecology literature: a urogynecology perspective. *International Urogynecology Journal* 2009;**20**(12):1463-7.

Murphy 2001 {published data only}

Murphy JE, Downhour N. Perceived value and outcomes of residency projects. *American Journal of Health-system Pharmacy* 2001;**58**(10):889-95. [PUBMED: 11381493]

Olsson 2006 {published data only}

Olsson CA. Abstracts presented at American Urological Association annual meeting: determinants of subsequent peer reviewed publication - editorial comment. *Journal of Urology* 2006;**176**(6):2629.

Ramsey 2008 {published data only}

Ramsey S, Scoggins J. Commentary: practicing on the tip of an information iceberg? Evidence of underpublication of registered clinical trials in oncology. *Oncologist* 2008;**13**(9):925-9. [PUBMED: 18794216]

Raptis 2010 {published data only}

Raptis DA, Oberkofler CE, Gouma D, Garden OJ, Bismuth H, Lerut T, et al. Fate of the peer review process at the ESA: long-term outcome of submitted studies over a 5-year period. *Annals of Surgery* 2010;**252**(5):715-25. [PUBMED: 21037426]

Ribic 2011 {published data only}

Ribic C, Lamontagne F, Johnston B, Briel M, You J, Sun X, et al. Concordance of reporting of primary outcomes in abstracts and full text of randomized clinical trials: is there an outcome reporting bias? Poster presentation at the 19th Cochrane Colloquium; 2011 Oct 19-22; Madrid, Spain. *Cochrane Database of Systematic Reviews*, Supplement 2011; Vol. Suppl, issue CD000003:141. [CMR-16788]

Rodriguez 2009 {published data only}

Rodriguez SP, Vassallo JC, Berlin V, Kulik V, Grenoville M. Factors related to the approval, development and publication of research protocols in a paediatric hospital [Factores asociados con la aprobación, desarrollo y publicación de proyectos de

investigacion en un hospital pediatrico]. *Archivos Argentinos de Pediatría* 2009;**107**(6):504-9, e1. [PUBMED: 20049394]

Saad 2010 {published data only}

Saad ED, Mangabeira A, Masson AL, Prisco FE. The geography of clinical cancer research: analysis of abstracts presented at the American Society of Clinical Oncology annual meetings. *Annals of Oncology* 2010;**21**(3):627-32. [PUBMED: 19717537]

Singer 1999 {published data only}

Singer AJ, Homan CS, Brody M, Thode HC, Hollander JE. Evolution of abstracts presented at the annual scientific meetings of academic emergency medicine. *American Journal of Emergency Medicine* 1999;**17**:540-3. [MEDLINE: 99458113]

Smith 2011 {published data only}

Smith H, Rudenko M, Frew A. What happens to abstracts accepted for poster presentation at EAACI Congresses?. *Allergy* 2011;**66**(11):1496-7.

Song 2009 {published data only}

Song F, Parekh S, Hooper L, Loke Y, Ryder J, Sutton A, et al. Extent of dissemination bias from research inception to manuscript submission: meta-analysis of cohort studies of publication bias. Oral presentation at the 17th Cochrane Colloquium; 2009 Oct 11-14, Singapore. Cochrane Database of Systematic Reviews, Supplement:17th Cochrane Colloquium; 2009 Oct 11-14, Singapore. 2009; Vol. Suppl, issue Cd000001:19.

Song 2009a {published data only}

Song FJ, Parekh-Bhurke S, Hooper L, Loke YK, Ryder JJ, Sutton AJ, et al. Extent of publication bias in different categories of research cohorts: a meta-analysis of empirical studies. *BMC Medical Research Methodology*; 2009;**9**:79.

Stewart 2010 {published data only}

Stewart SB, Oepfen RS, Cascarini L, Brennan PA. Educational article: what gets accepted for presentation?--a study of submitted abstracts for the 2009 BAOMS Conference. *British Journal of Oral & Maxillofacial Surgery* 2010;**48**(4):297-300. [PUBMED: 20089335]

Stewart 2013 {published data only}

Stewart M, Chandra R, Chiu A, Hanna E, Kennedy D, Kraus D, et al. The value of resident presentations at scientific meetings. *American Journal of Rhinology & Allergy* 2013; Vol. 27, issue 1:1. [PUBMED: 23530287]

Stovold 2011 {published data only}

Stovold E, Hansen S. Handsearching respiratory conference abstracts: a comparison with abstracts identified by an EMBASE search. Poster presentation at the 19th Cochrane Colloquium; 2011 Oct 19-22; Madrid, Spain. Cochrane Database of Systematic Reviews, Supplement 2011; Vol. Suppl, issue CD000003:60. [CMR-16640]

Takeda 2008 {published data only}

Takeda A, Loveman E, Harris P, Hartwell D, Welch K. Time to full publication of studies of anti-cancer medicines for breast cancer and the potential for publication bias: a short systematic review. *Health Technology Assessment*; 2008;**12**(32):1-46.

Tannenbaum 1978 {published data only}

Tannenbaum A. Current research on scientific and technical information transfer - abstracts and full text of papers delivered at 3 1976 seminars sponsored by national science foundation division of science information. *Library Journal* 1978; Vol. 103, issue 11:1150.

Taran 2008 {published data only}

Taran A, Boger B, Costa SD. European and North American scientific meetings under review: presentation and subsequent publication of breast cancer related abstracts in peer-reviewed journals. *Onkologie* 2008;**31**:150.

Tas 2008 {published data only}

Tas F. The contribution of countries and world regions in productivity of oncological publication. *Annals of Oncology* 2008;**19**(11):1962-8. [PUBMED: 18544556]

Teel 1990 {published data only}

Teel CS. Completing the research process: presentations and publications. *Journal of Neuroscience Nursing* 1990;**22**(2):125-7.

Timmer 2001b {published data only}

Timmer A, Hilsden RJ, Sutherland LR. Determinants of abstract acceptance for the Digestive Diseases Week - a cross sectional study. *BMC Medical Research Methodology* 2001; Vol. 1:13. [MEDLINE: 22944923]

Tintinalli 2001 {published data only}

Tintinalli J. Publish or perish: easier said than done. *Emergency Medicine (Fremantle, W.A.)* 2001;**13**(4):407-8.

Tricco 2008 {published data only}

Tricco AC, Moher D, Chen MH, Daniel R. Time to publication of Cochrane reviews: a retrospective cohort study. Poster presentation at the 16th Cochrane Colloquium: Evidence in the era of globalisation; 2008 Oct 3-7; Freiburg, Germany. *Zeitschrift für Evidenz, Fortbildung und Qualität im Gesundheitswesen*; 2008;**102**(Suppl VI):78.

Unalp 2007 {published data only}

Unalp A, Tonascia S, Meinert CL. Presentation in relation to publication of results from clinical trials. *Contemporary Clinical Trials* 2007;**28**(4):358-69.

von Elm 2001 {published data only}

von Elm, BJ. Overall publication rates. *Gastrointestinal Endoscopy* 2001; Vol. 54, issue 4:542.

von Elm 2003 {published data only}

von Elm E, Costanza MC, Walder B, Tramer MR. More insight into the fate of biomedical meeting abstracts: a systematic review. *BMC Medical Research Methodology*; 2003;**3**:12.

Wein 2005 {published data only}

Wein AJ. Full publication of abstracts of randomised controlled trials published at International Continence Society meetings. *Journal of Urology* 2005;**174**(5):1902.

Wong 2010 {published data only}

Wong SS, Fraser C, Lourenco T, Barnett D, Avenell A, Glazener C, et al. The fate of conference abstracts: systematic review and meta-analysis of surgical treatments for men with benign prostatic enlargement. *World Journal of Urology* 2010;**28**(1):63-9.

Yalcinkaya 2014 {published data only}

Yalcinkaya M, Bagatur AE. Articles published in Acta Orthopaedica et Traumatologica Turcica between 2003-2012: content, characteristics and publication trends. *Acta Orthopaedica et Traumatologica Turcica* 2014;**48**(5):576-83. [PUBMED: 25429586]

Additional references
Anderson 2015

Anderson ML, Peterson ED. Compliance with results reporting at ClinicalTrials.gov. *New England Journal of Medicine* 2015; Vol. 372, issue 24:2370-1. [PUBMED: 26061853]

Antes 2003

Antes G, Chalmers I. Under-reporting of clinical trials is unethical. *Lancet* 2003;**361**:978-9. [MEDLINE: 12660049]

Borenstein 2010

Borenstein M, Hedges LV, Higgins JPT, Rothstein HR. A basic introduction to fixed-effect and random-effects models for meta-analysis. *Research Synthesis Methods* 2010;**1**:97-111.

Chalmers 1990b

Chalmers I. Underreporting research is scientific misconduct. *JAMA* 1990;**263**:1405-8. [MEDLINE: 2304220]

Chokkalingam 1998

Chokkalingam A, Scherer R, Dickersin K. Agreement of data in abstracts compared to full publications. *Controlled Clinical Trials* 1998;**19**:61-2S.

Dickersin 1987

Dickersin K, Chan S, Chalmers TC, Sacks HS, Smith H Jr. Publication bias and clinical trials. *Controlled Clinical Trials* 1987;**8**:343-53. [MEDLINE: 88165968]

Dickersin 1992

Dickersin K, Min Y-I, Meinert CL. Factors influencing publication of research results: follow-up of applications submitted to two institutional review boards. *JAMA* 1992;**267**(3):374-8. [MEDLINE: 92092277]

Dickersin 1993

Dickersin K, Min Y-I. NIH clinical trials and publication bias. *Online Journal of Current Clinical Trials* April 28 1993;**Document No. 50**:[4967 words; 53 paragraphs]. [MEDLINE: 94138564]

Dickersin 2003

Dickersin K, Rennie D. Registering clinical trials. *JAMA* 2003;**290**:516-23. [MEDLINE: 12876095]

Dickersin 2012

Dickersin K, Rennie D. The evolution of trial registries and their use to assess the clinical trial enterprise. *JAMA* 2012; Vol. 307, issue 17:1861-4. [PUBMED: 22550202]

Easterbrook 1991

Easterbrook PJ, Berlin JA, Gopalan R, Matthews D. Publication bias in clinical research. *Lancet* 1991;**337**:867-72.

Glasziou 2014

Glasziou P, Altman DG, Bossuyt P, Boutron I, Clarke M, Julious S, et al. Reducing waste from incomplete or unusable reports of biomedical research. *Lancet* 2014;**383**(9913):267-76. [PUBMED: 24411647]

Harriman 2016

Harriman SL, Patel J. When are clinical trials registered? An analysis of prospective versus retrospective registration. *Trials* 2016;**17**:187. [PUBMED: 27079379]

Hartung 2001

Hartung J, Knapp G. A refined method for the meta-analysis of controlled clinical trials with binary outcomes. *Statistics in Medicine* 2001;**20**:3875-89.

Hopewell 2003b

Hopewell S, Clarke M. Quality of trials reported as conference abstracts: how well are they reported?. XI Cochrane Colloquium: Evidence Health Care and Culture. Barcelona, Spain, Oct 26-31, 2003.

Hopewell 2007

Hopewell S, Clarke M, Stewart L, Tierney J. Time to publication for results of clinical trials. *Cochrane Database of Systematic Reviews* 2007, Issue 2. [DOI: [10.1002/14651858.MR000011.pub2](https://doi.org/10.1002/14651858.MR000011.pub2)]

Hopewell 2009

Hopewell S, Loudon K, Clarke MJ, Oxman AD, Dickersin K. Publication bias in clinical trials due to statistical significance or direction of trial results. *Cochrane Database of Systematic Reviews* 2009, Issue 1. [DOI: [10.1002/14651858.MR000006.pub3](https://doi.org/10.1002/14651858.MR000006.pub3)]

Horsley 2011

Horsley T, Dingwall O, Sampson M. Checking reference lists to find additional studies for systematic reviews. *Cochrane Database of Systematic Reviews* 2011, Issue 8. [DOI: [10.1002/14651858.MR000026.pub2](https://doi.org/10.1002/14651858.MR000026.pub2)]

Hua 2016

Hua F, Walsh T, Glenny AM, Worthington H. Thirty percent of abstracts presented at dental conferences are published in full: a systematic review. *Journal of Clinical Epidemiology* 2016;**75**:16-28. [PUBMED: 26854259]

Ioannidis 1998

Ioannidis J. Effect of the statistical significance of results on the time to completion and publication of randomised efficacy trials. *JAMA* 1998;**279**:281-6.

Juni 2002

Juni P, Hoenstein F, Sterne J, Bartlett C, Egger M. Direction and impact of language bias in meta-analyses of controlled trials: empirical study. *International Journal of Epidemiology* 2002;**31**(1):115-23. [PUBMED: 11914306]

Kasenda 2014

Kasenda B, von Elm E, You J, Blumle A, Tomonaga Y, Saccilotto R, et al. Prevalence, characteristics, and publication of discontinued randomized trials. *JAMA* 2014;**311**(10):1045-51. [PUBMED: 24618966]

Mayo-Wilson 2017

Mayo-Wilson E, Fusco N, Li T, Hong H, Canner JK, Dickersin K. Multiple outcomes and analyses in clinical trials create challenges for interpretation and research synthesis. *Journal of Clinical Epidemiology* 2017;**86**:39-50. [PUBMED: 28529187]

Miller 2015a

Miller JE, Korn D, Ross JS. Clinical trial registration, reporting, publication and FDAAA compliance: a cross-sectional analysis and ranking of new drugs approved by the FDA in 2012. *BMJ open* 2015;**5**(11):e009758. [PUBMED: 26563214]

Paule 1982

Paule RC, Mandl J. Consensus values and weighting factors. *Journal of Research of the National Bureau of Standards* 1982;**87**:377-85.

Rongen 2016

Rongen JJ, Hannink G. Comparison of registered and published primary outcomes in randomized controlled trials of orthopaedic surgical interventions. *Journal of Bone and Joint Surgery. American volume* 2016;**98**(5):403-9. [PUBMED: 26935463]

Scherer 2012

Scherer RW, Sieving PC, Ervin AM, Dickersin K. Can we depend on investigators to identify and register randomized controlled trials?. *PLOS One* 2012;**7**(9):e44183. [PUBMED: 22984474]

Scherer 2013

Scherer RW, Huynh L, Ervin AM, Taylor J, Dickersin K. ClinicalTrials.gov registration can supplement information in abstracts for systematic reviews: a comparison study. *BMC Medical Research Methodology* 2013;**13**:79. [PUBMED: 23773868]

Scherer 2015

Scherer RW, Huynh L, Ervin AM, Dickersin K. Using ClinicalTrials.gov to supplement information in ophthalmology conference abstracts about trial outcomes: a comparison study. *PLOS One* 2015;**10**(6):e0130619. [PUBMED: 26107924]

Scherer 2015a

Scherer RW, Ugarte-Gil C, Schmucker C, Meerpohl JJ. Authors report lack of time as main reason for unpublished research presented at biomedical conferences: a systematic review. *Journal of Clinical Epidemiology* 2015;**68**(7):803-10. [PUBMED: 25797837]

Schmucker 2014

Schmucker C, Schell LK, Portalupi S, Oeller P, Cabrera L, Bassler D, et al. Extent of non-publication in cohorts of studies approved by research ethics committees or included in trial registries. *PLOS One* 2014;**9**(12):e114023. [PUBMED: 25536072]

Schmucker 2017

Schmucker CM, Blumle A, Schell LK, Schwarzer G, Oeller P, Cabrera L, et al. Systematic review finds that study data not published in full text articles have unclear impact on meta-analyses results in medical research. *PLOS One* 2017;**12**(4):e0176210. [PUBMED: 28441452]

Schwarzer 2007

Schwarzer G. meta: An R package for meta-analysis. *R News* 2007;**7**(3):40-5.

Simes 1986

Simes RJ. Publication bias: The case for an international registry of clinical trials. *Journal of Clinical Oncology* 1986;**4**:1529-41. [MEDLINE: 87010763]

Song 2010a

Song F, Parekh S, Hooper L, Loke YK, Ryder J, Sutton AJ, et al. Dissemination and publication of research findings: an updated review of related biases. *Health technology assessment (Winchester, England)* 2010;**14**(8):iii, ix-xi, 1-193. [PUBMED: 20181324]

Stern 1997

Stern J, Simes J. Publication bias: evidence of delayed publication in a cohort study of clinical research projects. *BMJ* 1997;**315**:640-5.

von Elm 2003a

von Elm E, Costanza MC, Walder B, Tramèr MR. More insight into the fate of biomedical meeting abstracts: a systematic review. *BMC Medical Research Methodology* 2003;**3**(1):12.

Weber 1998

Weber EJ, Callahan ML, Wears RL, Barton C, Young G. Unpublished research from a medical specialty meeting: why investigators fail to publish. *JAMA* 1998;**280**(3):257-9. [MEDLINE: 98339296]

Weintraub 1987

Weintraub WH. Are published manuscripts representative of the surgical meeting abstracts? An objective appraisal. *Journal of Pediatric Surgery* 1987;**22**(1):11-3. [MEDLINE: 87140627]

Young 2011

Young T, Hopewell S. Methods for obtaining unpublished data. *Cochrane Database of Systematic Reviews* 2011, Issue 11. [DOI: [10.1002/14651858.MR000027.pub2](https://doi.org/10.1002/14651858.MR000027.pub2)]

Zarin 2015

Zarin DA, Tse T, Sheehan J. The proposed rule for U.S. clinical trial registration and results submission. *New England Journal of Medicine* 2015;**372**(2):174-80. [PUBMED: 25539444]

Zarin 2017

Zarin DA, Tse T, Williams RJ, Rajakannan T. Update on trial registration 11 Years after the ICMJE policy was established. *New England Journal of Medicine* 2017;**376**(4):383-91. [PubMed: 28121511]

References to other published versions of this review

Scherer 1994

Scherer RW, Dickersin K, Langenberg P. Full publication of results initially presented in abstracts. *JAMA* 1994;**272**(2):158-62.

Scherer 2000

Scherer RW, Langenberg P. Full publication of results initially presented in abstracts. *Cochrane Database of Systematic Reviews* 2000, Issue 4. [DOI: [10.1002/14651858.MR000005](https://doi.org/10.1002/14651858.MR000005)]

Scherer 2005

Scherer RW, Langenberg P, von Elm E. Full publication of results initially presented in abstracts. *Cochrane Database of Systematic Reviews* 2005, Issue 3. [DOI: [10.1002/14651858.MR000005.pub2](https://doi.org/10.1002/14651858.MR000005.pub2)]

Scherer 2007

Scherer RW, Langenberg P, von Elm E. Full publication of results initially presented in abstracts. *Cochrane Database of Systematic Reviews* 2007, Issue 2. [DOI: [10.1002/14651858.MR000005.pub3](https://doi.org/10.1002/14651858.MR000005.pub3)]

* Indicates the major publication for the study

CHARACTERISTICS OF STUDIES

Characteristics of included studies [ordered by study ID]

Abes 2004

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed; date of search not reported Person completing the search not reported Searched by first author Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 776 abstracts presented at the 1996 to 2000 Turkish Association of Pediatric Surgeons meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Oral (free paper) versus poster presentation
Outcomes	<ul style="list-style-type: none"> 156 of 776 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 101/394 abstracts presented orally versus 55/382 abstracts presented as posters published
Notes	<ul style="list-style-type: none"> Surgery - pediatric surgery Funding not reported Unable to obtain full-length article; information extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.

Full publication of results initially presented in abstracts (Review)

Abes 2004 (Continued)

Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type presentation for association with publication using stratified analysis.

Abicht 2012

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed and Google/Google Scholar to April 2011 Search completed by investigator Searched by all authors, keywords, and title Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Title
Data	<ul style="list-style-type: none"> Included 825 abstracts presented at the 1999 to 2008 American College of Foot & Ankle Surgeons meetings Included all abstracts accepted as posters except student posters and commercially sponsored posters
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication, overall and by meeting
Outcomes	<ul style="list-style-type: none"> 198 of 825 abstracts published 6/20 abstracts presented at the 1999 meeting, 9/35 at the 2000 meeting, 11/37 at the 2001 meeting, 16/52 at the 2002 meeting, 21/59 at the 2003 meeting, 12/74 at the 2004 meeting, 29/107 at the 2005 meeting, 37/142 at the 2006 meeting, 28/150 at the 2007 meeting, and 29/149 at the 2008 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 17.6 months (range = -46 to 75 months) Mean time to publication = 4.8 months (range = -12 to 40 months) for 1999 American College of Foot & Ankle Surgeons meeting Mean time to publication = 2.9 months (range = -14 to 16 months) for 2000 American College of Foot & Ankle Surgeons meeting Mean time to publication = 19.2 months (range = 6 to 34 months) for 2001 American College of Foot & Ankle Surgeons meeting Mean time to publication = 17.9 months (range = 1 to 46 months) for 2002 American College of Foot & Ankle Surgeons meeting Mean time to publication = 23 months (range = 3 to 75 months) for 2003 American College of Foot & Ankle Surgeons meeting Mean time to publication = 24.1 months (range = 6 to 60 months) for 2004 American College of Foot & Ankle Surgeons meeting Mean time to publication = 20.8 months (range = -46 to 72 months) for 2005 American College of Foot & Ankle Surgeons meeting Mean time to publication = 22.2 months (range = -24 to 54 months) for 2006 American College of Foot & Ankle Surgeons meeting Mean time to publication = 12.7 months (range = -7 to 33 months) for 2007 American College of Foot & Ankle Surgeons meeting Mean time to publication = 13.4 months (range = -22 to 30 months) for 2008 American College of Foot & Ankle Surgeons meeting No factors other than meeting year related to proportion of abstracts published reported

Abicht 2012 (Continued)

Notes	• Orthopedics/orthopedic surgery - foot and ankle • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all posters with reasonable exceptions.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings before 2008 had at least 48 months follow-up. The 2008 meeting only had 36 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Abuzeid 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ Web of Science for one month prior until two years following each meeting ◦ Person completing the search not reported ◦ Searched by first and last author, and keywords ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 3565 abstracts presented at the 2006 to 2010 Canadian Cardiovascular Congress meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Scientific category • Multivariable analysis examining oral versus poster, institutional location, year of presentation, and 'scientific category'
Outcomes	<ul style="list-style-type: none"> • 858 of 3565 abstracts published • 135/569 abstracts presented at the 2006 meeting, 178/758 at the 2007 meeting, 190/862 at the 2008 meeting, 197/741 at the 2009 meeting, and 158/635 at the 2010 meeting published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ Multivariable analysis showed type of presentation (adjusted OR for poster versus oral 0.71, 95% CI = 0.60 to 0.83) and scientific category were predictors of publication
Notes	<ul style="list-style-type: none"> • Cardiology - cardiovascular research • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.

Full publication of results initially presented in abstracts (Review)

Abuzeid 2013 (Continued)

Search for publications?	No	Searched only 1 database.
Follow-up time?	No	All meetings only had 24 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of more than 2 factors with publication using multivariable logistic regression analysis.

Abzug 2014

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed and Google/Google Scholar in 2010 Person completing the search not reported Searched by all authors and title Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Keywords Title
Data	<ul style="list-style-type: none"> Included 1127 abstracts presented at the 2000 to 2005 American Society for Surgery of the Hand meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication Oral versus poster presentation Subspecialty
Outcomes	<ul style="list-style-type: none"> 518 of 1127 abstracts published 94/249 abstracts presented at the 2000 meeting, 75/183 at the 2001 meeting, 100/177 at the 2002 meeting, 68/150 at the 2003 meeting, 96/192 at the 2004 meeting, and 85/176 at the 2005 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 25.2 months, overall Mean time to publication = 28.8 months for the 2000 American Society for Surgery meeting Mean time to publication = 27.6 months for the 2001 American Society for Surgery meeting Mean time to publication = 31.2 months for the 2002 American Society for Surgery meeting Mean time to publication = 25.2 months for the 2003 American Society for Surgery meeting Mean time to publication = 20.4 months for the 2004 American Society for Surgery meeting Mean time to publication = 19.2 months for the 2005 American Society for Surgery meeting Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 231/425 abstracts presented orally versus 287/702 abstracts presented as poster published
Notes	<ul style="list-style-type: none"> Surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
------	--------------------	-------------

Full publication of results initially presented in abstracts (Review)

Abzug 2014 (Continued)

Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had at least 60 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of meeting year by type presentation with publication using stratified analysis.

Acevedo 2014

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ Google/Google Scholar in July 2011 ◦ Person completing the search not reported ◦ Searched by first author and title ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 1972 abstracts presented at the 2000 to 2010 American Society of Clinical Oncology, American Society of Hematology, European Society of Medical Oncology, European Cancer Organization, and American Society for Radiation Oncology meetings • Included all abstracts from odd years from Latin American countries
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • IQR for time to publication • Oral versus poster presentation • Latin American countries
Outcomes	<ul style="list-style-type: none"> • 353 of 1972 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ IQR = 12 to 24 months (range = 0 to 96 months) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 17/37 abstracts presented orally versus 130/718 abstracts presented as poster published
Notes	<ul style="list-style-type: none"> • Oncology - hematology • Reporting having received no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts from odd years.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All abstracts had at least 48 months follow-up except the meetings in 2008 to 2010.
Matching?	Unclear	Matching criteria not reported.

Full publication of results initially presented in abstracts (Review)

Acevedo 2014 (Continued)

Adjustment for confounding?	No	Examined association of type presentation and country with publication using stratified analysis.
-----------------------------	----	---

Adhikari 2011

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE and PubMed to December 2009 Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Title Contents
Data	<ul style="list-style-type: none"> Included 1479 abstracts presented at the 1999 to 2008 Society for Academic Emergency Medicine & American College of Emergency Physicians meetings Included all abstracts accepted for presentation that described emergency ultrasound, emergency medical services, toxicology
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication by topic of abstract Emergency ultrasound versus emergency medical services versus toxicology
Outcomes	<ul style="list-style-type: none"> 333 of 1479 total abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication for abstracts on emergency ultrasound = 20.4 months (95% CI = 4.8 to 36 months) Mean time to publication for abstracts on emergency medical services = 22.8 months (95% CI = 6 to 39.6 months) Mean time to publication for abstracts on toxicology = 21.6 months (95% CI = 3.1 to 40.1 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 103/452 abstracts related to emergency ultrasound versus 152/651 abstracts related to emergency medical services versus 78/376 abstracts related to toxicology published
Notes	<ul style="list-style-type: none"> Emergency medicine - ultrasound Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific topics, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings up until 2005 had at least 48 months follow-up. The meetings from 2006 to 2009 had less follow-up.
Matching?	Yes	Matched by 3 different criteria.

Adhikari 2011 (Continued)

Adjustment for confounding?	No	Examined association of emergency medicine topic with publication using stratified analysis with Fisher's Exact and Kruskal-Wallis test.
-----------------------------	----	--

Aggarwal 2012

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Google/Google Scholar, and IndMed; dates of search not reported Person completing the search not reported Searched by first author Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 271 abstracts presented at the 2007, 2009, and 2010 Indian Rheumatology Association meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> 19 of 271 abstracts published 2/60 abstracts presented at the 2007 meeting, 11/105 at the 2009 meeting, and 6/106 at the 2010 meeting published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 15% of abstracts presented orally versus 4% of abstracts presented as poster published
Notes	<ul style="list-style-type: none"> Rheumatology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year and type presentation with publication using stratified analysis.

Ahlers-Schmidt 2009

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed and Google/Google Scholar; dates of search not reported Person completing the search not reported
---------	---

Ahlers-Schmidt 2009 (Continued)

	<ul style="list-style-type: none"> ○ Searched by all authors, keywords, and title ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 67 abstracts presented at the 1999 to 2006 Midwestern Regional Medical School Annual Research Forum • Included all abstracts accepted as posters at meeting
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Presented by residents versus students • Surgery versus non-surgical topics
Outcomes	<ul style="list-style-type: none"> • 23 of 67 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 20/52 abstracts presented by residents versus 3/15 abstracts presented by students published ○ 15/37 abstracts related to surgery versus 8/30 abstracts related to non-surgical topics published
Notes	<ul style="list-style-type: none"> • General medicine/primary care • Funding not reported • Information extracted from letter

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented as posters.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type author and topic (surgery versus non-surgery) with publication using stratified analysis and Chi ² tests.

Akbari-Kamrani 2008

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ The Cochrane Library, Embase, and PubMed to February 2007 ○ Person completing the search not reported ○ Searched by all authors and keywords ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ One author ■ Same intervention ■ One outcome
Data	<ul style="list-style-type: none"> • Included 198 abstracts presented at the 2000 to 2003 American Society for Laser Medicine and Surgery meetings • Included all abstracts describing clinical trials
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting

Full publication of results initially presented in abstracts (Review)

Akbari-Kamrani 2008 (Continued)

	<ul style="list-style-type: none"> • Mean time to publication • Survival analysis of proportion of abstracts published • 'Positive' versus not 'positive' • Oral versus poster presentation • RCT design versus CCT design • US versus non-US origin
Outcomes	<ul style="list-style-type: none"> • 87 of 198 abstracts published • 19/38 abstracts presented at the 2000 meeting, 17/41 at the 2001 meeting, 30/58 at the 2002 meeting, and 21/60 at the 2003 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 57 months (95% CI = 52 to 61 months) ◦ Survival analysis of proportion published = 40% at 48 months; author did not include 19 abstracts published before the meeting • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 23/45 abstracts with 'positive' (defined as significant results) versus 22/44 abstracts without 'positive' results published ◦ 59/137 abstracts with 'positive' (defined as experimental better than control or clinically relevant) results versus 3/8 abstracts without 'positive' results published ◦ 71/143 abstracts presented orally versus 16/55 abstracts presented as poster published ◦ 25/54 abstracts with RCT design versus 62/144 abstracts with CCT design published ◦ 65/131 abstracts originating in the US versus 22/67 abstracts not originating in the US published
Notes	<ul style="list-style-type: none"> • Surgery - laser medicine and surgery • Funding by the Medical Sciences/University of Tehran

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts describing clinical trials.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, positive results, type of presentation, study design, and US origin with publication using stratified analysis and Chi ² tests.

Al-Qaoud 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed to May 2012 ◦ Person completing the search not reported ◦ Searched by all authors, keywords, and title ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Title ■ Hypothesis ■ Cohort
---------	--

Full publication of results initially presented in abstracts (Review)

Al-Qaoud 2013 (Continued)

■ Study design

Data	<ul style="list-style-type: none"> Included 439 abstracts presented at the 2000 to 2010 Quebec Urological Association meetings Included all abstracts presented orally
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Cumulative proportion of abstracts published Institution from Quebec versus not Basic science research versus clinical research
Outcomes	<ul style="list-style-type: none"> 248 of 439 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 19.5 months Cumulative proportion of abstracts published at 72 months showed proportion published = 58.1% (255/439 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 212/388 abstracts from a Quebecois institution versus 36/51 abstracts from a non-Quebecois institution published = OR 2.13 (95% CI = 1.2 to 3.76) Basic science versus clinical research = OR 0.98 (95% CI = 0.72 to 1.33)
Notes	<ul style="list-style-type: none"> Urology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The 2009 and 2010 meetings had less than 48 months follow-up. All other meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	Yes	Examined association of Quebecois origin, and type science for association with publication using multivariable log-rank tests or Cox regression models.

Allart 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed from January 2007 until December 2011 Search completed by investigators Searched by all authors, and keywords Matching criteria not reported Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 231 abstracts presented at the 2008 Société Française de Médecine Physique et de Réadaptation meeting

Allart 2013 (Continued)

	<ul style="list-style-type: none"> Included all abstracts accepted as posters and oral communications excluding communications by guest speakers
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean and median time to publication Cumulative proportion of abstracts published 'Positive' versus not 'positive' Oral versus poster presentation RCT design versus 'original research' versus case report versus literature review versus presentation of practice Multi-centered versus single center French versus North African versus rest of the world origin Academic versus non-academic affiliation Field of work (neurology, movement disorders, other) Therapeutic versus non-therapeutic study
Outcomes	<ul style="list-style-type: none"> 49 of 231 abstracts published Proportion of abstracts published by time published <ul style="list-style-type: none"> Mean time to publication = 18.4 months (SD = 14) Median time to publication = 21 months Cumulative proportion of abstracts published at 48 months showed proportion published = 21.2% (49/231 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 14/46 abstracts with 'positive' (defined as significant results) versus 3/6 abstracts without 'positive' results published 35/144 abstracts presented orally versus 14/87 abstracts presented as poster published 3/4 abstracts with RCT design versus 38/131 abstracts describing 'original research' versus 7/39 with case report design versus 1/6 abstracts describing literature review versus 3/55 abstracts describing presentations of practice published 4/8 abstracts with multiple centers versus 33/131 with a single center published 43/190 abstracts originating from France versus 1/26 abstracts originating from North Africa versus 5/15 abstracts from rest of the world published 45/180 abstracts originating in an academic center versus 4/51 abstracts from authors not originating in an academic center published
Notes	<ul style="list-style-type: none"> Physical and rehabilitation medicine Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 1 database and contacted abstract authors.
Follow-up time?	No	All meetings only had 36 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of positive results, type presentation, study design, multi-center status, country of origin, academic origin, and sub-specialty with publication using multivariable logistic regression analysis.

Allart 2015

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed from January 2007 until June 2012 Search completed by investigators Searched by all authors, and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 779 abstracts presented at the 2008 European Congress of Physical and Rehabilitation Medicine meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean and median time to publication Cumulative proportion of abstracts published 'Positive' versus not 'positive' Oral versus poster presentation RCT design versus CCT design versus observational study design versus case report versus literature review versus presentation of practice Multi-centered versus single center North America versus French versus Middle East versus rest of the world origin Academic versus non-academic affiliation
Outcomes	<ul style="list-style-type: none"> 169 of 779 abstracts published Proportion of abstracts published by time published <ul style="list-style-type: none"> Mean time to publication = 12 months (SD = 15.7) Median time to publication = 11 months Cumulative proportion of abstracts published at 42 months showed proportion published = 21.7% (169/779 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 67/231 abstracts with 'positive' (defined as significant results) versus 7/21 abstracts without 'positive' results published 109/288 abstracts presented orally versus 60/491 abstracts presented as poster published 49/108 abstracts with RCT design versus 59/213 abstracts with CCT design versus 49/276 abstracts with observational study design versus 4/116 abstracts with case report design versus 4/24 abstracts describing literature reviews versus 4/42 abstracts describing presentations of practice published 15/30 abstracts with multiple centers versus 139/531 with a single center published 10/48 abstracts originating from North America versus 141/653 abstracts originating from Europe versus 8/39 abstracts originating in the Middle East versus 10/39 abstracts from rest of the world published 157/616 abstracts originating in an academic center versus 12/163 abstracts not originating in an academic center published
Notes	<ul style="list-style-type: none"> Physical and rehabilitation medicine Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.

Full publication of results initially presented in abstracts (Review)

Allart 2015 (Continued)

Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of positive results, type presentation, study design, multi-center status, country of origin, academic origin, and sub-specialty with publication using multivariable logistic regression analysis.

Alonso-Arroyo 2014

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Web of Science, SCOPUS, Science Citation Index-Expanded, Indice Médico Español, Indice Bibliográfico Español en Ciencias de la Salud in December 2012 Person completing the search not reported Searched by all authors, keywords, and institutions Matching criteria not reported 	
Data	<ul style="list-style-type: none"> Included 300 abstracts presented at the 2002, 2005, and 2008 La Sociedad Española de Cardiología meetings Included a random sample of all abstracts presented orally 	
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Subspecialty Cumulative proportion of abstracts published 	
Outcomes	<ul style="list-style-type: none"> 115 of 300 abstracts published 45/100 abstracts presented at the 2002 meeting, 59/100 at the 2005 meeting, and 43/100 at the 2008 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 84 months showed proportion published = 49% (147/300 abstracts) No factors other than meeting year and subspecialty related to proportion of abstracts published reported 	
Notes	<ul style="list-style-type: none"> Cardiology Funding not reported 	

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random sample of all abstracts accepted for oral presentation.
Search for publications?	Yes	Searched 5 databases.
Follow-up time?	Yes	All abstracts had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year and subspecialty with publication using stratified analysis.

Full publication of results initially presented in abstracts (Review)

Alpi 2011

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> CINAHL, PubMed, ERIC, and LISTA (Library, Information Science & Technology Abstracts); dates of search not reported Search completed by trained librarian Searched by all authors and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 62 abstracts presented at the 2000 to 2008 Medical Librarians Association meetings Included all award-winning papers and posters published in the April 2009 issue of 'Hypothesis'
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 23 of 62 abstracts published Proportion of abstracts published by time not reported No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Medical education/library science Funding not reported Data extracted from letter

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	Yes	Searched 4 databases.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.

Amarilyo 2013

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed from November 2005 until November 2011 Search completed by investigators Searched by first and last author, and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Methodology Hypothesis
Data	<ul style="list-style-type: none"> Included 2149 abstracts presented at the 2006 American College of Rheumatology and Association of Rheumatology Health Professionals meeting Included all abstracts presenting scientific research studies except individual case reports
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published

Full publication of results initially presented in abstracts (Review)

Amarilyo 2013 (Continued)

- Mean and median time to publication, overall and by type of research
- Cumulative proportion of abstracts published
- Oral versus poster presentation
- Clinical versus basic science research
- Presentation in plenary session versus presentation in another format
- Common versus rare diseases

Outcomes	<ul style="list-style-type: none"> • 1269 of 2149 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 15.8 months (SD = 18.3; range = -9 to 51 months), overall ◦ Mean time to publication = 19.5 months for abstracts describing clinical abstracts ◦ Mean time to publication = 16.3 months for abstracts describing basic science research ◦ Median time to publication = 16 months (IQR = 1.75 to 29.5 months), overall ◦ Median time to publication = 17 months (IQR = 9 to 28 months) for abstracts describing clinical research ◦ Median time to publication = 13 months (IQR = 5 to 26 months) for abstracts describing basic science research) ◦ Cumulative proportion of abstracts published at 60 months showed proportion published = 59.1% (1269/2149 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 259/378 abstracts presented orally versus 1012/1772 abstracts presented as poster published ◦ 796/1354 abstracts describing clinical research versus 473/796 abstracts describing basic science research published ◦ 14/14 abstracts presented in a plenary session versus 1255/2135 abstracts presented in another format published
Notes	<ul style="list-style-type: none"> • Rheumatology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Unclear	Included all abstracts that described 'scientific research' but not clear how this subgroup was defined.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 5 years follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of type presentation, type science, and type oral session with publication using stratified analysis and Chi ² or Fisher's Exact tests.

Amirhamzeh 2012

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed and Google/Google Scholar; dates of search not reported ◦ Person completing the search not reported ◦ Searched by all authors, keywords, and title ◦ Matched abstract to full-length publication by
---------	---

Full publication of results initially presented in abstracts (Review)

Amirhamzeh 2012 (Continued)

- All authors
- Title
- Contents

Data	<ul style="list-style-type: none"> Included 762 abstracts presented at the 2002 to 2006 Pediatric Orthopaedic Society of North America meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication by meeting Oral versus poster Subspecialty
Outcomes	<ul style="list-style-type: none"> 386 of 762 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 29.4 months for 2002 Pediatric Orthopaedic Society of North America meeting Mean time to publication = 26.8 months for 2003 Pediatric Orthopaedic Society of North America meeting Mean time to publication = 26.3 months for 2004 Pediatric Orthopaedic Society of North America meeting Mean time to publication = 22.7 months for 2005 Pediatric Orthopaedic Society of North America meeting Mean time to publication = 18.8 months for 2006 Pediatric Orthopaedic Society of North America meeting Factors related to proportion of abstracts published reported included <ul style="list-style-type: none"> Reported that oral presentations were 1.47 times (CI, 1.10 to 1.98) more likely to be published compared with posters Reported that there was no differences in proportion published by subspecialty
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery - pediatric Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of type of presentation and subspecialty with publication using stratified analysis and Chi ² or ANOVA tests.

Arap 2014

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed and LILACS; dates of search not reported
---------	---

Arap 2014 (Continued)

	<ul style="list-style-type: none"> ○ Person completing the search not reported ○ Searched by first and last author, and keywords ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 195 abstracts presented at the 2001 to 2007 American Urological Association meetings • Included all abstracts where at least 2/3 of author institutions were from Brazil
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication • Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 100 of 195 abstracts published • 7/14 abstracts presented at the 2001 meeting, 16/31 at the 2002 meeting, 12/29 at the 2003 meeting, 23/41 at the 2004 meeting, 13/31 at the 2005 meeting, 9/17 at the 2006 meeting, and 15/32 at the 2007 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Median time to publication = 18.8 months ○ Cumulative proportion of abstracts published at 126 months showed proportion published = 54.1% (105/195 abstracts) • No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Urology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all Brazilian abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year for association with publication using stratified analysis and Chi ² tests.

Arora 2012

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE, Scopus, and Google/Google Scholar from November 2009 and January 2010 ○ Search completed by investigators ○ Searched by first and last author, and keywords ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ One outcome
Data	<ul style="list-style-type: none"> • Included 479 abstracts presented at the 2001 to 2005 International Society of Paediatric Oncology (only from India), American Society of Clinical Oncology (only conducted in India), and International Society of Paediatric Oncology (only from UK) meeting

Arora 2012 (Continued)

	<ul style="list-style-type: none"> Included only abstracts of studies conducted in India; excluded abstracts for keynote addresses, symposia, and "publication only"
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication by meeting Oral versus poster presentation RCT design versus non-RCT design Conducted in India versus conducted in UK
Outcomes	<ul style="list-style-type: none"> 139 of 479 abstracts published 113/275 abstracts presented at the 2001 to 2005 International Society of Paediatric Oncology (only from UK) meetings, 2/13 at the 2001 to 2005 American Society of Clinical Oncology meetings, and 24/191 at the 2001 to 2005 International Society of Paediatric Oncology (only from India) meetings published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 20 months (range -1 to 95 months) for the International Society of Paediatric Oncology meetings Mean time to publication = 24 months for the American Society of Clinical Oncology meetings Mean time to publication = 31 months for the International Society of Paediatric Oncology meetings Factors related to proportion of abstracts published (included only from International Society of Paediatric Oncology meetings) included <ul style="list-style-type: none"> 9/37 abstracts presented orally versus 15/154 abstracts presented as posters published 0/7 abstracts with RCT design versus 24/184 abstracts with non-RCT design published 24/191 abstracts conducted in India versus 113/275 abstracts conducted in the UK published
Notes	<ul style="list-style-type: none"> Oncology - pediatrics Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	All meetings had at least 5 years follow-up.
Matching?	No	Matched by only 1 criterion.
Adjustment for confounding?	Yes	Examined association of meeting year, type presentation, institution, subspecialty, and study design with publication using a multivariable linear model analysis.

Arrive 2001

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed from 1997 through 1999 Person completing the search not reported Searched by lead author Matched abstract to full-length publication by
---------	--

Full publication of results initially presented in abstracts (Review)

Arrive 2001 (Continued)

- Two authors
- Contents

Data	<ul style="list-style-type: none"> Included 456 abstracts presented at the 1996 Journées Francaises de Radiologie meeting Included all abstracts accepted as oral presentations
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 39 of 456 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 36 months showed proportion published = 8.5% (39/456 abstracts) No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Radiology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted as oral presentations.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	The meeting only had 24 months follow-up.
Matching?	Yes	Matched by 2 different criteria.

Arrive 2004

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to December 2000 Search completed by investigator Searched by first, second, and last author and radiologic subspecialty Matched abstract to full-length publication by <ul style="list-style-type: none"> Sample size Contents
Data	<ul style="list-style-type: none"> Included 1897 abstracts presented at the 1995 Radiological Society of North America meeting Included all abstracts of "original research" presented orally
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Cumulative proportion of abstracts published Clinical research versus animal research versus technical research North American versus European versus Asian versus rest of the world origin Subspecialty
Outcomes	<ul style="list-style-type: none"> 635 of 1897 abstracts published Proportion of abstracts published

Full publication of results initially presented in abstracts (Review)

Arrive 2004 (Continued)

- Cumulative proportion of abstracts published at 60 months showed proportion published = 33.5% (635/1897 abstracts)
- Factors related to proportion of abstracts published included
 - 503/1389 abstracts describing clinical research versus 36/113 abstracts describing animal research versus 96/395 abstracts describing technical studies published
 - 407/1241 abstracts originating from North America versus 160/462 abstracts from Europe versus 49/133 abstracts from Asia versus 19/61 abstracts from rest of the world published

Notes

- Radiology
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Unclear	Included all abstracts that described "original research" and presented orally, but subgroup not defined.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 5 years follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	Yes	Examined association of type science and country of origin, and subspecialty with publication using multivariable logistic regression analysis.

Authorino 2006

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed to December 2005 ○ Search completed by investigator ○ Searched by all authors and keywords ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Title ■ Methodology ■ Hypotheses
Data	<ul style="list-style-type: none"> • Included 1100 abstracts presented at the 2001 and 2002 World Congress of Endourology meetings • Included all abstracts except videotape sessions
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication • Survival analysis of publication rate • Clinical research versus preclinical research • North America versus Asia versus South America versus Europe versus Africa • 'Prospective' versus 'retrospective' • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 234 of 1100 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 14.6 months (maximum = 40 months)

Full publication of results initially presented in abstracts (Review)

Autorino 2006 (Continued)

- Survival analysis of proportion published at 42 months = 21.3%
- Factors related to proportion of abstracts published included
 - 186/940 abstracts describing clinical research versus 45/160 abstracts describing preclinical research published
 - The proportion of abstracts published that originated from North America was 29.2%, from Asia 18.5%, from South America 14.3%, from Europe 14.1%, and from Africa 3.1%
 - 20.8% of prospective studies versus 23.4% of retrospective studies published

Notes

- Urology - endourology
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The 2001 meeting had 48 months follow-up, but the 2002 meeting only had 36 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	Yes	Examined association of type science, country of origin, prospective status, and subspecialty with publication using multivariable logistic regression analysis.

Autorino 2007

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed in March 2006 ○ Search completed by investigator ○ Searched by all authors and keywords ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Title ■ Methodology ■ Hypotheses
Data	<ul style="list-style-type: none"> • Included 1406 abstracts presented at the 2000 and 2001 European Association of Urology meetings • Included all abstracts except videotape sessions
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication • Cumulative proportion of abstracts published • Oral versus poster presentation • Clinical research versus preclinical research • North American versus European versus Japanese • Funding reported versus funding not reported • Prospective versus retrospective • Subspecialty

Full publication of results initially presented in abstracts (Review)

Autorino 2007 (Continued)

Outcomes	<ul style="list-style-type: none"> • 666 of 1406 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 8.66 months (SD = 4.2) ◦ Cumulative proportion of abstracts published at 48 months showed proportion published = 45.4% (639/1406 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 273/548 abstracts presented orally versus 393/858 abstracts presented as poster published ◦ 458/1016 abstracts describing clinical research versus 208/390 abstracts describing preclinical research published ◦ 48/98 abstracts originating from North America versus 522/1060 abstracts from Europe versus 16/24 abstracts from Japan published ◦ 12/22 abstracts with funding reported versus 654/1384 abstracts with funding not reported published
Notes	<ul style="list-style-type: none"> • Urology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meetings had at least 5 years follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	Yes	Examined association of type presentation, type science, country of origin, funding status, and subspecialty with publication using multivariable logistic regression analysis.

Autorino 2008

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed from October 2002 to July 2007 ◦ Search completed by investigator ◦ Searched by all authors and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Title ■ Methodology ■ Hypotheses
Data	<ul style="list-style-type: none"> • Included 1877 abstracts presented at the 2002 to 2004 Société Internationale d'Urologie meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication • Cumulative proportion of abstracts published • Clinical research versus preclinical research

Full publication of results initially presented in abstracts (Review)

Autorino 2008 (Continued)

- North American versus European versus Asian versus rest of the world (South America, Oceania, and Africa)
- 'Prospective' versus 'retrospective' design
- Subspecialty

Outcomes	<ul style="list-style-type: none"> • 415 of 1877 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 13 months (range = 1 to 45 months) ◦ Cumulative proportion of abstracts published at 36 months showed proportion published = 22.1% (415/1877 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 331/1543 abstracts describing clinical research versus 86/334 abstracts describing preclinical research published ◦ 95/354 abstracts originating from North America versus 135/613 abstracts from Europe versus 155/753 abstracts from Asia versus 31/157 abstracts from the rest of the world (South America, Oceania, and Africa) published ◦ 258/1161 abstracts with 'prospective' study design versus 158/716 abstracts with 'retrospective' study design published
Notes	<ul style="list-style-type: none"> • Urology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 2004 had at least 48 months follow-up. The 2004 meeting only had 36 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	Yes	Examined association of type science, country of origin, prospective status, and subspecialty with publication using multivariable logistic regression analysis.

Autorino 2010

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE; date of search not reported ◦ Person completing the search not reported ◦ Search criteria not reported ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 94 abstracts presented at the 2004 to 2006 World Congress of Endourology meetings • Included all abstracts describing RCTs
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication

Full publication of results initially presented in abstracts (Review)

Autorino 2010 (Continued)

Outcomes	<ul style="list-style-type: none"> 45 of 94 abstracts published 11/21 abstracts presented at the 2004 meeting, 20/36 at the 2005 meeting, and 14/37 at the 2006 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 16.4 months (SD = 13.2 months) No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Urology - endourology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts describing RCTs.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis and Chi ² , Fisher's Exact, Wilcoxon, or t tests.

Bagheri 2005

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE for "a five year interval" Person completing the search not reported Searched by first, last, and senior author Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 446 abstracts presented at the 1997 to 1999 American Association of Oral and Maxillofacial Surgeons meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Oral versus poster presentation North American versus European versus Asian versus South American origin Subspecialty
Outcomes	<ul style="list-style-type: none"> 155 of 446 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 23.4 months (SD = 16.2; range = 1 to 72 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 130/347 abstracts presented orally versus 25/99 abstracts presented as poster published 131/372 abstracts originating from North America versus 14/36 abstracts from Europe versus 11/27 abstracts from Asia versus 1/11 abstracts from South America published

Bagheri 2005 (Continued)

- Notes
- Otolaryngology head and neck surgery - oral and maxillofacial surgery
 - Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The follow-up for all meetings was Quote: "a five year interval".
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type presentation, country of origin, and subspecialty with publication using stratified analysis and Chi ² tests.

Bakkum 2014

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed and Index to the Chiropractic Literature until summer 2012 ◦ Search completed by investigators ◦ Searched by all authors and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Sample size ■ Title ■ Contents ■ Methodology ■ Hypothesis
Data	<ul style="list-style-type: none"> • Included 776 abstracts presented at the 2002 to 2008 Chiropractic Colleges Educational Conference/ Research Agenda Conference meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Oral versus poster presentation • Clinical research versus basic science research versus educational research versus other types of research
Outcomes	<ul style="list-style-type: none"> • 249 of 776 abstracts published • 34/122 abstracts presented at the 2002 meeting, 16/96 at the 2003 meeting, 34/110 at the 2004 meeting, 41/92 at the 2005 meeting, 40/131 at the 2006 meeting, 38/115 at the 2007 meeting, and 46/110 at the 2008 meeting published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 169/400 abstracts presented orally versus 80/376 abstracts presented as poster published ◦ 72/233 abstracts describing clinical research versus 120/310 abstracts describing basic science research versus 15/109 abstracts describing educational research versus 24/124 abstracts describing other types of research published

Full publication of results initially presented in abstracts (Review)

Bakkum 2014 (Continued)

- Notes
- Physical and rehabilitation medicine
 - Reported having received no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 6 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, type presentation, and type science with publication using stratified analysis.

Bakkum 2015

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed and VisionCite in 2014 Search completed by investigator Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Title Contents Methodology Hypothesis
Data	<ul style="list-style-type: none"> Included 518 abstracts presented at the 2006 American Academy of Optometry meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Cumulative proportion of abstracts published Oral versus poster presentation Clinical research versus basic science research Case report design versus other study design Subspecialty
Outcomes	<ul style="list-style-type: none"> 108 of 518 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 84 months showed proportion published = 20.9% (108/518 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 32/97 abstracts presented orally versus 76/421 abstracts presented as poster published 88/425 abstracts describing clinical research versus 20/93 abstracts describing basic science research published 9/164 abstracts with case report design versus 99/354 abstracts with other study design published

Full publication of results initially presented in abstracts (Review)

Bakkum 2015 (Continued)

Notes	• Ophthalmology/optometry - optometry • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	The meeting had 96 months follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	No	Examined association of type presentation, type science, and study design with publication using stratified analysis and Chi ² tests.

Balasubramanian 2006

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed and Embase to July 2003 ◦ Search completed by investigator ◦ Searched by all authors and keywords ◦ Matching criteria not reported • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 241 abstracts presented at the 1997 Association of Surgeons of Great Britain and Ireland meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication • Cumulative proportion of abstracts published • Multivariate analysis examining academic affiliation, multi-center status, clinical design, study design, specialty, presentation type, mention of statistical methods, sample size, results and author number
Outcomes	<ul style="list-style-type: none"> • 136 of 241 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 18 months (IQR = 11 to 27 months) ◦ Cumulative proportion of abstracts published at 78 months showed proportion published = 56.4% (136/241 abstracts) • Odds ratio in multivariate analysis comparing multi-center versus single center studies was 2.1 (95%CI, 0.90 to 4.57); no other factors were significant
Notes	<ul style="list-style-type: none"> • Surgery • Funding not reported

Risk of bias

Item	Authors' judgement	Description
------	--------------------	-------------

Full publication of results initially presented in abstracts (Review)

Balasubramanian 2006 (Continued)

Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases and contacted abstract authors.
Follow-up time?	Yes	The meeting had 6 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of type of presentation, academic affiliation, multi-center status, clinical design, study design, mention of statistical methods, sample size, results and author number and subspecialty with publication using multivariable logistic regression analysis.

Beker-Acay 2015

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed until September 2014 Search completed by investigators Searched by first and second author, and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 3192 abstracts presented at the 2010 to 2012 Turkish National Radiology meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication Oral versus poster presentation Case report versus scientific research versus educational exhibit Prospective versus retrospective design Subspecialty
Outcomes	<ul style="list-style-type: none"> 300 of 3192 abstracts published 93/844 abstracts presented at the 2010 meeting, 106/1299 at the 2011 meeting, and 101/1049 at the 2012 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 15 months (range = 0 to 42 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 81/481 abstracts presented orally versus 219/2711 abstracts presented as poster published 143/2107 abstracts describing case report design versus 114/654 abstracts describing 'scientific' research versus 43/431 abstracts describing educational exhibit published 83/533 abstracts with prospective design versus 74/552 abstracts with retrospective design published
Notes	<ul style="list-style-type: none"> Radiology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.

Full publication of results initially presented in abstracts (Review)

Beker-Acay 2015 (Continued)

Search for publications?	No	Searched only 1 database.
Follow-up time?	No	All meetings except the 2010 meeting had less than 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type presentation, study design, prospective status, and subspecialty with publication using stratified analysis and Chi ² tests

Bello 2013

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Google/Google Scholar, and African Journal Online until September 30, 2012 Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Methodology Results
Data	<ul style="list-style-type: none"> Included 75 abstracts presented at the 2007 to 2010 Nigerian Association of Urological Surgeons meetings Included all abstracts presented orally
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Median time to publication Observational design versus case report versus case series versus other type of study design Basic versus beyond basic versus no use of statistics Retrospective design versus prospective design Subspecialty
Outcomes	<ul style="list-style-type: none"> 18 of 75 abstracts published 3/19 abstracts presented at the 2007 meeting, 8/16 at the 2008 meeting, 6/27 at the 2009 meeting, and 1/13 at the 2010 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 15 months (range = 2 to 40 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 13/48 abstracts describing observational design versus 4/18 abstracts describing case report versus 1/7 abstracts describing case series versus 0/2 abstracts describing other types of study designs published 8/41 abstracts with basic use of statistics versus 5/7 abstracts with beyond basic use of statistics versus 5/27 abstracts with no use of statistics published 9/31 abstracts with retrospective design versus 2/14 abstracts with prospective design published
Notes	<ul style="list-style-type: none"> Urology Funding not reported

Risk of bias

Item	Authors' judgement	Description
------	--------------------	-------------

Full publication of results initially presented in abstracts (Review)

Bello 2013 (Continued)

Sampling method?	Yes	Included all abstracts presented orally.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	The 2009 and 2010 meetings had less than 48 months follow-up. All other meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	Yes	Examined association of meeting year, study design, use of statistics, prospective status, and subspecialty with publication using multivariable logistic regression analysis.

Bergoli 2011

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, BBO, and LILACS from 2009 to 2010 Search completed by investigators Searched by first and last author, and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Sample size Title Results Aims Laboratory tests Conclusions
Data	<ul style="list-style-type: none"> Included 140 abstracts presented at the 2001 Brazilian Society of Oral Research meeting Included a random sample of abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication
Outcomes	<ul style="list-style-type: none"> 37 of 140 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 24.1 months No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Oral health - oral research Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random sample of abstracts.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	The meeting had 9 years follow-up.

Full publication of results initially presented in abstracts (Review)

Bergoli 2011 (Continued)

Matching?	Yes	Matched by 7 different criteria.
-----------	-----	----------------------------------

Bergqvist 2008

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed; date of search not reported Person completing the search not reported Searched by all authors, keywords, and title Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Title
Data	<ul style="list-style-type: none"> Included 699 abstracts presented at the 1989 to 1994, 1995 to 2000, and 2001 to 2006 European Society for Vascular Surgery meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting
Outcomes	<ul style="list-style-type: none"> 553 of 699 abstracts published, 192/218 presented at the 1989 to 2004 meetings, 162/219 at the 1995 to 2000 meetings, and 199/262 at the 2001 to 2006 meetings. Proportion of abstracts published by time not reported No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Surgery - vascular surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Bernstein 1983

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLARS; date of search not reported Person completing the search not reported Searched by first author Matching criteria not reported
---------	--

Bernstein 1983 (Continued)

	<ul style="list-style-type: none"> • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 177 abstracts submitted to the 1978 American Association for the Study of Liver Diseases meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Accepted versus rejected for conference presentation • Clinical research versus basic science research
Outcomes	<ul style="list-style-type: none"> • 106 of 177 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 56/82 abstracts accepted for presentation versus 50/95 rejected abstracts published ◦ 53/101 abstracts describing clinical research versus 53/76 abstracts describing basic science research published
Notes	<ul style="list-style-type: none"> • Gastroenterology - hepatology • Funding not reported • Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 1 database and contacted abstract authors.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of acceptance for presentation and type of science with publication using stratified analysis and unspecified statistical tests.

Berookhim 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE until October 2009 ◦ Person completing the search not reported ◦ Searched by all authors, and title ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ One author ■ Institution of any author ■ Study design
Data	<ul style="list-style-type: none"> • Included 208 abstracts presented at the 2006 and 2007 American Urological Association meetings • Included all abstracts relating to sexual medicine
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Clinical research versus basic science research

Full publication of results initially presented in abstracts (Review)

Berookhim 2013 (Continued)

	<ul style="list-style-type: none"> US versus non-US origin Academic versus non-academic affiliation Subspecialty
Outcomes	<ul style="list-style-type: none"> 107 of 208 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 71/137 abstracts describing clinical research versus 33/71 abstracts describing basic science research published 71/129 abstracts originating from the US versus 36/79 abstracts not originating from the US published 92/150 abstracts originating from an academic center versus 13/58 abstracts originating not originating from an academic center published
Notes	<ul style="list-style-type: none"> Human reproduction and development - sexual and reproductive medicine Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described a specific topic, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	The 2006 meeting had 36 months, and the 2007 meeting 24 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	Yes	Examined association of type science, US origin, academic affiliation, and subspecialty with publication using multivariable logistic regression analysis.

Bhandari 2002

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE and PubMed from January 1995 to February 2001 Search completed by investigator Searched by first, second, and last author, and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Title Contents
Data	<ul style="list-style-type: none"> Included 465 abstracts presented at the 1996 American Academy of Orthopedic Surgeons meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean and median time to publication Cumulative proportion of abstracts published Clinical research versus basic science research RCT design versus non-RCT design North American versus European versus rest of the world origin

Full publication of results initially presented in abstracts (Review)

Bhandari 2002 (Continued)

	<ul style="list-style-type: none"> Funding stated versus not stated Subspecialty
Outcomes	<ul style="list-style-type: none"> 159 of 465 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 17.6 months (SD = 12) Median time to publication = 14 months (range = 1 to 56 months) Cumulative proportion of abstracts published at 44 months showed proportion published = 31.8% (148/465 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 122/357 abstracts describing clinical research versus 37/107 abstracts describing basic science research published 7/23 abstracts with RCT design versus 152/442 abstracts with non-RCT design published 148/412 abstracts originating from North America versus 5/33 abstracts from Europe versus 6/20 abstracts from rest of the world published No study reported funding
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery Reported receiving no funding from grants or outside sources

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 60 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	Yes	Examined association of type science, study design, country of origin and subspecialty with publication using multivariable logistic regression analysis.

Bhasin 2007

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE and PubMed to April 2005 Person completing the search not reported Searched by all authors and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 106 abstracts presented at the 2001 and 2002 Vascular Society of Great Britain and Ireland meetings Included all abstracts accepted as oral presentations
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean and median time to publication
Outcomes	<ul style="list-style-type: none"> 63 of 106 abstracts published Proportion of abstracts published by time

Full publication of results initially presented in abstracts (Review)

Bhasin 2007 (Continued)

- Mean time to publication = 11 months
- Median time to publication = 12 months (IQR = 7 to 18 months)
- No factors related to proportion of abstracts published reported

Notes

- Other clinical specialties - vascular research
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted as oral presentations.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The 2001 meeting had 48 months and the 2002 meeting 36 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Bird 1999

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ Aquatic Sciences and Fisheries Abstracts (1982 to 1998), Biological Abstracts (1989 to 1998), Medline (1966 to 1998), PsycINFO (1982 to 1998), Zoological Record (1978 to September 1998), CINAHL (1982 to 1998), ERIC (1966 to 1999), PAIS (1972 to 1998), Sociological abstracts (1994 to 1998), UnCover (1988 to 1998) ◦ Person completing the search not reported ◦ Searched by all authors and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ One author ■ Keywords ■ Contents ■ Methodology ■ Study time period • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 425 abstracts presented at the 1989 and 1991 Society for Marine Mammalogy meetings • Included abstracts randomly selected from 849 abstracts presented at the meeting
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Cumulative proportion of abstracts published by meeting
Outcomes	<ul style="list-style-type: none"> • 249 of 425 abstracts published • 123/210 abstracts presented at the 1989 meeting, and 126/215 at the 1991 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Cumulative proportion of abstracts published at 103 months for 1989 meeting showed proportion published = 49% (99/203 abstracts; time to publication not available for 7 full publications) ◦ Cumulative proportion of abstracts published at 79 months for 1991 meeting showed proportion published = 48% (99/206 abstracts; time to publication not available for 9 full publications) • No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Other non-clinical specialties - marine mammalogy

Full publication of results initially presented in abstracts (Review)

Bird 1999 (Continued)

- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random selection of abstracts.
Search for publications?	Yes	Searched 10 databases and contacted abstract authors.
Follow-up time?	Yes	All meetings had at least 6 years follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Blackwell 2009

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE, Embase, and Google/Google Scholar; dates of search not reported but reported Quote: "five year minimum" ◦ Person completing the search not reported ◦ Searched by first and last author, keywords, and title ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 90 abstracts presented at the 2000 to 2002 Society of Maternal Fetal Medicine meetings • Included only abstracts of controlled clinical trials
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication • 'Positive' versus not 'positive' • Oral versus poster presentation • RCT design versus CCT design • US versus non-US origin • Academic versus non-academic affiliation • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 50 of 90 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 19 months (range = 4 to 66 months) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 30/43 'positive' (defined by direction of results or clinically relevant) versus 13/47 not 'positive' abstract results published ◦ 15/21 abstracts presented orally published; proportion presented as posters that were published not reported ◦ 50/86 abstracts with RCT design versus 0/4 abstracts with CCT design published ◦ 34/63 abstracts originating in the US versus 16/27 abstracts not originating in the US published ◦ 43/75 abstracts originating in an academic center 7/15 abstracts not abstracts originating in an academic center published
Notes	<ul style="list-style-type: none"> • Gynecology/obstetrics - maternal-fetal medicine

Full publication of results initially presented in abstracts (Review)

Blackwell 2009 (Continued)

- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts describing controlled clinical trials.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of positive results, type presentation, study design, US origin, academic affiliation, and subspecialty with publication using multivariable logistic regression analysis.

Bolac 2009

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed from July to August 2008 ◦ Search completed by investigator ◦ Searched by first and last author, and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Two authors ■ Contents
Data	<ul style="list-style-type: none"> • Included 540 abstracts presented at the 1999 to 2004 Journées Dermatologiques de Paris meetings • Included all abstracts accepted for oral presentation
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean and median time to publication • Cumulative proportion of abstracts published • Clinical research versus basic science research • Observational studies versus case reports versus 'essais cliniques' versus epidemiology studies • Multi-centered versus single center • Conducted by free dermatologists, institutes or associations versus members of Société française de dermatologie • Oncology versus infectious diseases • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 299 of 540 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 20.3 months (SD = 16.9) ◦ Median time to publication = 17 months (range = 0 to 90 months) ◦ Cumulative proportion of abstracts published at 48 months showed proportion published = 61.1% (330/540 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 55.2% of abstracts describing clinical research versus 67.3% of abstracts describing basic science research published

Bolac 2009 (Continued)

- 149/279 abstracts with observational studies versus 45/80 abstracts of case reports versus 23/28 abstracts of 'essais cliniques' versus 5/16 epidemiology studies published
- 58.1% of abstracts with multiple centers versus 57.5% of abstracts with a single center published
- 4/9 abstracts conducted by free dermatologists, institutes or associations versus 16/24 abstracts conducted by members of Société Française de Dermatologie published
- 79/123 abstracts on oncology studies versus 32/46 abstracts on infectious diseases published

Notes

- Dermatology
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted for oral presentation.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of type science, study design, multi-center status, presenter status, and subspecialty with publication using stratified analysis and Chi ² or Fisher's Exact tests.

Boldt 1999

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE from 1993 to 1999 ○ Person completing the search not reported ○ Search criteria not reported ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Contents
Data	<ul style="list-style-type: none"> • Included 566 abstracts presented at the 1994 Deutscher Anästhesie Kongress and European Society of Anaesthesiologists meetings • Included all abstracts of free papers
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Cumulative proportion of abstracts published by meeting • Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> • 233 of 566 abstracts published • 111/244 abstracts presented at the 1994 European Society of Anaesthesiologists meeting, and 122/322 at the 1994 Deutscher Anästhesie Kongress meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Cumulative proportion of abstracts published at 84 months showed proportion published = 37.9% (122/322 abstracts) for Deutscher Anästhesie Kongress ○ Cumulative proportion of abstracts published at 84 months showed proportion published = 45.5% (111/244 abstracts) for European Society of Anaesthesiologists

Full publication of results initially presented in abstracts (Review)

Boldt 1999 (Continued)

- Factors related to proportion of abstracts published included
 - 137/349 abstracts presented orally versus 96/217 abstracts presented as posters published

Notes

- Anesthesiology
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of free papers.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 5 years follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year and type presentation with publication using stratified analysis.

Bonitz 2011

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE to April 2011 ◦ Person completing the search not reported ◦ Search criteria not reported ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 284 abstracts presented at the 2006 and 2007 American Society for Reproductive Medicine meetings • Included all abstracts related to male reproduction
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 107 of 284 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 16 months (range = 10 to 28 months) • No factors other than subspecialty related to proportion of abstracts published reported.
Notes	<ul style="list-style-type: none"> • Human reproduction and development - male reproduction • Funding not reported • Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described a specific topic, so low risk of bias.

Full publication of results initially presented in abstracts (Review)

Bonitz 2011 (Continued)

Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of subspecialty with publication using stratified analysis, and time to publication using unspecified multivariable models.

Bowrey 1999

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE from 1981 through 1997 Person completing the search not reported Searched by all authors Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 496 abstracts presented at the 1983 to 1995 Welsh Surgical Society meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication Subspecialty
Outcomes	<ul style="list-style-type: none"> 233 of 496 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 17 months (IQR = 10 to 27.5 months; range = 24 to 168 months) No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Surgery Funding not reported Author reports on five additional articles 'accepted' for publication, but not included

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 1994 had at least 48 months follow-up. The 1994 and 1995 meetings had 36 and 24 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of sub-specialty with publication using stratified analysis.

Brace 2010

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Agricola, and CAB; dates of search not reported Search completed by investigator Searched by first, second, and last author, and ("organism + "vacci*") Matched abstract to full-length publication by <ul style="list-style-type: none"> Sample size Contents Description of vaccine Age, weight and sex of animals Dose and route of vaccine
Data	<ul style="list-style-type: none"> Included 154 abstracts presented at the 1988 to 2003 American Association of Swine Veterinarians Annual Conference and American Association of the Bovine Practitioners Annual Conference meetings Included all abstracts related to vaccines
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting 'Positive' versus not 'positive'
Outcomes	<ul style="list-style-type: none"> 11 of 154 abstracts published 6/65 abstracts presented at the 1988 to 2003 American Association of the Bovine Practitioners Annual Conference meetings, and 5/89 at the 1988 to 2003 American Association of Swine Veterinarians Annual Conference meetings published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 8/91 'positive' (defined as experimental better than control or clinically relevant) versus 3/63 not 'positive' abstract results published
Notes	<ul style="list-style-type: none"> Other non-clinical specialties - veterinary vaccine Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described a specific topic, so low risk of bias.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	No	Examined association of meeting and positive results and meeting for association with publication using stratified analysis.

Brazzelli 2009

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Embase, MEDLINE to November 2006 Search completed by investigator
---------	---

Brazzelli 2009 (Continued)

	<ul style="list-style-type: none"> ○ Searched by all authors and keywords ○ Matching criteria not reported • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 160 abstracts presented at the 1995 to 2004 International Stroke Conference and European Stroke Conference meetings • Included all abstracts of diagnostic test accuracy studies
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean and median time to publication • Cumulative proportion of abstracts published • Survival analysis of publication rate • 'Positive' versus not 'positive' • Sample size equal to or above the median versus sample size below the median • Multi-centered versus single center • Origin from English-speaking country versus Europe (excluding UK) versus Asia and South America • "Accurate" versus "possibly useful" versus "non-informative" estimates of sensitivity and specificity as defined by authors • Blinding reported versus blinding not reported • Interobserver agreement assessed versus not reported if assessed • 'Prospective' versus 'retrospective' design versus design not reported
Outcomes	<ul style="list-style-type: none"> • 121 of 160 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 20 months ○ Median time to publication = 16 months ○ Cumulative proportion of abstracts published at 36 months showed proportion published = 63.1% (101/160 abstracts) for International Stroke Conference meetings ○ Survival analysis of proportion published at 120 months = 84% for European Stroke Conference meetings • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 107/141 'positive' (defined as experimental better than control or clinically relevant) versus 13/19 not 'positive' abstract results published ○ 58/81 abstracts with sample size equal to or above the median versus 62/78 abstracts with sample size below the median published ○ 10/13 abstracts with multiple centers versus 111/147 abstracts with a single center published ○ 54/71 abstracts originating from English speaking country versus 62/79 abstracts from Europe (excluding UK) versus 5/10 abstracts from Asia and South America published ○ 107/141 abstracts with estimates of sensitivity and specificity defined as "accurate" versus 7/10 abstracts with estimates defined as "possibly useful" versus 6/9 abstracts with estimates defined as "non-informative" published ○ 34/39 abstracts with studies reporting blinding versus 87/121 abstracts not reporting blinding published ○ 15/17 abstracts with interobserver agreement assessed versus 106/143 abstracts not reporting if assessed published ○ 28/42 abstracts with 'prospective' study design versus 10/14 abstracts with 'retrospective' study design versus 83/104 abstracts with design not reported published
Notes	<ul style="list-style-type: none"> • Neurology - stroke • Funding by Scottish Executive Health Department Chief Scientist Office and English Department of Health

Risk of bias

Brazzelli 2009 (Continued)

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of diagnostic test accuracy studies.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings before 2003 had at least 48 months follow-up. The meetings in 2003 and 2004 had 36 months and 24 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of study design, number of authors, multi-center status, sample size, presence of blinding, interobserver agreement, type of diagnostic test, clinical utility of results, Youden's index and country of origin with publication using stratified analysis, and time to publication using Cox regression models

Brost 2005

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed; date of search not reported Search completed by investigator Searched by all authors and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 288 abstracts presented at the 1998 to 2001 Society of Maternal Fetal Medicine meetings Included all abstracts presented orally
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Multi-centered trial versus clinical research versus basic science research versus animal research versus unclassified design
Outcomes	<ul style="list-style-type: none"> 208 of 288 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 22/28 abstracts describing multi-center trials versus 113/158 abstracts describing clinical research versus 43/52 abstracts describing basic science research versus 28/40 abstracts describing animal research versus 5/10 abstracts with unclassified design published
Notes	<ul style="list-style-type: none"> Gynecology/obstetrics - maternal-fetal medicine Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.

Full publication of results initially presented in abstracts (Review)

Brost 2005 (Continued)

Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type of presentation and study design with publication using stratified analysis.

Buchan 2011

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed; date of search not reported, but "61 months after meeting" Search completed by investigator Searched by all authors Matched abstract to full-length publication by <ul style="list-style-type: none"> Methodology One conclusion
Data	<ul style="list-style-type: none"> Included 179 abstracts presented at the 2004 Royal College of Ophthalmologists meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Cumulative proportion of abstracts published 'Positive' versus not 'positive' Oral versus poster presentation Clinical research versus basic science versus service/delivery-related studies UK origin versus international collaborations 'Prospective' versus 'retrospective' study design Number of authors 1-2 versus 3-5 versus 6 or more Academic author versus non-academic author
Outcomes	<ul style="list-style-type: none"> 64 of 179 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 20.1 months (95% CI = 16.9 to 23.4 months) Cumulative proportion of abstracts published at 48 months showed proportion published = 32.4% (58/179 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 44.4% of abstracts with 'positive' (defined as statistically significant) versus 43.6% of abstracts with not 'positive' results published 41% of abstracts presented orally versus 35% of abstracts presented as posters published 36.5% of abstracts describing clinical research versus 41.7% of abstracts with basic science research versus 26.3% of abstracts describing service/delivery-related studies published 35% of abstracts from the UK versus 45% of abstracts with international collaboration published 33% of abstracts with 'prospective' study design versus 33.9% of abstracts with 'retrospective' study design published 26% of abstracts with 1-2 authors versus 36% of abstracts with 3 to 5 authors versus 50% of abstracts with 6 or more authors published 39.5% of abstracts with academic author versus 28.3% of abstracts with non-academic author published
Notes	<ul style="list-style-type: none"> Ophthalmology/optometry - ophthalmology Funding not reported

Buchan 2011 (Continued)

- Data extracted from letter

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting was followed up for Quote: "61 months".
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	Yes	Examined association of positive results, type presentation, type science, UK origin, prospective status, number of authors, and academic affiliation with publication using unspecified multivariable analysis.

Burden 2014

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE; date of search not reported ◦ Person completing the search not reported ◦ Searched by all authors and keywords ◦ Matching criteria not reported • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 112 abstracts presented at the 2003 to 2012 South Yorkshire Regional Gastroenterology meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication by presence in list of top 3 abstracts per meeting • Ranked in meeting under top 3 abstracts per meeting versus not in top 3 rank per meeting
Outcomes	<ul style="list-style-type: none"> • 37 of 112 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 12.8 months, for abstracts ranked in top 3 per meeting ◦ Mean time to publication = 19.3 months, for abstracts not ranked in top 3 per meeting • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 24/32 abstracts ranked under top 3 per meeting versus 13/80 abstracts not ranked in top 3 per meeting published
Notes	<ul style="list-style-type: none"> • Gastroenterology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.

Burden 2014 (Continued)

Search for publications?	Yes	Searched 1 database and contacted abstract authors directly.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of abstract ranking with publication using stratified analysis and unspecified statistical test.

Bydder 2004

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to August 2002 Person completing the search not reported Searched by presenter and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 481 abstracts presented at the 1996 to 1999 Royal Australian and New Zealand College of Radiologists meetings Included all abstracts of "free" papers
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean and median time to publication Cumulative proportion of abstracts published Oral versus poster presentation Diagnostic versus oncology studies
Outcomes	<ul style="list-style-type: none"> 168 of 481 abstracts published 42/117 abstracts presented at the 1996 meeting, 28/97 at the 1997 meetings, 59/163 at the 1998 meeting, and 39/104 at the 1999 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 16.5 months Median time to publication = 17 months Cumulative proportion of abstracts published at 36 months showed proportion published = 32.4% (156/481 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 108/279 abstracts presented orally versus 60/202 abstracts presented as poster published 74/254 abstracts describing diagnostic studies versus 94/227 abstracts of oncology studies published
Notes	<ul style="list-style-type: none"> Radiology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of "free" papers.
Search for publications?	No	Searched only 1 database.

Bydder 2004 (Continued)

Follow-up time?	Yes	All meetings before 1999 had at least 48 months follow-up. The meeting in 1999 had 36 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, type presentation, and type science with publication using stratified analysis and Chi ² tests.

Byerly 2000

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, Current Contents, International Pharmacy Abstracts from 1966 through 1998 Person completing the search not reported Searched by first author Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Title Methodology Sample size Results Research question
Data	<ul style="list-style-type: none"> Included 716 abstracts presented at the 1994 American Society of Health System Pharmacists and American College of Clinical Pharmacy meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Median time to publication by meeting
Outcomes	<ul style="list-style-type: none"> 126 of 716 abstracts published 55/501 abstracts presented at the 1994 American Society of Health System Pharmacists meeting, and 71/215 at the 1994 American College of Clinical Pharmacy meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication from the 1994 American Society of Health System Pharmacists meeting = 12.8 months Median time to publication from the 1994 American College of Clinical Pharmacy meeting = 14.9 months No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Pharmacology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	The meeting had 48 months follow-up.

Full publication of results initially presented in abstracts (Review)

Byerly 2000 (Continued)

Matching?	Yes	Matched by 6 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Callaham 1998

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, Embase, the Cochrane Library from 1995 to 1996 Search completed by investigator Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> All author Title Contents Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 492 abstracts submitted to the 1991 Society for Academic Emergency Medicine meeting Included all abstracts, but excluded 11 on teaching methods from analysis
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Cumulative proportion of abstracts published 'Positive' versus not 'positive' Sample size equal to or above the median versus sample size below the median Accepted versus rejected for conference presentation 'High' versus 'low' quality as defined by author
Outcomes	<ul style="list-style-type: none"> 214 of 492 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 18 months Cumulative proportion of abstracts published at 48 months showed proportion published = 41.3% (203/492 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 77/153 'positive' (defined as experimental better than control or clinically relevant) versus 36/74 not 'positive' abstract results published 99/212 abstracts with sample size equal to or above the median versus 114/281 abstracts with sample size below the median published 111/179 abstracts accepted for presentation versus 103/313 rejected abstracts published 106/199 abstracts rated by author as 'high' quality versus 107/294 abstracts rated as 'low' quality published
Notes	<ul style="list-style-type: none"> Emergency medicine Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.

Full publication of results initially presented in abstracts (Review)

Callaham 1998 (Continued)

Search for publications?	Yes	Searched 3 databases and contacted abstract authors.
Follow-up time?	Yes	The meeting had 5 years follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	Yes	Examined association of positive results, sample size, acceptance for presentation, and author rating with publication using multivariable logistic regression analysis.

Camacho 2005

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE to December 2004 Search completed by investigator Searched by first, third, and senior author, and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> Title Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 275 abstracts submitted at the 1997 American Society of Clinical Oncology meeting Included all abstracts describing phase I studies
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean and median time to publication Cumulative proportion of abstracts published Oral versus poster presentation Accepted versus rejected for conference presentation Use of a 'novel' versus 'non-novel' agent Sponsored by a private agency versus not sponsored by a private agency
Outcomes	<ul style="list-style-type: none"> 185 of 275 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 29 months (95% CI = 33.6 to 45.6 months) Median time to publication = 40.8 months Cumulative proportion of abstracts published at 90 months showed proportion published = 66.9% (184/275 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 18/25 abstracts presented orally versus 88/123 abstracts presented as poster published 106/148 abstracts accepted for presentation versus 79/127 rejected abstracts published 98/146 abstracts describing use of a "novel" agent versus 86/129 abstracts describing a "non-novel" agent published 72% of abstracts sponsored by a private agency versus 64% of abstracts not sponsored by a private agency published
Notes	<ul style="list-style-type: none"> Oncology Funding from Clinical Cancer Research Award from the Cancer and Leukemia Group B

Risk of bias

Item	Authors' judgement	Description
------	--------------------	-------------

Full publication of results initially presented in abstracts (Review)

Camacho 2005 (Continued)

Sampling method?	Yes	Included all abstracts describing phase I studies.
Search for publications?	Yes	Searched 1 database and contacted abstract authors.
Follow-up time?	Yes	The meeting had 7 years follow-up.
Matching?	No	Matched by only 1 criterion.
Adjustment for confounding?	No	Examined association of type presentation, acceptance for presentation, use of a 'novel' agent, and sponsorship by a private agency with publication using stratified analysis and Fisher's Exact test.

Canosa 2011

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 140 abstracts, which was a random sample of 840 abstracts submitted to the 2003 Congreso Argentino de Pediatría meeting
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean and median time to publication Oral versus poster presentation Pediatrics versus other topics Male versus female authors
Outcomes	<ul style="list-style-type: none"> 16 of 140 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 27 months (SD = 15) Median time to publication = 26 months (range = 7 to 37 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 9/38 abstracts presented orally versus 7/77 abstracts presented as posters published 15/129 abstracts related to pediatrics versus 1/8 abstracts related to other topics published 9/87 abstracts with female authors versus 7/53 abstracts with male authors published
Notes	<ul style="list-style-type: none"> Pediatrics Funding from Sociedad Argentina de Pediatría

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random sample of all submitted abstracts.
Search for publications?	Yes	Contacted abstract authors with > 80% response rate.
Follow-up time?	Unclear	Date of author contact not reported.
Matching?	Yes	Matched by contact with abstract author.
Adjustment for confounding?	No	Examined association of type presentation, topic, and author gender with publication using stratified analysis and Chi ² or t tests.

Full publication of results initially presented in abstracts (Review)

Carroll 2003

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE to March 2003 Search completed by investigator Searched by all authors Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Results for one outcome
Data	<ul style="list-style-type: none"> Included 614 abstracts submitted to the 1998 and 1999 Pediatric Academic Society meetings Included all abstracts submitted to a meeting that were in sessions related to pediatrics, either including all abstracts in a session (if 80 or less) or a random sample of abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication by presentation status and type Oral versus poster presentation Accepted versus rejected for conference presentation
Outcomes	<ul style="list-style-type: none"> 243 of 614 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication for rejected abstracts = 23.1 months (SD = 12.1) Mean time to publication for abstracts presented orally = 21.4 months (SD = 11.8) Mean time to publication for abstracts presented as posters = 26.5 months (SD = 12.3) Mean time to publication for abstracts presented in poster symposia = 20.3 months (SD = 11.9) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 84/160 abstracts presented orally versus 124/296 abstracts presented as poster or poster symposium published 208/456 abstracts accepted for presentation versus 35/158 rejected abstracts published
Notes	<ul style="list-style-type: none"> Pediatrics Funding by the Robert Wood Johnson Clinical Scholars and Generalist Physician Faculty Scholars program

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all or a random sample of abstracts in sessions describing a specific topic.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	Yes	Examined association of type presentation and acceptance for presentation with publication using multivariable logistic regression analysis.

Cartwright 2007a

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to February 2006 Search completed by investigator; "two observers" Searched by all authors and keywords Matching criteria not reported Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 130 abstracts presented at the 2003 International Continence Society meeting Included only abstracts from podium and oral poster sessions
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 77 of 130 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 11 months Cumulative proportion of abstracts published at 32 months showed proportion published = 59.2% (77/130 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> Positive results of interventional trials were not associated with publication US origin was significantly associated with publication ($P = 0.043$, Fisher's Exact Test) Multi-center status was not associated with publication
Notes	<ul style="list-style-type: none"> Gynecology/obstetrics - urogynecology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included only abstracts from podium and oral poster sessions.
Search for publications?	Yes	Searched 1 database and contacted abstract authors.
Follow-up time?	No	The meeting had 36 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of positive results, US origin and multi-center status with publication using stratified analysis and Fisher's Exact or Mann-Whitney U tests.

Cartwright 2007b

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE to January 2007 Person completing the search not reported Searched by all authors and keywords
---------	---

Cartwright 2007b (Continued)

- Matching criteria not reported

Data	<ul style="list-style-type: none"> • Included 116 abstracts presented at the 2003 International Urogynecological Meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication • Oral versus poster presentation • French versus other countries • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 64 of 116 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 27 months • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 31/39 abstracts presented orally versus 33/77 abstracts presented as posters published ◦ 88.9% of abstracts with French authors were published
Notes	<ul style="list-style-type: none"> • Gynecology/obstetrics - urogynecology • Funding not reported • Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type presentation and French origin with publication using stratified analysis and Fisher's Exact or Mann-Whitney U test.

Castagnetti 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE and PubMed in October 2012 ◦ Person completing the search not reported ◦ Searched by all authors and keywords ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 1194 abstracts presented at the 2003 to 2006 and 2007 to 2010 European Society for Pediatric Urology meetings • Included all abstracts except for a single abstract that was excluded due to incomplete data
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting group • Cumulative proportion of abstracts published • Oral versus poster presentation

Full publication of results initially presented in abstracts (Review)

Castagnetti 2013 (Continued)

- Clinical research versus basic science research
- RCT design versus other type of study design
- Multi-centered versus single center
- English speaking country versus non-English speaking country
- North American versus European versus rest of the world origin
- Prospective design versus retrospective design
- 'Higher' quality as defined as multi-center/prospective/randomized versus 'lower' quality
- Subspecialty

Outcomes	<ul style="list-style-type: none"> • 564 of 1194 abstracts published • 305/611 abstracts presented at the 2003 to 2006 meetings, and 259/583 at the 2007 to 2010 meetings published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Cumulative proportion of abstracts published at 60 months showed proportion published = 47.2% (564/1194 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 173/350 abstracts presented orally versus 370/760 abstracts presented as poster published ◦ 444/961 abstracts describing clinical research versus 120/233 abstracts describing basic science research published ◦ 20/21 abstracts describing a RCT versus 544/1133 abstracts describing a different study design published ◦ 33/45 abstracts with multiple centers versus 532/1105 abstracts with a single center published ◦ 169/332 abstracts from an English speaking country versus 395/862 abstracts from a non-English speaking country published ◦ 119/215 abstracts originating from North America versus 330/767 abstracts originating from Europe versus 115/222 abstracts with the rest of the world origin published ◦ 47/92 abstracts describing a prospective design versus 16/22 abstracts describing a retrospective design published ◦ 83/135 abstracts of 'higher' quality versus 366/826 abstracts of 'lower' quality published
Notes	<ul style="list-style-type: none"> • Urology - pediatrics • Reported having received no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with one reasonable exception.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The 2009 and 2010 meetings had less than 48 months follow-up. All other meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, type of presentation, type of science, study design, multi-center status, origin in English language country, country of origin, prospective status, abstract quality, and subspecialty with publication using stratified analysis and Chi ² or Mann-Whitney U tests

Castaldi 2015

Methods	Identification of subsequent full-length publications
---------	---

Full publication of results initially presented in abstracts (Review)

Castaldi 2015 (Continued)

	<ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Cochrane Central Register of Controlled Trials, MEDLINE, PubMed, and Google/Google Scholar to July 2012 Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Main outcome Searched web sites of major Italian journals in public health and hygiene
Data	<ul style="list-style-type: none"> Included 621 abstracts presented at the 2005 to 2007 Italian Society of Hygiene and Public Health meetings Included all 'good quality abstracts' defined as those with a score of 19 or higher or between 16 and 19 with unscored item for "Inherence"
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication, overall and by meeting 'Positive' versus not 'positive' Sample size ≤ 100 versus > 100 Oral versus poster presentation Observational design versus experimental design versus 'revision' Academic versus non-academic affiliation Very high quality versus high quality versus medium quality Male versus female first author
Outcomes	<ul style="list-style-type: none"> 146 of 621 abstracts published 39/174 abstracts presented at the 2005 meeting, 44/187 at the 2006 meeting, and 63/260 at the 2007 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 25.1 months (95% CI = 22.1 to 28.1 months), overall Mean time to publication = 27.4 months (95% CI = 20.8 to 34.0 months) for the 2005 meeting Mean time to publication = 30.5 months (95% CI = 24.6 to 36.4 months) for the 2006 meeting Mean time to publication = 20.2 months (95% CI = 16.6 to 23.8 months) for the 2007 meeting Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 121/450 'positive' (defined as significant results) versus 4/41 not 'positive' abstract results published 47/220 abstracts with a sample size ≤ 100 versus 99/400 abstracts with a sample size > 100 published 54/149 abstracts presented orally versus 92/472 presented as poster published 114/513 abstracts with observational design versus 21/63 abstracts with experimental design versus 11/44 presenting 'revisions' published 120/422 abstracts originating in an academic center versus 26/199 abstracts not abstracts originating in an academic center published 38/109 'very high quality' abstracts versus 78/326 'high quality' abstracts versus 30/186 'medium quality' abstracts published 62/299 abstracts with male first author versus 84/318 with female first author published
Notes	<ul style="list-style-type: none"> Other non-clinical specialties -public health Reported receiving no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of a specific subgroup, so low risk of bias.

Castaldi 2015 (Continued)

Search for publications?	Yes	Searched 3 databases and web sites of journals.
Follow-up time?	Yes	The meetings had at least 60 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	Yes	Examined association of meeting year, positive results, sample size, type presentation, study design, academic affiliation, abstract quality, and author gender with publication using multivariable logistic regression analysis.

Castillo 2000

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE from 1990 to 1998 Search completed by investigator Search criteria not reported Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Contents
Data	<ul style="list-style-type: none"> Included 491 abstracts presented at the 1992 Congress of the Spanish Society of Anesthesiology and Resuscitation meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 84 of 491 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 22 months (range = -24 to 72 months) Cumulative proportion of abstracts published at 78 months showed proportion published = 17.1% (84/491 abstracts) No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Anesthesiology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 6 years follow-up.
Matching?	Yes	Matched by 2 different criteria.

Castillo 2002

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, DataStar from 1993 to December 2000 Search completed by investigator Searched by lead, second, third, and last author, keywords, and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 472 abstracts presented at the 1995 European Society of Anesthesiologists meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Cumulative proportion of abstracts published 'Positive' versus not 'positive' Sample size equal to or above the median versus sample size below the median Oral versus poster presentation RCT design versus non-RCT design North American versus European versus rest of the world origin Subspecialty
Outcomes	<ul style="list-style-type: none"> 199 of 472 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 16.8 months (SD = 15.6; range = 24 to 60 months) Cumulative proportion of abstracts published at 72 months showed proportion published = 42.2% (199/472 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 160/361 'positive' (defined as significant results) versus 23/56 not 'positive' abstract results published 73/197 abstracts with sample size equal to or above the median versus 106/230 abstracts with sample size below the median published 83/210 abstracts presented orally versus 116/262 abstracts presented as poster published 69/146 abstracts with RCT design versus 128/326 abstracts with non-RCT design published 8/14 abstracts originating in North America versus 184/408 abstracts from Europe versus 7/49 abstracts from rest of the world published
Notes	<ul style="list-style-type: none"> Anesthesiology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	The meeting had 5 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of positive results, sample size, type presentation, study design, country or origin and subspecialty with publication by stratified analysis and Wilcoxon signed rank sum or U-tests.

Full publication of results initially presented in abstracts (Review)

Cauchy 2014

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed up to June 30, 2013 Person completing the search not reported Searched by first and last author, and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> Sample size Title Results Type of study Conclusions
Data	<ul style="list-style-type: none"> Included 897 abstracts submitted to the 2005 to 2012 French Congress of Digestive and Hepato-biliary Surgery meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication, overall and by presentation status 'Positive' versus not 'positive' Sample size ≤ 100 versus > 100 Accepted versus rejected abstracts Oral versus poster presentation Clinical research versus 'experimental' research RCT design versus observational design versus case report design versus literature review versus meta-analysis Multi-centered versus single center French versus rest of the world origin Plenary versus other oral presentation Subspecialty
Outcomes	<ul style="list-style-type: none"> 334 of 897 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 16.1 months (range = 0 to 67.4 months), overall Median time to publication = 16.1 months for accepted abstracts Median time to publication = 15.1 months for rejected abstracts Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 245/580 'positive' (undefined) versus 89/317 not 'positive' abstract results published 227/624 abstracts with ≤ 100 participants versus 107/273 abstracts with < 100 participants published 219/453 accepted abstracts versus 115/444 rejected abstracts published 109/176 abstracts presented orally versus 110/277 abstracts presented as poster published 309/857 abstracts describing clinical research versus 25/40 abstracts describing 'experimental' research published 6/8 abstracts with RCT design versus 316/825 abstracts with observational design versus 7/57 abstracts with case report design versus 2/4 abstracts describing literature reviews versus 3/3 abstracts describing meta-analyses published 35/69 abstracts with multiple centers versus 299/832 abstracts with a single center published 301/716 abstracts from France versus 33/181 abstracts with rest of the world origin published 22/29 abstracts presented in the plenary versus 109/176 other orally presented abstracts published
Notes	<ul style="list-style-type: none"> Gastroenterology - digestive and hepato-biliary surgery

Cauchy 2014 (Continued)

- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	The meeting only had 24 months follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	Yes	Examined association of positive results, sample size, acceptance for presentation, type of presentation, type of science, study design, multi-center status, French origin, type of oral presentation, and subspecialty with publication using multivariable logistic regression analysis.

Chalmers 1990a

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ Oxford Database of Perinatal Trials, date of search not reported ◦ Search completed by investigator ◦ Searched by all authors, contents, methodology ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • 176 RCT 'summary reports' found in Oxford Database of Perinatal Trials to 1988 • More than 2/3 of summary reports were abstracts, remainder were letters and short reports
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • 'Positive' versus not 'positive' • Sample size equal to or above the median versus sample size below the median • 'High' versus 'low' quality as defined by author • Abstract format versus short report or letter • Cumulative proportion of abstracts published • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 64 of 176 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Cumulative proportion of abstracts published at 48 months showed proportion published = 35.8% (63/176 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 32/98 'positive' (defined as experimental better than control) versus 32/78 not 'positive' abstract results published ◦ 38/85 reports with sample size equal to or above the median versus 23/85 reports with sample size below the median published ◦ 3/10 reports rated by author as 'high' quality versus 43/114 reports rated as 'medium' quality versus 18/52 reports rated as 'low quality' published ◦ 49/125 in abstract format versus 15/51 reports in short report or letter format published
Notes	<ul style="list-style-type: none"> • Pediatrics - perinatology

Full publication of results initially presented in abstracts (Review)

Chalmers 1990a (Continued)

- Funded by the National Center for Health Services Research and Department of Health, London, England

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all summary reports and other documents describing controlled trials.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of positive results, sample size, abstract quality, report format, and subspecialty with publication using multivariable logistic regression analysis.

Chan 2002

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE and OVID from January 1997 to September 2001 Person completing the search not reported Searched by all authors and institutions where study conducted Matching criteria not reported Handsearched three local journals
Data	<ul style="list-style-type: none"> Included 105 abstracts presented at the 1997 and 1998 Malaysian Paediatric Association Annual Congress, Perinatal Society of Malaysia Annual Congress, and Academy of Medicine of Malaysia Annual Scientific Congress of Medicine meetings Included abstracts of studies conducted in Malaysia and in children 0 to 16 years of age
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Academic versus Ministry of Health affiliation Subspecialty
Outcomes	<ul style="list-style-type: none"> 37 of 105 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published reported included <ul style="list-style-type: none"> 30/63 abstracts originating in an academic center versus 6/39 abstracts originating in a Ministry of Health institution published
Notes	<ul style="list-style-type: none"> Pediatrics Funding not reported

Risk of bias

Item	Authors' judgement	Description
------	--------------------	-------------

Chan 2002 (Continued)

Sampling method?	Yes	Included all abstracts of trials that were conducted in a specific region and population.
Search for publications?	Yes	Searched 2 databases and performed handsearches.
Follow-up time?	Yes	All meetings had at least 6 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of academic affiliation and subspecialty with publication using stratified analysis and Chi ² or Fisher's Exact tests.

Chan 2008

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> "electronic literature search" to December 2007 Search completed by trained librarian Search criteria not reported Matching criteria not reported Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 257 abstracts presented at the 2003 and 2004 International HTA conference meetings Included all abstracts presenting assessments of specific technologies
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 122 of 257 abstracts published Proportion of abstracts published by time not reported No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Medical decision making/health policy- health technology Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Unclear	Included all abstracts that described 'assessments of specific technologies', but unclear how this subgroup was defined.
Search for publications?	Yes	Searched electronically and contacted abstract authors.
Follow-up time?	Yes	The 2003 meeting had 48 months follow-up, the 2004 only had 36 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Chan 2011

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, PubMed, and Scopus to November 2009 Person completing the search not reported Searched by first, second, and last author, and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> Sample size Methodology Results
Data	<ul style="list-style-type: none"> Included 389 abstracts presented at the 2006 International Conference on Emergency Medicine meeting Included all abstracts except those that were "cancelled"
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Cumulative proportion of abstracts published English versus non-English language North American versus European versus Australian versus Asian versus rest of the world (South American and African) origin Subspecialty
Outcomes	<ul style="list-style-type: none"> 129 of 389 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 42 months showed proportion published = 33.4% (130/383 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 116/314 abstracts with English language versus 13/69 abstracts with non-English language published 74/193 abstracts originating in North America versus 25/74 abstracts from Europe versus 9/27 abstracts from Australia versus 19/67 abstracts from Asia versus 2/15 abstracts from the Middle East versus 0/6 abstracts from rest of the world (South America and Africa) published
Notes	<ul style="list-style-type: none"> Emergency medicine Funding not reported Data extracted from short report

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all posters with reasonable exceptions.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	No	The meeting had 36 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of origin from English language country, country of origin, and subspecialty with publication using stratified analyses and Chi ² tests.

Chan 2013

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, HealthStar, CancerLit, and EconLit on July 1, 2010 Person completing the search not reported Searched by all authors and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 164 abstracts presented at the 1997 to 2007 International Society for Pharmacoeconomics and Outcomes Research, American Society of Hematology, and American Society of Clinical Oncology meetings Included all abstracts on cost-effectiveness analyses related to malignancies, with primary outcomes such as incremental cost per life-year or quality-adjusted life-year gained
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Median time to publication Cumulative proportion of abstracts published for one meeting US versus rest of the world origin UK versus rest of the world origin Canadian versus rest of the world origin EU (excluding UK) versus rest of the world origin
Outcomes	<ul style="list-style-type: none"> 65 of 164 abstracts published 12/47 abstracts presented at the International Society for Pharmacoeconomics and Outcomes Research, 13/29 at the American Society of Hematology, and 41/88 at the American Society of Clinical Oncology meetings published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 37.2 months Cumulative proportion of abstracts published at 60 months = 40.2% (66/164 abstracts), overall Cumulative proportion of abstracts published at 42 months = 25.5% (12/47 abstracts) for International Society for Pharmacoeconomics and Outcomes Research meetings Cumulative proportion of abstracts published at 36 months = 41.4% (12/29 abstracts) for American Society of Hematology meetings Cumulative proportion of abstracts published at 60 months = 46.6% (41/88 abstracts) for American Society of Clinical Oncology meeting Factors related to proportion of abstracts published included <ul style="list-style-type: none"> US versus rest of the world origin: HR 1.57 UK versus rest of the world origin: HR 1.09 Canadian versus rest of the world origin: HR 0.46 EU (excluding UK) versus rest of the world origin: HR 1.19
Notes	<ul style="list-style-type: none"> Oncology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts describing cost-effectiveness studies related to malignancies.
Search for publications?	Yes	Searched 4 databases.
Follow-up time?	Yes	All meetings except the 2007 meetings had at least 48 months follow-up.

Chan 2013 (Continued)

Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting, presence of sensitivity analyses, base year of analyses, time horizon, discounting, or cost-utility analyses; and conflict of interest with publication using univariable Cox regression analysis.

Chand 2008

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed in November 2007 Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Title Methodology
Data	<ul style="list-style-type: none"> Included 2172 abstracts presented at the 1999 to 2005 Cardiac Society of Australia and New Zealand meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication, overall and by meeting Cumulative proportion of abstracts published Clinical research versus basic science research versus surgery
Outcomes	<ul style="list-style-type: none"> 648 of 2172 abstracts published 71/253 abstracts presented at the 1999 meeting, 101/307 at the 2000 meeting, 96/307 at the 2001 meeting, 82/279 at the 2002 meeting, 97/331 at the 2003 meeting, 95/315 at the 2004 meeting, and 106/380 at the 2005 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 18.0 months (SE = 1.8 months) Mean time to publication = 24.0 months (SE = 2.2 months) for 1999 Cardiac Society of Australia and New Zealand meeting Mean time to publication = 19.2 months (SE = 1.7 months) for 2000 Cardiac Society of Australia and New Zealand meeting Mean time to publication = 24.0 months (SE = 2.2 months) for 2001 Cardiac Society of Australia and New Zealand meeting Mean time to publication = 18.0 months (SE = 1.7 months) for 2002 Cardiac Society of Australia and New Zealand meeting Mean time to publication = 15.6 months (SE = 1.2 months) for 2003 Cardiac Society of Australia and New Zealand meeting Mean time to publication = 14.4 months (SE = 1.2 months) for 2004 Cardiac Society of Australia and New Zealand meeting Mean time to publication = 15.6 months (SE = 1.2 months) for 2005 Cardiac Society of Australia and New Zealand meeting Cumulative proportion of abstracts published at 24 months showed proportion published = 25.1% (544/2172 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 396/1534 abstracts describing clinical research versus 52/53 abstracts describing surgery versus 200/585 abstracts describing basic science research published

Chand 2008 (Continued)

- Notes
- Cardiology - cardiothoracic surgery
 - Funding by National Heart Foundation

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 2004 had at least 48 months follow-up. The meetings in 2004 and 2005 had 36 months and 24 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of meeting year and type science with publication using stratified analysis.

Chapman 2012

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed, Embase, Cochrane Methodology Register to May 2009, then to September 2010 for 2007 meeting ◦ Person completing the search not reported ◦ Searched by all authors and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Title • Handsearched and searched citations in review articles
Data	<ul style="list-style-type: none"> • Included 908 abstracts presented at the 1997 to 2007 Cochrane Colloquia meetings • Included all abstracts that presented "research relevant to the methods of systematic reviews or other health care evaluations"
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean and median time to publication, overall and by meeting • Survival analysis of publication rate • Oral versus poster presentation • Methodologic/topic area
Outcomes	<ul style="list-style-type: none"> • 312 of 908 abstracts published • 21/63 abstracts presented at the 1997 meeting, 21/58 at the 1998 meeting, 20/59 at the 1999 meeting, 10/32 at the 2000 meeting, 27/85 at the 2001 meeting, 12/89 at the 2002 meeting, 44/115 at the 2003 meeting, 45/113 at the 2004 meeting, 42/119 at the 2005 meeting, 37/133 at the 2006 meeting, and 33/92 at the 2007 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 22.8 months, overall ◦ Mean time to publication = 37.2 months for 1997 Cochrane Colloquium ◦ Mean time to publication = 26.4 months for 1998 Cochrane Colloquium ◦ Mean time to publication = 28.8 months for 1999 Cochrane Colloquium ◦ Mean time to publication = 33.6 months for 2000 Cochrane Colloquium

Chapman 2012 (Continued)

- Mean time to publication = 26.4 months for 2001 Cochrane Colloquium
- Mean time to publication = 31.2 months for 2002 Cochrane Colloquium
- Mean time to publication = 24.0 months for 2003 Cochrane Colloquium
- Mean time to publication = 18.0 months for 2004 Cochrane Colloquium
- Mean time to publication = 16.8 months for 2005 Cochrane Colloquium
- Mean time to publication = 14.4 months for 2006 Cochrane Colloquium
- Mean time to publication = 19.2 months for 2007 Cochrane Colloquium
- Median time to publication = 24 months, overall
- Median time to publication = 36 months for 1997 Cochrane Colloquium
- Median time to publication = 24 months for 1998 Cochrane Colloquium
- Median time to publication = 24 months for 1999 Cochrane Colloquium
- Median time to publication = 36 months for 2000 Cochrane Colloquium
- Median time to publication = 24 months for 2001 Cochrane Colloquium
- Median time to publication = 30 months for 2002 Cochrane Colloquium
- Median time to publication = 24 months for 2003 Cochrane Colloquium
- Median time to publication = 24 months for 2004 Cochrane Colloquium
- Median time to publication = 12 months for 2005 Cochrane Colloquium
- Median time to publication = 12 months for 2006 Cochrane Colloquium
- Median time to publication = 12 months for 2007 Cochrane Colloquium
- Survival analysis of proportion published at 144 months = 36.4%
- Factors related to proportion of abstracts published included
 - 123/312 abstracts presented orally versus 189/596 abstracts presented as poster published

Notes

- Medical decision making/health policy- systematic reviews, health technology
- Funding from the National Institute for Health Research; National Health Research and Development Program, the Cochrane Collaboration

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described a specific topic, so low risk of bias.
Search for publications?	Yes	Searched 3 databases, and performed handsearches and citation searches.
Follow-up time?	Yes	All meetings before 2006 had at least 48 months follow-up. The meetings in 2006 and 2007 only had 36 months follow-up.
Matching?	No	Matched by only 1 criterion.
Adjustment for confounding?	No	Examined association of meeting year, type presentation, and methodologic area with publication using stratified analysis.

Cheng 1998

Methods

Identification of subsequent full-length publications

- Searched electronic database
 - Cochrane Cystic Fibrosis Group register, Embase, MEDLINE to 1995
 - Search completed by investigator
 - Search criteria not reported
 - Matched abstract to full-length publication by
 - All authors

Cheng 1998 (Continued)

- Titles
- Content
- Methodology

Data	<ul style="list-style-type: none"> • Included 178 abstracts found in Cochrane Cystic Fibrosis group's register of trials • Included all abstracts of RCTs except duplicates and those published before presentation
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication • Survival analysis of publication rate • 'Positive' versus not 'positive' • Sample size equal to or above the median versus sample size below the median
Outcomes	<ul style="list-style-type: none"> • 57 of 178 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 18 months ◦ Survival analysis of proportion published at 60 months = 40.1% • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 43/113 'positive' (defined as experimental better than control) versus 14/42 not 'positive' abstract results published ◦ 36/92 abstracts with sample size equal to or above the median versus 25/78 abstracts with sample size below the median published
Notes	<ul style="list-style-type: none"> • Other clinical specialties - cystic fibrosis • Funding by National Health Service

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all RCTs with reasonable exceptions.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Unclear	Follow-up of abstracts as short as 3 months to multiple years. Unclear how many abstracts were followed up for < 48 months.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	No	Examined association of positive results and sample size with publication using stratified analysis and time to publication with univariate Cox regression models.

Chung 2012

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed, KoreaMed from August 2006 to August 2011 ◦ Search completed by investigator ◦ Searched by all authors, keywords, and names of schools or hospitals ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ One author ■ Title
---------	---

Chung 2012 (Continued)

- Methodology
- Results

Data	<ul style="list-style-type: none"> Included 1005 abstracts presented at the 2006 and 2007 Korean Urological Association meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Survival analysis of publication rate Clinical research versus basic science research versus 'other' research Subspecialty
Outcomes	<ul style="list-style-type: none"> 421 of 1005 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 19.0 months (SD = 12.8) Survival analysis of proportion published = 41.9% at 60 months Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 370/879 abstracts describing clinical research versus 39/82 abstracts describing basic science research versus 12/44 abstracts describing 'other' research published
Notes	<ul style="list-style-type: none"> Urology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	No	Examined association of type science and subspecialty with publication using stratified analysis and univariate logistic regression.

Chung 2012a

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Google/GoogleScholar, KoreaMed, and KMBase to 31 August, 2011 Search completed by investigators Searched by all authors, keywords, title, and affiliations Matched abstract to full-length publication by <ul style="list-style-type: none"> One or more authors Conclusions
Data	<ul style="list-style-type: none"> Included 1176 abstracts presented at the 2005 to 2007 Spring and Fall meetings of the Congress of the Korean Society of Plastic and Reconstructive Surgeons Included all free communications and posters excluding symposia and panel sessions

Chung 2012a (Continued)

Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication Cumulative proportion of abstracts published Oral versus poster presentation Clinical research versus basic science research versus other type of research Author affiliation with teaching hospital versus private clinic versus both teaching and private clinic Subspecialty
Outcomes	<ul style="list-style-type: none"> 455 of 1176 abstracts published 63/170 abstracts presented at the Spring 2005 meeting, 88/205 at the Fall 2005 meeting, 71/178 at the Spring 2006 meeting, 67/188 at the Fall 2006 meeting, 77/199 at the Spring 2007 meeting, and 89/236 at the Fall 2007 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 15.0 months Cumulative proportion of abstracts published at 48 months showed proportion published = 38.4% (451/1176 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 301/734 abstracts presented orally versus 154/442 abstracts presented as poster published 237/609 abstracts describing clinical research versus 64/125 abstracts describing basic science research versus 154/442 abstracts describing other type of research published 418/1033 abstracts with authors from teaching hospital versus 15/95 abstracts with authors from private clinic versus 22/48 abstracts with authors from both teaching and private clinics
Notes	<ul style="list-style-type: none"> Surgery - plastic and reconstructive surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions, so low risk of bias.
Search for publications?	Yes	Searched 4 databases.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, type presentation, type science, author affiliation, and subspecialty with publication using univariate logistic regression.

Ciesla 2001

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to April 2001 Person completing the search not reported Searched by all authors, keywords, and content Matched abstract to full-length publication by <ul style="list-style-type: none"> All author Title
---------	--

Ciesla 2001 (Continued)

- Results
- Introduction
- Data

Data	<ul style="list-style-type: none"> Included 257 abstracts presented at the 1998 International Academy of Pathology - United States and Canadian Academy of Pathology, American Society of Cytopathology, and American Society of Clinical Pathologists/College of American Pathologists meetings Included all abstracts related to cytopathology
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication Cumulative proportion of abstracts published Academic versus non-academic affiliation Subspecialty
Outcomes	<ul style="list-style-type: none"> 116 of 257 abstracts published 38/66 abstracts presented at the International Academy of Pathology - United States and Canadian Academy of Pathology meeting, 2/12 at the American Society of Clinical Pathologists/College of American Pathologists meeting, and 76/179 at the American Society of Cytopathology meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 15.8 months (range = 2 to 26 months) Cumulative proportion of abstracts published at 24 months showed proportion published = 21.8% (56/257 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 83/241 abstracts originating from an academic center versus 2/16 abstracts not originating from an academic center published
Notes	<ul style="list-style-type: none"> Pathology - cytopathology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described a specific topic, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	The meeting only had 36 months follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	No	Examined association of meeting, academic center origin and subspecialty with publication using stratified analysis.

Cifuentes 2007

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE from January 1999 to June 2006 Person completing the search not reported Searched by all authors
---------	--

Cifuentes 2007 (Continued)

- Matching criteria not reported

Data	<ul style="list-style-type: none"> • Included 1533 abstracts, 620 submitted to the 1999 to 2002 Asociación Espanola para el Estudio del Hígado and 913 submitted for presentation at the 1999 European Association for the Study of the Liver meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication by meeting for the four meetings of the Asociación Espanola para el Estudio del Hígado • Cumulative proportion of abstracts published for one meeting • Oral versus poster presentation • Accepted versus rejected for conference presentation
Outcomes	<ul style="list-style-type: none"> • 572 of 1533 abstracts published • 248/913 abstracts submitted to the 1999 European Association for the Study of the Liver meeting, 93/176 at the 1999, 75/159 at the 2000, 63/114 at the 2001, and 93/171 at the 2002 Asociación Espanola para el Estudio del Hígado meetings published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 20.9 months (SD 1.1) for 1999 Asociación Espanola para el Estudio del Hígado meeting ◦ Mean time to publication = 21.5 months (SD 1.6) for 2000 Asociación Espanola para el Estudio del Hígado meeting ◦ Mean time to publication = 20.2 months (SD 1.6) for 2001 Asociación Espanola para el Estudio del Hígado meeting ◦ Mean time to publication = 21.8 months (SD 4.0) for 2002 Asociación Espanola para el Estudio del Hígado meeting ◦ Cumulative proportion of abstracts published at 48 months for 1999 Asociación Espanola para el Estudio del Hígado meeting showed proportion published = 54.4% (93/176 abstracts published) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 127/204 abstracts presented orally versus 239/572 abstracts presented as posters published (2001 AEEH meeting not included) ◦ 366/776 abstracts accepted for presentation versus 143/643 rejected abstracts published (2001 AEEH meeting not included)
Notes	<ul style="list-style-type: none"> • Gastroenterology - hepatology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of meeting and meeting year, type of presentation, and acceptance for presentation with publication using multivariable logistic regression analysis.

Clemency 2014

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed from July 2011 through August 2012 Person completing the search not reported Searched by keywords, title and lead author Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 635 abstracts presented at the 2003 to 2005 American College of Emergency Physicians, Society for Academic Emergency Medicine, National Association of EMS Physicians, Association of Air Medical Services, and National Association of EMS Educators meetings Included all abstracts that were related to emergency medicine except abstracts published prior to meeting
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication Cumulative proportion of abstracts published Subspecialty
Outcomes	<ul style="list-style-type: none"> 281 of 635 abstracts published 62/128 at the American College of Emergency Physicians meeting, 72/135 at the Society for Academic Emergency Medicine meeting, 121/282 at the National Association of EMS Physicians meeting, 22/66 at the Association of Air Medical Services meeting, and 4/24 abstracts presented at the National Association of EMS Educators meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 22.2 months (SD = 16.5, range = 0 to 94 months) Cumulative proportion of abstracts published at 96 months showed proportion published = 43.9% (279/635 abstracts) No factors other than subspecialty related to proportion of abstracts published reported.
Notes	<ul style="list-style-type: none"> Emergency medicine Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of a specific topic, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting and subspecialty with publication using stratified analysis.

Cobos 1998

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE; date of search not reported
---------	---

Cobos 1998 (Continued)

	<ul style="list-style-type: none"> ○ Search completed by the investigators ○ Search criteria not reported ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 120 abstracts presented at the 1994 to 1995 Congreso Nacional de la Sociedad Española de la Cardiología meetings • Included a random sample of abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 26 of 120 abstracts published • Proportion of abstracts published by time not reported • No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Cardiology • Funding not reported • Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random sample of abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.

Cohen 2012

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed to May 2011 ○ Person completing the search not reported ○ Searched by all authors and keywords ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 378 abstracts presented at the 2000 to 2005 Society of Gynecologic Oncologists meetings • Included all abstracts for plenary sessions (main, focused and express)
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication • Cumulative proportion of abstracts published • 'Positive' versus not 'positive' • Clinical research versus basic science research versus 'other' research • RCT design versus observational study design versus chart review versus 'translational' design • Multi-centered versus single center • 'Fellowship affiliation' versus no 'fellowship affiliation'
Outcomes	<ul style="list-style-type: none"> • 309 of 378 abstracts published

Full publication of results initially presented in abstracts (Review)

Cohen 2012 (Continued)

- Proportion of abstracts published by time
 - Median time to publication = 14 months (range = 1 to 85 months)
 - Cumulative proportion of abstracts published at 48 months showed proportion published = 81.7% (309/378 abstracts)
- Factors related to proportion of abstracts published included
 - 281/343 'positive' (defined as experimental better than control) versus 28/35 not 'positive' abstract results published
 - 199/243 abstracts describing clinical research versus 66/89 abstracts describing basic science research versus 44/46 'other' studies published
 - 24/26 abstracts with RCT design versus 82/106 abstracts with an observational design versus 93/111 chart reviews versus 66/89 abstracts with 'translational' design published
 - 152/173 abstracts with multiple centers versus 157/205 abstracts with a single center published
 - 226/272 abstracts with authors with 'fellowship affiliation' versus 83/106 abstracts without a 'fellowship affiliation' published

Notes

- Oncology - gynecologic cancer
- Funding by Dr. John A. Kerner Research Fund and Dr. Patricia Robertson and Innovations Fund

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts for plenary sessions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 6 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of positive results, type science, study design, multi-center status, author status with publication using multivariable logistic regression analysis.

Cohen 2012a

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed to Summer 2008 ◦ Search completed by investigators ◦ Searched by all authors, and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Sample size ■ Title ■ Methodology ■ Results ■ Hypothesis
Data	<ul style="list-style-type: none"> • Included 2463 abstracts presented at the 2000 to 2004 American Academy of Otolaryngology, Head and Neck Surgery meetings • Included all abstracts

Cohen 2012a (Continued)

Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication by type of presentation and gender of first author Oral versus poster presentation Female versus male first author Oral presentation by female versus male first author Poster presentation by female versus male first author
Outcomes	<ul style="list-style-type: none"> 1152 of 2463 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 19.1 months for poster presentations, overall Mean time to publication = 15.5 months for oral presentations, overall Mean to publication = 19.4 months for poster presentations by female first authors Mean to publication = 18.6 months for poster presentations by male first authors Mean to publication = 15.0 months for oral presentations by female first authors Mean to publication = 15.6 months for oral presentations by male first authors Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 638/1051 abstracts presented orally versus 514/1413 abstracts presented as poster published 93/275 abstracts presented as poster by female first author versus 421/1138 abstracts presented as poster by male first author published 91/154 abstracts presented orally by female first author versus 547/897 abstracts presented orally by male first author published 184/429 abstracts presented by female first author versus 969/2035 abstracts presented by male first author published
Notes	<ul style="list-style-type: none"> Otolaryngology head and neck surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 6 different criteria.
Adjustment for confounding?	No	Examined association of type presentation, type presentation by author gender, and first author gender with publication using stratified analysis and Chi ² or Fisher's Exact tests

Collet 1993

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Manual search of databases <ul style="list-style-type: none"> Index to Dental Literature, Index Medicus; dates of search not reported Search completed by investigator Search criteria not reported Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors
---------	--

Full publication of results initially presented in abstracts (Review)

Collet 1993 (Continued)

- Title
- Contents

Data	<ul style="list-style-type: none"> Included 747 abstracts presented at the 1980 to 1989 Argentine Division of the International Association for Dental Research meetings Included all abstracts included in author index of meetings
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 94 of 747 abstracts published 0/66 abstracts presented at the 1980 meeting, 1/86 at the 1981 meeting, 2/112 at the 1982 meeting, 15/92 at the 1983 meeting, 19/88 at the 1984 meeting, 20/67 at the 1985 meeting, 12/73 at the 1986 meeting, 10/82 at the 1987 meeting, 10/81 at the 1988 meeting, and 4/73 at the 1989 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 60 months showed proportion published = 12.4% (93/747 abstracts) No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Oral health - dentistry Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Collet 1997

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE; date of search not reported Person completing the search not reported Searched by all authors Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Title
Data	<ul style="list-style-type: none"> Included 506 abstracts presented at the 1990 to 1995 Argentine Division of the International Association for Dental Research meetings Included all abstracts

Collet 1997 (Continued)

Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Cumulative proportion of abstracts published Research center Subspecialty
Outcomes	<ul style="list-style-type: none"> 61 of 506 abstracts published 13/65 abstracts presented at the 1990 meeting, 11/101 at the 1991 meeting, 6/75 at the 1992 meeting, 12/84 at the 1993 meeting, 8/104 at the 1994 meeting, and 7/127 at the 1995 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 96 months showed proportion published = 12.1% (61/506 abstracts) No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Oral health - odontology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year and subspecialty with publication using stratified analysis.

Collet 2006

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed; date of search not reported Search completed by investigator Searched by all authors Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Titles Contents
Data	<ul style="list-style-type: none"> Included 1671 abstracts presented at the 1993 to 2003 Argentine Division of the International Association for Dental Research meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Cumulative proportion of abstracts published Research center Subspecialty

Collet 2006 (Continued)

Outcomes	<ul style="list-style-type: none"> • 489 of 1671 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Cumulative proportion of abstracts published at 120 months showed proportion published = 28.1% (470/1671 abstracts) • No factors other than research center and subspecialty related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Oral health -dental research • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of research center and subspecialty with publication using stratified analysis.

Collier 2010

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed; date of search not reported ◦ Search completed by investigator ◦ Searched by first, and last author, and keywords ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 623 abstracts presented at the 2002 to 2006 British Association of Oral and Maxillofacial Surgeons meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication • Survival analysis of publication rate • Clinical research versus 'scientific' research • UK centers
Outcomes	<ul style="list-style-type: none"> • 147 of 623 abstracts published • 26/112 abstracts presented at the 2002 meeting, 29/119 at the 2003 meeting, 42/124 at the 2004 meeting, 20/114 at the 2005 meeting, 30/154 at the 2006 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 8 months (range = 1 to 18 months) ◦ Survival analysis of proportion published at 60 months = 24.9% • Factors related to proportion of abstracts published included

Collier 2010 (Continued)

- 118/563 abstracts describing clinical research versus 29/60 abstracts describing 'scientific' research published

Notes

- Otolaryngology head and neck surgery - oral and maxillofacial surgery
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, type science, and UK center with publication using stratified analysis and Chi ² or Mann-Whitney U tests.

Cornu 2012

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed and MEDLINE until October 2013 ○ Person completing the search not reported ○ Searched by first and last author ○ Matching criteria not reported • Searched publication lists of presenters and last authors with keywords
Data	<ul style="list-style-type: none"> • Included 226 abstracts presented at the 2007 Congrès de l'Association Française d'Urologie • Included all abstracts presented orally except 18 presentations (videos, invited speakers, sponsors)
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication • Presenter an urologist in education versus urologist
Outcomes	<ul style="list-style-type: none"> • 96 of 226 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Median time to publication = 24 months • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 41/77 abstracts from urologists in education versus 55/149 abstracts from other urologists published
Notes	<ul style="list-style-type: none"> • Urology • Funding not reported • Thesis (memoire)

Risk of bias

Item	Authors' judgement	Description
------	--------------------	-------------

Full publication of results initially presented in abstracts (Review)

Cornu 2012 (Continued)

Sampling method?	Yes	Included all abstracts presented orally with reasonable exceptions.
Search for publications?	Yes	Searched 1 database and publication lists of authors.
Follow-up time?	Yes	The meeting had 72 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of author status with publication using stratified analysis and Chi ² test.

Corry 1990

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Index to Dental Literature, MEDLINE from 1983 through 1988 Person completing the search not reported Search criteria not reported Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Sample size Title Contents Results Conclusions
Data	<ul style="list-style-type: none"> Included 275 abstracts presented at the 1983 and 1984 American Association of Dental Research meetings Included a random sample of all 2789 abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Cumulative proportion of abstracts published by meeting
Outcomes	<ul style="list-style-type: none"> 63 of 275 abstracts published 27/125 abstracts presented at 1983 meeting, and 63/150 at the 1984 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 60 months showed proportion published = 21.6% (27/125 abstracts) for 1983 American Association of Dental Research meeting Cumulative proportion of abstracts published at 45 months showed proportion published = 24% (36/150 abstracts) for 1984 American Association of Dental Research meeting No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Oral health - dental research Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random sample of abstracts.
Search for publications?	Yes	Searched 2 databases.

Full publication of results initially presented in abstracts (Review)

Corry 1990 (Continued)

Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 6 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Costa 2009

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE; date of search not reported Person completing the search not reported Searched by first, second, and last author Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 1620 abstracts presented at the 2002 American Society of Clinical Oncology, San Antonio Breast Cancer Symposium, European Breast Cancer Conference, and European Society for Medical Oncology meetings Included all abstracts related to breast cancer
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication Survival analysis of publication rate overall and by meeting Presentation at a North American versus European meeting
Outcomes	<ul style="list-style-type: none"> 721 of 1620 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 11.6 months (95% CI = 7.6 to 15.7 months) Survival analysis of proportion published at 60 months = 44.5% Survival analysis of proportion published at 60 month for North American meetings = 52.2% and for European meetings = 32.5% Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 52.7% of abstracts presented at a North American meeting versus 33.3% of abstracts presented at a European meeting published
Notes	<ul style="list-style-type: none"> Oncology - breast cancer Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described a specific topic, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.

Full publication of results initially presented in abstracts (Review)

Costa 2009 (Continued)

Adjustment for confounding?	No	Examined association of country of origin with publication using stratified analysis and unspecified statistical tests.
-----------------------------	----	---

Craig 2001

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed from 1966 through winter of 1999/2000 Search completed by investigator Searched by all authors and title Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Contents Methodology Results
Data	<ul style="list-style-type: none"> Included 1005 abstracts presented at the 1980 to 1984 and 1990 to 1994 British Orthopaedic Association meetings Included all abstracts all except Spring meetings in 1982, 1992, 1993
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication by meeting decade Cumulative proportion of abstracts published by meeting decade
Outcomes	<ul style="list-style-type: none"> 495 of 1005 abstracts published 184/320 abstracts presented at the 1980 to 1984 meetings, and 311/685 at the 1990 to 1994 meetings published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 21.4 months for 1980 to 1984 British Orthopaedic Association meetings Mean time to publication = 16.8 months for 1990 to 1994 British Orthopaedic Association meetings Range for all meetings = 10.3 to 26.3 months Cumulative proportion of abstracts published for 1980 to 1984 British Orthopaedic Association meetings at 192 months showed proportion published = 57.5% (184/320 abstracts) Cumulative proportion of abstracts published for 1990 to 1994 British Orthopaedic Association meetings at 72 months showed proportion published = 45.1% (309/685 abstracts) No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 6 years follow-up.
Matching?	Yes	Matched by 4 different criteria.

Full publication of results initially presented in abstracts (Review)

Craig 2001 (Continued)

Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.
-----------------------------	----	--

Cromer 1998

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE for 5 years following meeting Person completing the search not reported Search criteria not reported Matched abstract to full-length publication by <ul style="list-style-type: none"> Title Content
Data	<ul style="list-style-type: none"> Included 128 abstracts presented at the at the 1974, 1976, 1977, 1983, 1986, and 1993 meetings of Society of Adolescent Medicine meetings Included all abstracts accepted as oral presentations
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 58 of 128 abstracts published Proportion of abstracts published by time not reported No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Pediatrics - adolescent medicine Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted as oral presentations.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had 5 years follow-up.
Matching?	Yes	Matched by 2 different criteria.

Curry 2003

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE; date of search not reported Search completed by investigator Search criteria not reported Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 9 abstracts presented at the 1996 to 2000 British Association of Paediatric Surgeons meetings

Curry 2003 (Continued)

	<ul style="list-style-type: none"> Included all abstracts describing RCTs
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 1 of 9 abstracts published Proportion of abstracts published by time not reported No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Surgery - pediatric surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts describing RCTs.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.

Czorlich 2016

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to November 30, 2014 Person completing the search not reported Searched by first and last author, and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> Sample size Contents Methodology Results Hypothesis
Data	<ul style="list-style-type: none"> Included 433 abstracts presented at the 2012 German Society of Neurosurgery meetings Included all abstracts except invited manuscripts by Japanese Neurosurgical Society and 'best presentations out of the DGNC sections' (not peer reviewed)
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Cumulative proportion of abstracts published Oral versus poster presentation Clinical research versus 'experimental' research versus other type of research Retrospective design versus prospective design versus not applicable versus not identified study design Multi-centered versus single center Academic versus non-academic affiliation
Outcomes	<ul style="list-style-type: none"> 175 of 433 abstracts published Proportion of abstracts published by time

Full publication of results initially presented in abstracts (Review)

Czorlich 2016 (Continued)

- Cumulative proportion of abstracts published at 36 months showed proportion published = 40.4% (175/433 abstracts)
- Factors related to proportion of abstracts published included
 - 136/339 abstracts presented orally versus 39/94 abstracts presented as poster published
 - 132/338 abstracts describing clinical research versus 37/78 abstracts describing 'experimental' research versus 6/17 abstracts describing other types of research published
 - 50/124 abstracts with retrospective design versus 53/82 abstracts with prospective design versus 39/90 abstracts with other study designs versus 33/139 abstracts with unidentified study designs published
 - 54/126 abstracts with multiple centers versus 121/307 abstracts with a single center published
 - 170/404 abstracts originating in an academic center versus 5/20 abstracts not originating in an academic center published

Notes	• Surgery - neurosurgery • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	The meeting only had 24 months follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	No	Examined association of type of presentation, type of science, prospective status, multi-center status, and academic affiliation with publication using stratified analysis and Chi ² or t tests.

Dahllof 2008

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE, PubMed from 1999 through December 2006 ○ Person completing the search not reported ○ Searched by first, second, and last author, and keywords ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Sample size ■ Results ■ Hypothesis
Data	<ul style="list-style-type: none"> • Included 771 abstracts presented at the 1999 and 2001 International Association of Paediatric Dentistry meetings • Included all abstracts except pre-congress course, lectures, and symposia
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean and median time to publication • Cumulative proportion of abstracts published • Oral versus poster presentation

Dahllof 2008 (Continued)

- Clinical research versus basic science research versus 'other' research
- RCT design versus observational versus case report design
- US versus European versus Asian versus South American origin for countries contributing more than 20 abstracts
- Subspecialty

Outcomes

- 204 of 771 abstracts published
- Proportion of abstracts published by time
 - Mean time to publication = 20 months (SD = 20)
 - Median time to publication = 18 months
 - Cumulative proportion of abstracts published at 80 months showed proportion published = 26.5% (204/771 abstracts)
- Factors related to proportion of abstracts published included
 - 92/231 abstracts presented orally versus 110/539 abstracts presented as posters published
 - 157/572 abstracts describing clinical research versus 40/146 abstracts describing basic science research versus 7/53 abstracts describing 'other' research published
 - 24/47 abstracts with RCT design versus 113/373 abstracts with observational design versus 20/152 abstracts of case report design published
 - 10/30 abstracts originating from the USA versus 91/259 abstracts from Europe versus 16/88 abstracts from Asia versus 8/81 abstracts from South America published (for countries submitting 20 or more abstracts); 79/343 abstracts published from countries submitting less than 20 abstracts

Notes

- Oral health - pediatric dentistry
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all posters with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 5 years follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	Yes	Examined association of type presentation, type science, study design, US origin, and subspecialty with publication using multivariable logistic regression analysis.

Daluiski 1998

Methods

Identification of subsequent full-length publications

- Searched electronic database
 - PubMed, Medline PLUS from January 1991 to June 1997
 - Person completing the search not reported
 - Searched by all authors and keywords
 - Matched abstract to full-length publication by
 - Sample size
 - Contents
 - Methodology

Daluiski 1998 (Continued)

■ Results

Data	<ul style="list-style-type: none"> Included 888 abstracts presented at the 1991, 1992, and 1993 Orthopaedic Research Society meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Median time to publication, overall and by meeting Cumulative proportion of abstracts published by meeting Subspecialty
Outcomes	<ul style="list-style-type: none"> 463 of 888 abstracts published 147/296 abstracts presented at the 1991 meeting, 162/296 at the 1992 meeting, and 153/296 at the 1993 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 20 months Median time to publication for 1991 Orthopaedic Research Society = 18 months Median time to publication for 1992 Orthopaedic Research Society = 23 months Median time to publication for 1993 Orthopaedic Research Society = 20 months Cumulative proportion of abstracts published at 72 months showed proportion published = 24% (71/296 abstracts) for 1991 Orthopaedic Research Society meeting Cumulative proportion of abstracts published at 60 months showed proportion published = 30.1% (89/296 abstracts) for 1992 Orthopaedic Research Society meeting Cumulative proportion of abstracts published at 54 months showed proportion published = 27% (80/296 abstracts) for 1993 Orthopaedic Research Society meeting No factors other than meeting year and subspecialty related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	No	Examined association of meeting year and subspecialty with publication using stratified analysis and Chi ² tests.

Dangouloff-Ros 2015

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed from October 2008 to October 2013 Search completed by investigator Searched by all authors and keywords Matched abstract to full-length publication by
---------	--

Full publication of results initially presented in abstracts (Review)

Dangouloff-Ros 2015 (Continued)

- Sample size
- Contents

Data	<ul style="list-style-type: none"> Included 744 abstracts presented at the 2008 to 2010 French Society of Radiology meetings Included all abstracts presented orally except those from continuing medical education courses, letters, reviews, and editorials
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean and median time to publication Sample size <60 versus > 60 Clinical research versus experimental research European versus African versus rest of the world origin < 20 patients versus 20 to 40 patients versus 40 to 60 patients versus >60 patients versus unknown number of patients Retrospective versus prospective design Subspecialty
Outcomes	<ul style="list-style-type: none"> 298 of 744 abstracts published 111/255 abstracts presented at the 2008 meeting versus 89/237 at the 2009 meeting versus 98/252 at the 2010 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 21 months (SD = 13.7) Median time to publication = 18 months (IQR = 10 to 29 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 259/462 abstracts with a sample size < 60 versus 156/241 abstracts with a sample size < 60 published 271/698 abstracts describing clinical research versus 27/46 abstracts describing experimental research published 288/671 abstracts originating from Europe versus 3/53 abstracts originating from Africa versus 7/20 abstracts with rest of the world origin published 100/178 abstracts with < 20 patients versus 96/175 abstracts with 20 to 40 patients versus 63/109 abstracts with 40 to 60 patients versus 156/241 abstracts with > 60 patients versus 10/41 with unknown number of patients published 159/460 abstracts with retrospective design versus 139/284 abstracts with prospective design published
Notes	<ul style="list-style-type: none"> Radiology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The 2010 meeting only had 36 months follow-up. All other meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	Yes	Examined association of meeting year, sample size, type science, country of origin, prospective status, and subspecialty with publication using multivariable logistic regression analysis.

Daruwalla 2015

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed and Google/Google Scholar; dates of search not reported Person completing the search not reported Searched by all authors, keywords, and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 443 abstracts presented at the 2007 to 2010 and 2011 to 2013 Singapore Orthopaedic Association meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Median time to publication Cumulative proportion of abstracts published, overall Podium versus poster presentation International versus local presenter Subspecialty
Outcomes	<ul style="list-style-type: none"> 125 of 443 abstracts published 69/193 abstracts presented at the 2007 to 2010 meeting, and 56/250 at the 2011 to 2013 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 13 months (range = -73 to 76 months) Cumulative proportion of abstracts published at 72 months showed proportion published = 28.2% (125/443 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> Oral versus poster presentation: (OR 2.29; CI 95% 1.12 to 4.68; P = 0.02) International versus local presenter: (OR 1.74; CI 1.07 to 2.84; P = 0.027)
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of meeting year, type presentation, author status, and subspecialty with publication using multivariable logistic regression analysis.

Das 2013

Methods	Identification of subsequent full-length publications
---------	---

Das 2013 (Continued)

	<ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to June 2012 Person completing the search not reported Searched by first and last author, and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 52 abstracts presented at the 2000 to 2008 American Epilepsy Society meetings Included only abstracts of randomized clinical trials; excluded 3 systematic reviews of RCTs, and 2 studies with pooled data from more than 2 different RCTs
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication
Outcomes	<ul style="list-style-type: none"> 33 of 52 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 15 months (SD = 3) No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Neurology - epilepsy Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts describing RCTs
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Davies 2002

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> CINAHL, PubMed to October 2000 Search completed by investigator Searched by all authors Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Sample size Content Methodology Results
Data	<ul style="list-style-type: none"> Included 172 abstracts presented at the 1997 Perinatal Society of Australia and New Zealand meeting Included all 'publishable' abstracts, defined as containing clear methods and results, from a total of 193 abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published

Full publication of results initially presented in abstracts (Review)

Davies 2002 (Continued)

	<ul style="list-style-type: none"> Median time to publication Survival analysis of publication rate Oral versus poster presentation Clinical research versus basic science research Subspecialty
Outcomes	<ul style="list-style-type: none"> 78 of 172 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 18 months (range = -36 to 41 months; IQR = 9 to 26 months) Survival analysis of proportion published at 42 months = 44.8% Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 67/125 abstracts presented orally versus 11/47 abstracts presented as posters published 48/127 abstracts describing clinical research versus 30/45 abstracts describing basic science research published
Notes	<ul style="list-style-type: none"> Pediatrics Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	No	The meeting had a 36 months follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	No	Examined association of type presentation, type science, and subspecialty with publication using stratified analysis and Chi ² tests.

de Andrade 2011

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Google/Google Scholar, and SciELO to August 2010 Person completing the search not reported Searched by 'principal' author and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 347 abstracts presented at the 2008 XXI Panamerican Congress of Trauma, VIII Congress of the Brazilian Society of Integrated Assistance to the Traumatized and X Brazilian Congress of Trauma Leagues meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Nursing or physiotherapy versus medicine
Outcomes	<ul style="list-style-type: none"> 10 of 347 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included

Full publication of results initially presented in abstracts (Review)

de Andrade 2011 (Continued)

- 6/49 abstracts related to nursing or physiotherapy versus 4/298 abstracts related to medicine published

Notes

- Emergency medicine - trauma
- Funding from FAPESP and CAPES

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	No	The meeting had 24 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of clinical topic with publication using stratified analysis and unspecified statistical test.

De Bellefeuille 1992

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ Cancerlink; date of search not reported ○ Search completed by investigator ○ Search criteria not reported ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Keywords • Contacted abstract authors directly if no publication found
Data	<ul style="list-style-type: none"> • Included 197 abstracts, which was a random sample of 1058 abstracts submitted to the 1984 American Society of Clinical Oncology meeting
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication • Cumulative proportion of abstracts published • 'Positive' versus not 'positive' • Accepted versus rejected for conference presentation • RCT design versus non-RCT design
Outcomes	<ul style="list-style-type: none"> • 115 of 197 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 22.8 months ○ Cumulative proportion of abstracts published at 66 months showed proportion published = 57.8% (114/197 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 48/65 'positive' (defined as significant results) versus 67/132 not 'positive' abstract results published ○ 63/81 abstracts accepted for presentation versus 52/116 rejected abstracts published

De Bellefeuille 1992 (Continued)

- 20/31 abstracts with RCT design versus 83/166 abstracts with non-RCT design published

Notes	<ul style="list-style-type: none">• Oncology• Funding not reported	
<i>Risk of bias</i>		
Item	Authors' judgement	Description
Sampling method?	Yes	Included a random sample of all submitted abstracts.
Search for publications?	Yes	Searched 1 database and contacted authors.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	Yes	Examined association of positive results, acceptance for presentation, and study design with publication using multivariable logistic regression.

de Meijer 2015

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE from January 1, 2002 to August 8, 2014 ○ Search completed by investigators ○ Searched by first author, and keywords ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Contents ■ Methodology
Data	<ul style="list-style-type: none"> • Included 2174 abstracts submitted to the 2007 to 2012 Dutch Surgical Society meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication, by decision on conference presentation and type of presentation • Actuarial time to publication, by decision on conference presentation and type of presentation • Accepted versus rejected for conference presentation • Oral versus poster presentation • Academic versus non-academic affiliation • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 1358 of 2174 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Median time to publication = 25 months (95% CI = 23 to 27) for abstracts accepted for presentation ○ Median time to publication = 36 months (95% CI = 30.1 to 41.9) for abstracts rejected for presentation ○ Median time to publication = 23 months (95% CI = 20.9 to 25.1) for abstracts presented orally ○ Median time to publication = 36 months (95% CI = 26.6 to 45.4) for abstracts presented as poster ○ Actuarial time to publication at 60 months showed proportion published = 68.6% (895/1305 abstracts) for abstracts accepted for presentation

de Meijer 2015 (Continued)

- Actuarial time to publication at 60 months showed proportion published = 57.7% (501/869 abstracts) for abstracts rejected for presentation
- Actuarial time to publication at 60 months showed proportion published = 72.6% (700/964 abstracts) for abstracts presented orally
- Actuarial time to publication at 60 months showed proportion published = 57.6% (196/341 abstracts) for abstracts presented as poster
- Factors related to proportion of abstracts published included
 - 870/1305 abstracts accepted for presentation versus 488/869 rejected abstracts published
 - 680/964 abstracts presented orally versus 190/341 abstracts presented as poster published
 - 853/1154 abstracts originating in an academic center versus 505/1020 abstracts not originating in an academic center published

Notes

- Surgery
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 2011 had at least 48 months follow-up. The meetings in 2011 and 2012 only had 36 and 24 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of acceptance for presentation, type presentation, academic affiliation, and subspecialty with publication using stratified analysis and t tests, Chi ² , Mann-Whitney U, or ANOVA tests.

de Oliveira 2012

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE, PubMed, Google/Google Scholar, Scielo, and LILACS until March 1, 2012 ○ Person completing the search not reported ○ Searched by first and second author, and title ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ One author • Searched publication lists of 1st and 2nd author on Lattes platform
Data	<ul style="list-style-type: none"> • Included 348 abstracts presented at the 2010 Brazilian Congress on Pain meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean and median time to publication • Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> • 31 of 348 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 6.7 months (SD = 3)

Full publication of results initially presented in abstracts (Review)

de Oliveira 2012 (Continued)

- Median time to publication = 6.9 months
- Factors related to proportion of abstracts published included
 - 14/121 abstracts presented orally versus 17/227 abstracts presented as poster published

Notes	• Neurology - pain • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 4 databases and searched Lattes platform.
Follow-up time?	No	The meeting only had 24 months follow-up.
Matching?	No	Matched by only 1 criterion.
Adjustment for confounding?	No	Examined association of type presentation with publication using stratified analysis and Fisher's Exact tests.

De Sio 2012

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed for a 2-year period ◦ Search completed by investigator ◦ Searched by all authors and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Title ■ Methodology ■ Hypotheses
Data	<ul style="list-style-type: none"> • Included 3110 abstracts presented at the 1998 to 1999 and 2008 to 2009 European Association of Urology meetings • Included all abstracts of randomized and nonrandomized controlled trials, excluding video abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • RCT design versus non-RCT design • US-origin versus European origin • Rest of the world versus European origin • Multi-centre versus single centre • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 453 of 3110 abstracts published • 190/1336 abstracts presented at the 1998 to 1999 meetings, and 263/1774 at the 2008 to 2009 meetings published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 65/375 abstracts describing RCT versus 388/2764 abstracts describing nonrandomized controlled trials published ◦ USA versus Europe: OR 1.03 (95% CI = 0.68 to 1.56)

Full publication of results initially presented in abstracts (Review)

De Sio 2012 (Continued)

- Rest of the world versus Europe: OR 0.96 (95% CI = 0.72 to 1.28)
- Multi-institutional versus single institution: OR 1.82 (95% CI = 1.44 to 2.3)

Notes	<ul style="list-style-type: none"> • Urology • Funding not reported
-------	---

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts describing RCTs and controlled clinical trials.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	The meetings only had 24 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	Yes	Examined association of meeting year, study design, multi-center status, US origin, country of origin, and subspecialty with publication using multivariable logistic regression analysis.

Del Rio Moro 2010

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed, Enfispo, and Cuiden until October 31, 2009 ○ Search completed by the investigator ○ Searched by all authors, keywords, and title ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 610 abstracts presented at the 2001 to 2007 Asociación Española de Enfermería en Cardiología meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting
Outcomes	<ul style="list-style-type: none"> • 76 of 610 abstracts published • 4 of 60 abstracts presented at the 2001 meeting, 5/72 at the 2002 meeting, 4/71 at the 2003 meeting, 14/102 at the 2004 meeting, 6/71 at the 2005 meeting, 14/111 at the 2006 meeting, and 16/120 at the 2007 meeting published • Proportion of abstracts published by time not reported • No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Nursing - cardiology nursing • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.

Full publication of results initially presented in abstracts (Review)

Del Rio Moro 2010 (Continued)

Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	All meetings except the meetings in 2006 and 2007 had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis and Chi ² tests.

Delamere 2005

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE; date of search not reported Person completing the search not reported Searched by content and publication type Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 30 abstracts included in the Cochrane Skin Group specialized register and presented at various 2000 to 2002 meetings Included a random sample of all abstracts of RCTs
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published 'Positive' versus not 'positive'
Outcomes	<ul style="list-style-type: none"> 13 of 30 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 12/22 'positive' (defined as experimental better than control) versus 1/8 not 'positive' abstract results published
Notes	<ul style="list-style-type: none"> Dermatology Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random sample of all abstracts of RCTs.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of positive results with publication using stratified analysis.

Delgado Gallego 2007

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE and Indice Medicao Espanol in July 2005 Person completing the search not reported Searched by first author Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 528 abstracts presented at the 2001 Sociedad Española de Medicina General, Sociedad Española de Medicina Rural y Generalista, and Sociedad Española de Medicina de Familia y Comunitaria meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Cumulative proportion of abstracts published by meeting Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> 57 of 528 abstracts published 6/102 abstracts presented at the Sociedad Española de Medicina General, 10/124 abstracts at the Sociedad Española de Medicina Rural y Generalista, and 41/302 at the Sociedad Española de Medicina de Familia y Comunitaria meetings published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 48 months = 5.9% (6/102 abstracts) for the Sociedad Española de Medicina General meeting Cumulative proportion of abstracts published at 48 months = 8.1% (10/124 abstracts) for the Sociedad Española de Medicina Rural y Generalista meeting Cumulative proportion of abstracts published at 48 months = 14.9% (45/302 abstracts) for the Sociedad Española de Medicina de Familia y Comunitaria meeting Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 32/246 abstracts presented orally versus 25/282 abstracts presented as poster published
Notes	<ul style="list-style-type: none"> General medicine /primary care Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year and type presentation with publication using stratified analysis and Chi ² tests.

DeMola 2009

Methods	Identification of subsequent full-length publications
---------	---

Full publication of results initially presented in abstracts (Review)

DeMola 2009 (Continued)

- Searched electronic database
 - MEDLINE to April 2007
 - Search completed by investigator
 - Searched by all authors and keywords
 - Matched abstract to full-length publication by
 - Sample size
 - Content
 - Methodology
 - Results

Data	<ul style="list-style-type: none"> • Included 558 abstracts presented at the 1999 to 2004 American Academy of Orthopaedic Surgery meetings • Included all abstracts in shoulder and elbow sections
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication • Cumulative proportion of abstracts published • Sample size • Oral versus poster presentation • North American origin • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 321 of 558 abstracts published, 48.4% of abstracts presented at the 1999 meeting, 59.6% at the 2000 meeting, 65.5% at the 2001 meeting, 56.5% at the 2002 meeting, 59.4% at the 2003 meeting, and 57.5% at the 2004 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 31 months (SD = 28) ◦ Cumulative proportion of abstracts published at 36 months showed proportion published = 30% (167/558 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ Published abstracts had greater sample size ($P < 0.01$) ◦ 154/233 abstracts presented orally versus 166/325 abstracts presented as poster published ◦ Published abstracts were more often of North American origin ($P < 0.05$)
Notes	<ul style="list-style-type: none"> • Orthopedics/orthopedic surgery • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific topics, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 2004 had at least 48 months follow-up. The meeting in 2004 only had 36 months follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	Yes	Examined association of sample size, type presentation, North American origin and subspecialty with publication using multivariable logistic regression analysis.

Dhaliwal 2008

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to January 2007 Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> One author One outcome
Data	<ul style="list-style-type: none"> Included 200 abstracts submitted for the 2000 All India Ophthalmological Conference meeting Included only those published in the proceedings book from 278 abstracts submitted to the meeting
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean and median time to publication Cumulative proportion of abstracts published RCT design versus experimental design versus observational design versus descriptive design India versus non-India origin 'Completeness of reporting' Subspecialty
Outcomes	<ul style="list-style-type: none"> 33 of 200 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 22.8 months (SD = 16.4) Median time to publication = 20 months (range = 2 to 77 months) Cumulative proportion of abstracts published at 72 months showed proportion published = 17% (34/200 abstracts; includes two publications from one abstract) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 3/13 abstracts with RCT design versus 13/99 abstracts with experimental design versus 9/48 abstracts with observational design versus 8/40 abstracts with descriptive design published 31/194 abstracts originating from India versus 2/6 abstracts originating elsewhere published
Notes	<ul style="list-style-type: none"> Ophthalmology/optometry - ophthalmology Reported receiving no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 7 years follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of study design, Indian origin, 'completeness of reporting', and subspecialty with publication using combinations of variables with ANOVA with stratified analysis and Tukey and t tests.

Dicembrino 2014

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 232 abstracts accepted to the 2005 to 2009 Sociedad Latinoamérica de Investigación Pediátrica meetings • Included 232 out of 325 abstracts with author response
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Funding versus no funding • Argentinean versus Bolivian versus Brazilian versus Chilean versus Mexican versus Peruvian versus Paraguayan versus rest of the world origin
Outcomes	<ul style="list-style-type: none"> • 136 of 232 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 64/92 abstracts with funding versus 72/140 abstracts without funding published ◦ 56/88 abstracts originating from Argentina versus 1/2 abstracts originating from Bolivia versus 24/36 abstracts originating from Brazil versus 37/56 abstracts originating in Chile versus 4/8 abstracts originating in Mexico versus 9/32 abstracts originating in Peru versus 3/8 abstracts originating in Paraguay versus 2/2 abstracts originating elsewhere published
Notes	<ul style="list-style-type: none"> • Pediatrics • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	No	Included abstracts with author response only.
Search for publications?	No	Contacted abstract authors with response rate < 80%.
Follow-up time?	Unclear	Date of author contact not reported.
Matching?	Yes	Matched through contact with abstract author.
Adjustment for confounding?	No	Examined association of funding status and Latin American country origin with publication using stratified analysis and Chi ² tests.

Diezel 1999

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE (from 1966 through 1996), PsychLIT (from 1974 to 1996), Embase (from 1988 through 1985), Biological abstracts (from 1985 through 1996), ISI (from 1981 through 1996), Cochrane Central Register of Controlled Trials (from 1996 through 1998) ◦ Person completing the search not reported ◦ Searched by all authors and keywords ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 95 abstracts presented at the 1971 Vth World Congress of Psychiatry meeting • Included RCT abstracts

Diezel 1999 (Continued)

Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Cumulative proportion of abstracts published English versus non-English language
Outcomes	<ul style="list-style-type: none"> 44 of 95 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 84 months = 46.3% (44/95 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 32/58 abstracts with English language versus 12/37 abstracts with non-English language published
Notes	<ul style="list-style-type: none"> Psychiatry Funding by Amt für Ausbildungsförderung, Nordrhein-Westfalen, Germany, the Medical Research Council, and Anglia and Oxford Regional Health Authority, UK

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described RCTs.
Search for publications?	Yes	Searched 6 databases.
Follow-up time?	Yes	The meeting had at least 14 years follow up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined origin in English language country with publication using stratified analysis and unspecified statistical tests.

Dirk 1996

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 147 abstracts by faculty from single anesthesiology department accepted for various conferences
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication
Outcomes	<ul style="list-style-type: none"> 80 of 147 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 32.4 months (range = -12 to 96 months) No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Anesthesiology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts from a pre-specified group of authors.

Full publication of results initially presented in abstracts (Review)

Dirk 1996 (Continued)

Search for publications?	Unclear	Author contact, but response rate not reported.
Follow-up time?	Unclear	Date of author contact not reported.
Matching?	Yes	Matched through contact with abstract author.

Donegan 2010

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, PubMed to March 2006 Search completed by investigator Searched by all authors, title, and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> Title Contents "Authorship"
Data	<ul style="list-style-type: none"> Included 756 abstracts presented at the 2001 American Academy of Orthopaedic Surgeons meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Cumulative proportion of abstracts published Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> 367 of 756 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 60 months showed proportion published = 48.5% (367/756 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 149/288 abstracts presented orally versus 218/468 abstracts presented as posters published
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 5 years follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of type presentation with publication using stratified analysis and Chi ² tests.

Dooley 2003

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, International Pharmaceutical Abstracts to November 2002 Person completing the search not reported Searched by first and second author Matched abstract to full-length publication by <ul style="list-style-type: none"> Title Contents Handsearched the Journal of Pharmacy Practice and Research
Data	<ul style="list-style-type: none"> Included 187 abstracts presented at the 1999 24th Federal Conference of the Society of Hospital Pharmacists of Australia meeting Included abstracts except invited presentations
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Oral versus poster presentation Multi-centered versus single center
Outcomes	<ul style="list-style-type: none"> 21 of 187 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 15/82 abstracts presented orally versus 6/105 abstracts presented as posters published 15/61 abstracts with multiple centers versus 6/126 abstracts with a single center published
Notes	<ul style="list-style-type: none"> Pharmacology - hospital pharmacology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 2 databases, and performed hand searches.
Follow-up time?	No	The meeting only had 36 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of type of presentation and multi-center status with publication using stratified analysis and Chi ² tests.

Doğan 2012

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Türk Medline and Ulakbim; dates of search not reported Person completing the search not reported Searched by first author and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 218 abstracts presented at the 2007 to 2010 Turkish National Rhinology Congresses meetings

Doğan 2012 (Continued)

	<ul style="list-style-type: none"> Included all abstracts except those published before congress
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication, overall and by type of presentation Oral versus poster presentation Clinical research versus experimental research Case report design versus experimental design versus other study design University versus teaching hospital versus other type of institution
Outcomes	<ul style="list-style-type: none"> 61 of 218 abstracts published 15/53 abstracts presented at the 2007 meeting, 18/55 at the 2008 meeting, 14/61 at the 2009 meeting, and 14/49 at the 2010 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 21.8 months, overall Mean time to publication = 20.8 months for poster presentations Mean time to publication = 23.2 months for oral presentations Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 24/67 abstracts presented orally versus 37/151 abstracts presented as poster published 58/209 abstracts describing clinical research versus 3/9 abstracts describing experimental research published 19/92 abstracts describing case reports versus 3/9 abstracts describing experimental design versus 39/117 abstracts describing other type of study design published 26/75 abstracts originating from university versus 33/138 abstracts from teaching hospital versus 2/5 abstracts from other type of institution published
Notes	<ul style="list-style-type: none"> Otolaryngology head and neck surgery Reported having received no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, type of presentation, type of science, study design, university origin with publication using stratified analysis and Chi ² tests.

Dressler 2015

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Google/Google Scholar, and university institution websites to July 2012 Person completing the search not reported Searched by all authors, keywords, and title Matching criteria not reported
---------	--

Dressler 2015 (Continued)

Data	<ul style="list-style-type: none"> Included 402 abstracts presented at the 2005 to 2011 Canadian Association of Radiologists meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Cumulative proportion of abstracts published 'Radiologists-in-training' exhibits versus scientific exhibits versus educational exhibits versus proffered exhibit versus audit exhibits Canadian university
Outcomes	<ul style="list-style-type: none"> 112 of 402 abstracts published 15/47 abstracts presented at the 2005 meeting, 12/57 at the 2006 meeting, 17/49 at the 2007 meeting, 19/55 at the 2008 meeting, 19/59 at the 2009 meeting, 20/64 at the 2010 meeting, and 10/71 at the 2011 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 60 months showed proportion published = 27.9% (112/402 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 39/196 abstracts presented in the radiologists-in-training exhibits versus 34/100 abstracts presented in the scientific exhibits versus 34/170 abstracts presented in the educational exhibits versus 5/15 abstracts presented in the proffered exhibits versus 0/11 abstracts presented in audit exhibits published
Notes	<ul style="list-style-type: none"> Radiology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases and university institution web sites.
Follow-up time?	Yes	All meetings except the 2009 to 2011 meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year by author status, and Canadian university origin with publication using stratified analysis.

Drury 2012

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE; date of search not reported Person completing the search not reported Searched by all authors Matching criteria not reported Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 909 abstracts presented at the 1993 to 2007 Society for Cardiothoracic Surgery meetings

Drury 2012 (Continued)

	<ul style="list-style-type: none"> Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication RCT or systematic review design versus other designs UK region Prospective versus retrospective Subspecialty
Outcomes	<ul style="list-style-type: none"> 606 of 909 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication for 2003 to 2007 Society for Cardiothoracic Surgery meetings = 15 months (range = -24 to 63 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 63/74 abstracts with RCT or systematic review design versus 129/208 abstracts with other types of design published (2003 to 2007 Society for Cardiothoracic Surgery meetings)
Notes	<ul style="list-style-type: none"> Surgery - cardiovascular surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 1 database and contacted abstract authors.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of type presentation, study design, origin within UK, prospective status, award winning status, and subspecialty with publication using multivariable logistic regression analysis.

Duchini 1997

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE; from 1991 to 1996 Person completing the search not reported Search criteria not reported Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 2512 abstracts submitted to the 1991 Digestive Diseases Week meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication, overall and by country Clinical versus basic science research North American versus European versus rest of world origin US versus rest of world origin

Full publication of results initially presented in abstracts (Review)

Duchini 1997 (Continued)

- Subspecialty

Outcomes	<ul style="list-style-type: none"> • 1229 of 2512 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 20.4 months (SD =12 months) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 47.2% of abstracts describing clinical research versus 54.1% of abstracts describing clinical research published ◦ 563/1221 abstracts originating from North America versus 406/766 abstracts originating from Europe versus 89/179 abstracts originating from Japan versus 24/55 abstracts originating from Australia versus 78/129 abstracts with multinational origin published ◦ 519/1134 abstracts originating from the US versus 563/1087 abstracts originating from the rest of the world published
Notes	<ul style="list-style-type: none"> • Gastroenterology • Funding not reported • Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database
Follow-up time?	Yes	The meeting had 5 years of follow-up
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of country of origin, type science, and subspecialty with publication using stratified analysis and Fisher's exact test.

Dudley 1978

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Manual search of database <ul style="list-style-type: none"> ◦ Index Medicus for 3 years following the meeting ◦ Person completing the search not reported ◦ Searched by all authors and contents ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 51 abstracts presented at the 1972 Surgical Research Society of Great Britain meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 29 of 51 abstracts published • Proportion of abstracts published by time not reported • No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Surgery • Funding not reported

Dudley 1978 (Continued)

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	The meeting only had 36 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Dumville 2008

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> CINAHL, Embase, MEDLINE, and PubMed to November 2005 Search completed by investigator Searched by first, and last author, and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> Contents Methodology Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 467 abstracts presented at the 2001 and 2002 European Wound Management Association Conference meetings Included all abstracts except those from workshops and historical views of wound care
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published 'Positive' versus not 'positive' Cox regression publication rate Subspecialty
Outcomes	<ul style="list-style-type: none"> 57 of 467 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Cox regression for time to publication showed RCTs published sooner than other study designs (HR = 2.36, 95% CI = 1.02 to 5.45) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> Cox regression showed 'positive' abstracts (defined as significant results) more likely to have been published (HR = 1.79, 95% CI = 1.26 to 2.55)
Notes	<ul style="list-style-type: none"> Other clinical specialties -wound management Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 3 databases and contacted abstract authors.

Dumville 2008 (Continued)

Follow-up time?	Yes	The 2001 meeting had 48 months follow-up, the 2002 meeting only had 36 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	Yes	Examined association of meeting year, positive results, intervention, type of presentation, study design, and subspecialty with publication using multivariable Cox regression analysis

Durinka 2014

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed 'in 2013' Search completed by investigator Searched by first, second, and last author, and title Matched abstract to full-length publication by <ul style="list-style-type: none"> Content Sample Size
Data	<ul style="list-style-type: none"> Included 1938 abstracts accepted to the 2009 American Transplant Congress meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Oral versus poster presentation Multi-center versus single center University affiliation Country of first author
Outcomes	<ul style="list-style-type: none"> 244 of 1938 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 16 months (range = 1 to 49 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 103/641 abstracts presented orally versus 141/1297 abstracts presented as poster published authors reported number of abstracts published by factor, but not the total number of abstracts within each factor
Notes	<ul style="list-style-type: none"> Surgery - organ transplantation Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Unclear	Included all abstracts.
Search for publications?	Unclear	Searched only 1 database.
Follow-up time?	Unclear	The meeting had 48 months follow-up.
Matching?	Yes	Matched by 2 criteria.

Full publication of results initially presented in abstracts (Review)

Durinka 2014 (Continued)

Adjustment for confounding?	No	Examined association of type presentation, multi-center status, university affiliation, country of origin, and subspecialty with publication simple stratified analysis. Also examined association of study design by type of presentation, and multi-center status by type of presentation with publication using stratified analysis and Chi ² tests.
-----------------------------	----	--

Durinka 2014b

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed; date of search not reported Search completed by the investigator Search criteria not reported Matched abstract to full-length publication by <ul style="list-style-type: none"> First author Second author Last author Title Contents
Data	<ul style="list-style-type: none"> Included 335 abstracts presented at the 2009 American College of Surgeons meeting Included all abstracts accepted as poster
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication
Outcomes	<ul style="list-style-type: none"> 64 of 335 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 16.8 months No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Surgery Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented as posters.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 3 different criteria.

Duthie 2012

Methods	Identification of subsequent full-length publications
---------	---

Full publication of results initially presented in abstracts (Review)

Duthie 2012 (Continued)

	<ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, PubMed, PsychINFO, ScienceDirect in November 2011 Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Title Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 20 abstracts presented at the 2007 to 2009 Senior Trainees' Annual Research Symposium Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Cohort/cross-sectional study versus case-control study versus survey versus audit versus pilot study Mean time to publication
Outcomes	<ul style="list-style-type: none"> 10 of 20 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 20.2 months (range = 5 to 41 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 3/6 abstracts describing cohort/cross-sectional studies versus 1/1 abstract describing case-control studies versus 4/7 abstracts describing a survey versus 1/4 abstracts describing an audit versus 0/2 abstracts describing a pilot study published
Notes	<ul style="list-style-type: none"> Psychiatry Funding not reported Data abstracted from 'brief report'

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 3 databases and contacted abstract authors directly.
Follow-up time?	No	All meetings except the 2007 meeting had less than 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of study design with publication using stratified analysis

Dyson 2006

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed and CAB direct for 'at least 4 years since most recent meeting' Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> Sample size Methodology
---------	---

Dyson 2006 (Continued)

- Results
- Conclusions
- Contacted abstract authors directly

Data	<ul style="list-style-type: none"> Included 283 abstracts presented at the 1990 to 1993 and 1995 to 1999 American College of Veterinary Anesthesiologists meetings Included all abstracts except one educational abstract and two case reports
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication, overall and by meeting
Outcomes	<ul style="list-style-type: none"> 208 of 283 abstracts published 29/33 abstracts presented at the 1990 meeting, 16/24 at the 1991 meeting, 23/28 at the 1992 meeting, 24/26 at the 1993 meeting, 24/38 at the 1995 meeting, 31/39 at the 1996 meeting, 17/30 at the 1997 meeting, 19/31 at the 1998 meeting, and 25/34 at the 1999 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 24.3 months (SD = 21) Mean time to publication for 1990 American College of Veterinary Anesthesiologists meeting = 39.3 months (SD = 33.2) Mean time to publication for 1991 American College of Veterinary Anesthesiologists meeting = 24.8 months (SD = 32.6) Mean time to publication for 1992 American College of Veterinary Anesthesiologists meeting = 20.9 months (SD = 33.7) Mean time to publication for 1993 American College of Veterinary Anesthesiologists meeting = 23.2 months (SD = 21.3) Mean time to publication for 1995 American College of Veterinary Anesthesiologists meeting = 22.9 months (SD = 14.4) Mean time to publication for 1996 American College of Veterinary Anesthesiologists meeting = 24.8 months (SD = 19.5) Mean time to publication for 1997 American College of Veterinary Anesthesiologists meeting = 20.8 months (SD = 16.1) Mean time to publication for 1998 American College of Veterinary Anesthesiologists meeting = 19.4 months (SD = 14.3) Mean time to publication for 1999 American College of Veterinary Anesthesiologists meeting = 21.4 months (SD = 10.0) No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Other non-clinical specialties - veterinary anesthesiology Funding by Pet Trust, Ontario Veterinary College, University of Guelph

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 2 databases and contacted abstract authors.
Follow-up time?	Yes	Follow-up was 'at least 4 years since most recent meeting'.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Eck 2005

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to November 2003 Person completing the search not reported Searched by all authors Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Title Methodology Results
Data	<ul style="list-style-type: none"> Included 358 abstracts presented at the 1997 International Society of Arthroscopy, Knee Surgery and Sports Medicine and 1999 Biennial International Society of Arthroscopy, Knee Surgery and Sports Medicine meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Cumulative proportion of abstracts published by meeting
Outcomes	<ul style="list-style-type: none"> 133 of 358 abstracts published 56/162 abstracts presented at the 1997 meeting, and 77/196 at the 1999 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 78 months showed proportion published = 34.6% (56/162 abstracts) for 1997 International Society of Arthroscopy, Knee Surgery and Sports Medicine meeting Cumulative proportion of abstracts published at 54 months showed proportion published = 38.8% (76/196 abstracts) for 1999 Biennial International Society of Arthroscopy, Knee Surgery and Sports Medicine meeting No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Other clinical specialties - sports medicine Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Ejnisman 2013

Methods	Identification of subsequent full-length publications
---------	---

Full publication of results initially presented in abstracts (Review)

Ejnisman 2013 (Continued)

- Searched electronic database
 - PubMed and LILACS; dates of search not reported
 - Person completing the search not reported
 - Searched by first, second, and last author
 - Matched abstract to full-length publication by
 - All authors
 - Title
 - Summary

Data	<ul style="list-style-type: none"> • Included 653 abstracts accepted to the 2007 Congresso Brasileiro de Ortopedia meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Cumulative proportion of abstracts published • Oral versus poster presentation • Brazilian versus rest of the world origin • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 174 of 653 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Cumulative proportion of abstracts published at 60 months showed proportion published = 26.0% (170/653 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 118/286 abstracts presented orally versus 56/367 abstracts presented as poster published ◦ 173/641 abstracts originating from Brazil versus 1/12 abstracts with rest of the world origin published
Notes	<ul style="list-style-type: none"> • Orthopedics/orthopedic surgery • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of type presentation and Brazilian state origin with publication using stratified analysis.

Elder 1994

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE, Health Planning & Administration abstracts to 1992 ◦ Search completed by trained librarian ◦ Searched by presenter name ◦ Matched abstract to full-length publication by
---------	--

Full publication of results initially presented in abstracts (Review)

Elder 1994 (Continued)

- All authors
- Title
- Contents

Data	<ul style="list-style-type: none"> Included 475 abstracts presented at the 1987 and 1988 North American Primary Care Research Group and Society for Teachers of Family Medicine meetings Included all abstracts related to research and peer presentations
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Survival analysis of publication rate
Outcomes	<ul style="list-style-type: none"> 226 of 475 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Survival analysis of proportion published at 48 months = 47.6% No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> General medicine/primary care Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific topics, so low risk of bias.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 3 different criteria.

Elliot 2016

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, SCOPUS, and Google/Google Scholar between January 1, 2011 and April 30, 2011 Search completed by investigators Searched by first, second, last, and corresponding author, and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Title Methodology Results Objectives
Data	<ul style="list-style-type: none"> Included 754 abstracts presented at the 2005 Congress of Neurological Surgeons meeting Included all abstracts except 1 withdrawn and 1 duplicate abstract
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication 'Positive' versus not 'positive' Oral versus poster presentation

Elliot 2016 (Continued)

- Clinical research versus basic science research
- RCT design versus observational design versus case report versus meta-analysis
- US origin versus Canadian versus rest of the world origin
- Principal author with PhD versus not
- 'New technology/technique' versus not
- Subspecialty

Outcomes	<ul style="list-style-type: none"> • 383 of 754 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 14.8 months (range = -21.2 to 64.2 months) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 84/135 'positive' (defined as significant results) versus 299/619 not 'positive' abstract results published ◦ 73/114 abstracts presented orally versus 308/638 abstracts presented as posters published ◦ 295/601 abstracts describing clinical research versus 88/153 abstracts describing basic science research published ◦ 10/17 abstracts with RCT design versus 219/429 abstracts describing observational design versus 52/125 abstracts describing case reports versus 5/7 abstracts describing meta-analyses published ◦ 274/534 abstracts originating from the US versus 19/31 abstracts originating from Canada versus 90/189 abstracts originating elsewhere published ◦ 91/158 abstracts with the principal author having a PhD versus 292/596 abstracts with principal author without PhD published ◦ 146/278 abstracts describing a new technology/technique versus 237/476 abstracts not describing a new technology/technique
Notes	<ul style="list-style-type: none"> • Surgery - neurologic surgery • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	The meeting had 72 months follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	Yes	Examined association of positive results, type presentation, type science, study design, US origin, author status, new technology, and subspecialty with publication using multivariable logistic regression analysis.

Eloubeidi 2001

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ CINAHL (1982 to June 1998), MEDLINE (1966 to June 1998), CANCERLIT (1983 to June 1998), Health Star (1975 to June 1998), and Current Contents (1997 to June 1998) ◦ Search completed by trained librarian ◦ Searched by first and senior author ◦ Matched abstract to full-length publication by
---------	---

Eloubeidi 2001 (Continued)

- Sample size
- Keywords
- Title
- Methodology
- Results
- Data

Data	<ul style="list-style-type: none"> • Included 451 abstracts submitted to the 1994 American Society for Gastrointestinal Endoscopy meeting • Included all abstracts except 2 withdrawn and 8 electronic poster abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean and median time to publication • Cumulative proportion of abstracts published • 'Positive' versus not 'positive' • Oral versus poster presentation • Accepted versus rejected for conference presentation • RCT design versus non-RCT design • Multi-centered versus single center • 'Prospective' versus 'retrospective' design • US versus non-US origin • Academic versus non-academic affiliation
Outcomes	<ul style="list-style-type: none"> • 113 of 451 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 20 months (SD = 11.4) ◦ Median time to publication = 17.8 months (IQR = 12.7 to 27.9 months) ◦ Cumulative proportion of abstracts published at 48 months showed proportion published = 20.8% (94/451 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 36/98 'positive' (defined as significant results) versus 77/353 not 'positive' abstract results published ◦ 16/40 abstracts presented orally versus 64/207 abstracts presented as posters published ◦ 80/247 abstracts accepted for presentation versus 33/204 rejected abstracts published ◦ 14/41 abstracts with RCT design versus 99/410 abstracts with non-RCT design published ◦ 19/77 abstracts with multiple centers versus 94/374 abstracts with a single center published ◦ 64/216 abstracts with 'prospective' study design versus 49/235 abstracts with 'retrospective' study design published ◦ 81/350 abstracts originating in the US versus 32/101 abstracts not originating in the US published ◦ 101/392 abstracts originating in an academic center versus 47/59 abstracts not originating in an academic center versus published
Notes	<ul style="list-style-type: none"> • Gastroenterology - endoscopy • Funding by Veteran's Affairs Health Services Research - Training Grant & Career Development Program

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 5 databases.
Follow-up time?	Yes	The meeting had 48 months follow-up.

Full publication of results initially presented in abstracts (Review)

Eloubeidi 2001 (Continued)

Matching?	Yes	Matched by 6 different criteria.
Adjustment for confounding?	Yes	Examined association of positive results, type of presentation, acceptance for presentation, study design, multi-center status, prospective status, US origin, and academic affiliation with publication using multivariable logistic regression analysis.

Ensom 1998

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE from 1992 through March 1998 Search completed by investigator Searched by all authors Matching criteria not reported Contacted abstract authors directly Handsearched Canadian Journal of Hospital Pharmacy from 1992 to "present"
Data	<ul style="list-style-type: none"> Included 363 abstracts presented at the 1992 to 1996 Canadian Society of Hospital Pharmacists meetings Included all 'award winning' abstracts for 1992 and all abstracts published in the Canadian Journal of Hospital Pharmacists for remaining years
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication 'Award winning' versus not 'award winning'
Outcomes	<ul style="list-style-type: none"> 89 of 363 abstracts published 9/11 abstracts presented at the 1992 meeting, 13/56 at the 1993 meeting, 17/84 at the 1994 meetings, 27/105 at the 1995 meeting, and 23/107 at the 1996 meeting published. Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 11 months, but includes abstracts with < 24 months of follow-up Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 28/57 'award winning' abstracts versus 61/306 not 'award winning' abstracts published
Notes	<ul style="list-style-type: none"> Pharmacology - hospital pharmacology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	Yes	Searched 1 database, contacted abstract authors, and hand searched a journal.
Follow-up time?	Yes	All meetings before 1995 had at least 48 months follow-up. The meetings in 1995 and 1996 only had 36 and 24 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Ensom 1998 (Continued)

Adjustment for confounding?	No	Examined association of meeting year, and award winning status with publication using stratified analysis and Fisher's Exact tests
-----------------------------	----	--

Erdağ 2014

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Türk Medline, and Ulakbim until July 1, 2013 Person completing the search not reported Searched by first author, keywords, and title Matching criteria not reported Manually searched the <i>Journal of International Advanced Otolaryngology</i> and the journal <i>Sprache Stimme Gehör</i>
Data	<ul style="list-style-type: none"> Included 1454 abstracts presented at the 2008 to 2010 Turkish National Otorhinolaryngology and Head & Neck Surgery meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication Oral versus poster presentation Case report versus experimental research versus clinical research (undefined) University hospital versus training hospital versus other institution
Outcomes	<ul style="list-style-type: none"> 319 of 1454 abstract published 111/395 abstracts presented at the 2008 meeting, 107/571 at the 2009 meeting, and 101/488 at the 2010 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 18.6 months Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 133/357 abstracts presented orally versus 186/1097 abstracts presented as poster published 133/774 abstracts describing case reports versus 25/55 abstracts describing 'experimental' research versus 161/625 abstracts describing clinical research (undefined) published 160/750 abstracts from university hospitals versus 148/644 abstracts from training hospitals versus 10/44 abstracts from other institutions published
Notes	<ul style="list-style-type: none"> Otolaryngology head and neck surgery Reported having received no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally.
Search for publications?	Yes	Searched 3 databases and manually searched 2 journals.
Follow-up time?	Yes	The meeting in 2010 only had 36 months follow-up. All other meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Erdağ 2014 (Continued)

Adjustment for confounding?	No	Examined association of meeting year, type presentation, study design, and university affiliation with publication using stratified analysis and Chi ² tests.
-----------------------------	----	--

Ersoy 2015a

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Google/Google Scholar, Turkish National Database, and Turkish Citation Index until 01 August, 2014 Person completing the search not reported Searched by all authors, keywords, and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 243 abstracts presented at the 2009 Turkish Association of Gynecology and Obstetrics National Gynecology and Obstetrics Congress meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication, by origin and presentation format Oral versus poster presentation University hospital versus education and research hospital versus private institutions versus state hospitals Subspecialty
Outcomes	<ul style="list-style-type: none"> 84 of 243 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 17 months (SD = 2) for international publications Mean time to publication = 11 months (SD = 4) for national publications Mean time to publication = 13 months for oral presentations Mean time to publication = 11 months for poster presentations Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 9/16 abstracts presented orally versus 75/227 abstracts presented as poster published 47/135 abstracts from university hospitals versus 26/86 abstracts from education and research hospitals versus 4/10 abstracts from private institutions versus 7/9 abstracts from state hospitals published
Notes	<ul style="list-style-type: none"> Gynecology/obstetrics Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 4 databases.
Follow-up time?	Yes	The meeting had 60 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Ersoy 2015a (Continued)

Adjustment for confounding?	No	Examined association of type presentation, university affiliation, and subspecialty with publication using stratified analysis and Fisher's Exact, Chi ² , Mann-Whitney U, or t tests
-----------------------------	----	--

Ersoy 2015b

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed and Google/Google Scholar in August 2014 Person completing the search not reported Searched by all authors, keywords, and title Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Hypothesis Study design
Data	<ul style="list-style-type: none"> Included 161 abstracts presented at the 2008 to 2010 National Gynecology and Obstetrics meetings Included all abstracts on reproductive endocrinology and infertility
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication, overall and by type of presentation Oral versus poster presentation Clinical research versus experimental research Case report design versus experimental design versus other clinical design University versus training and research hospital versus public hospital versus private institution
Outcomes	<ul style="list-style-type: none"> 46 of 161 abstracts published 10/47 abstracts presented at the 2008 meeting, 11/52 at the 2009 meeting, and 25/62 at the 2010 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 17.5 months (SD = 12.5), overall Mean time to publication = 20.9 months (SD = 11.1) for oral presentations Mean time to publication = 16.2 months (SD = 12.7) for poster presentations Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 13/19 abstracts presented orally versus 33/142 abstracts presented as poster published 35/145 abstracts describing clinical research versus 11/16 abstracts describing 'experimental' research published 4/39 abstracts describing case reports versus 11/16 abstracts with 'experimental' design versus 31/106 abstracts with other clinical study design published 32/96 abstracts from a university versus 14/49 abstracts from training and research hospitals versus 0/2 abstracts from public hospitals versus 0/14 abstracts from private institutions published
Notes	<ul style="list-style-type: none"> Gynecology/obstetrics Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts on a specific topic, so low risk of bias.

Ersoy 2015b (Continued)

Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, type presentation, type science, study design, university affiliation with publication using stratified analysis and Chi ² or t tests.

Evans 2015

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Google/Google Scholar, and International Pharmaceutical Abstracts; dates of search not reported Search completed by investigator Searched by all authors, keywords, and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 1496 abstracts presented at the 2004 to 2007 American College of Clinical Pharmacy (ACCP) Spring and Fall national meetings, and regional meetings: Alcalde, Southwest Leadership, Eastern States, Southeastern Pharmacy Residency, Great Lakes Pharmacy Resident, Midwest Pharmacy Resident, and Western States Included all abstracts of pharmacy resident projects from the ACCP meetings, and a random sample from each of the regional conferences
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean and median time to publication
Outcomes	<ul style="list-style-type: none"> 109 of 1496 abstracts published 2/41 abstracts presented at the 2004 Western, 2/56 at the 2004 Great lakes, 3/70 at the 2004 South-eastern, 3/68 at the 2004 Eastern, 3/20 at the 2004 Alcalde, 2/14 at the 2004 Fall ACCP, 7/92 at the 2005 Western, 3/32 at the 2005 Midwest, 7/54 at the 2005 Great Lakes, 3/72 at the 2005 Southeastern, 5/70 at the 2005 Eastern, 1/22 at the 2005 Alcalde, 5/22 at the 2005 Spring ACCP, 4/44 at the 2005 Fall ACCP, 6/96 at the 2006 Western, 1/36 at the 2006 Midwest, 2/60 at the 2006 Great Lakes, 5/70 at the 2006 Southeastern, 6/70 at the 2006 Eastern, 2/26 at the 2006 Alcalde, 3/22 at the 2006 Spring ACCP, 2/12 at the 2006 Fall ACCP, 4/102 at the 2007 Western, 2/34 at the 2007 Midwest, 4/66 at the 2007 Great Lakes, 6/80 at the 2007 Southeastern, 7/70 at the 2007 Eastern, 4/28 at the 2007 Alcalde, 5/23 at the 2007 Spring ACCP, and 0/24 at the 2007 Fall ACCP meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 24 months (SD = 15) Median time to publication = 24 months (range = 1 to 94 months) No factors other than meeting and meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Pharmacology Funding not reported

Risk of bias

Item	Authors' judgement	Description
------	--------------------	-------------

Evans 2015 (Continued)

Sampling method?	Yes	Included all abstracts or a random sample of abstracts of a specific subgroup, so low risk of bias.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting and meeting year with publication using stratified analysis and Chi ² tests.

Evers 2000

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Cochrane Central Register of Controlled Trials, Embase, and MEDLINE from year of meeting through February 2000 Person completing the search not reported Search criteria not reported Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Contents Handsearched two 'major' journals
Data	<ul style="list-style-type: none"> Included 151 abstracts presented at the 1992 to 1997 European Society of Human Reproduction and Embryology meetings Included all RCT abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication Survival analysis of publication rate 'Positive' versus not 'positive' Sample size equal to or above the median versus sample size below the median Oral versus poster presentation English versus non-English language Subspecialty
Outcomes	<ul style="list-style-type: none"> 79 of 151 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 32.5 months (range = 0 to 79 months) Survival analysis of proportion published at 60 months = 52.3% Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 41/69 'positive' (defined as significant results) versus 33/82 not 'positive' abstract results published 46/76 abstracts with sample size equal to or above the median versus 40/75 abstracts with sample size below the median published 50/72 abstracts presented orally versus 33/79 abstracts presented as posters published 22/40 abstracts with English language versus 62/111 abstracts with non-English language published
Notes	<ul style="list-style-type: none"> Human reproduction and development

Evers 2000 (Continued)

- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts describing RCTs.
Search for publications?	Yes	Searched 3 databases and handsearched 2 journals.
Follow-up time?	Yes	All meetings before 1997 had at least 48 months follow-up. The meeting in 1997 only had 36 months follow-up.
Matching?	Yes	Matched by two different characteristics.
Adjustment for confounding?	No	Examined association of positive results, sample size, type presentation, origin in English language country, and subspecialty with publication using Chi ² tests or log-rank tests

Facione 2007

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE to February 2007 ◦ Search completed by investigator ◦ Searched by all authors ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Title
Data	<ul style="list-style-type: none"> • Included 239 abstracts presented at the 2003 to 2006 Société Interdisciplinaire Francophone d'Urodynamique et de Pelvipérinéologie meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication by meeting
Outcomes	<ul style="list-style-type: none"> • 60 of 239 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 21.6 months for 2003 Société interdisciplinaire francophone d'urodynamique et de pelvipérinéologie meeting ◦ Mean time to publication = 19.2 months for 2004 Société interdisciplinaire francophone d'urodynamique et de pelvipérinéologie meeting ◦ Mean time to publication = 13.5 months for 2005 Société interdisciplinaire francophone d'urodynamique et de pelvipérinéologie meeting ◦ Mean time to publication = 5.6 months for 2006 Société interdisciplinaire francophone d'urodynamique et de pelvipérinéologie meeting • No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Urology • Funding not reported

Risk of bias

Facione 2007 (Continued)

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	Only the meeting in 2003 had 48 months follow-up. All other meetings had less than 48 months follow-up.
Matching?	No	Matched by only 1 criterion.

Fede 2010

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, LILACS; dates of search not reported Search completed by investigator Searched by all authors and title Matching criteria not reported Searched online curriculum vitae on Lattes Platform of teachers who co-authored papers
Data	<ul style="list-style-type: none"> Included 408 abstracts submitted to the 2002 to 2007 Undergraduate Medical Congress of ABC (CO-MUABC) Foundation School of Medicine meetings Included all abstracts submitted as oral presentations
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Clinical research versus basic science research versus monographs Medical subspecialty 'Award winning' versus not 'award winning' Observational versus case studies Subspecialty
Outcomes	<ul style="list-style-type: none"> 138 of 408 abstracts published 33/81 abstracts presented at the 2002 meeting, 27/79 at the 2003 meeting, 14/60 at the 2004 meeting, 19/56 at the 2005 meeting, 20/63 at the 2006 meeting, and 25/69 at the 2007 meeting published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 118/323 abstracts describing clinical research versus 11/27 abstracts describing basic science research versus 9/58 abstracts of monographs published 42/86 abstracts with observational designs versus 34/124 abstracts with case report design published 34/71 abstracts that were 'award winning' versus 104/337 abstracts that were not 'award winning' published
Notes	<ul style="list-style-type: none"> General medicine/primary care Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts submitted as oral presentations.

Full publication of results initially presented in abstracts (Review)

Fede 2010 (Continued)

Search for publications?	Yes	Searched 2 databases and screened curriculum vitae of authors.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of meeting year, type science, study design, award winning status, and subspecialty with publication using multivariable logistic regression analysis.

Feldman 2015

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to September 2014 Person completing the search not reported Searched by all authors and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 1152 abstracts submitted to the 2005 to 2012 Advancing Transfusion and Cellular Therapies Worldwide and American Society for Apheresis meetings Included all abstracts related to apheresis
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication Academic versus non-academic affiliation Non-US location of first author versus US location Apheresis type
Outcomes	<ul style="list-style-type: none"> 196 of 1152 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 17 months (range = 0 to 108 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 166/749 abstracts originating from an academic center versus 33/403 abstracts not originating from an academic center published 125/801 abstracts originating in the US versus 74/351 abstracts not originating in the US published
Notes	<ul style="list-style-type: none"> Hematology - apheresis Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of a specific topic.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings except the 2011 to 2012 meetings had at least 48 months follow-up.

Feldman 2015 (Continued)

Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of meeting, academic affiliation, US origin and subspecialty with publication using Cox proportional hazard analyses.

Fernandes 2003

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to June 2003 Person completing the search not reported Searched by all authors and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 1133 abstracts presented at the XXIV Congresso Brasileiro de Cirurgia meeting; year of meeting not reported Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> 29 of 1133 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 9/442 abstracts presented orally versus 17/614 abstracts presented as posters published
Notes	<ul style="list-style-type: none"> Surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Year of meeting not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type presentation with publication using stratified analysis

Fernandes 2008

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> EMBASE, MEDLINE, Google/Google Scholar, SciELO, Sport Discus, and LILACS for 6 years (until June 2007)
---------	--

Fernandes 2008 (Continued)

- Person completing the search not reported
- Searched by first and last author, and title
- Matched abstract to full-length publication by
 - All authors
 - Sample size
- Searched Lattes platform and the website of the Conselho Nacional de Desenvolvimento Científico e Tecnológico

Data	<ul style="list-style-type: none"> • Included 263 abstracts presented at 2001 American College of Sports Medicine, Centro de Estudos do Laboratório de Aptidão Física de São Caetano do Sul, and American College of Sports Medicine (Brazilian authors only) meetings • Included a random sample of 100 abstracts from the American College of Sports Medicine plus all abstracts by Brazilian authors and a random sample of 100 abstracts from the Centro de Estudos do Laboratório de Aptidão Física de São Caetano do Sul
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean and median time to publication by meeting • Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> • 58 of 263 abstracts published • 32/100 abstracts from the American College of Sports Medicine meeting, 19/63 presented by Brazilian authors at the American College of Sports Medicine meeting, and 7/100 at the Centro de Estudos do Laboratório de Aptidão Física de São Caetano do Sul meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 18.5 months (SD = 2.3) for the American College of Sports Medicine meeting ○ Mean time to publication = 20.2 months (SD = 20) for the abstracts from Brazilian authors presented at the American College of Sports Medicine meeting ○ Mean time to publication = 23.3 months (SD = 5.5) for the Centro de Estudos do Laboratório de Aptidão Física de São Caetano do Sul meeting ○ Median time to publication = 15 months (range = -1 to 55 months) for the American College of Sports Medicine meeting ○ Median time to publication = 12 months (range = -1 to 64 months) for the abstracts from Brazilian authors presented at the American College of Sports Medicine meeting ○ Median time to publication = 22 months (range = 6 to 48 months) for the Centro de Estudos do Laboratório de Aptidão Física de São Caetano do Sul meeting • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 26/109 abstracts presented orally versus 32/154 abstracts presented as poster published
Notes	<ul style="list-style-type: none"> • Other clinical specialties - sports medicine • Funded by the Conselho Nacional de Desenvolvimento Científico e Tecnológico

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all or a random sample of abstracts.
Search for publications?	Yes	Searched 6 databases, and searched Lattes platform and the website of the Conselho Nacional de Desenvolvimento Científico e Tecnológico (CNPq).
Follow-up time?	Yes	All meetings had at least 72 months follow-up.
Matching?	Yes	Matched by 2 different criteria.

Fernandes 2008 (Continued)

Adjustment for confounding?	No	Examined association of meeting by type presentation with publication using stratified analysis and Chi ² or ANOVA tests.
-----------------------------	----	--

Fernandez 2011

Methods	Identification of subsequent full-length publications
	<ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> CINAHL, Embase, and MEDLINE to April 2010 Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> Title
Data	<ul style="list-style-type: none"> Included 279 abstracts presented at 2003 to 2007 Australian Cardiac Rehabilitation Association meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication
Outcomes	<ul style="list-style-type: none"> 17 of 279 abstracts published 2/49 abstracts presented at the 2003 meeting, 2/56 at the 2004 meeting, 1/60 at the 2005 meeting, 7/72 at the 2006 meeting, 5/42 at the 2007 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 19 months (SD = 21.6; range = -4 to 78 months) No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Physical and rehabilitation medicine - cardiac rehabilitation Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	All meetings before 2007 had at least 48 months follow-up. The meeting in 2007 had 36 months follow-up.
Matching?	No	Matched by only 1 criterion.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis and Chi ² tests

Fesperman 2008

Methods	Identification of subsequent full-length publications
	<ul style="list-style-type: none"> Searched electronic database

Fesperman 2008 (Continued)

- MEDLINE from July 6 to October 24, 2006
- Search completed by investigator
- Searched by first, second, and senior author, and keywords
- Matched abstract to full-length publication by
 - All authors
 - Title
 - Results
 - Hypothesis
 - Study design

Data	<ul style="list-style-type: none"> • Included 1195 abstracts presented at the 1996 to 2005 Southeastern Section of the American Urological Association meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Female versus male first author • Female versus male senior author • Study origin • Study design • Oral versus poster presentation • Sample size • Reporting of statistical analyses
Outcomes	<ul style="list-style-type: none"> • 400 of 1195 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 21/74 abstracts by female first authors versus 379/1121 abstracts by male first authors published ○ 23/64 abstracts by female senior authors versus 377/1131 abstracts by male senior authors published ○ "predictors of publication identified in this study...include multi-institutional origin, the reporting of statistical hypothesis, and ...private institutions"
Notes	<ul style="list-style-type: none"> • Urology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 2003 had at least 48 months follow-up. The meetings in 2003, 2004, and 2005 only had 36, 24, and 12 months follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	Yes	Examined association of sample size, study design, type of presentation, multi-center status, institutional status, gender or first or senior author, report of statistical hypothesis, and topic using a multivariable proportional hazards model.

Forlin 2013

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, PubMed, Google/Google Scholar, BIREME, LILACS, SciELO, and online RBO until 2012 Search completed by the investigators Searched by all authors and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 267 abstracts presented at the 2004 Brazilian Congress of Orthopedics and Traumatology meeting Included all abstracts of free papers except 3 duplicates
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Cumulative proportion of abstracts published Level of evidence I versus II versus III versus IV versus V 'Anatomical' versus 'experimental' study Subspecialty
Outcomes	<ul style="list-style-type: none"> 58 of 267 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 96 months showed proportion published = 21.5% (58/270 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 0/0 abstracts with level I evidence versus 16/27 abstracts with level II evidence versus 4/7 abstracts with level III evidence versus 30/207 abstracts with level IV evidence versus 0/8 abstracts with level V evidence published 8/18 abstracts describing an 'anatomical' study versus 20/34 abstracts describing an 'experimental' study versus 30/215 undefined study published
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of a specific subgroup.
Search for publications?	Yes	Searched 6 databases.
Follow-up time?	Yes	The meeting had more than 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of level of evidence and subspecialty with publication using stratified analysis.

Fosbol 2012

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Web of Science for 1 month prior and 2 years following each conference, up to 5 years for 2006 meeting
---------	---

Fosbol 2012 (Continued)

	<ul style="list-style-type: none"> Search completed by computerized algorithm that was tested using manual search by author Searched by first, second, third, and last author, and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 27,208 abstracts presented at the 2006 to 2008 American Heart Association, American College of Cardiology, and European Society of Cardiology meetings Included all abstracts except duplicate entries
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Median time to publication, overall and by meeting Cumulative proportion of abstracts published by meeting Clinical research versus basic science research versus population science US origin versus German versus Japanese versus Italian versus UK origin versus rest of the world origin
Outcomes	<ul style="list-style-type: none"> 8,335 of 27,208 abstracts published 2931/10838 abstracts presented at the 2006 to 2008 European Society of Cardiology meetings, 1481/5005 at the 2006 to 2008 American College of Cardiology meetings, and 3923/11365 at the American Heart Association meetings published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 12 months (IQR = 7 to 19 months), overall Median time to publication = 13 months (IQR = 7 to 19 months) for 2006 to 2008 American Heart Association meetings Median time to publication = 13 months (IQR = 6 to 18 months) for 2006 to 2008 American College of Cardiology meetings Median time to publication = 12 months (IQR = 6 to 18 months) for 2006 to 2008 European Society of Cardiology meetings Cumulative proportion of abstracts published at 24 months showed proportion published = 32% (3637/11365 abstracts) for 2006 to 2008 American Heart Association meetings Cumulative proportion of abstracts published at 24 months showed proportion published = 26% (1301/5005 abstracts) for 2006 to 2008 American College of Cardiology meetings Cumulative proportion of abstracts published at 24 months showed proportion published = 24% (2601/10838 abstracts) for 2006 to 2008 European Society of Cardiology meetings Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 5,099/17,168 abstracts describing clinical research versus 2,140/6,203 abstracts describing basic science research versus 1,105/3,836 abstracts describing population science published 3,400/10,366 abstracts originating from USA versus 986/3,102 abstracts originating from Germany versus 848/2,884 abstracts originating from Japan versus 592/2,013 abstracts originating from Italy versus 581/1,850 abstracts originating from UK versus 1,928/6,993 abstracts with rest of the world origin published
Notes	<ul style="list-style-type: none"> Cardiology Funded through a foundation and through an award from David and Stevie Spina

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	The majority of meetings only had 24 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Fosbol 2012 (Continued)

Adjustment for confounding?	Yes	Examined association of meeting by year, type science, country of origin, prospective status, abstract quality, and subspecialty with publication using multivariable logistic regression analysis.
-----------------------------	-----	---

Freeman 2012

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to 2010 Person completing the search not reported Searched by all authors, cancer types, investigational agent, dose range, and schedule Matched abstract to full-length publication by <ul style="list-style-type: none"> All Authors Cancer types Investigational agent Dose range Schedule Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 90 abstracts presented at the 2004 to 2005 American Association for Cancer Research and 1995 to 2005 American Society of Clinical Oncology meetings Included all abstracts describing acquisition of biopsies for research purposes
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication by meeting
Outcomes	<ul style="list-style-type: none"> 70 of 90 abstracts published 22/26 abstracts presented at the 2004 to 2005 American Association for Cancer Research and 48/64 at the 1995 to 2005 American Society of Clinical Oncology meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 22.8 months for the American Association for Cancer Research meetings Mean time to publication = 34.8 months for the American Society of Clinical Oncology meetings No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Oncology Government funding received and costs of publication of article defrayed in part by the payment of page charges

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of a specific topic.
Search for publications?	Yes	Searched 1 database and contacted abstract authors directly.
Follow-up time?	Yes	All meetings had at least 60 months follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	No	Examined association of meeting with publication using stratified analysis.

Full publication of results initially presented in abstracts (Review)

Frost 2015

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to November 2014 Person completing the search not reported Searched by all authors and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 764 abstracts presented at the 2009 to 2011 Scoliosis Research Society (SRS) and International Meeting of Advanced Spinal Techniques meetings Included all abstracts presented orally
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Award-winning versus not
Outcomes	<ul style="list-style-type: none"> 339 of 764 abstracts published 59/150 abstracts presented at the 2009 International Meeting of Advanced Spinal Techniques, 57/114 at the 2009 SRS meeting, 50/134 at the 2010 International Meeting of Advanced Spinal Techniques meeting, 64/115 at the SRS meeting, 65/135 at the 2011 International Meeting of Advanced Spinal Techniques, and 44/116 at the 2011 SRS meeting published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 49/77 award-winning abstracts versus 290/684 non award-winning abstracts published
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery - spine Reported receiving no direct funding for the study, but fellowship support from AO Spine

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meetings in 2011 only had 36 months follow-up. All other meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting and award winning status with publication using stratified analysis and t tests.

Galang 2011

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed for Quote: "maximum of five years" Search completed by investigator Searched by all authors and keywords Matched abstract to full-length publication by
---------	---

Galang 2011 (Continued)

- First or last author
- Contents

Data	<ul style="list-style-type: none"> Included 370 abstracts presented at the 2002 and 2003 American Dental Education Association Annual Session and Exhibitions meetings Included all abstracts presented as posters except one abstract not having to do with dental education
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean and median time to publication Cumulative proportion of abstracts published 'Positive' versus not 'positive' 'Experimental' versus 'observational' study design Used statistics versus no use of statistics 'Analytic' versus 'descriptive' report Multi-centered versus single center North American versus elsewhere Funding reported versus without funding reported
Outcomes	<ul style="list-style-type: none"> 71 of 370 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 16 months Median time to publication = 10 months Cumulative proportion of abstracts published at 60 months showed proportion published = 19.2% (71/370 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 40/234 'positive' (defined as significant results) versus 31/136 not 'positive' abstract results published 19/84 abstracts with 'experimental' study design versus 52/286 abstracts with 'observational' study design published 60/285 abstracts that 'used statistics' versus 11/85 abstracts that did not 'use statistics' published 29/83 abstracts with 'analytical' report versus 31/202 abstracts with 'descriptive' report published 11/29 abstracts with multiple centers versus 60/341 abstracts with a single center published 71/363 abstracts originating from North America versus 1/6 abstracts from elsewhere published 8/28 abstracts with funding reported versus 63/342 abstracts without funding reported published
Notes	<ul style="list-style-type: none"> Oral health - dental education Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all posters with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meetings had a maximum of 5 years follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	Yes	Examined association of positive results, type science, study design, multi-center status, North American origin, use of statistics, and funding status with publication using multivariable logistic regression analysis.

Gandhi 2004

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed; date of search not reported ◦ Person completing the search not reported ◦ Searched by all authors and content ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 265 abstracts presented at the 1990 to 1999 Society for Gynecologic Investigation meetings • Included all plenary abstracts and a random sample of concurrent session and poster abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Oral versus poster presentation • Basic science versus clinical research • Interventional versus observational design • 'Prospective' versus 'retrospective' design
Outcomes	<ul style="list-style-type: none"> • 190 of 265 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 120/159 abstracts presented orally versus 70/106 abstracts presented as posters published ◦ Odds ratio predicting publication of abstracts describing basic science versus clinical research = 1.14 (95% CI = 0.64, 2.06) ◦ Odds ratio predicting publication of abstracts with interventional design versus observational design = 0.75 (95% CI = 0.41, 1.37) ◦ Odds ratio predicting publication of abstracts with 'prospective' study design versus abstracts with 'retrospective' study design = 0.33 (95% CI = 0.04, 2.91) ◦ Odds ratio predicting publication of abstracts without a university affiliation versus abstracts with a university affiliation = 0.2 (95% CI = 0.02, 2.39)
Notes	<ul style="list-style-type: none"> • Gynecology/obstetrics • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all plenary abstracts and random samples of other presentation formats, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of type of presentation, type science, study design, prospective status, abstract quality, and university affiliation with publication using stratified analysis, Chi ² tests and unspecified multivariable analysis.

Garcia-Covarrubias 2002

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE between December 2001 and January 2002 Person completing the search not reported Searched by all authors and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 503 abstracts presented at 1996 to 1998 Undersea and Hyperbaric Medical Society meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting
Outcomes	<ul style="list-style-type: none"> 86 of 503 abstracts published 26/145 abstracts presented at the 1996 meeting, 27/182 at the 1997 meeting, and 33/176 at the 1998 meeting published Proportion of abstracts published by time not reported No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Other clinical specialties- undersea and hyperbaric medicine Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Garcia-Muret 2009

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Dermabase, and Indice Medico Espanol to first quarter 2006 Person completing the search not reported Searched by first, and last author, and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 1471 abstracts presented at 2000 to 2003 Spanish National Dermatology and Venerology Congresses Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Oral versus poster presentation

Full publication of results initially presented in abstracts (Review)

Copyright © 2018 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.

Garcia-Muret 2009 (Continued)

- Peer-reviewed versus not peer-reviewed versus case report versus poster presentation

Outcomes	<ul style="list-style-type: none"> • 200 of 1471 abstracts published • 48/372 abstracts presented at the 2000 meeting, 55/379 at the 2001 meeting, 56/356 at the 2002 meeting, and 41/364 at the 2003 meeting published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 64/381 abstracts presented orally versus 133/1090 abstracts presented as posters published ◦ 9/28 peer-reviewed abstracts versus 15/93 not peer-reviewed abstracts versus 44/260 abstracts of case report presentations versus 133/1090 abstracts of poster presentations published
Notes	<ul style="list-style-type: none"> • Dermatology and venereology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	All meetings before 2003 had at least 48 months follow-up. The meeting in 2003 only had 36 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, type presentation, and study design with publication using stratified analysis.

Gaundong Mbethe 2008

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed; date of search not reported ◦ Person completing the search not reported ◦ Searched by first, second, and last author, and keywords ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 303 abstracts presented at the 2000 French National Society of Internal Medicine meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Cumulative proportion of abstracts published • Oral versus poster presentation • Clinical research versus basic science research versus epidemiological research • Systemic disease versus infectious disease versus hematology versus other disciplines
Outcomes	<ul style="list-style-type: none"> • 82 of 303 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Cumulative proportion of abstracts published at 60 months showed proportion published = 27.1% (82/303 abstracts) • Factors related to proportion of abstracts published included

Gaundong Mbethe 2008 (Continued)

- 39/108 abstracts presented orally versus 43/195 abstracts presented as posters published
- 68/272 abstracts describing clinical research versus 5/6 abstracts describing basic science research versus 9/25 abstracts describing epidemiological research published
- 33/100 abstracts describing systemic disease versus 23/81 abstracts describing infectious disease versus 6/25 abstracts describing hematology versus 18/97 abstracts describing other disciplines published

Notes

- General medicine/primary care
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type of presentation, type science, study design, multi-center status, and subspecialty with publication using stratified analysis.

Gavazza 1996

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE Plus from January 1990 through January 1995 ○ Person completing the search not reported ○ Search criteria not reported ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Title ■ Contents ■ Methodology ■ Results
Data	<ul style="list-style-type: none"> • Included 376 abstracts presented at the 1990 to 1992 American Society in Surgery of the Hand meetings • Included all 397 abstracts initially, but deleted 21 abstracts from the study population in which the authors only found partial agreement between the abstract and a subsequent full publication
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Cumulative proportion of abstracts published • Clinical research versus basic science research • Presentation by residents or fellows versus others
Outcomes	<ul style="list-style-type: none"> • 165 of 376 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Cumulative proportion of abstracts published at 36 months showed proportion published = 52.7% (198/376 abstracts)

Full publication of results initially presented in abstracts (Review)

Gavazza 1996 (Continued)

- Factors related to proportion of abstracts published included
 - 105/254 abstracts describing clinical research versus 18/32 abstracts describing basic science research published
 - 42/90 abstracts presented by residents or fellows versus 123/286 abstracts presented by others published

Notes

- Surgery - hand
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 1992 had at least 48 months follow-up. The meeting in 1992 only had 36 months follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	No	Examined association of type science, and author status with publication using stratified and log rank analysis.

Gilbert 2004

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed; date of search not reported ◦ Search completed by investigator ◦ Searched by all authors and keywords ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 176 abstracts presented at the 1991 to 2000 Society for Maternal-Fetal Medicine meetings • Included oral presentations from plenary sessions and an equivalent number of randomly selected abstracts from concurrent sessions for each year
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Plenary versus concurrent session • 'Prospective' versus 'retrospective' design • 'Original' versus 'confirmatory' • 'Interventional' versus 'observational' • US versus non-US origin • Basic science versus clinical research • Academic versus non-academic affiliation
Outcomes	<ul style="list-style-type: none"> • 120 of 176 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 79/88 abstracts presented at plenary sessions versus 49/88 abstracts presented at concurrent sessions published ◦ Multivariate analysis showed the following variables associated with publication:

Gilbert 2004 (Continued)

- 'Prospective' versus 'retrospective' (OR = 3.09; 95% CI = 1.54 to 6.19)
- 'Plenary' versus 'concurrent' (OR = 2.57; 95% CI = 1.31 to 5.05)
- 'Original' versus 'confirmatory' (OR = 1.97; 95% CI = 1.05 to 3.69)
- 'Interventional' versus 'observational' (OR = 1.96; 95% CI = 1.03 to 3.72)
- US versus elsewhere (OR = 0.83; 95% CI = 0.35 to 1.95)
- Basic science versus clinical (OR 0.63; 95% CI = 0.29 to 1.38)
- Non-university versus university affiliation (OR 0.5, 95% CI 0.16 to 1.60)

Notes	• Gynecology/obstetrics - maternal-fetal medicine • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included oral presentations from plenary sessions and a random sample of concurrent sessions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of prospective status, type oral presentation, type science, original status, study design, US origin, and US region with publication using multivariable logistic regression analysis.

Ginzburg 2014

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE to October 2013 ◦ Person completing the search not reported ◦ Search criteria not reported ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ One author ■ One conclusion
Data	<ul style="list-style-type: none"> • Included 140 abstracts presented at the 2008 to 2012 Society of Urodynamics, Female Pelvic Medicine, and Urogenital Reconstruction meetings • Included all abstracts accepted as oral presentation
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication
Outcomes	<ul style="list-style-type: none"> • 80 of 140 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 17.4 months (SD = 12) • No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Gynecology/obstetrics - urogynecology • Funding not reported

Full publication of results initially presented in abstracts (Review)

Ginzburg 2014 (Continued)

- Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	All meetings except the 2008 and 2009 meetings had less than 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria.

Glick 2006

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ Embase, MEDLINE, and PubMed to November 2004 ◦ Person completing the search not reported ◦ Searched by first, second, and last author and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Objectives ■ Methodology ■ Results
Data	<ul style="list-style-type: none"> • Included 1147 abstracts presented at the 2000 American Transplant Congress • Included all abstracts except those withdrawn and those published prior to the meeting
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean/median time to publication • Cumulative proportion of abstracts published • 'Positive' versus not 'positive' • Oral versus poster presentation • Clinical research versus basic science research • RCT design versus observational versus case series versus other study design • Multi-centered versus single center • US versus non-US origin versus origin not specified • Industry sponsorship versus none
Outcomes	<ul style="list-style-type: none"> • 607 of 1147 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 15.8 months (SD =10.6) ◦ Median time to publication = 12 months ◦ Cumulative proportion of abstracts published at 54 months showed proportion published = 53.0% (608/1147 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 208/397 'positive' (defined as significant results) versus 95/234 not 'positive' abstract results published ◦ 308/547 abstracts presented orally versus 299/600 abstracts presented as posters published

Glick 2006 (Continued)

- 306/653 abstracts describing clinical research versus 301/494 abstracts describing basic science research published
- 39/64 abstracts with RCT design versus 333/647 abstracts with observational design versus 140/284 abstracts with case series design versus 95/152 abstracts with other study design published
- 220/371 abstracts with multiple centers versus 387/776 abstracts with a single center published
- 398/804 abstracts originating in the US versus 197/314 abstracts not originating in the US versus 12/29 abstracts with origin not specified published
- Adjusted multivariate analysis showed the following variables associated with publication:
 - Industry sponsorship versus none (OR = 1.78; 95% CI = 1.04 to 3.06)
 - Basic science versus clinical (OR = 1.68; 95% CI = 1.32 to 2.14)
 - 'Non-American center' versus 'American center' (OR = 1.67; 95% CI = 1.28 to 2.20)
 - Oral versus poster presentation (OR = 1.36; 95% CI = 1.07 to 1.73)

Notes	<ul style="list-style-type: none"> • Surgery - organ transplantation • Funding by the Alberta Heritage Foundation for Medical Research
-------	--

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	Yes	Examined association of positive results, type of presentation, type science, study design, multi-center status, US origin, organ type, and industry sponsorship with publication using multivariable logistic regression analysis.

Goldman 1980

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLARS from November 1975 through June 1979 ○ Search completed by investigator ○ Searched by first author ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Sample size ■ Title ■ Contents ■ Results
Data	<ul style="list-style-type: none"> • Included 276 abstracts submitted to the 1976 American Federation for Clinical Research, American Society for Clinical Investigation, Association for American Physicians, and American College of Cardiology meetings and the 1975 American Heart Association • Included 69 abstracts representing all cardiology presentations and posters and 69 randomly selected cardiology abstracts from those not presented at the 1976 meetings of American Federation for Clinical Research, American Society for Clinical Investigation, and Association of American Physicians;

Goldman 1980 (Continued)

69 randomly selected abstracts from the 1976 American College of Cardiology scientific sessions; and 69 randomly selected abstracts from the 1975 American Heart Association

:

Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication • Cumulative proportion of abstracts published • Accepted versus rejected for conference presentation • Affiliated with US medical school versus other US. and non-US institutions • Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> • 137 of 276 abstracts published • 38/69 abstracts presented at the 1975 American Heart Association meeting, 34/69 at the 1976 American College of Cardiology meeting, and 65/138 at the American Federation for Clinical Research, American Society for Clinical Investigation, Association for American Physicians meetings published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 14 months ◦ Cumulative proportion of abstracts published at 36 months showed proportion published = 48.9% (135/276 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 113/207 abstracts accepted for presentation versus 24/69 rejected abstracts published ◦ 112/205 abstracts from US medical schools versus 25/71 abstracts from other US and non-US institutions published ◦ Stated that 'oral presentations and posters were equally likely to result in articles'
Notes	<ul style="list-style-type: none"> • Cardiology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described a specific topic, and a random sample of accepted and rejected abstracts on other topics, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	All meetings in 1976 only had 36 months follow-up. The meeting in 1975 had 48 months follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	No	Examined association of meeting, acceptance for presentation, institutional affiliation, and type presentation with publication using stratified analysis and Chi ² , Kruskal Wallis ANOVA, or Mann-Whitney U tests

Goldman 1982

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLARS to June 1979 ◦ Search completed by investigator ◦ Search criteria not reported
---------	---

Goldman 1982 (Continued)

	<ul style="list-style-type: none"> ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Sample size ■ Title ■ Contents ■ Results
Data	<ul style="list-style-type: none"> • Included 303 abstracts presented at the 1976 American Federation for Clinical Research, American Society for Clinical Investigation, and Association of American Physicians meetings, and the 1975 American Society of Hematology and American Society of Nephrology meetings • Included 101 abstracts (48 hematology and 53 nephrology) representing all presentations and posters at the 1976 meetings of the American Federation for Clinical Research, American Society for Clinical Investigation, and Association of American Physicians meetings; 101 (48 hematology and 53 nephrology) abstracts randomly selected from abstracts not selected for presentation at these meetings; 48 abstracts randomly selected from the 1975 American Society of Hematology meeting and 53 abstracts from the 1975 American Society of Nephrology meeting
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication • Cumulative proportion of abstracts published by specialty • Accepted versus rejected for conference presentation • Clinical research versus basic science research • Affiliated with US medical school versus other institutions
Outcomes	<ul style="list-style-type: none"> • 171 of 303 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Median time to publication = 15 months ○ Cumulative proportion of abstracts published at 36 months showed proportion published = 58.3% (84/144 abstracts) for abstracts related to hematology ○ Cumulative proportion of abstracts published at 36 months showed proportion published = 50.9% (81/159 abstracts) for abstracts related to nephrology • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 127/202 abstracts accepted for presentation versus 44/101 rejected abstracts published ○ 116/254 abstracts describing clinical research versus 192/325 abstracts describing basic science research published (includes abstracts reported in Goldman 1980) ○ 245/432 abstracts from US medical schools versus 63/146 abstracts from other US and non-US institutions published (includes abstracts reported in Goldman 1980)
Notes	<ul style="list-style-type: none"> • Hematology, nephrology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all accepted abstracts and a random sample of rejected abstracts, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	All meetings in 1976 only had 36 months follow-up. The meeting in 1975 had 48 months follow-up.
Matching?	Yes	Matched by 5 different criteria.

Goldman 1982 (Continued)

Adjustment for confounding?	Yes	Examined association of meeting, acceptance for presentation, type science, and institutional affiliation with publication using multivariable logistic regression analysis.
-----------------------------	-----	--

Gorman 1990

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLARS from October 1984 to April 1989 Search completed by investigator Searched by all authors Matched abstract to full-length publication by <ul style="list-style-type: none"> Title Contents
Data	<ul style="list-style-type: none"> Included 269 abstracts presented at the 1984 American Association of Poison Control Centers and 1986 American Association of Poison Control Centers, American Academy of Clinical Toxicologists, American Board of Medical Toxicologists, Canadian Association of Poison Control Centers meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting year Mean and median time to publication by meeting date (1984 and 1986)
Outcomes	<ul style="list-style-type: none"> 134 of 269 abstracts published 40/104 abstracts presented at the 1984 meeting, and 56/165 at the 1986 meetings published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 19 months for the 1984 American Association of Poison Control Centers meeting Mean time to publication = 12 months for the 1986 American Association of Poison Control Centers, American Academy of Clinical Toxicologists, American Board of Medical Toxicologists, Canadian Association of Poison Control Centers meetings Median time to publication = 12 months for the 1984 American Association of Poison Control Centers meeting Median time to publication = 9 months for the 1986 American Association of Poison Control Centers, American Academy of Clinical Toxicologists, American Board of Medical Toxicologists, Canadian Association of Poison Control Centers meetings No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Other non-clinical specialties - toxicology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	The 1984 meeting had 48 months follow-up. All other meetings only had 36 months follow-up.
Matching?	Yes	Matched by 2 different criteria.

Full publication of results initially presented in abstracts (Review)

Gorman 1990 (Continued)

Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis and Chi ² tests.
-----------------------------	----	---

Gourtaud 2009

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE to March 2007 Person completing the search not reported Searched by all authors and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 443 abstracts presented at the 2000 and 2001 French Association of Urology meetings Included all abstracts except video presentations
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication Cumulative proportion of abstracts published Oral versus poster presentation 'Prospective' versus 'retrospective' design
Outcomes	<ul style="list-style-type: none"> 153 of 443 abstracts published 86/234 abstracts presented at the 2000 meeting, and 67/209 at the 2001 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 16.9 months (maximum = 65 months) Cumulative proportion of abstracts published at 24 months showed proportion published = 27.1% (120/443 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 66/187 abstracts presented orally versus 87/256 abstracts presented as posters published 44.1% of abstracts with 'prospective' study design versus 24.8% of abstracts with 'retrospective' study design published
Notes	<ul style="list-style-type: none"> Urology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 6 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, type presentation and prospective status with publication using stratified analysis.

Greenberg 2008

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to December 2007 Search completed by investigator Searched by first, second, third, and fourth authors, and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Title Contents
Data	<ul style="list-style-type: none"> Included 239 abstracts presented at the 2003 Society for Medical Decision Making meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean and median time to publication Cumulative proportion of abstracts published Oral versus poster presentation Study origin
Outcomes	<ul style="list-style-type: none"> 64 of 239 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 20.5 months (95% CI = 17.6 to 23.3 months) Median time to publication = 19 months (range = 0 to 47 months) Cumulative proportion of abstracts published at 50 months showed proportion published = 26.8% (64/239 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 35/91 abstracts presented orally versus 29/148 abstracts presented as posters published 'could not find any association between study origin (North America v. Europe) and successful publication.'
Notes	<ul style="list-style-type: none"> Medical decision making/health policy Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Yes	Matched by three different characteristics.
Adjustment for confounding?	No	Examined association of type presentation and country of origin with publication stratified analysis and Chi ² tests or log rank analyses.

Gregory 2012

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database
---------	---

Full publication of results initially presented in abstracts (Review)

Gregory 2012 (Continued)

- MEDLINE, PubMed through 2010 to provide a minimum of 36 months follow-up
- Person completing the search not reported
- Searched by all authors, keywords, and title
- Matched abstract to full-length publication by
 - One author
 - Contents

Data	<ul style="list-style-type: none"> • Included 888 abstracts presented at the 2003 to 2007 Canadian Society of Plastic Surgeons, American Society of Plastic Surgeons, and American Association of Plastic Surgeons meetings • Included all abstracts accepted as oral presentations
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication, overall and for each meeting
Outcomes	<ul style="list-style-type: none"> • 400 of 888 abstracts published • 88/173 abstracts presented at the 2003 to 2007 American Association of Plastic Surgeons meetings, 151/262 presented at the 2003 to 2007 American Society of Plastic Surgeons meetings, and 161/453 at the Canadian Society of Plastic Surgeons meetings published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 22 months (range = 1 to 85.9 months) for all meetings ○ Mean time to publication = 24 months (range = 2 to 79.0 months) for Canadian Society of Plastic Surgeons meeting ○ Mean time to publication = 19 months (range = 1 to 54.3 months) for American Society of Plastic Surgeons meeting ○ Mean time to publication = 22 months (range = 1 to 85.9 months) for American Association of Plastic Surgeons meeting • No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Surgery - plastic surgery • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted as oral presentations.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 2007 had at least 48 months follow-up. The meeting in 2007 only had 36 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Grzeskowiak 2014

Methods	Identification of subsequent full-length publications: <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ Embase, PubMed, and Informit in September 2013 ○ Person completing the search not reported
---------	--

Grzeskowiak 2014 (Continued)

- Searched by all authors and keywords
- Matching criteria not reported

Data	<ul style="list-style-type: none"> • Included 96 abstracts presented at the 2007 to 2011 Society of Hospital Pharmacists of Australia meetings • Included all abstracts from specialty areas of pediatrics and perinatal health, except for invited presentations
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Oral versus poster presentation • Case report design versus clinical audit versus practice report versus experimental/observational design versus other • Single versus multiple authors • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 10 of 96 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included: <ul style="list-style-type: none"> ○ 5/30 abstracts presented orally versus 5/66 abstracts presented as poster published ○ 0/18 abstracts describing case report versus 1/39 abstracts describing clinical audits versus 0/18 abstracts describing practice reports versus 4/8 abstracts describing 'experimental/observational' design versus 5/14 abstracts with other design published ○ 0/17 abstracts with a single author versus 10/79 abstracts with multiple authors published
Notes	<ul style="list-style-type: none"> • Pharmacology - pediatrics and perinatal health • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of a specific topic.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	All meetings except the 2010 and 2011 meeting had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type presentation, study design, number of authors, Australian state, and subspecialty with publication using stratified analysis and Fisher's Exact test.

Guryel 2006

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE, PubMed, and PreMEDLINE; dates of search not reported ○ Search completed by investigator ○ Searched by first, second, and third authors ○ Matching criteria not reported
---------	---

Guryel 2006 (Continued)

Data	<ul style="list-style-type: none"> Included 415 abstracts presented at the 1997 and 1998 British Orthopaedics Association, British Association for Surgery of the Knee, British Orthopedic Foot Surgical Society, and British Elbow and Shoulder Society meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean and median time to publication overall and by meetings Cumulative proportion of abstracts published Clinical research versus basic science research RCT design versus observational versus case report design Subspecialty
Outcomes	<ul style="list-style-type: none"> 137 of 415 abstracts published 31/115 abstracts presented at the 1997 to 1998 British Association for Surgery of the Knee, British Orthopedic Foot Surgical Society, and British Elbow and Shoulder Society meetings, and 196/300 at the British Orthopaedics Association meetings published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 15.6 months (SD = 11.1) Mean time to publication = 16.2 months (SD = 6.1) for British Orthopaedics Association meetings Mean time to publication = 15.3 months (SD = 9.3) for British Association for Surgery of the Knee, British Orthopedic Foot Surgical Society, and British Elbow and Shoulder Society meetings Median time to publication = 14 months (range = -7 to 56 months) Median time to publication = 14 months (range = -7 to 56 months) for British Orthopaedics Association meetings Median time to publication = 14 months (range = 1 to 48 months) for British Association for Surgery of the Knee, British Orthopedic Foot Surgical Society, and British Elbow and Shoulder Society meetings Cumulative proportion of abstracts published at 48 months showed proportion published = 33.5% (139/415 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 115/345 abstracts describing clinical research versus 22/70 abstracts describing basic science research published 15/28 abstracts with RCT design versus 99/302 abstracts with observational design versus 1/15 abstracts with case report design published
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery Reported receiving no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting, type science, study design, and subspecialty with publication using stratified analysis and unspecified statistical tests.

Ha 2008

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Korean medical database to June 2007 Search completed by investigator Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Results
Data	<ul style="list-style-type: none"> Included 1097 abstracts presented at the 2001 and 2002 Korean Radiological Society, Radiological Society of North America, and European Congress of Radiology meetings Included all research abstracts by Korean authors, excluding abstracts of imaging technique, education, or special interest
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication Cumulative proportion of abstracts published by meeting 'Positive' versus not 'positive' Sample size ≤ 20 versus between 20 and 50 versus ≥ 50 Oral versus poster presentation 'Prospective' versus 'retrospective' design With statistical analyses versus without statistical analyses Subspecialty
Outcomes	<ul style="list-style-type: none"> 301 of 1097 abstracts published 43/85 abstracts presented at the 2001 to 2002 European Congress of Radiology meeting, 58/164 at the 2001 to 2002 Radiological Society of North America meetings, and 200/848 of the 2001 to 2002 Korean Radiological Society meetings published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 15.8 months (SD = 13.8) Cumulative proportion of abstracts published at 48 months showed proportion published = 23.0% (195/848 abstracts) for Korean Radiological Society meetings Cumulative proportion of abstracts published at 48 months showed proportion published = 34.7% (57/164 abstracts) for Radiological Society of North America meetings Cumulative proportion of abstracts published at 48 months showed proportion published = 47.1% (40/85 abstracts) for European Congress of Radiology meetings Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 288/982 'positive' (defined as experimental better than control) versus 13/115 not 'positive' abstract results published 102/420 abstracts with sample size ≤ 20 versus 100/325 with sample size between 20 and 50 versus 99/352 abstracts with sample size ≥ 50 published 209/732 abstracts presented orally versus 92/365 abstracts presented as posters published 103/308 abstracts with 'prospective' study design versus 198/789 abstracts with 'retrospective' study design published 155/411 abstracts with statistical analyses versus 146/686 abstracts without statistical analyses published
Notes	<ul style="list-style-type: none"> Radiology Funding not reported

Risk of bias

Item	Authors' judgement	Description
------	--------------------	-------------

Ha 2008 (Continued)

Sampling method?	Yes	Included all abstracts that described specific subgroup with reasonable exclusions, so low risk of bias.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had at least 5 years follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting, positive results, sample size, type presentation, prospective status, presence of statistical analysis, and subspecialty with publication using stratified analysis and Chi ² tests.

Hackett 2014

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed for the year before presentation until December 31, 2012 Person completing the search not reported Searched by first author, keywords, and first author affiliation Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Title Abstract Disclosure of prior presentation
Data	<ul style="list-style-type: none"> Included 2345 abstracts presented at the 2004, 2005, and 2007 International Liver Transplantation Society and 2006 and 2008 Joint International Congress of the International Liver Transplantation Society, European Liver and Intestinal Transplant Association, Liver Intensive Care of Europe meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Cumulative proportion of abstracts published, overall and by meetings Oral versus plenary versus poster presentation Clinical research versus basic science research RCT design versus observational design versus case report design English language versus non-English language Subspecialty
Outcomes	<ul style="list-style-type: none"> 913 of 2345 abstracts published 150/299 abstracts presented at the 2004 International Liver Transplantation Society meeting, 155/338 at the 2005 International Liver Transplantation Society meeting, 245/515 at the 2006 Joint International Congress meeting, 172/561 at the 2007 International Liver Transplantation Society meeting, and 192/634 at the 2008 Joint International Congress meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 48 months showed proportion published = 38.9% (913/2345 abstracts) overall Cumulative proportion of abstracts published at 60 months showed proportion published = 30.3% (192/634 abstracts) for the 2008 Joint International Congress of the International Liver Transplantation Society, European Liver and Intestinal Transplant Association, Liver Intensive Care of Europe Cumulative proportion of abstracts published at 60 months showed proportion published = 30.7% (172/561 abstracts) for the 2007 International Liver Transplantation Society

Hackett 2014 (Continued)

- Cumulative proportion of abstracts published at 80 months showed proportion published = 47.6% (245/515 abstracts) for the 2006 Joint International Congress of the International Liver Transplantation Society, European Liver and Intestinal Transplant Association, Liver Intensive Care of Europe
- Cumulative proportion of abstracts published at 80 months showed proportion published = 45.9% (155/338 abstracts) for the 2005 International Liver Transplantation Society
- Cumulative proportion of abstracts published at 80 months showed proportion published = 50.2% (150/299 abstracts) for the 2004 International Liver Transplantation Society
- Factors related to proportion of abstracts published included
 - 300/619 abstracts presented orally versus 60/120 abstracts presented in plenary sessions versus 559/1606 abstracts presented as poster published
 - 815/2183 abstracts describing clinical research versus 103/164 abstracts describing basic science research published
 - 39/59 abstracts describing RCTs versus 699/1904 abstracts describing observational designs versus 77/220 abstracts describing case reports published
 - 237/706 abstracts in English language versus 674/1639 abstracts in non-English language published

Notes	• Surgery - liver transplantation • Funding through university departments

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	No	Examined association of meeting, type presentation, type science, study design, origin in English language country, and subspecialty with publication using stratified analysis and Chi ² or Fisher's Exact tests and log rank analysis for time to publication.

Hajji 2016

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE and PubMed in April 2015 ○ Person completing search not reported ○ Searched by first and last author, and keywords ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ One author ■ Contents
Data	<ul style="list-style-type: none"> • Included 270 abstracts presented at 2006 to 2012 Société interdisciplinaire Francophone d'Uro-dynamique et de Pelvi-périnéologie meetings • Included all abstracts accepted as oral presentations
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting

Hajji 2016 (Continued)

	<ul style="list-style-type: none"> Mean time to publication
Outcomes	<ul style="list-style-type: none"> 110 of 270 abstracts published 14/22 abstracts presented at the 2006 meeting, 12/24 at the 2007 meeting, 24/56 at the 2008 meeting, 15/26 at the 2009 meeting, 18/42 at the 2010 meeting, 21/41 at the 2011 meeting, and 16/62 at the 2012 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 22 months (SD = 15) No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Gynecology/obstetrics - urogynecology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings except the 2012 meeting had at least 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Halpern 2002

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Embase, MEDLINE, Cochrane Central Register of Controlled Trials to April 2000 Search completed by investigator Searched by first, and senior authors, and keywords Matching criteria not reported Searched author's personal files
Data	<ul style="list-style-type: none"> Included 145 abstracts presented at 1994 and 1995 American Society of Anesthesiologists meetings Included all abstracts related to obstetrical anesthesia
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication 'Positive' versus not 'positive' Clinical research versus basic science research RCT design versus non-RCT design Peer-reviewed funding versus none
Outcomes	<ul style="list-style-type: none"> 51 of 145 abstracts published <ul style="list-style-type: none"> 9 full publications found and excluded, including 3 abstracts published at another meeting; 4 articles that did not match abstract content, although titles were similar; 1 which was a review of the abstract as published in another journal; and 1 abstract that was a description of the methodology subsequently used in another published manuscript

Halpern 2002 (Continued)

- Proportion of abstracts published by time
 - Mean time to publication = 28 months (SD = 17)
- Factors related to proportion of abstracts published included
 - 29/83 'positive' (defined as significant results) versus 9/47 not 'positive' abstract results published
 - 40/113 abstracts describing clinical research versus 11/32 abstracts describing basic science research published
 - 21/47 abstracts with RCT design versus 30/98 abstracts with non-RCT design published
 - 9/51 abstracts with peer-reviewed funding versus 7/94 abstracts without peer-reviewed funding published

Notes

- Gynecology/obstetrics - obstetrical anesthesia
- Funding from "departmental sources"
- Author provided unpublished manuscript

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described a specific topic, so low risk of bias.
Search for publications?	Yes	Searched 3 databases and author's personal files.
Follow-up time?	Yes	All meetings had at least 5 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of positive results, type science, and funding status with publication using stratified analysis and Chi ² tests.

Hamlet 1997

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ Medline Plus from January 1990 through August 1996 for abstracts from 1990 and 1991 meeting, and from January 1992 through August 1996 for abstracts from 1992 ◦ Person completing search not reported ◦ Searched by all authors, keywords, and title ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Keywords ■ Methodology
Data	<ul style="list-style-type: none"> • Included 1465 abstracts presented at the 1990, 1991, and 1992 meetings of the American Academy of Orthopaedic Surgeons meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication • Cumulative proportion of abstracts published by meeting • Clinical research versus basic science research • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 668 of 1465 abstracts published

Full publication of results initially presented in abstracts (Review)

Hamlet 1997 (Continued)

- 239/523 abstracts presented at the 1990 meeting, 228/501 at the 1991 meeting, and 201/441 at the 1992 meeting published
- Proportion of abstracts published by time
 - Mean time to publication = 20 months
 - Cumulative proportion of abstracts published at 72 months showed proportion published = 45.7% (239/523 abstracts) for the 1990 American Academy of Orthopaedic Surgeons meeting
 - Cumulative proportion of abstracts published at 60 months showed proportion published = 45.5% (228/501 abstracts) for the 1991 American Academy of Orthopaedic Surgeons meeting
 - Cumulative proportion of abstracts published at 48 months showed proportion published = 45.5% (201/441 abstracts) for the 1992 American Academy of Orthopaedic Surgeons meeting
- Factors related to proportion of abstracts published included
 - 650/1437 abstracts describing clinical research versus 18/28 abstracts describing basic science research published

Notes

- Orthopedics/orthopedic surgery
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, type science, and subspecialty with publication using stratified analysis and Chi ² tests

Hanchanale 2014

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed to March 2011 ◦ Person completing the search not reported ◦ Search criteria not reported ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 538 abstracts presented at 2005 European Association for Palliative Care Congress meeting • Included all abstracts except invited abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Cumulative proportion of abstracts published • UK versus Dutch versus German versus Italian versus Norwegian versus rest of the world origin
Outcomes	<ul style="list-style-type: none"> • 230 of 538 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Cumulative proportion of abstracts published at 36 months showed proportion published = 39.0% (210/538 abstracts) • Factors related to proportion of abstracts published included

Hanchanale 2014 (Continued)

- 70/163 abstracts originating from the UK versus 22/47 abstracts originating from the Netherlands versus 15/38 abstracts originating from Germany versus 6/32 abstracts originating from Italy versus 20/29 abstracts originating from Norway versus 97/229 abstracts with rest of the world origin published

Notes	<ul style="list-style-type: none"> • General medicine/primary care - palliative care • Reported no funding received • Data extracted from research letter
-------	--

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 6 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of country of origin with publication using stratified analysis.

Harel 2011

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed, Google/Google Scholar to April 2011 ○ Person completing the search not reported ○ Searched by first, and last author, and title ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ One author (either first or last author) ■ Methodology ■ At least one outcome
Data	<ul style="list-style-type: none"> • Included 300 abstracts presented at the 2006 National Kidney Foundation, American Society of Nephrology, and Annual European Renal Association - European Dialysis and Transplant Association Congress meetings • Included random sample of abstracts presented as posters
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication overall and by meeting • 'Positive' versus not 'positive' • Clinical research versus basic science research • RCT design versus observational design versus case report versus other design • 'Collaborative' versus without 'collaborative' design • Multi-centered versus single center • Industry funding versus no industry funding • 'American' versus 'non-American' origin
Outcomes	<ul style="list-style-type: none"> • 127 of 300 abstracts published

Harel 2011 (Continued)

- 44/100 abstracts presented at the 2006 Annual European Renal Association - European Dialysis and Transplant Association Congress meeting, 54/100 at the 2006 American Society of Nephrology meeting, and 29/100 at the 2006 National Kidney Foundation meeting published
- Proportion of abstracts published by time
 - Median time to publication = 12 months (IQR = 6 to 22 months) overall
 - Median time to publication = 13 months (IQR = 7 to 21 months) for the National Kidney Foundation meeting
 - Median time to publication = 10 months (IQR = 5 to 20 months) for the American Society of Nephrology meeting
 - Median time to publication = 12.5 months (IQR = 8 to 22.5 months) for the Annual European Renal Association - European Dialysis and Transplant Association Congress
- Factors related to proportion of abstracts published included
 - 104/211 'positive' (defined as experimental better than control) versus 23/89 not 'positive' abstract results published
 - 96/258 abstracts describing clinical research versus 31/42 abstracts describing basic science research published
 - 11/18 abstracts with RCT design versus 74/171 abstracts with observational study design versus 3/32 abstracts with case report design versus 39/79 abstracts with other design published
 - 15/26 abstracts with 'collaborative' study design versus 112/274 abstracts without a 'collaborative' design published
 - 55/118 abstracts with multiple centers versus 72/182 abstracts with a single center published
 - 23/46 abstracts with industry funding versus 104/254 abstracts without industry funding published
 - 50/137 abstracts originating in 'America' versus 77/163 abstracts not originating in 'America' published

Notes

- Nephrology
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random sample of poster presentations.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had 5 years follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	Yes	Examined association of meeting, positive results, type science, study design, multi-center status, industry funding, 'American' origin with publication using multivariable logistic regression analysis.

Harris 2006

Methods

Identification of subsequent full-length publications

- Searched electronic database
 - Embase, MEDLINE to March 2004
 - Person completing the search not reported
 - Searched by all authors and keywords
 - Matching criteria not reported
- Contacted abstract authors directly

Harris 2006 (Continued)

Data	<ul style="list-style-type: none"> Included 200 abstracts presented at the 1998 Australian Orthopaedic Association meeting Included all abstracts accepted as oral presentations
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published 'Positive' versus not 'positive' Clinical research versus basic science research RCT design versus observational versus case series versus other design North American versus European versus Australian versus Asian versus Oceanian origin
Outcomes	<ul style="list-style-type: none"> 62 of 200 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 12/24 'positive' (defined as significant results) versus 50/176 not 'positive' abstract results published 45/132 'positive' (defined as experimental better than control) versus 17/68 not 'positive' abstract results published 40/159 abstracts describing clinical research versus 22/41 abstracts describing basic science research published 1/3 abstracts with RCT design versus 17/41 abstracts with observational study design versus 31/103 abstracts with case series design versus 13/53 with other design published 21/55 abstracts originating from North America versus 5/19 abstracts from Europe versus 32/110 abstracts from Australia versus 4/11 abstracts from Asia versus 0/5 abstracts from Oceania published
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted as oral presentations
Search for publications?	Yes	Searched 2 databases and contacted abstract authors.
Follow-up time?	Yes	The meeting had 6 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of positive results, type science, study design, and country of origin using multivariable logistic regression analysis.

Harris 2007

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Embase, MEDLINE to March 2004 Person completing the search not reported Searched by all authors and keywords Matching criteria not reported Contacted abstract authors directly
---------	---

Harris 2007 (Continued)

Data	<ul style="list-style-type: none"> Included 318 abstracts presented at the 1999 American Academy of Orthopaedic Surgeons meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published 'Positive' versus not 'positive' Clinical research versus basic science research RCT design versus observational versus case series versus other design North American versus European versus rest of the world origin Presence of 'sponsor' versus none
Outcomes	<ul style="list-style-type: none"> 175 of 318 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 69/101 'positive' (defined as significant results) versus 107/217 not 'positive' abstract results published 123/203 'positive' (defined as experimental better than control) versus 53/115 not 'positive' abstract results published 133/244 abstracts describing clinical research versus 43/74 abstracts describing basic science research published 11/18 abstracts with RCT design versus 45/77 abstracts with observational study design versus 95/184 abstracts with case series design versus 25/39 abstracts with other design published 153/283 abstracts originating from North America versus 14/20 abstracts from Europe versus 9/15 abstracts from rest of the world published 49/90 abstracts with a 'sponsor' versus 127/228 abstracts without a 'sponsor' published
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases and contacted abstract authors.
Follow-up time?	Yes	The meeting had 5 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of positive results, type science, study design, country of origin, and funding status using multivariable logistic regression analysis.

Harshavardhana 2009

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to May 2009 Person completing the search not reported Search criteria not reported Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors
---------	--

Harshavardhana 2009 (Continued)

- Sample Size
- Contents
- Methodology
- Results
- Level of evidence
- Conclusions
- Conflict of interest

Data	<ul style="list-style-type: none"> • Included 278 abstracts presented at the 2000 to 2004 Cervical Spine Research Society meetings • Included all abstracts presented orally
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 203 of 278 abstracts published • 43/59 abstracts presented at the 2000 meeting, 30/51 at the 2001 meeting, 43/58 at the 2002 meeting, 48/57 at the 2003 meeting, and 39/53 at the 2004 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Cumulative proportion of abstracts published at 24 months showed proportion published = 55.4% (154/278 abstracts) • No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Orthopedics/orthopedic surgery • Funding not reported • Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 5 years follow-up.
Matching?	Yes	Matched by 8 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis

Harshavardhana 2009a

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed to December 2008 ◦ Person completing the search not reported ◦ Search criteria not reported ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Study cohort ■ Design ■ Conclusion
---------	--

Harshavardhana 2009a (Continued)

■ Authorship

Data	<ul style="list-style-type: none"> Included 1063 abstracts presented at the 2000 to 2004 Scoliosis Research Society meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> 560 of 1063 abstracts published 98/210 abstracts presented at the 2000 meeting, 97/166 at the 2001 meeting, 106/214 at the 2002 meeting, 137/259 at the 2003 meeting, and 92/214 at the 2004 meeting published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 295/452 abstracts presented orally versus 265/611 abstracts presented as posters published
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery - scoliosis Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	No	Examined association of meeting year by type presentation with publication using stratified analysis and unspecified statistical tests.

Harvey 2010

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> CINAHL, MEDLINE to March 2008 Person completing the search not reported Searched by first author and keywords Matching criteria not reported Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 442 abstracts presented at the 2002 and 2003 Medical Library Association meetings Included all abstracts except those by invited guest speakers
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting
Outcomes	<ul style="list-style-type: none"> 122 of 442 abstracts published 47/189 abstracts presented at the 2002 meeting, and 75/253 at the 2003 meeting published Proportion of abstracts published by time not reported

Harvey 2010 (Continued)

- No factors other than meeting year related to proportion of abstracts published reported

Notes

- Medical education/library science
- Funded by Medical Library Association Research, Development, and Demonstration Project Grant

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 2 databases and contacted abstract authors.
Follow-up time?	Yes	Each meeting had at least 5 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Hashkes 2003

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE to January 2002 ◦ Search completed by investigator ◦ Searched by first, last, and senior author, and keywords ◦ Matching criteria not reported • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 331 abstracts submitted to the 1986, 1991 and 1998 Park City Pediatric Rheumatology meetings • Included all abstracts submitted to 1998 meeting, and random sample of the 1991 and 1986 meetings
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication • Cumulative proportion of abstracts published • 'Positive' versus not 'positive' • Clinical research versus basic science research • North American versus European versus rest of the world origin • 'Novel' research versus other research • Disease studied • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 134 of 331 abstracts published • 16/28 abstracts presented at the 1986 meeting, 26/46 at the 1991 meeting, and 92/257 at the 1998 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 24 months ◦ Cumulative proportion of abstracts published at 45 months showed proportion published = 36.5% (92/257 abstracts) • Factors related to proportion of abstracts published included

Hashkes 2003 (Continued)

- 54/112 'positive' (defined as experimental better than control) versus 38/145 not 'positive' abstract results published
- 87/245 abstracts describing clinical research versus 5/12 abstracts describing basic science research published
- 49/135 abstracts originating from North America versus 43/122 abstracts from Europe versus 17/60 from the rest of the world published
- 29/59 abstracts presenting 'novel' research versus 40/145 abstracts presenting other research published

Notes

- Rheumatology
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of one meeting and random samples of the other meetings.
Search for publications?	Yes	Searched 1 database and contacted abstract authors.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, positive results, type science, country of origin, 'novel' status, and subspecialty with publication using stratified analysis and nominal regression or Chi ² tests.

Herbison 2004

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ CINAHL, Cochrane Central Register of Controlled Trials, Embase, MEDLINE, PsychLIT, HealthStar to December 2005 ○ Person completing the search not reported ○ Searched by all authors ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Sample size ■ Contents • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 82 abstracts presented at the 1987, 1998 and 1999 International Continence Society meetings • Included all abstracts of randomized controlled trials
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication • 'Positive' versus not 'positive' • Sample size greater than 100 versus sample size at or below 100 • Oral versus poster presentation • Presence of allocation concealment versus no or unsure allocation concealment • Presence of blinded treatment administrator versus no or unsure treatment administrator

Herbison 2004 (Continued)

- Presence of blinded outcome assessor versus no or unsure blinded outcome assessor
- Proportion of withdrawals
- Use of placebo
- Device versus drug versus neither as intervention
- Use of subjective outcome
- Multi-centered versus single center
- 'Company' funding versus none

Outcomes	<ul style="list-style-type: none"> • 41 of 82 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 19.2 months (SD = 9.6) for 1998 and 1999 International Continence Society meetings • Factors related to proportion of abstracts published from 1998 and 1999 International Continence Society meetings included <ul style="list-style-type: none"> ◦ 20/49 'positive' (defined as experimental better than control) versus 5/14 not 'positive' abstract results published ◦ 14/27 abstracts with sample size greater than 100 versus 10/34 abstracts with sample size of 100 or less published ◦ 4/10 abstracts presented orally versus 18/43 abstracts presented as posters published ◦ 7/20 abstracts with allocation concealment present versus 18/43 abstracts with no or unsure allocation concealment published ◦ 7/21 abstracts with blinded treatment administrator versus 18/42 abstracts with no or unsure treatment administrator published ◦ 0/7 abstracts with blinded outcome assessor versus 25/56 abstracts with no or unsure blinded outcome assessor published ◦ 11/23 abstracts with multiple centers versus 14/40 abstracts with a single center published ◦ 3/16 abstracts with 'company' funding versus 22/47 abstracts without 'company' funding published
Notes	<ul style="list-style-type: none"> • Urology - incontinence • Funding by university

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific study design, so low risk of bias.
Search for publications?	Yes	Searched 6 databases and contacted abstract authors.
Follow-up time?	Yes	All meetings had at least 6 years follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of positive results, sample size, type of presentation, multi-center status, funding status, and presence of blinding for treatment administrator, or outcome assessor, proportion of withdrawals, use of placebo, type intervention, and use of subjective outcome with publication using stratified analysis and Chi ² tests.

Hernandez-Garcia 2011

Methods	Identification of subsequent full-length publications
---------	---

Hernandez-Garcia 2011 (Continued)

	<ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, Indice Medico Espanol to June 2010 Person completing the search not reported Searched by all authors Matched abstract to full-length publication by <ul style="list-style-type: none"> Title Contents Results Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 325 abstracts presented at the 2006 Spanish Society for Quality in Healthcare meeting Included all abstracts presented orally
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Hospital versus not hospital Spanish origin versus non-Spanish origin
Outcomes	<ul style="list-style-type: none"> 15 of 325 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 10/212 abstracts in hospitals versus 5/113 abstracts not in hospitals published 15/320 abstracts originating in Spain versus 0/2 abstracts not originating in Spain published
Notes	<ul style="list-style-type: none"> Medical decision making/health policy - quality in healthcare Funding not reported Data extracted from letter

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally.
Search for publications?	Yes	Searched 2 database and contacted abstract authors.
Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of institutional affiliation, and Spanish origin with publication using stratified analysis and Chi ² or Fisher's Exact tests

Hernández-Jiménez 2011

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Google/Google Scholar, Medscape, and Biomedexperts systems; dates of search not reported Person completing the search not reported Searched by all authors, keywords, title, and location of research Matching criteria not reported
---------	---

Hernández-Jiménez 2011 (Continued)

Data	<ul style="list-style-type: none"> Included 1045 abstracts presented at the 2000 to 2009 Annual Congress of the Sociedad Mexicana de Nutrición y Endocrinología Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Clinical research versus basic science research RCT design versus case report design versus case series versus case-control design versus file review versus survey
Outcomes	<ul style="list-style-type: none"> 186 of 1045 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 25.2 months (SD = 22.8; range = 12 to 108 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 148/930 abstracts describing clinical research versus 38/115 abstracts describing basic science research published 30/112 abstracts describing RCTs versus 12/228 abstracts describing case reports versus 36/154 abstracts describing case series versus 26/233 abstracts describing case-control studies versus 21/125 abstracts describing file reviews versus 23/79 abstracts describing surveys published
Notes	<ul style="list-style-type: none"> Endocrinology/nutrition Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 4 databases.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type science and study design with publication using stratified analysis.

Herron 1993

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> CINAHL, CIM from 1987 through June 1992 Person completing the search not reported Searched by first, and second author, and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 160 abstracts presented at the 1990 Association for Parental and External Nutrition and Eastern Association of the Surgery of Trauma meetings Included all abstracts Also reported on 68 abstracts presented at the 1990 meetings of Association of Air Medical Services, National Flight Nurses Association, National Flight Paramedics Association, National EMS Pilots Association

Herron 1993 (Continued)

ciation, but not included in this analysis, and 311 abstracts presented in 1987, 1988, 1989, and 1990 at the American Transport conference meeting and previously reported on by [Schwartz 1992](#)

Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting
Outcomes	<ul style="list-style-type: none"> 72 of 160 abstracts published 29/40 abstracts presented at the Eastern Association of the Surgery of Trauma meeting, and 43/120 at the Association for Parental and External Nutrition meeting published Proportion of abstracts published by time not reported No factors other than meeting related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Emergency medicine - air medical transport Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	No	Only the meetings before 1989 had at least 48 months follow-up. The meetings in 1989 and 1990 only had 36 and 24 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting with publication using stratified analysis.

Hoag 2006

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to May 2005 Search completed by investigator Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> One author One conclusion
Data	<ul style="list-style-type: none"> Included 1584 abstracts presented at the 2000 American Urological Association meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Oral versus poster presentation North American versus European versus South American versus African versus Asian versus Middle East versus Oceanian origin Northeast US versus south US versus Midwest US versus west US origin Subspecialty
Outcomes	<ul style="list-style-type: none"> 875 of 1584 abstracts published

Full publication of results initially presented in abstracts (Review)

Hoag 2006 (Continued)

- Proportion of abstracts published by time
 - Mean time to publication = 17 months
- Factors related to proportion of abstracts published included
 - 192/324 abstracts presented orally versus 654/1191 abstracts presented as posters published
 - 576/1029 abstracts originating from North America versus 204/374 abstracts from Europe versus 9/20 abstracts from South America versus 0/2 abstracts from Africa versus 69/131 abstracts from Asia versus 15/23 abstracts from the Middle East versus 2/5 abstracts from Oceania published

Notes

- Urology
- Funding for data analysis and statistical services provided by Analysis Works, Inc.

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 5 years follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of type presentation, country of origin, and subspecialty with publication using stratified analysis and t tests

Hoeg 2009

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ Embase, PubMed, Google/Google Scholar to April 2007 ◦ Search completed by trained librarian ◦ Searched by all authors and keywords ◦ Matching criteria not reported • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 559 abstracts presented at the 1997, 1999, and 2001 American Society of Clinical Oncology meetings • Included all abstracts of phase II trials, excluded those with preliminary results, ongoing studies, or those with a 'phase III component'
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication by meeting and overall • Cumulative proportion of abstracts published • Sample size > 35 versus sample size < 35 • Oral or poster presentation versus print only • Industry sponsor versus none • North American or European versus rest of the world origin • Subspecialty • Type of treatment
Outcomes	<ul style="list-style-type: none"> • 361 of 559 abstracts published

Full publication of results initially presented in abstracts (Review)

Hoeg 2009 (Continued)

- 90/126 abstracts presented at the 1997 meeting, 124/177 at the 1999 meeting, and 147/256 at the 2001 meeting published
- Proportion of abstracts published by time
 - Median time to publication = 41 months (95% CI = 37 to 46 months) overall
 - Median time to publication = 33 months for 1997 American Society of Clinical Oncology meeting
 - Median time to publication = 41 months for 1999 American Society of Clinical Oncology meeting
 - Median time to publication = 48 months for 2001 American Society of Clinical Oncology meeting
 - Cumulative proportion of abstracts published at 84 months showed proportion published = 66.8% (373/559 abstracts)
- Factors related to proportion of abstracts published included
 - 76/259 abstracts with sample size > 35 versus 119/296 abstracts with sample size < 35 published
 - 32/39 abstracts presented orally versus 163/233 abstracts presented as posters versus 166/287 abstracts appearing in print only published
 - 117/174 abstracts with an industry sponsor versus 207/251 abstracts with a non-industry sponsor versus 37/134 abstracts without funding or not reporting funding published
 - 192/294 abstracts originating from North America versus 116/177 abstracts originating from Europe versus 53/88 abstracts with rest of world origin published

Notes

- Oncology
- Funding by the Gundersen Lutheran Center for Cancer and Blood Disorders and the Gundersen Lutheran Medical Foundation

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup with reasonable exceptions, so low risk of bias.
Search for publications?	Yes	Searched 3 databases and contacted abstract authors.
Follow-up time?	Yes	All meetings had at least 6 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Unclear	Examined association of meeting year, sample size, type presentation, industry sponsor, country of origin, type treatment, and subspecialty with publication using stratified analysis and Chi ² tests and Cox regression models for time to publication.

Hogan 2009

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed; date of search not reported ◦ Person completing the search not reported ◦ Searched by all authors and keywords ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 117 abstracts presented at the 2000, 2003, and 2006 American Contact Dermatitis Society meetings • Included all abstracts

Hogan 2009 (Continued)

Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication
Outcomes	<ul style="list-style-type: none"> 54 of 117 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 18 months No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Dermatology Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.

Hopewell 2001

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, Cochrane Central Register of Controlled Trials in January and July 2000 Person completing the search not reported Searched by all authors Matched abstract to full-length publication by <ul style="list-style-type: none"> Contents Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 91 abstracts presented at the 1998 First Symposium of Systematic Reviews and the Third Cochrane Colloquium (1995) meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting
Outcomes	<ul style="list-style-type: none"> 39 of 91 abstracts published 26/61 abstracts presented at the 1995 meeting, and 13/30 at the 1998 meeting published Proportion of abstracts published by time not reported No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Medical decision making/health policy - systematic reviews, health technology Funding from the National Health Service Research & Development Programme

Risk of bias

Item	Authors' judgement	Description
------	--------------------	-------------

Full publication of results initially presented in abstracts (Review)

Hopewell 2001 (Continued)

Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases and contacted abstract authors.
Follow-up time?	Yes	The meeting in 1995 had 5 years follow-up, but the meeting in 1998 only had 24 months follow-up.
Matching?	No	Matched by only 1 criterion.

Hopewell 2003

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Cochrane Central Register of Controlled Trials to May 2002 Search completed by investigator Searched by first, second, and third author, and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 962 abstracts published in the 1980 to 2000 Australian New Zealand Journal of Medicine, originally presented at 17 different society meetings Included all abstracts describing RCTs
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 589 of 962 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 96 months showed proportion published = 61.0% (587/962 abstracts) No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> General medicine/primary care Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific study design, so low risk of bias.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings before 1999 had at least 48 months follow-up. The meetings in 1999 and 2000 had 36 and 24 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Hopewell 2015

Methods	Identification of subsequent full-length publications
---------	---

Hopewell 2015 (Continued)

	<ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed from 1 January, 2010 until June 2013 Search completed by investigators Searched by first, and last author, keywords, and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 197 abstracts presented at the 2010 Infectious Diseases Society of America, American Thoracic Society, American Society of Hematology, American Society of Clinical Oncology, American Society of Anesthesiologists, American Psychiatric Association, American Heart Association, American Diabetes Association, and American College of Rheumatology meetings Included all abstracts of systematic reviews except those of animal studies
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Median time to publication, overall and by meeting Cumulative proportion of abstracts published, overall and by meeting Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> 105 of 197 abstracts published 5/8 abstracts presented at Infectious Diseases Society of America meeting, 17/25 at the American Thoracic Society meeting, 15/34 at the American Society of Hematology meeting, 28/57 at the American Society of Clinical Oncology meeting, 2/8 at the American Society of Anesthesiologists meeting, 3/7 at the American Psychiatric Association meeting, 17/32 at the American Heart Association meeting, 5/8 at the American Diabetes Association meeting, and 13/18 at the American College of Rheumatology meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 14.0 months (IQR = 6.6 to 20.1 months), overall Median time to publication = 12.3 months (IQR = 6.5 to 22.9 months) for 2010 Infectious Diseases Society of America meeting Median time to publication = 15.9 months (IQR = 9 to 23.4 months) for 2010 American Society of Hematology meeting Median time to publication = 15.9 months (IQR = 11.9 to 22.9 months) for 2010 American Society of Clinical Oncology meeting Median time to publication = 10.0 months (IQR = 5.5 to 14.5 months) for 2010 American Society of Anesthesiologists meeting Median time to publication = 17.4 months (IQR = 0.3 to 26.4 months) for 2010 American Psychiatric Association meeting Median time to publication = 10.9 months (IQR = 4.2 to 19.6 months) for 2010 American Heart Association meeting Median time to publication = 11.8 months (IQR = 7.6 to 20 months) for 2010 American Thoracic Society meeting Median time to publication = 8.2 months (IQR = 2.7 to 20.2 months) for 2010 American Diabetes Association meeting Median time to publication = 5.7 months (IQR = 4.7 to 20.8 months) for 2010 American College of Rheumatology meeting Cumulative proportion of abstracts published at 36 months showed proportion published = 53.3% (105/197 abstracts), overall Cumulative proportion of abstracts published at 36 months showed proportion published = 62.5% (5/8 abstracts) for 2010 Infectious Diseases Society of America meeting Cumulative proportion of abstracts published at 36 months showed proportion published = 44.1% (15/34 abstracts) for 2010 American Society of Hematology meeting Cumulative proportion of abstracts published at 36 months showed proportion published = 49.1% (28/57 abstracts) for 2010 American Society of Clinical Oncology meeting Cumulative proportion of abstracts published at 36 months showed proportion published = 25.0% (2/8 abstracts) for 2010 American Society of Anesthesiologists meeting Cumulative proportion of abstracts published at 36 months showed proportion published = 42.9% (3/7 abstracts) for 2010 American Psychiatric Association meeting

Hopewell 2015 (Continued)

- Cumulative proportion of abstracts published at 36 months showed proportion published = 53.1% (17/32 abstracts) for 2010 American Heart Association meeting
- Cumulative proportion of abstracts published at 36 months showed proportion published = 68.0% (17/25 abstracts) published for 2010 American Thoracic Society meeting
- Cumulative proportion of abstracts published at 36 months showed proportion published = 62.5% (5/8 abstracts) for 2010 American Diabetes Association meeting
- Cumulative proportion of abstracts published at 36 months showed proportion published = 72.2% (13/18 abstracts) for 2010 American College of Rheumatology meeting
- Factors related to proportion of abstracts published included
 - 19/33 abstracts presented orally versus 86/164 abstracts presented as poster published

Notes

- Other clinical specialties - rheumatology, endocrinology - diabetes, cardiology, psychiatry, anaesthesiology, oncology, hematology, thoracic medicine, infectious diseases
- Reported not receiving funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific study design with reasonable exception, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	All meetings only had 36 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting and type presentation with publication using stratified analysis.

Hopper 2009

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ Embase, PubMed, Science Citation Index to December 2006 ○ Person completing the search not reported ○ Searched by first, and senior author, and keywords ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 4096 abstracts presented at the 1994 to 2002 British Society of Gastroenterology meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting
Outcomes	<ul style="list-style-type: none"> • 1618 of 4096 abstracts published • 325/570 abstracts presented at the 1994 meeting, 226/480 at the 1995 meeting, 209/465 at the 1996 meeting, 115/330 at the 1997 meeting, 119/395 at the 1998 meeting, 178/575 at the 1999 meeting, 156/380 at the 2000 meeting, 146/405 at the 2001 meeting, and 144/465 at the 2002 meeting published • Proportion of abstracts published by time not reported • No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Gastroenterology

Hopper 2009 (Continued)

- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Housri 2008

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE to August 2007 ◦ Person completing the search not reported ◦ Searched by principal investigator and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Hypothesis ■ Methodology ■ Results
Data	<ul style="list-style-type: none"> • Included 1200 abstracts presented at the 2002 to 2004 Society of University Surgeons and Association for Academic Surgery meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Oral versus poster presentation, by meeting • Clinical research versus basic science research
Outcomes	<ul style="list-style-type: none"> • 722 of 1200 abstracts published • 348/657 abstracts presented at the 2002 to 2004 Association for Academic Surgery meetings, and 374/543 at the 2002 to 2004 Society of University Surgeons meetings published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 204/322 abstracts presented orally versus 144/335 abstracts presented as posters published (Association for Academic Surgery meetings) ◦ 247/302 abstracts presented orally versus 96/204 abstracts presented at resident conferences versus 19/25 abstracts presented as posters published (Society of University Surgeons meetings) ◦ 710/1188 abstracts describing clinical research versus 12/12 abstracts describing basic science research published
Notes	<ul style="list-style-type: none"> • Surgery • Funding not reported

Risk of bias
Full publication of results initially presented in abstracts (Review)

Housri 2008 (Continued)

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 2004 had at least 48 months follow-up. The meeting in 2004 only had 36 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of meeting, type presentation by meeting, and type science with publication using stratified analysis and Fisher's Exact or t tests.

Hussein 2014

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed; date of search not reported Person completing the search not reported Searched by all authors and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 367 abstracts accepted at the 2006 to 2011 Vascular Society of Great Britain and Ireland meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication
Outcomes	<ul style="list-style-type: none"> 239 of 367 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 12 months (IQR = 12 to 24 months) No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Other clinical specialties - vascular medicine Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.

Izadpanah 2014

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Embase and MEDLINE for '10 years from date of presentation' Person completing the search not reported Searched by first and senior author, and keywords Matching criteria not reported Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 128 abstracts accepted at the 2003 and 2004 Annual Meeting of European Association of Plastic Surgeons Included all abstracts except guest speakers' lectures, award papers, or presentations from previous meetings
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published 'Positive' versus not 'positive' Clinical research versus non-clinical research US origin versus non-US origin Level of evidence I and II versus III and IV Prospective study design versus not Control groups versus no control groups Blinding versus no blinding
Outcomes	<ul style="list-style-type: none"> 73 of 128 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 34/57 abstracts with 'positive' (defined as significant results) versus 41/71 with not 'positive' abstract results published 57/98 abstracts with 'positive' (defined as experimental better than control) versus 19/30 with not 'positive' abstract results published 49/88 abstracts describing clinical research versus 24/40 abstracts describing non-clinical research published 6/13 abstracts with US origin versus 72/115 abstracts with non-US origin published 12/21 abstracts with level I or II evidence versus 69/107 abstracts with level III or IV evidence published 27/46 abstracts with prospective design versus 46/82 abstracts without prospective design published 27/41 abstracts with control groups versus 46/87 abstracts without control groups published 6/9 abstracts with blinding versus 67/119 abstracts without blinding published
Notes	<ul style="list-style-type: none"> Surgery - plastic surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 2 databases and contacted abstract authors directly.
Follow-up time?	Yes	All meetings had 10 years follow-up.

Izadpanah 2014 (Continued)

Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of positive results, type science, study design, US origin, prospective status, level of evidence, presence of a control group, and presence of blinding with publication using multivariable logistic regression analysis.

Jackson 2000

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Melvy MEDLINE Plus from January 1988 through October 1998 Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Sample size Title Methodology Results
Data	<ul style="list-style-type: none"> Included 777 abstracts submitted to the 1991 to 1994 Pediatric Orthopaedic Society of North America meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Median time to publication (for accepted and rejected abstracts) Cumulative proportion of abstracts published by meeting Accepted versus rejected for conference presentation Subspecialty
Outcomes	<ul style="list-style-type: none"> 348 of 777 abstracts published 91/184 abstracts presented at the 1991 meeting, 94/196 at the 1992 meeting, 87/192 at the 1993 meeting, and 76/195 at the 1994 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 29 months for accepted papers Median time to publication = 27 months for rejected papers Cumulative proportion of abstracts published at 84 months showed proportion published = 55.2% (48/87 abstracts) for 1991 Pediatric Orthopaedic Society of North America meeting Cumulative proportion of abstracts published at 72 months showed proportion published = 54.5% (48/88 abstracts) for 1992 Pediatric Orthopaedic Society of North America meeting Cumulative proportion of abstracts published at 64 months showed proportion published = 47.6% (39/82 abstracts) for 1993 Pediatric Orthopaedic Society of North America meeting Cumulative proportion of abstracts published at 56 months showed proportion published = 46.7% (43/92 abstracts) for 1994 Pediatric Orthopaedic Society of North America meeting Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 184/349 abstracts accepted for presentation versus 164/428 rejected abstracts published
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery - pediatrics Funding not reported

Risk of bias
Full publication of results initially presented in abstracts (Review)

Jackson 2000 (Continued)

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, acceptance for presentation, and subspecialty with publication using stratified analysis and Chi ² tests.

Jamjoom 2014

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed and Google/Google Scholar in February 2013 Person completing the search not reported Searched by all authors and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 273 abstracts presented at the 2007 to 2012 Saudi Association of Neurological Surgery meetings Included all abstracts presented orally except presentations from invited international guest speakers
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Median time to publication Cumulative proportion of abstracts published Consultant versus resident versus other staff Academic versus non-academic affiliation Saudi Arabian versus rest of the world origin Subspecialty
Outcomes	<ul style="list-style-type: none"> 35 of 273 abstracts published 1/14 abstracts presented at the 2007 meeting, 6/35 at the 2008 meeting, 9/61 at the 2009 meeting, 6/51 at the 2010 meeting, 10/64 at the 2011 meeting, and 3/48 at the 2012 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 12 months Cumulative proportion of abstracts published at 36 months showed proportion published = 12.8% (35/273 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 29/214 abstracts presented by consultant versus 6/43 abstract presented by resident versus 0/16 abstracts presented by other staff published 17/84 abstracts originating in an academic center versus 15/153 abstracts not originating in an academic center versus published 32/237 abstracts originating from Saudi Arabia versus 3/36 abstracts with rest of the world origin published
Notes	<ul style="list-style-type: none"> Surgery - neurologic surgery Reported having received no funding Data extracted from brief communication

Jamjoom 2014 (Continued)

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally with reasonable exceptions.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	The meetings in 2010 to 2012 had less than 48 months follow-up. All other meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, author status, academic center origin, Saudi Arabian origin, Saudi Arabian region, and subspecialty with publication using stratified analysis and unspecified statistical tests.

Jamjoom 2015

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Ovid with 13 years of follow-up and Google/Google Scholar to May 2013 Person completing the search not reported Searched by lead author, keywords, and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 494 abstracts presented at the 2001 to 2005 Society of British Neurological Surgeons Spring and Fall meetings Included all abstracts except those from Spring 2002 meeting
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication Cumulative proportion of abstracts published 'Positive' versus not 'positive' Clinical research versus animal research RCT design versus non-RCT design UK versus rest of the world origin Subspecialty
Outcomes	<ul style="list-style-type: none"> 181 of 494 abstracts published 19/52 abstracts presented at the Spring 2001 meeting, 20/46 at the Fall 2001 meeting, 13/50 at the Fall 2002 meeting, 20/58 at the Spring 2003 meeting, 22/52 at the Fall 2003 meeting, 17/50 at the Spring 2004 meeting, 16/51 at the Fall 2004 meeting, 25/50 at the Spring 2005 meeting, and 28/85 at the Fall 2005 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 22.8 months (range = -35 to 133 months) Cumulative proportion of abstracts published at 60 months showed proportion published = 34.0% (168/494 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 63/113 abstracts with 'positive' (defined as significant results) versus 118/381 with not 'positive' abstract results published 171/478 abstracts describing clinical research versus 10/16 abstracts describing animal research published

Jamjoom 2015 (Continued)

- 16/17 abstracts describing RCTs versus 165/477 abstracts describing other research designs published
- 174/469 abstracts originating from the UK versus 7/25 abstracts originating elsewhere published

Notes

- Surgery - neurologic surgery
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	All meetings had at least 8 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, positive results, type science, study design, UK origin and multi-center status, and subspecialty with publication using stratified analysis and Chi ² tests.

Jara-Tracchia 2010

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed to December 2009 ○ Person completing the search not reported ○ Searched by all authors ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Title ■ Contents
Data	<ul style="list-style-type: none"> • Included 4137 abstracts presented at the 2002 to 2003 International Association for Dental Research meetings (sections for Argentina, Brazil, Chile, and Peru) and 2002 and 2005 International Association for Dental Research meetings (section for Venezuela) • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication • Clinical research versus basic science research • Presented at Argentinean versus Brazilian versus Chilean versus Peruvian versus Venezuelan section
Outcomes	<ul style="list-style-type: none"> • 1156 of 4137 abstracts published • 1/67 abstracts presented at the 2002 to 2003 Peruvian section meetings, 17/104 at the 2002 to 2003 Chilean section meetings, 997/3288 at the Brazilian section meetings, 119/416 at the Argentine section meetings, and 22/262 at the Venezuelan section meetings published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 48 months (range = 36 to 60 months) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 866/3395 abstracts describing clinical research versus 290/742 abstracts describing basic science research published

Jara-Tracchia 2010 (Continued)

- 119/416 abstracts from Argentinean section versus 997/3288 abstracts from Brazilian section versus 17/104 abstracts from Chilean section versus 1/67 abstracts from Peruvian section versus 22/262 abstracts from Venezuelan section published

Notes	<ul style="list-style-type: none"> • Oral health - dental research • Funding not reported
-------	---

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of type science, Latin American country origin, and subspecialty by Latin American country origin with publication using stratified analysis.

Jasko 2003

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE; date of search not reported ○ Person completing the search not reported ○ Searched by all authors, keywords, title, contents ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ 'Focus' ■ Contents
Data	<ul style="list-style-type: none"> • Included 336 abstracts presented at the 1991, 1992, 1995, 1997, 1998, and 1999 Musculoskeletal Tumor Society meetings • Included all abstracts presented orally
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication • Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 137 of 336 abstracts published • 10/18 abstracts presented at the 1991 meeting, 16/30 at the 1992 meeting, 38/95 at the 1995 meeting, 11/30 at the 1997 meeting, 42/124 at the 1998 meeting, and 20/39 at the 1999 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 21.8 months (SD = 13.5) ○ Cumulative proportion of abstracts published at 48 months showed proportion published = 39.3% (132/336 abstracts) • No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Oncology - musculoskeletal tumor • Funding not reported

Jasko 2003 (Continued)

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Joe 2015

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed; date of search not reported Person completing the search not reported Search criteria not reported Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 162 abstracts presented at the 2009 to 2014 American Burn Association meetings Included all survey-based abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 27 of 162 abstracts published Proportion of abstracts published by time not reported No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Emergency medicine - burns Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of a specific methodological design.
Search for publications?	Unclear	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.

Jones 2008

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE from January 1978 to December 2005 Person completing the search not reported Search criteria not reported Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Sample size Title Methodology Results Research question Conclusions Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 139 abstracts presented at the 2000 International AIDS Conference meeting Included all abstracts from authors with UK address and reporting on primary research with established scientific methods to systematically collect and analyze data
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean and median time to publication Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 47 of 139 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 19 months Median time to publication = 16 months (range = -2 to 59 months) Cumulative proportion of abstracts published at 60 months showed proportion published = 33.8% (47/139 abstracts) No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Infectious disease/immunology - HIV, AIDS Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of a specific origin and subgroup, so low risk of bias.
Search for publications?	Yes	Searched 1 database and contacted abstract authors directly.
Follow-up time?	Yes	The meeting had 60 months follow-up.
Matching?	Yes	Matched by 7 different criteria.

Jones 2014

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed 'within 4 years of meeting'
---------	---

Jones 2014 (Continued)

	<ul style="list-style-type: none"> ○ Person completing the search not reported ○ Searched by all authors and keywords ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 127 abstracts presented at the 2009 British Association of Urological Surgeons meeting • Included all abstracts of RCTs and observational studies
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication • UK versus non-UK origin • RCT versus observational design • High versus low score on abstracts reporting quality • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 43 of 127 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 17.2 months • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 3/10 abstracts with RCT design versus 40/117 with observational design published ○ 37/114 abstracts originating in the UK versus 6/13 originating elsewhere published ○ 36/104 abstracts with 'high' score on abstract reporting quality versus 7/23 with low score published ○ 5/12 abstracts with multiple centers versus 38/118 abstracts with a single center published
Notes	<ul style="list-style-type: none"> • Urology • Reported having received no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of methodological designs, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of study design, UK origin, multi-center status, abstract quality, and subspecialty with publication using multivariable logistic regression analysis.

Juzych 1991

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE from January 1984 to July 1989 ○ Search completed by investigator ○ Searched by first author ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Sample size
---------	---

Juzych 1991 (Continued)

- Keywords
- Title
- Contents

Data	<ul style="list-style-type: none"> Included 175 abstracts presented at the 1984 American Academy of Ophthalmology and 1985 Association for Research in Vision and Ophthalmology meetings Included randomly selected abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication by meeting Median time to publication by meeting Cumulative proportion of abstracts published by meeting Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> 105 of 175 abstracts published 48/75 abstracts presented at the 1984 meeting, and 57/100 at the 1985 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 19.4 months for 1985 Association of Research in Vision and Ophthalmology meeting Mean time to publication = 13 months for 1984 American Academy of Ophthalmology meeting Median time to publication = 18 months for 1985 Association of Research in Vision and Ophthalmology meeting Median time to publication = 11 months for 1984 American Academy of Ophthalmology meeting Median time to publication = 13 months, overall Cumulative proportion of abstracts published at 63 months showed proportion published = 57.0% (57/100 abstracts) for the 1985 Association for Research in Vision and Ophthalmology meeting Cumulative proportion of abstracts published at 56 months showed proportion published = 64.0% (48/75 abstracts) for the 1984 American Academy of Ophthalmology meeting Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 63/88 abstracts presented orally versus 42/87 abstracts presented as posters published
Notes	<ul style="list-style-type: none"> Ophthalmology/optometry - ophthalmology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random selection of abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year and type presentation with publication using stratified analysis and Chi ² or Mann-Whitney U tests

Juzych 1993

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database
---------	--

Full publication of results initially presented in abstracts (Review)

Juzych 1993 (Continued)

	<ul style="list-style-type: none"> ○ MEDLINE from 1984 to August 1992 ○ Search completed by investigator ○ Searched by first author ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Keywords ■ Title ■ Contents
Data	<ul style="list-style-type: none"> • Included 327 abstracts presented at the 1985 Association for Research in Vision and Ophthalmology meeting • Included randomly selected abstracts stratified by type of session
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean and median time to publication • Oral versus poster presentation • Clinical research versus basic science research • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 206 of 327 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 19.7 months ○ Median time to publication = 17 months • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 127/186 abstracts presented orally versus 79/141 abstracts presented as posters published ○ 71/126 abstracts describing clinical research versus 135/201 abstracts describing basic science research published
Notes	<ul style="list-style-type: none"> • Ophthalmology/optometry - ophthalmology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random selection of abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 7 years follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	Yes	Examined association of type presentation, type science, and subspecialty with publication using multivariable logistic regression analysis.

Jörgens 2014

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE until August 2008 ○ Person completing the search not reported ○ Search criteria not reported ○ Matching criteria not reported
---------	--

Full publication of results initially presented in abstracts (Review)

Jörgens 2014 (Continued)

	<ul style="list-style-type: none"> • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 493 abstracts submitted to the 2004 European Association for the Study of Diabetes meeting • Included a random sample of abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication by abstract acceptance • Accepted versus rejected for conference presentation • Quality reviewer score (1 = high, 5 = low) being 1 to 2 versus 2.1 to 3 versus 3.1 to 4 versus 4.1 to 5
Outcomes	<ul style="list-style-type: none"> • 209 of 493 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 16.5 months (SD = 12.7) for abstracts accepted for presentation ◦ Mean time to publication = 19.3 months (SD = 14) for abstracts rejected for presentation • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 162/317 abstracts accepted for presentation versus 47/176 abstracts rejected for presentation published ◦ 16/19 abstracts with 'quality' score of 1 to 2 versus 91/201 abstracts with score of 2.1 to 3 versus 80/243 abstracts with score of 3.1 to 4 versus 4/31 abstracts with score of 4.1 to 5
Notes	<ul style="list-style-type: none"> • Endocrinology/nutrition - diabetes • Funded by the European Association for the Study of Diabetes • Data abstracted from research letter

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random sample of abstracts.
Search for publications?	Yes	Searched 1 database and contacted abstract authors.
Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of acceptance for presentation by abstract quality with publication using stratified analysis and Fisher's Exact, Chi ² , Kruskal-Wallis, or Mann-Whitney U tests.

Kabay 2005

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed, Web of Science, date of search not reported ◦ Search completed by investigator ◦ Searched by first, and second author ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 2118 abstracts presented at the 1996 to 2004 Turkish National Surgical Congress meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published

Kabay 2005 (Continued)

	<ul style="list-style-type: none"> 'Breast and endocrine surgery' 'Hepato-pancreato-biliary surgery'
Outcomes	<ul style="list-style-type: none"> 120 of 2118 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 15/309 abstracts related to breast and endocrine surgery 13/82 abstracts related to hepato-pancreato-biliary surgery published
Notes	<ul style="list-style-type: none"> Surgery Funding not reported Unable to obtain full text; data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of subspecialty with publication using stratified analysis

Kaifi 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE to January 2012 Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> Hypotheses Methodology Results
Data	<ul style="list-style-type: none"> Included 76 abstracts presented at the 2006 to 2010 Academic Surgical Congress and Society of University Surgeons meetings Included all abstracts accepted for plenary sessions
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean and median time to publication, overall and by meeting
Outcomes	<ul style="list-style-type: none"> 60 of 76 abstracts published 24/36 abstracts presented at the 2006 to 2010 Society of University Surgeons meetings, and 36/40 at the 2006 to 2010 Academic Surgical Congress meetings published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 10 months, overall Mean time to publication = 13 months for Academic Surgical Congress meetings

Full publication of results initially presented in abstracts (Review)

Kaifi 2013 (Continued)

- Mean time to publication = 11 months for Society of University Surgeons meetings
- Median time to publication = 12 months (range = 0 to 47 months), overall
- Median time to publication = 9 months (range = 0 to 47 months) for Academic Surgical Congress meetings
- Median time to publication = 10 months (range = 0 to 38 months) for Society of University Surgeons meetings
- No factors other than meeting related to proportion of abstracts published reported

Notes

- Surgery
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted for plenary sessions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 2009 had at least 48 months follow-up. The meetings in 2009 and 2010 only had 36 and 24 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis and Fisher's Exact test.

Kalkan 2015

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ Embase, SCOPUS, Google/Google Scholar, Clinical Key/Elsevier, MD Consult, ULAKBIM, EBSCO Discovery Service, Science Direct, and Medscape; dates of search not reported ○ Person completing the search not reported ○ Searched by all authors, keywords, and title ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Title ■ Summary
Data	<ul style="list-style-type: none"> • Included 1721 abstracts presented at the 2011 to 2012 European Society for Emergency Medicine meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Oral versus poster presentation • North American versus European versus Asian origin Australian versus Middle Eastern versus rest of the world origin
Outcomes	<ul style="list-style-type: none"> • 437 of 1721 abstracts published • 172/626 abstracts presented at the 2001 meeting, and 265/1095 at the 2012 meeting published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included

Full publication of results initially presented in abstracts (Review)

Kalkan 2015 (Continued)

- 160/461 abstracts presented orally versus 277/1260 abstracts presented as posters published
- 56/161 abstracts originating from North America versus 87/496 abstracts originating from Europe versus 14/28 abstracts originating from Asia versus 8/8 abstracts originating from Australia versus 215/745 abstracts originating from the Middle East versus 57/283 abstracts with rest of the world origin published

Notes	• Emergency medicine • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 9 databases.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of meeting year by type presentation and country of origin by type presentation, prospective status, abstract quality, and subspecialty with publication using stratified analysis and Chi ² or t tests

Kalyoncu 2011

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed to July 2014 ○ Person completing the search not reported ○ Searched by all authors ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 799 abstracts presented at the 2005 to 2009 Ulusal Romatoloji Kongrelerinin meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication • Oral versus poster presentation • Rheumatology award versus not • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 173 of 799 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 15.9 months (SD = 9.9) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 28/87 abstracts presented orally versus 115/507 abstracts presented as posters published ○ 13/36 abstracts with rheumatology award versus 160/763 abstracts without rheumatology award published
Notes	<ul style="list-style-type: none"> • Rheumatology • Funding not reported

Kalyoncu 2011 (Continued)

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 60 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type presentation and award winning status with publication using stratified analysis and t test, Chi ² or Mann-Whitney U tests

Kaya 2010

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, PubMed to October 2009 Person completing the search not reported Searched by first and last author Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 208 abstracts presented at the 2006 and 2007 American Urological Association meetings Included all abstracts related to sexual medicine
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Clinical research versus basic science research Academic center versus non-academic center Number of authors Country of origin Subspecialty
Outcomes	<ul style="list-style-type: none"> 106 of 208 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 71/137 abstracts describing clinical research versus 33/71 abstracts describing basic science research published 92/150 abstracts originating in an academic center versus 13/58 abstracts not originating in an academic center versus published
Notes	<ul style="list-style-type: none"> Human reproduction and development - sexual medicine Reported received no funding Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described a specific topic, so low risk of bias.

Kaya 2010 (Continued)

Search for publications?	No	Searched only 1 database.
Follow-up time?	No	All meetings had less than 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of type science, academic center origin, number of authors, country of origin, and subspecialty with publication using an unspecified multivariable analysis.

Kaya Mutlu 2013

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed and Google/Google Scholar on May 15, 2012 Person completing the search not reported Searched by all authors and title Matched abstract to full-length publication by <ul style="list-style-type: none"> Title Methodology Materials
Data	<ul style="list-style-type: none"> Included 181 abstracts presented at the 2002, 2004, 2006, and 2008 Advances in Physiotherapy Symposiums meetings Included all abstracts presented orally
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication, overall and by meeting Subspecialty
Outcomes	<ul style="list-style-type: none"> 37 of 181 abstracts published 3/18 abstracts presented at the 2002 meeting, 14/59 at the 2004 meeting, 11/42 at the 2006 meeting, and 9/62 at the 2008 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 20.9 months (SD = 16.7), overall Mean time to publication = 20.7 months (SD = 11.5) for the 2002 meeting Mean time to publication = 22.7 months (SD = 15.9) for the 2004 meeting Mean time to publication = 23.8 months (SD = 22.2) for the 2006 meeting Mean time to publication = 14.8 months (SD = 11.3) for the 2008 meeting No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Physical and rehabilitation medicine - physical therapy Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally.
Search for publications?	Yes	Searched 2 databases.

Full publication of results initially presented in abstracts (Review)

Kaya Mutlu 2013 (Continued)

Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of meeting year and subspecialty with publication using stratified analysis.

Kearney 2012

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed; date of search not reported Person completing the search not reported Searched by all authors and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 1005 abstracts presented at the 1996 to 2005 Sir Peter Freyer Surgical Symposia Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication Plenary versus other oral presentation
Outcomes	<ul style="list-style-type: none"> 371 of 1005 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 19 months (range = 0 to 132 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 58/104 abstracts presented in plenary sessions versus 313/901 abstracts presented orally in other session published
Notes	<ul style="list-style-type: none"> Surgery Funding not reported Data extracted from abstract 104 abstracts presented in plenary session also reported in O'Connor 2015

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type oral presentation with publication using stratified analysis.

Kim 1998

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Electronic database (not specified) from October 1994 to April 4, 1997 Person completing the search not reported Search criteria not reported Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 357 abstracts presented at the 1994 Korean Orthopaedic Association meeting Included all abstracts presented orally
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Cumulative proportion of abstracts published One resident versus more than one resident Subspecialty
Outcomes	<ul style="list-style-type: none"> 156 of 357 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 13 months Cumulative proportion of abstracts published at 24 months showed proportion published = 43.7% (156/357 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 4/10 abstracts presented by a single resident versus 152/347 abstracts presented by more than one resident published
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally.
Search for publications?	Unclear	Number and name of electronic database or databases not reported.
Follow-up time?	No	The meeting had less than 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of author status and subspecialty with publication using stratified analysis.

Kim 2011

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed in February 2010 Person completing the search not reported Searched by all authors and title Matching criteria not reported
---------	---

Kim 2011 (Continued)

Data	<ul style="list-style-type: none"> Included 288 abstracts presented at the Spring and Fall 2001 to 2005 Korean Society of Spine Surgery meetings Included all abstracts presented orally
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication Subspecialty
Outcomes	<ul style="list-style-type: none"> 167 of 288 abstracts published 16/25 abstracts presented at the Spring 2001 meeting, 21/29 at the Fall 2001 meeting, 17/27 at the Spring 2002 meeting, 17/27 at the Fall 2002 meeting, 18/27 at the Spring 2003 meeting, 13/23 at the Fall 2003 meeting, 11/28 at the Spring 2004 meeting, 18/28 at the Fall 2004 meeting, 23/41 at the Spring 2005 meeting, and 12/33 at the Fall 2005 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 12.2 months No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery - spine Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year and subspecialty with publication using stratified analysis.

Kinsella 2015

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, and Google/Google Scholar for '3 years between meeting and publication' Search completed by the investigator Searched by all authors, keywords, and title Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Title Abstract
Data	<ul style="list-style-type: none"> Included 444 abstracts presented at the 2006 to 2010 American Orthopaedic Society for Sports Medicine meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting

Kinsella 2015 (Continued)

- Oral versus poster presentation

Outcomes	<ul style="list-style-type: none"> • 298 of 444 abstracts published • 49 of 84 abstracts presented at the 2006 meeting, 62/89 at the 2007 meeting, 46/73 at the 2008 meeting, 72/108 at the 2009 meeting, and 69/90 at the 2010 meeting published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 203/277 abstracts presented orally versus 95/167 abstracts presented as poster published
Notes	<ul style="list-style-type: none"> • Orthopedics/orthopedic surgery • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	No	All meetings only had 36 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	Unclear	Examined association of meeting year and type presentation with publication using stratified analysis and Chi ² tests. Logistic regression was performed, but unclear if the regression models included a single variable or was multivariable.

Kiroff 2001

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 302 abstracts presented at the 1994 to 1996 Royal Australasian College of Surgeons meetings • Included all abstracts except those for foundation lectures, plenary sessions, and invited speakers
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • 'Positive' versus not 'positive' • 'Positive' RCT versus not 'positive' RCT • Clinical research versus basic science research • RCT design versus non-RCT design • Level of evidence • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 165 of 302 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 98/139 'positive' (defined as significant results) versus 76/159 not 'positive' abstract results published ◦ 11/12 'positive' (defined as significant results) RCT abstracts versus 4/8 not 'positive' RCT abstract results published

Kiroff 2001 (Continued)

- 121/249 abstracts describing clinical research versus 44/53 abstracts describing basic science research published
- 15/20 abstracts with RCT design versus 150/288 abstracts with non-RCT design published
- 57/95 abstracts with level I or II evidence versus 16/28 abstracts with level III evidence versus 92/179 abstract with level IV evidence published

Notes

- Surgery
- Funding not reported
- 271 abstracts excluded because abstract author did not respond to survey

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	No	Contacted abstract authors directly but with a response rate < 80%.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched through contact with abstract author.
Adjustment for confounding?	No	Examined association of positive results, type science, study design, level of evidence, and subspecialty with publication using stratified analysis and Chi ² tests.

Klappenbach 2011

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE and LILACS; dates of search not reported ○ Person completing the search not reported ○ Searched by all authors and keywords ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Title ■ The order of the first and last author
Data	<ul style="list-style-type: none"> • Included 200 abstracts presented at the 2006 Argentine Congress of Surgery • Included all abstracts except film and video presentations
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication
Outcomes	<ul style="list-style-type: none"> • 22 of 200 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 15 months • No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Surgery • Funding not reported

Klappenbach 2011 (Continued)

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	Yes	Matched by 3 different criteria.

Klassen 2002

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> CINAHL, Cochrane Central Register of Controlled Trials, PubMed, Embase, Web of Science, Current Contents, HealthStar between February and July 2000 Search completed by trained librarian Searched by 'primary' author and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> One common outcome Contacted abstract authors directly (only for subset of authors as reported by Hartling 2004)
Data	<ul style="list-style-type: none"> Included 447 abstracts presented at the 1992, 1993, 1994, and 1995 Society for Pediatric Research meetings Included all RCTs identified by handsearching abstract books
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Cumulative proportion of abstracts published 'Positive' versus not 'positive' 'Positive' versus not 'positive' for equivalence studies Clinically very important or important versus somewhat important or not important Government versus industry versus foundation versus internal versus no funding Subspecialty
Outcomes	<ul style="list-style-type: none"> 264 of 447 abstracts published 55/95 abstracts presented at the 1992 meeting, 70/109 at the 1993 meeting, 78/128 at the 1994 meeting, and 61/115 at the 1995 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 96 months showed proportion published = 58.1% (255/447 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 162/235 'positive' (defined as experimental better than control) versus 93/187 not 'positive' abstract results published 64/77 'positive' (defined as significant results) versus 22/42 not 'positive' abstract results published for subset studied by Hartling 2004 88/115 abstracts considered clinically very important or important versus 31/51 abstracts considered somewhat important or not important published for subset studied by Hartling 2004 32/38 abstracts reporting government funding versus 37/43 abstracts reporting industry funding versus 6/8 abstracts reporting foundation funding versus 4/5 abstracts reporting internal funding versus 32/57 abstracts reporting no funding for subset studied by Hartling 2004

Klassen 2002 (Continued)

Notes

- Pediatrics
- Funding for study by Hartling by Alberta Heritage Foundation
- Secondary publication by Hartling 2004 surveyed a subset of authors

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all RCTs.
Search for publications?	Yes	Searched 7 databases and contacted abstract authors.
Follow-up time?	Yes	All meetings had at least 5 years follow-up.
Matching?	No	Matched by only 1 criterion.
Adjustment for confounding?	Yes	Examined association of meeting year, positive results, clinical importance, type funding, and subspecialty with publication using multivariable logistic regression analysis.

Kleine-Konig 2014

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed for period of 5 years before and after each conference ◦ Person completing the search not reported ◦ Searched by all authors, and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ One author ■ Contents ■ Methodology
Data	<ul style="list-style-type: none"> • Included 646 abstracts presented at the 2006 to 2008 European Paediatric Orthopaedic Society meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication • Cumulative proportion of abstracts published • 'Positive' versus not 'positive' versus significance not specified • Oral versus poster presentation • RCT design versus observational design versus case report versus epidemiological design versus meta-analysis versus review versus other study design • Multi-centered versus single center • Therapeutic versus diagnostic versus prognostic versus economic clinical study • Prospective versus retrospective study • Level of evidence being level I versus level II versus level III versus level IV versus level V
Outcomes	<ul style="list-style-type: none"> • 237 of 646 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 13.9 months (SD = 1.3)

Kleine-Konig 2014 (Continued)

- Cumulative proportion of abstracts published at 72 months showed proportion published = 36.7% (237/646 abstracts)
- Factors related to proportion of abstracts published included
 - 107/186 'positive' (defined as significant results) versus 24/62 not 'positive' abstract results versus 106/398 abstracts with significance not reported published
 - 122/268 abstracts presented orally versus 115/378 abstracts presented as poster published
 - 19/23 abstracts with RCT design versus 188/522 abstracts with observational design versus 5/23 abstracts with case report design versus 13/33 abstracts with epidemiological design versus 2/3 abstracts describing a meta-analysis versus 0/5 abstracts describing a review versus 2/7 abstracts with other study designs published
 - 33/60 abstracts with multiple centers versus 204/586 abstracts with a single center published
 - 128/400 abstracts describing a therapeutic clinical study versus 32/74 abstracts describing a diagnostic clinical study versus 17/34 abstracts describing a prognostic clinical study versus 1/2 abstracts describing an economic clinical study published
 - 65/136 abstracts describing a prospective study versus 171/510 abstracts describing a retrospective study published
 - 15/22 abstracts with evidence level I versus 25/47 abstracts with evidence level II versus 46/98 abstracts with evidence level III versus 102/344 abstracts with evidence level IV versus 6/24 abstracts with evidence level V published

Notes

- Orthopedics/orthopedic surgery
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had 5 years follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of positive results, type of presentation, study design, multi-center status, prospective status, level of evidence abstract quality, and subspecialty with publication using stratified analysis and Chi ² tests.

Klewen 2008

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed; date of search not reported ○ Person completing the search not reported ○ Searched by first, second, and last author, title, and keywords ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ One author ■ Contents
Data	<ul style="list-style-type: none"> • Included 165 abstracts presented at the 1999, 2000, and 2001 American Orthopaedic Society for Sports Medicine meetings • Included all abstracts presented orally

Full publication of results initially presented in abstracts (Review)

Klewen 2008 (Continued)

Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Median time to publication Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 98 of 165 abstracts published 39/64 abstracts presented at the 1999 meeting, 33/56 at the 2000 meeting, and 26/45 at the 2001 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 21 months (range = 1 to 60 months) Cumulative proportion of abstracts published at 60 months showed proportion published = 59.4% (98/165 abstracts) No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Other clinical specialties - sports medicine Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis and Chi ² tests.

Koene 1994

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE for 3 years before and 5 years after abstract was published in Nederlands Tijdschrift voor Geneeskunde Person completing the search not reported Search criteria not reported Matched abstract to full-length publication by <ul style="list-style-type: none"> Contents
Data	<ul style="list-style-type: none"> Included 803 abstracts published in Nederlands Tijdschrift voor Geneeskunde from January 1988 to January 1989 and presented at 29 various scientific meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 385 of 803 abstracts published Proportion of abstracts published by time not reported No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> General medicine/primary care

Full publication of results initially presented in abstracts (Review)

Koene 1994 (Continued)

- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All abstracts had 5 years follow-up.
Matching?	No	Matched by only 1 criterion.

Korn 2000

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE from January 1995 to November 1999 ◦ Person completing the search not reported ◦ Searched by all authors ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Contents
Data	<ul style="list-style-type: none"> • Included 1637 abstracts presented at the 1997 American College of Emergency Physicians Research Forum and 1995 to 1997 Society for Academic Emergency Medicine meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Clinical research versus basic science research versus surveys • 'Prospective' versus 'retrospective' design • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 629 of 1637 abstracts published • 186/396 abstracts presented at the 1995 meeting, 210/467 at the 1996 meeting, 181/548 at the 1997 Society for Academic Emergency Medicine meeting, and 52/226 at the 1997 American College of Emergency Physicians Research Forum meeting published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 388/1019 abstracts describing clinical research versus 96/212 abstracts describing basic science research versus 80/188 abstracts describing surveys published ◦ 263/607 abstracts with 'prospective' study design versus 125/412 abstracts with 'retrospective' study design published
Notes	<ul style="list-style-type: none"> • Emergency medicine • Funding not reported • Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.

Full publication of results initially presented in abstracts (Review)

Korn 2000 (Continued)

Search for publications?	No	Searched only 1 database.
Follow-up time?	No	Only the meeting in 1995 had 48 months follow-up. All other meetings had less than 48 months follow-up.
Matching?	No	Matched by only 1 criterion.
Adjustment for confounding?	No	Examined association of meeting and meeting year, type science, prospective status, and subspecialty with publication using stratified analysis.

Kottachchi 2010

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Embase, MEDLINE, PubMed, Google/Google Scholar to July 2008 Person completing the search not reported Searched by all authors and keywords Matching criteria not reported Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 82 abstracts presented at the 1999 to 2003 Digestive Disease Week meetings Included all abstracts describing randomized clinical trials of inflammatory bowel disease
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Median time to publication Survival analysis of publication rate of abstracts with 'positive' results 'Positive' versus not 'positive' Oral versus poster presentation North American versus European versus rest of the world origin Industry funding versus academic/government funding versus mixed funding versus unclear funding
Outcomes	<ul style="list-style-type: none"> 64 of 82 abstracts published 10/12 abstracts presented at the 1999 meeting, 16/22 at the 2000 meeting, 16/21 at the 2001 meeting, 10/12 at the 2002 meeting, and 12/15 at the 2003 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 30 months (IQR = 17 to 57 months) Survival analysis of proportion of abstracts with 'positive' results published at 60 months = 76.8% Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 51/56 'positive' (defined as significant results) versus 13/26 not 'positive' abstract results published 29/33 abstracts presented orally versus 34/48 abstracts presented as posters published 18/20 abstracts originating from North America versus 30/42 abstracts from Europe versus 16/20 abstracts from rest of the world published 7/8 abstracts with industry funding versus 1/2 abstracts with academic or government funding versus 2/2 abstracts with mixed funding versus 54/70 abstracts with unclear funding published
Notes	<ul style="list-style-type: none"> Gastroenterology - inflammatory bowel disease Funding by American Gastroenterology Association Scholar Award

Risk of bias

Item	Authors' judgement	Description
------	--------------------	-------------

Full publication of results initially presented in abstracts (Review)

Kottachchi 2010 (Continued)

Sampling method?	Yes	Included all abstracts that described a specific topic, so low risk of bias.
Search for publications?	Yes	Searched 3 databases and contacted abstract authors.
Follow-up time?	Yes	All meetings had at least 5 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of meeting year, positive results, type presentation, country of origin, number of authors, sample size, and funding source with publication using and for time to publication using multivariable Cox proportional hazard analysis.

Koçak 2014

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Web of Science, and Google/Google Scholar; dates of search not reported Person completing the search not reported Searched by all authors and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 188 abstracts presented at the 2004 to 2012 European League Against Rheumatism Congress meetings Included all abstracts in the physiotherapy section
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication
Outcomes	<ul style="list-style-type: none"> 47 of 188 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 18.8 months (range = 1 to 64 months) No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Physical and rehabilitation medicine - physical therapy Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts from a specific subgroup
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	Unclear	Matching criteria not reported.

Krzyzanowska 2003

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Embase, MEDLINE, PubMed and Cochrane Central Register of Controlled Trials to November 2002 Search completed by research assistant with library science background Searched by first, second, and presenting author, and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 510 abstracts presented at the 1989 to 1998 American Society of Clinical Oncology meetings Included all abstracts of randomized clinical trials with sample sizes larger than 200 (510 of 539 abstracts)
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication Cumulative proportion of abstracts published Survival analysis of publication rate 'Positive' versus not 'positive' Oral versus poster presentation Multi-centered versus single center Subspecialty
Outcomes	<ul style="list-style-type: none"> 415 of 510 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 32.4 months Cumulative proportion of abstracts published at 120 months showed proportion published = 80.8% (412/510 abstract) Survival analysis of proportion published at 60 months = 74% Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 195/223 'positive' (defined as significant results) versus 220/287 not 'positive' abstract results published 160/183 'positive' (defined as experimental better than control) versus 255/327 not 'positive' abstract results published 232/278 abstracts presented orally versus 100/126 abstracts presented as posters published 364/443 abstracts with multiple centers versus 51/67 abstracts with a single center published
Notes	<ul style="list-style-type: none"> Oncology Funding by Cancer Care Ontario Research Fellowship

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific study design and specific subgroup, so low risk of bias.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of meeting year, positive results, type of presentation, multi-center status, sample size, and subspecialty with publication and for time to publication using Cox proportional models.

Kumar 1995

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE to September 1994 Person completing the search not reported Searched by first author and one other author - unspecified Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 275 abstracts presented at the 1992 American Society for Gastrointestinal Endoscopy meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication by presentation format Cumulative proportion of abstracts published Oral versus poster presentation versus neither
Outcomes	<ul style="list-style-type: none"> 76 of 275 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication for oral presentations = 13 months (range = 6 to 24 months) Mean time to publication for poster presentations = 15 months (range = 4 to 24 months) Mean time to publication for other presentation format = 13 months (range = 5 to 26 months) Cumulative proportion of abstracts published at 12 months showed proportion published = 9.5% (26/275 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 15/46 abstracts presented orally versus 51/150 abstracts presented as posters versus 10/79 abstracts presented in other format published
Notes	<ul style="list-style-type: none"> Gastroenterology - endoscopy Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting only had 24 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type presentation with publication using stratified analysis

Kunadian 2015

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database
---------	---

Kunadian 2015 (Continued)

	<ul style="list-style-type: none"> Embase, MEDLINE, Web of Science until September 1, 2014 Search completed by investigator Searched by first and senior author, keywords, and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 2119 abstracts presented at the 2002 to 2012 British Cardiovascular Society meetings Included all abstracts except duplicates, and those where author's primary institution was not based in UK
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication Cumulative proportion of abstracts published Basic science versus epidemiological/ clinical abstracts Subspecialty
Outcomes	<ul style="list-style-type: none"> 1401 of 2199 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 16.8 months (SD = 19.2) Cumulative proportion of abstracts published at 90 months showed proportion published = 63% (1335/2119 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> Basic science versus epidemiological/clinical abstracts: OR 2.35 (95% CI 1.73-3.19)
Notes	<ul style="list-style-type: none"> Cardiology Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	No	Reported that all abstracts were included, but data were inconsistent within the report.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	All meetings except the 2011 and 2012 meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, type science, and subspecialty with publication using stratified analysis and Chi ² tests.

Kwong 2007

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Embase, PubMed; dates of search not reported Person completing the search not reported Searched by first, second, and last author, and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> Methodology
---------	--

Kwong 2007 (Continued)

■ Results

Data	<ul style="list-style-type: none"> Included 278 abstracts presented at the 1999 and 2001 European Federation of National Associations of Orthopaedics and Traumatology meetings Included all abstracts presented orally
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Cumulative proportion of abstracts published Clinical research versus basic science research versus other RCT design versus observational design versus case series design versus comparative study design versus systematic reviews Grecian versus United Kingdom versus German versus Belgium versus rest of the world origin Subspecialty
Outcomes	<ul style="list-style-type: none"> 112 of 278 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 25.3 months (SD =18.5) Cumulative proportion of abstracts published at 84 months showed proportion published = 40.3% (112/278 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 92/239 abstracts describing clinical research versus 13/24 abstracts describing basic science research versus 7/15 abstracts with other study design published 20/25 abstracts with RCT design versus 3/5 abstracts with observational design versus 58/175 case series versus 11/34 abstracts with comparative study design versus 2/3 systematic reviews published 11/52 abstracts originating from Greece versus 24/51 abstracts from the UK versus 13/22 abstracts from Germany versus 10/19 abstracts from Belgium versus 54/134 abstracts from elsewhere published
Notes	<ul style="list-style-type: none"> Emergency medicine - trauma Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of type science, study design, country of origin, and subspecialty with publication using stratified analysis.

Landry 1996

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE from January 1990 through November 1994
---------	---

Landry 1996 (Continued)

	<ul style="list-style-type: none"> ○ Person completing the search not reported ○ Searched by 'principal' author and keywords ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ 'Principal author' ■ Keywords ■ Contents
Data	<ul style="list-style-type: none"> • Included 168 abstracts presented at the 1990 American Burn Association meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • 'Positive' versus not 'positive' • Clinical research versus basic science research
Outcomes	<ul style="list-style-type: none"> • 44 of 168 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 24/58 'positive' (defined as significant results) versus 20/110 not 'positive' abstract results published ○ 16/65 abstracts describing clinical research versus 15/63 abstracts describing basic science research published
Notes	<ul style="list-style-type: none"> • Emergency medicine - trauma, burns • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of positive results, type of science, university affiliation, doctoral degree, use of statistics, and clarity of statistics with publication using stratified analysis and Chi ² tests.

Larian 2001

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed, Medline Plus to 1 July 1999 ○ Person completing the search not reported ○ Searched by first, second, and last author, and keywords ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Hypothesis ■ Study design ■ Protocol ■ Sample size
---------	---

Full publication of results initially presented in abstracts (Review)

Larian 2001 (Continued)

■ Results

Data	<ul style="list-style-type: none"> Included 839 abstracts presented at the 1993, 1994, and 1995 American Academy of Otolaryngology - Head & Neck Surgery meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Cumulative proportion of abstracts published by meeting Clinical research versus basic science research Subspecialty
Outcomes	<ul style="list-style-type: none"> 270 of 839 abstracts published 83/249 abstracts presented at the 1993 meeting, 103/293 at the 1994 meeting, and 84/297 at the 1995 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published for 1995 American Academy of Otolaryngology - Head & Neck Surgery meeting at 36 months showed proportion published = 31.6% (94/297 abstracts) Cumulative proportion of abstracts published for 1994 American Academy of Otolaryngology - Head & Neck Surgery meeting at 48 months showed proportion published = 35.2% (103/293 abstracts) Cumulative proportion of abstracts published for 1993 American Academy of Otolaryngology - Head & Neck Surgery meeting at 48 months showed proportion published = 33.3% (83/249 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 131/370 abstracts describing clinical research versus 139/440 abstracts describing basic science research published
Notes	<ul style="list-style-type: none"> Otolaryngology head and neck surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, type science, and subspecialty with publication using stratified analysis and Chi ² tests.

Lau 2016

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed; date of search not reported Person completing the search not reported Searched by all authors and keywords
---------	--

Lau 2016 (Continued)

- Matched abstract to full-length publication by
 - All authors
 - Keywords
 - Contents

Data	<ul style="list-style-type: none"> • Included 460 abstracts presented at the 1996 to 2013 Otorhinolaryngology Research Society meetings • Included all abstracts presented orally except those of six meetings (unspecified) for which meeting abstracts could not be retrieved
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean and median time to publication • Cumulative proportion of abstracts published • Clinical research versus laboratory research versus surveys/reviews • Case report design versus other research design • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 259 of 460 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 27.7 months ○ Median time to publication = 23 months ○ Cumulative proportion of abstracts published at 60 months showed proportion published = 51.7% (238/460 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 146/246 abstracts describing clinical research versus 100/191 abstracts describing laboratory research versus 13/23 abstracts describing surveys/reviews published ○ 7/8 abstracts describing case reports versus 252/452 abstracts describing a different study design published
Notes	<ul style="list-style-type: none"> • Otolaryngology head and neck surgery • Reported having received no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of type science, study design, presence of a professor on the team, and subspecialty with publication using stratified analysis and Chi ² , Mann-Whitney U, or Kruskal Wallis one-way ANOVA tests.

Lee 2012

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed; date of search not reported ○ Person completing the search not reported
---------	--

Lee 2012 (Continued)

	<ul style="list-style-type: none"> ○ Searched by first, second, and last author, and keywords ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 346 abstracts presented at the 2004 and 2005 International Association for Dental Research meetings • Included all abstracts in the prosthodontics section; excluded 23 withdrawn abstracts and 2 keynote speaker abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication • Cumulative proportion of abstracts published • 'Positive' versus not 'positive' • Oral versus poster presentation • Clinical research versus laboratory science research • North American versus European versus rest of the world origin • Industry funding versus government funding versus foundation funding versus university funding versus no funding • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 128 of 346 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 26.4 months (range = 0 to 67 months) ○ Cumulative proportion of abstracts published at 48 months showed proportion published = 28.6% (99/346 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 71/218 'positive' (defined as experimental better than control) versus 57/128 not 'positive' abstract results published ○ 35/86 abstracts presented orally versus 93/260 abstracts presented as posters published ○ 34/101 abstracts describing clinical research versus 94/245 abstracts describing laboratory science research published ○ 45/140 abstracts originating from North America versus 55/108 abstracts from Europe versus 51/149 abstracts from rest of the world published ○ 17/35 abstracts with funding from industry versus 14/26 abstracts with funding from government versus 4/11 abstracts with funding from foundations versus 1/4 abstracts with funding from universities versus 92/270 abstracts with no funding published
Notes	<ul style="list-style-type: none"> • Oral health - prosthodontics • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described a specific topic with reasonable exceptions, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of positive results, type of presentation, type of science, country of origin, funding status, and subspecialty with publication using multivariable logistic regression analyses.

Leles 2006

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to December 2004 Search completed 'independent examiner' Searched by all authors Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 775 abstracts submitted to the 1999 Sociedade Brasileira de Pesquisa Odontológica meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 116 of 775 abstracts published Proportion of abstracts published by time not reported No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Oral health - odontology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 5 ears follow-up.
Matching?	Unclear	Matching criteria not reported.

Lensen 2015

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> CINAHL, Embase, MEDLINE, PubMed, and the Cochrane Menstrual Disorders and Subfertility Group specialized register between December 2014 and May 2015 Search completed by the investigators Search criteria not reported Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 230 abstracts from conferences from 2007 to 2010 and included in the Cochrane Menstrual Disorders and Subfertility Group specialized register Included all abstracts on subfertility RCTs reporting ≥ 1 reproductive outcome
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published 'Positive' versus not 'positive' Oral versus poster presentation

Lensen 2015 (Continued)

- North American versus European versus Asian versus South American versus Middle Eastern versus rest of the world origin
- Trial registration status versus not
- Industry funding versus other/no funding

Outcomes	<ul style="list-style-type: none"> • 117 of 230 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 38/80 'positive' (defined as 'significant results') versus 79/150 not 'positive' abstract results published (OR 1.16, 95% CI 0.66-2.02) ◦ 54/115 'positive' (defines as "experimental better than control") versus 63/115 abstracts with not 'positive' abstract results published ◦ 55/80 abstracts presented orally versus 56/141 abstracts presented as posters published ◦ 23/41 abstracts originating from North America versus 49/87 abstracts originating from Europe versus 10/35 abstracts originating from Asia versus 6/22 abstracts originating from South America versus 26/40 abstracts originating from the Middle East versus 3/5 abstracts with rest of the world origin published ◦ 6/8 abstracts registered in a trials registry versus 111/227 abstracts not registered published ◦ 17/24 abstracts with industry funding versus 100/206 abstracts with other/no funding published
Notes	<ul style="list-style-type: none"> • Human reproduction and development - subfertility • Funded by the University of Auckland • Data extracted from abstract and poster

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of a specific subgroup.
Search for publications?	Yes	Searched 4 databases.
Follow-up time?	Yes	All meetings had at least 60 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of positive results, type of presentation, country of origin, registration in a trials register, and funding status with publication stratified analysis and Chi ² tests.

Levett 2000

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed for 'three year period' ◦ Person completing the search not reported ◦ Search criteria not reported ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 790 abstracts presented at the 1980 to 1990 Caribbean Health Research Council Annual meetings • Included all abstracts

Levett 2000 (Continued)

Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> 263 of 790 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 194/525 abstracts presented orally versus 69/265 abstracts presented as posters published
Notes	<ul style="list-style-type: none"> Other non-clinical specialties - health research Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	The meetings only had 36 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type presentation with publication using stratified analysis.

Li 2004

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to 'Fall 2003' Search completed by investigator Searched by first author and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Title Institution Time period
Data	<ul style="list-style-type: none"> Included 2054 abstracts presented at the 1997 and 1999 to 2001 Society for Academic Emergency Medicine meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Cumulative proportion of abstracts published by meeting Oral versus poster presentation Subspecialty
Outcomes	<ul style="list-style-type: none"> 781 of 2054 abstracts published 217/542 abstracts presented at the 1997 meeting, 214/536 at the 1999 meeting, 190/501 at the 2000 meeting, and 166/475 at the 2001 meeting published Proportion of abstracts published by time

Li 2004 (Continued)

- Cumulative proportion of abstracts published at 48 months showed proportion published = 40.0% (217/542 abstracts) from 1997 Society for Academic Emergency Medicine meeting
- Cumulative proportion of abstracts published at 48 months showed proportion published = 39.0% (209/536 abstracts) from 1999 Society for Academic Emergency Medicine meeting
- Cumulative proportion of abstracts published at 36 months showed proportion published = 38.0% (190/501 abstracts) from 2000 Society for Academic Emergency Medicine meeting
- Cumulative proportion of abstracts published at 24 months showed proportion published = 34.0% (162/475 abstracts) from 2001 Society for Academic Emergency Medicine meeting
- Factors related to proportion of abstracts published included
 - 305/610 abstracts presented orally versus 491/1444 abstracts presented as posters published

Notes

- Emergency medicine
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 2000 had at least 48 months follow-up. The meetings in 2000 and 2001 only had 36 and 24 months follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, type of presentation, and subspecialty with publication using stratified analysis.

Lim 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed, Google/Google Scholar, and KoreaMed from January 2008 to June 2012 ○ Search completed by the investigators ○ Searched by all authors, keywords, title, and institutions ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Results ■ Study design
Data	<ul style="list-style-type: none"> • Included 1027 abstracts presented at the 2008 and 2009 Korean Academy of Rehabilitation Medicine Spring and Fall meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication, overall and by meeting • Cumulative proportion of abstracts published • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 317 of 1027 abstracts published; 35.7% for Spring 2008 meeting, 32.4% for Fall 2008 meeting, 28.0% for Spring 2009 meeting, and 29.4% for Fall 2009 meeting. • Proportion of abstracts published by time

Lim 2013 (Continued)

- Mean time to publication = 17.2 months (SD = 10.5), overall
- Mean time to publication = 15.5 months (SD = 12.2) for Spring 2008 Korean Academy of Rehabilitation Medicine meeting
- Mean time to publication = 19.8 months (SD = 11.3) for Fall 2008 Korean Academy of Rehabilitation Medicine meeting
- Mean time to publication = 16.6 months (SD = 10.3) for Spring 2009 Korean Academy of Rehabilitation Medicine meeting
- Mean time to publication = 15.3 months (SD = 8.8) for Fall 2009 Korean Academy of Rehabilitation Medicine meeting
- Cumulative proportion of abstracts published at 48 months showed proportion published = 30.9% (317/1027 abstracts)
- No factors other than subspecialty related to proportion of abstracts published reported

Notes	• Physical and rehabilitation medicine • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	The meeting in 2008 had 48 months follow-up, the meeting in 2009 only had 36 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	Unclear	Examined association of meeting year and subspecialty with publication using stratified analysis and logistic regression, although unclear whether multivariable logistic regression used.

Lin 2011

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed, China National Knowledge Infrastructure, and wanfangdata.com until 31 July, 2010 ○ Person completing the search not reported ○ Searched by first author, keywords, and institution of first author ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 25 abstracts presented at the 2003 to 2008 American Heart Rhythm Society meetings • Included all abstracts from Chinese Mainland - extracted data on subgroup of original sample which was from 2003 to 2010
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 10 of 25 abstracts published • Proportion of abstracts published by time not reported • No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Cardiology - arrhythmias

Lin 2011 (Continued)

- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of a specific subgroup.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	All meetings except the 2007 and 2008 meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Liu 1996

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE; date of search not reported ◦ Search completed by investigator ◦ Search criteria not reported ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 400 abstracts presented at the 1992 American Heart Association, Federation of American Societies in Experimental Biology, American Gastroenterology Association, and American Academy of Neurology meetings • Included 400 abstracts, 100 randomly selected from each meeting
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication, overall and by meeting
Outcomes	<ul style="list-style-type: none"> • 141 of 400 abstracts published • 42/100 abstracts presented at the American Academy of Neurology meeting, 42/100 at the American Gastroenterology Association meeting, 28/100 at the Federation of American Societies in Experimental Biology meeting, and 30/100 at the American Heart Association meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 22.8 months (SD = 10.8) ◦ Mean time to publication = 22.8 months (SD = 9.6) for 1992 American Heart Association meeting ◦ Mean time to publication = 19.2 months (SD = 10.8) for 1992 Federation of American Societies in Experimental Biology meeting ◦ Mean time to publication = 26.4 months (SD = 10.8) for 1992 American Gastroenterology Association meeting ◦ Mean time to publication = 22.8 months (SD = 10.8) for 1992 American Academy of Neurology meeting • No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Cardiology - circulation, basic biomedical science, gastroenterology, neurology • Funding not reported • Data extracted from letter

Risk of bias

Liu 1996 (Continued)

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random selection of abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.

Livas 2014

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed and Google/Google Scholar in April 2013 Search completed by the investigators Searched by first, second, and last author, keywords, and title Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Title Study design Conclusions
Data	<ul style="list-style-type: none"> Included 590 abstracts presented at the 2006 and 2007 European Orthodontic Society meetings Included all abstracts except keynote lectures
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication, overall and by meeting Cumulative proportion of abstracts published 'Positive' versus not 'positive' versus no statistical testing Oral versus poster presentation European versus Asian versus rest of the world origin Academic affiliation versus public health service affiliation versus other governmental affiliation versus private practice affiliation versus private company affiliation Subspecialty
Outcomes	<ul style="list-style-type: none"> 308 of 590 abstracts published 168/333 abstracts presented at the 2006 meeting, and 140/257 at the 2007 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 15.8 months, overall Mean time to publication = 17.2 months for 2006 European Orthodontic Society meeting Mean time to publication = 14.6 months for 2007 European Orthodontic Society meeting Cumulative proportion of abstracts published at 60 months showed proportion published = 51.4% (303/590 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 201/340 'positive' (not defined) versus 81/145 not 'positive' abstract results versus 26/105 abstracts without statistical testing published 115/162 abstracts presented orally versus 193/428 abstracts presented as poster published 203/390 abstracts originating from Europe versus 88/172 abstracts originating from Asia versus 17/28 abstracts from the rest of the world published 286/545 abstracts originating in an academic center versus 5/8 abstracts originating from a public health service versus 8/13 abstracts originating from other governmental institution versus 6/21

Livas 2014 (Continued)

abstracts originating from private practice versus 3/3 originating from a private company published

Notes	• Oral health - orthodontics • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had at least 6 years follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	Yes	Examined association of meeting year, positive results, type of presentation, country of origin, academic affiliation, and subspecialty with publication using multivariable logistic regression analyses.

Lloyd 2006

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed; date of search not reported, but senior author "made the final determination to the accuracy and inclusion or exclusion" ◦ Person completing the search not reported ◦ Searched by all authors and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ 'Focus'
Data	<ul style="list-style-type: none"> • Included 292 abstracts presented at the 1998 to 2001 American Association of Hip and Knee Surgeons meetings • Included all abstracts accepted as oral presentations
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication overall and by meeting • Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 168 of 292 abstracts published • 25/40 abstracts presented at the 1998 meeting, 29/53 at the 1999 meeting, 30/49 at the 2000 meeting, and 33/61 at the 2001 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 21.7 months (SD = 14.7) ◦ Mean time to publication = 21 months for 1998 American Association of Hip and Knee Surgeons meeting ◦ Mean time to publication = 22 months for 1999 American Association of Hip and Knee Surgeons meeting ◦ Mean time to publication = 22 months for 2000 American Association of Hip and Knee Surgeons meeting ◦ Mean time to publication = 16 months for 2001 American Association of Hip and Knee Surgeons meeting

Full publication of results initially presented in abstracts (Review)

Lloyd 2006 (Continued)

- Cumulative proportion of abstracts published at 72 months showed proportion published = 57.2% (167/292 abstracts)
- No factors other than meeting year related to proportion of abstracts published reported

Notes

- Orthopedics/orthopedic surgery - hip and knee surgery
- Reported receiving no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted as oral presentations.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	No	Matched by only 1 criterion.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Loevy 1997

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLARS to December 1994 ◦ Search completed by investigator ◦ Search criteria not reported ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Title ■ Results
Data	<ul style="list-style-type: none"> • Included 189 abstracts presented at the 1989 and 1990 American Academy of Pediatric Dentistry meetings • Included all abstracts by American Academy of Pediatric Dentistry members
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Cumulative proportion of abstracts published • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 87 of 189 abstracts published • 51/106 abstracts presented at the 1989 meeting, and 36/83 at the 1990 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Cumulative proportion of abstracts published at 24 months showed proportion published = 26.5% (50/189 abstracts) • Reported proportion of abstracts published by subspecialty
Notes	<ul style="list-style-type: none"> • Oral health - pediatric dentistry • Funding not reported

Risk of bias

Loevy 1997 (Continued)

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year by subspecialty with publication using stratified analysis.

Macdonald 2012

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE and PubMed; dates of search not reported Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Title Methodology Conclusions
Data	<ul style="list-style-type: none"> Included 862 abstracts presented at the 1999 to 2008 British Association of Paediatric Surgeons meetings Included all abstracts presented orally except those from the 2009 joint congress with the European Paediatric Surgeons Association
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 302 of 862 abstracts published Proportion of abstracts published by time not reported No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Surgery - pediatrics Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally with reasonable exception.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	Yes	Matched by 4 different criteria.

Full publication of results initially presented in abstracts (Review)

Macmillan 2007

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE to December 2005 Person completing the search not reported Searched by first, and last author, and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 404 abstracts presented at the 2001 and 2002 British Association of Emergency Medicine and Faculty of Accident and Emergency Medicine meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> 124 of 404 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 83/145 abstracts presented orally versus 41/259 abstracts presented as posters published
Notes	<ul style="list-style-type: none"> Emergency medicine Reported receiving no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The 2001 meeting had 48 months follow-up, the 2002 meeting only had 36 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type presentation with publication using stratified analysis.

Maguire 2014

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to March 2013 Person completing the search not reported Search criteria not reported Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 577 abstracts presented at the 2004 to 2010 Reproductive Health Annual meetings Included all abstracts

Maguire 2014 (Continued)

Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication
Outcomes	<ul style="list-style-type: none"> 335 of 577 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 18.5 months (range = -6 to 78 months) No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Human reproduction and development - reproductive medicine Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings except the 2010 meeting had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Maleck 1998a

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE and MEDLINE PLUS from 1993 to 1996 Search completed by investigator Searched by all authors and title Matched abstract to full-length publication by <ul style="list-style-type: none"> Title Contents
Data	<ul style="list-style-type: none"> Included 98 abstracts presented at the 1993 and 1994 Prehospital Care Research Forum meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> 10 of 98 abstracts published 5/64 abstracts presented at the 1993 meeting, and 5/34 at the 1994 meeting published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 4/16 abstracts presented orally versus 3/34 abstracts presented as poster published
Notes	<ul style="list-style-type: none"> Emergency medicine - pre hospital care Funding not reported Data extracted from abstract

Risk of bias

Full publication of results initially presented in abstracts (Review)

Maleck 1998a (Continued)

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	No	All meetings had less than 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year by type presentation with publication using stratified analysis.

Maleck 1998b

Methods	Identification of subsequent full-length publications
	<ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE from 1994 to June 1998 and PubMed from May 1993 to June 1998 Search completed by investigator Searched by all authors and title Matched abstract to full-length publication by <ul style="list-style-type: none"> Title Contents
Data	<ul style="list-style-type: none"> Included 109 abstracts presented at the 1994 Pan-European Conference on Emergency Medical Systems meeting Included all abstracts published in conference book
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 11 of 109 abstracts published Proportion of abstracts published by time not reported No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Emergency medicine Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria

Malicki 2014

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Web of Science, and Peer Review and Biomedical Publication website through August 20, 2013 Search completed by the investigators Searched by all authors Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 504 abstracts presented at the 1989, 1993, 1997, 2001, 2005, and 2009 International Congress on Peer Review and Biomedical Publication meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Median time to publication RCT design versus observational design versus other intervention design versus opinion piece
Outcomes	<ul style="list-style-type: none"> 305 of 504 abstracts published 34/45 abstracts presented at the 1989 meeting, 41/56 at the 1993 meeting, 50/93 at the 1997 meeting, 58/106 at the 2001 meeting, 63/93 at the 2005 meeting, and 59/111 at the 2009 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 14 months (95% CI = 12 to 16 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 22/27 abstracts with RCT design versus 239/383 abstracts with observational design versus 25/52 abstracts with other intervention design versus 19/40 abstracts describing an opinion piece published
Notes	<ul style="list-style-type: none"> Medical education/library science - peer review and biomedical publication Funded by the Esteve Foundation Data abstracted from letter

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year and study design with publication using stratified analysis and Chi ² tests.

Manuck 2015

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed during 2014 and 2015 Search completed by the investigators Search criteria not reported
---------	---

Manuck 2015 (Continued)

	<ul style="list-style-type: none"> o Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Title ■ Methodology ■ Results ■ First author of abstract
Data	<ul style="list-style-type: none"> • Included 3281 abstracts presented at the 2003 to 2010 Society for Maternal-Fetal Medicine meetings • Included all oral abstracts for all meetings and poster abstracts only for meetings in 2003, 2005, 2007, and 2009
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication, overall and by type of presentation • Cumulative proportion of abstracts published, overall and by type of presentation • Oral versus poster presentation • Plenary oral versus fellow plenary oral versus other oral presentation • Award winning versus not award winning • First author affiliation with US versus non-US
Outcomes	<ul style="list-style-type: none"> • 1780 of 3281 abstracts published • 365/656 abstracts presented at the 2003 meeting, 55/68 at the 2004 meeting, 407/684 at the 2005 meeting, 64/85 at the 2006 meeting, 389/792 at the 2007 meeting, 59/82 at the 2008 meeting, 379/828 at the 2009 meeting, and 58/86 at the 2010 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> o Median time to publication = 19 months (IQR = 9 to 36 months), overall o Median time to publication = 11 months (IQR = 9 to 24 months) for abstracts presented orally o Median time to publication = 21 months (IQR = 11 to 40 months) for abstracts presented as posters o Cumulative proportion of abstracts published at 120 months showed proportion published = 54.2% (1779/3281 abstracts), overall o Cumulative proportion of abstracts published at 120 months showed proportion published = 76.9% (484/629 abstracts) for abstracts presented orally o Cumulative proportion of abstracts published at 120 months showed proportion published = 48.8% (1295/2652 abstracts) for abstracts presented as posters • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> o 485/629 abstracts presented orally versus 1295/2652 abstracts presented as poster published o 57/63 abstracts presented in oral plenary session versus 51/64 abstracts presented in fellows oral plenary session versus 377/502 abstracts presented in other oral sessions published o 86/104 award winning abstracts versus 1694/3177 non-award winning abstracts published o 528/815 abstracts with non-US first author affiliation versus 1260/2466 abstracts with US first author affiliation published
Notes	<ul style="list-style-type: none"> • Gynecology/obstetrics - maternal-fetal medicine • Funded by the Eunice Kennedy Shriver National Institute of Child Health and Human Development and National Center for Advancing Translational Sciences/ National Institutes of Health, Center for Clinical and Translational Sciences

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted for presentation and all poster presentations for pre-specified years.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 5 years follow-up.

Full publication of results initially presented in abstracts (Review)

Manuck 2015 (Continued)

Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	Yes	Examined association of meeting year, type of presentation, type of oral presentation, award winning status, and US first author with publication using multivariable regression analyses.

Martinez 2008

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Google/Google Scholar, and LILACS; dates of search not reported Person completing the search not reported Searched by all authors, keywords, and titles Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 388 abstracts presented at the 1997, 1999, 2001, 2003, and 2005 Confederación Unificada Bioquímica de la República Argentina meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication Survival analysis of publication rate by meeting Multi-centered versus single center Academic center versus hospitals versus collaborative group versus other institution Subspecialty
Outcomes	<ul style="list-style-type: none"> 42 of 388 abstracts published 11/77 abstracts presented at the 1997 meeting, 11/72 at the 1999 meeting, 6/59 at the 2001 meeting, 10/75 at the 2003 meeting, and 4/105 at the 2005 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 24 months (SD = 12; maximum = 48 months) Survival analysis of proportion published at 120 months = 14.3% for 1997 Confederación Unificada Bioquímica de la República Argentina meeting Survival analysis of proportion published at 96 months = 18.1% for 1999 Confederación Unificada Bioquímica de la República Argentina meeting Survival analysis of proportion published at 72 months = 10.2% for 2001 Confederación Unificada Bioquímica de la República Argentina meeting Survival analysis of proportion published at 48 months = 14.7% for 2003 Confederación Unificada Bioquímica de la República Argentina meeting Survival analysis of proportion published at 24 months = 4.8% for 2005 Confederación Unificada Bioquímica de la República Argentina meeting Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 17/92 abstracts with multiple centers versus 25/196 abstracts with a single center published 13/133 abstracts originating in an academic center versus 4/105 abstracts originating from hospitals versus 17/92 abstracts originating within collaborative groups versus 8/58 abstracts originating from other institutions published
Notes	<ul style="list-style-type: none"> Other non-clinical science - biochemistry Funding not reported

Risk of bias

Martinez 2008 (Continued)

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, multi-center status, academic affiliation and subspecialty with publication using stratified analysis and time to publication using survival analysis.

Marx 1999

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE from 1993 to 1997 Search completed by investigator Searched by 'senior' author Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Keywords
Data	<ul style="list-style-type: none"> Included 527 abstracts presented at the 1993 American Society of Neuroradiologists and Radiological Society of North America meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication Cumulative proportion of abstracts published Sample size equal to or above the mean versus sample size below the mean Clinical research versus basic science research Subspecialty
Outcomes	<ul style="list-style-type: none"> 194 of 527 abstracts published 8/25 abstracts presented at the Radiological Society of North America meeting, and 186/502 presented at the American Society of Neuroradiologists meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 15 months Cumulative proportion of abstracts published at 45 months showed proportion published = 35.9% (189/527 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> Proportions of abstracts published with sample size above and below the mean by meeting but did not report actual numbers of abstracts Proportions of abstracts published describing clinical research versus basic science by meeting but did not report actual numbers of abstracts
Notes	<ul style="list-style-type: none"> Radiology - neuroradiology Funding not reported

Marx 1999 (Continued)

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting, sample size, type science, prospective status, and subspecialty with publication using stratified analysis and Chi ² tests.

Maxwell 1981

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLARS to March 1981 Person completing the search not reported Searched by first and second author Matching criteria not reported Contacted abstract authors directly Contacted editor of major nursing journals Handsearched <i>Index to International Nursing Literature</i>
Data	<ul style="list-style-type: none"> Included 65 abstracts presented at the 1977 and 1978 Oncology Nursing Society meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Median time to publication
Outcomes	<ul style="list-style-type: none"> 28 of 65 abstracts published 13/23 abstracts presented at the 1977 meeting, and 15/42 at the 1978 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 11.5 months (range = 1 to 30 months) No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Nursing - oncology nursing Funding not reported Authors presented work for an additional 106 abstracts from 1979 and 1981 meetings, but followed for < 2 years and not included here

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 1 database, and contacted abstract authors, editors, and performed handsearches.

Full publication of results initially presented in abstracts (Review)

Maxwell 1981 (Continued)

Follow-up time?	Yes	The 1977 meeting had 48 months follow-up. The 1978 meeting only had 36 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

McCormick 1985

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched database <ul style="list-style-type: none"> Index Medicus to June 1983 Person completing the search not reported Search criteria not reported Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 1238 abstracts submitted to the 1976 to 1980 Ambulatory Pediatric Association and Society for Pediatric Research in American Pediatric Society meetings, 355 accepted for presentation and 883 rejected Included random sample of abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication by meeting, year, and acceptance for presentation to the meeting Cumulative proportion of abstracts published by meeting and year Accepted versus rejected for conference presentation
Outcomes	<ul style="list-style-type: none"> 330 of 1238 of submitted abstracts published 49/371 abstracts presented at the 1976 to 1978 Ambulatory Pediatric Association meetings, 48/347 at the 1976 to 1978 Society for Pediatric Research in American Pediatric Society meetings, 40/194 at the 1979 to 1980 Ambulatory Pediatric Association meetings, and 35/326 at the 1979 to 1980 Society for Pediatric Research in American Pediatric Society meetings published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 20 months for abstracts accepted for presentation at the 1976 to 1978 Ambulatory Pediatric Association meeting Mean time to publication = 12.9 months for abstracts accepted for presentation at the 1979 to 1980 Ambulatory Pediatric Association meeting Mean time to publication = 23.1 months for abstracts accepted for presentation at the 1976 to 1978 Society for Pediatric Research Society meeting Mean time to publication = 16.7 months for abstracts accepted for presentation at the 1979 to 1980 Society for Pediatric Research Society meeting Cumulative proportion of abstracts published at 36 months showed proportion published = 47.0% (47/100 abstracts) for abstracts accepted for presentation at the 1976 to 1978 Ambulatory Pediatric Association meeting Cumulative proportion of abstracts published at 36 months showed proportion published = 45.3% (39/86 abstracts) for abstracts accepted for presentation at the 1979 to 1980 Ambulatory Pediatric Association meeting Cumulative proportion of abstracts published at 28 months showed proportion published = 47.2% (42/89 abstracts) for abstracts accepted for presentation at the 1976 to 1978 Society for Pediatric Research Society meeting Cumulative proportion of abstracts published at 30 months showed proportion published = 42.5% (34/80 abstracts) for abstracts accepted for presentation at the 1979 to 1980 Society for Pediatric Research Society meeting

McCormick 1985 (Continued)

- Factors related to proportion of abstracts published included
 - 172/355 abstracts accepted for presentation versus 158/883 rejected abstracts published

Notes

- Pediatrics
- Funding in part by the Ambulatory Pediatric Association and Andrew W. Mellon Foundation

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random selection of abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 1983 had at least 48 months follow-up. The meeting in 1983 only had 36 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year by acceptance for presentation with publication using stratified analysis and Chi ² , Wilcoxon rank-sum, or Kruskal-Wallis tests.

McCue 2005

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed; date of search not reported ◦ Person completing the search not reported ◦ Searched by all authors, keywords, and title ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 672 abstracts presented at the 1997 to 2000 American Society of Colon and Rectal Surgeons meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication • Oral versus poster presentation • US versus UK versus Korea versus elsewhere origin
Outcomes	<ul style="list-style-type: none"> • 400 of 672 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 18.4 months • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 228/321 abstracts presented orally versus 172/351 abstracts presented as posters published ◦ 208/365 abstracts originating in the US versus 54/102 abstracts originating in the UK versus 7/21 abstracts originating in Korea versus 131/184 abstracts originating elsewhere published
Notes	<ul style="list-style-type: none"> • Surgery - colon and rectal surgery • Funding not reported • Data extracted from abstract

McCue 2005 (Continued)

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type presentation and US origin with publication using stratified analysis.

McKelvey 2010

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, International Pharmaceutical Abstracts to March 2008 Search completed by investigator Searched by all authors, keywords, and relevant MeSH term, if available Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Project objective
Data	<ul style="list-style-type: none"> Included 272 abstracts presented at the 1981, 1991, and 2001 Southeastern Residency Conference meetings Included only abstracts of pharmacy resident projects
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Median time to publication overall and by meeting RCT versus CCT versus observational study versus case report versus topic review design Physician co-author versus not Reporting results versus not
Outcomes	<ul style="list-style-type: none"> 43 of 272 abstracts published 18/90 abstracts presented at the 1981 meeting, 11/70 at the 1991 meeting, and 14/112 at the 2001 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 22.8 months (maximum = 60.9 months) Median time to publication = 22 months (IQR = 13 to 25 months) for 1981 Southeastern Residency Conference meeting Median time to publication = 33 months (IQR = 22 to 39 months) for 1991 Southeastern Residency Conference meeting Median time to publication = 24 months (IQR = 20 to 28 months) for 2001 Southeastern Residency Conference meeting Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 12/48 abstracts with RCT design versus 9/71 abstracts with CCT design versus 15/78 abstracts with observational study design versus 6/30 abstracts with case report design versus 1/45 abstracts of topic review published 13/52 abstracts with a physician co-author listed versus 30/220 abstracts without a physician co-author or not reported published

McKelvey 2010 (Continued)

- 18/67 abstracts reporting results versus 25/205 abstracts not reporting results published

Notes	<ul style="list-style-type: none">• Pharmacology - residents• Funding not reported	
<i>Risk of bias</i>		
Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had at least 7 years follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, study design, physician co-author, and report of results in abstract with publication using stratified analysis. Stated that numbers were too small to perform statistical testing.

McKinley 2010

Methods
 Identification of subsequent full-length publications

- Searched electronic database
 - PubMed to November 2009
 - Person completing the search not reported
 - Searched by all authors and keywords
 - Matched abstract to full-length publication by
 - All authors
 - Title

Data

- Included 115 abstracts presented at the 2000, 2003, and 2006 American Contact Dermatitis Society meetings
- Included all abstracts

Comparisons

- Proportion of abstracts published
- Mean time to publication
- Cumulative proportion of abstracts published

Outcomes

- 64 of 115 abstracts published
- Proportion of abstracts published by time
 - Mean time to publication = 21.6 months (range = 3 to 72 months)
 - Cumulative proportion of abstracts published at 66 months showed proportion published = 42.6% (49/115 abstracts)
- No factors related to proportion of abstracts published reported

Notes

- Dermatology
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
------	--------------------	-------------

Full publication of results initially presented in abstracts (Review)

McKinley 2010 (Continued)

Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 2006 had at least 48 months follow-up. The meeting in 2006 only had 36 months follow-up.
Matching?	Yes	Matched by 2 different criteria.

McLennan 2008

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE; date of search not reported Person completing the search not reported Searched by all authors, keywords, and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 92 abstracts presented at the 2002 to 2004 American Urogynecological Society meetings Included all abstracts accepted for oral presentation
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Industry funding versus no industry funding
Outcomes	<ul style="list-style-type: none"> 68 of 92 abstracts published 18/23 abstracts presented at the 2002 meeting, 25/39 at the 2003 meeting, and 25/30 at the 2004 meeting published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 7/11 abstracts with industry funding versus 61/81 abstracts without industry funding published
Notes	<ul style="list-style-type: none"> Gynecology/obstetrics - urogynecology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted for oral presentation.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year and funding status with publication using stratified analysis and Chi ² tests.

Meininger 2011

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE; date of search not reported, but reported five year follow-up Search completed by investigator Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> Methodology Results
Data	<ul style="list-style-type: none"> Included 2207 abstracts presented at the 2000 and 2005 German Congress of Anesthesia and European Congress of Anesthesia meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Cumulative proportion of abstracts published by meeting
Outcomes	<ul style="list-style-type: none"> 813 of 2207 abstracts published 218/644 abstracts presented at the 2000 European Congress of Anesthesia meeting, 183/465 at the 2000 German Congress of Anesthesia meeting, 233/720 at the 2005 European Congress of Anesthesia meeting, and 179/378 at the 2005 German Congress of Anesthesia meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 24 months showed proportion published = 28.6% (184/644 abstracts) for 2000 European Congress of Anesthesia Cumulative proportion of abstracts published at 24 months showed proportion published = 32.0% (149/465 abstracts) for 2000 German Congress of Anesthesia Cumulative proportion of abstracts published at 24 months showed proportion published = 24.9% (179/720 abstracts) for 2005 European Congress of Anesthesia Cumulative proportion of abstracts published at 24 months showed proportion published = 35.7% (135/378 abstracts) for 2005 German Congress of Anesthesia No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Anesthesiology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meetings had Quote: "a five year follow-up."
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Meissner 2014

Methods	Identification of subsequent full-length publications
---------	---

Full publication of results initially presented in abstracts (Review)

Meissner 2014 (Continued)

- Searched electronic database
 - PubMed between June 10 and July 4, 2013
 - Person completing the search not reported
 - Searched by all authors, keywords, and title
 - Matched abstract to full-length publication by
 - One author
 - Hypothesis
 - Conclusion

Data	<ul style="list-style-type: none"> • Included 172 abstracts presented at the 2007 and 2010 Canadian Association of Radiation Oncology meetings • Included all abstracts presented orally
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean and median time to publication • Cumulative proportion of abstracts published by meeting • Clinical research versus basic science research versus technical research versus other research • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 88 of 172 abstracts published • 50/102 abstracts presented at the 2007 meeting, and 38/70 at the 2010 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 18.5 months ◦ Median time to publication = 16.5 months (range = -10 to 54 months) ◦ Cumulative proportion of abstracts published at 26 months showed proportion published = 38.4% (66/172 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 55/91 abstracts describing clinical research versus 5/9 abstracts describing basic science research versus 23/57 abstracts describing technical research versus 5/15 abstracts describing other types of research published
Notes	<ul style="list-style-type: none"> • Oncology - radiation oncology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	The follow-up for both meetings was limited to 36 months.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, type science, and subspecialty with publication using stratified analysis and Chi ² or t tests.

Menditto 2015

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database
---------	--

Menditto 2015 (Continued)

	<ul style="list-style-type: none"> ○ MEDLINE from January 2008 to December 2012 ○ Person completing the search not reported ○ Searched by all authors and keywords ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 298 abstracts presented at the 2008 Italian Emergency Medicine meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Oral versus poster presentation • Clinical versus basic science research • RCT design versus observational design versus case report design versus narrative study • Multi-centered versus single center • 'Good' quality versus not 'good' quality • Italian language versus not Italian language • Sample size >100 versus ≤ 100 • ≥ 1 academic author versus no academic author
Outcomes	<ul style="list-style-type: none"> • 43 of 298 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 26/112 abstracts presented orally versus 17/186 abstracts presented as poster published ○ 34/280 abstracts describing clinical research versus 9/18 abstracts describing basic science research published ○ 5/8 abstracts describing RCTs versus 26/91 abstracts describing an observational design versus 3/78 abstracts describing a case report design versus 0/103 abstracts describing a narrative study published ○ 4/21 abstracts with multiple centers versus 39/277 abstracts with a single center published ○ 22/46 'good' quality abstracts versus 12/131 not 'good' quality abstracts published ○ 30/270 abstracts in Italian language versus 13/28 abstracts in another language published ○ 27/86 abstracts with a sample size >100 versus 16/212 abstracts with a sample size ≤100 published ○ 20/88 abstracts with ≥1 academic author versus 23/210 abstracts with no academic author published
Notes	<ul style="list-style-type: none"> • Emergency medicine • Funding not reported • Data abstracted from letter to the editor

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type of presentation, type science, study design, multi-center status, abstract quality, Italian language, sample size, and academic affiliation with publication using stratified analysis and univariate logistic regression.

Meral 2016

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed until May 18, 2015 ◦ Person completing the search not reported ◦ Searched by all authors and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Sample size ■ Methodology ■ Results ■ Hypothesis
Data	<ul style="list-style-type: none"> • Included 1368 abstracts presented at the 2008 to 2011 European Society for Surgical Research meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication, overall, by meeting and type of presentation • Oral versus poster presentation • Clinical versus experimental research • Case report design versus review versus clinical study versus experimental study • European versus Japanese versus rest of the world origin • Very high versus high versus medium/low level of country development • Prospective versus retrospective design
Outcomes	<ul style="list-style-type: none"> • 559 of 1368 abstracts published • 146/341 abstracts presented at the 2008 meeting, 156/304 at the 2009 meeting, 155/476 at the 2010 meeting, and 102/247 at the 2011 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 17.5 months (range = -166 to 82 months), overall ◦ Mean time to publication = 23.2 months (range = -59 to 82 months), for the 2008 meeting ◦ Mean time to publication = 16.1 months (range = -60 to 67 months), for the 2009 meeting ◦ Mean time to publication = 15.3 months (range = -89 to 55 months), for the 2010 meeting ◦ Mean time to publication = 14.8 months (range = -166 to 46 months), for the 2011 meeting ◦ Mean time to publication = 19.1 months (SD = 20.7), for oral presentations ◦ Mean time to publication = 14.0 months (SD = 25.2), for poster presentations • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 391/803 abstracts presented orally versus 168/565 abstracts presented as poster published ◦ 252/737 abstracts describing clinical research versus 279/514 abstracts describing 'experimental' research published ◦ 17/87 abstracts with case report design versus 11/29 abstracts describing a review versus 252/737 abstracts describing clinical studies versus 279/514 abstracts describing 'experimental' studies published ◦ 417/1051 abstracts originating from Europe versus 33/98 abstracts originating from Japan versus 109/219 abstracts with rest of the world origin published ◦ 496/1115 abstracts originating from country with very high development level versus 53/230 abstracts originating from country with high development level versus 10/20 abstracts originating from country with medium/low development level published ◦ 436/939 abstracts describing a prospective design versus 123/429 abstracts describing a retrospective design published
Notes	<ul style="list-style-type: none"> • Surgery

Meral 2016 (Continued)

- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, type presentation, type science, study design, country of origin, economic status of country of origin, and prospective status with publication using stratified analysis and Chi ² , Fisher's Exact test, t tests, or ANOVA.

Meranze 1982

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLARS for 27 months ◦ Search completed by investigator ◦ Searched by all authors ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Title ■ Results ■ Dates of study
Data	<ul style="list-style-type: none"> • Included 379 abstracts presented at the 1978 American Society of Anesthesiologists and 1979 International Anesthesia Research Society meetings; also reported on 1980 International Anesthesia Research Society meeting, but follow-up < 24 months so not included • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication by meeting • Cumulative proportion of abstracts published by meeting
Outcomes	<ul style="list-style-type: none"> • 122 of 379 abstracts published • 98/324 abstracts presented at the 1978 meeting, 24/55 at the 1979 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 8.2 months for 1979 and 1980 International Anesthesia Research Society meeting, but includes abstracts with < 24 months follow-up ◦ Mean time to publication = 12.5 months for 1978 American Society of Anesthesiologists meeting ◦ Cumulative proportion of abstracts published at 24 months showed proportion published = 43.6% (24/55 abstracts) for 1979 International Anesthesia Research Society meeting ◦ Cumulative proportion of abstracts published at 27 months showed proportion published = 30.9% (100/324 abstracts) for 1978 American Society of Anesthesiologists meeting • No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Anesthesiology

Full publication of results initially presented in abstracts (Review)

Meranze 1982 (Continued)

- Funding not reported
- Did not include 62 abstracts from 1980 International Anesthesia Research Society meeting since less than two years of follow-up

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	The meetings only had 27 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis

Micieli 2012

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed in July 2011 ◦ Person completing the search not reported ◦ Searched by all authors, keywords, and title ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 508 abstracts presented at the 2005 to 2008 Canadian Ophthalmological Society meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication • Cumulative proportion of abstracts published • 2 or fewer authors versus more than 2 authors • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 158 of 508 abstracts published • 43/116 abstracts presented at 2005 meeting, 43/111 at the 2006 meeting, 33/134 at the 2007 meeting, and 39/147 at the 2008 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 15 months (IQR = 8 to 24 months) ◦ Survival analysis of abstracts published at 72 months = 34.1% • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 2 or fewer authors = OR 0.35 (95% CI = 0.22 to 0.55)
Notes	<ul style="list-style-type: none"> • Ophthalmology/optometry - ophthalmology • Funding not reported • Data abstracted from letter to the editor

Risk of bias

Micieli 2012 (Continued)

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings except the meeting in 2008 had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of meeting year, study design, presence of data in abstract, number of author and subspecialty with publication using multivariable logistic regression analyses.

Miguel-Dasit 2006a

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed from January 1994 to December 2004, Index Medicus Espanol in 2004 Person completing the search not reported Searched by all authors and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 2992 abstracts presented at the 1994, 1996, and 1998 Spanish Congress of Radiology meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication overall and by meeting Cumulative proportion of abstracts published by meeting Oral versus poster presentation Multi-centered versus single center
Outcomes	<ul style="list-style-type: none"> 464 of 2992 abstracts published 165/987 abstracts presented at the 1994 meeting, 158/1022 at the 1996 meeting, and 141/983 at the 1998 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 32 months (SD = 16, range = 12 to 108 months) Mean time to publication = 35 months (SD = 16, range = 12 to 108 months) for 1994 Spanish Congress of Radiology meeting Mean time to publication = 31 months (SD = 17, range = 12 to 96 months) for 1996 Spanish Congress of Radiology meeting Mean time to publication = 30 months (SD = 14, range = 12 to 72 months) for 1998 Spanish Congress of Radiology meeting Cumulative proportion of abstracts published at 60 months showed proportion published = 16.7% (165/987 abstracts) for 1994 Spanish Congress of Radiology meeting Cumulative proportion of abstracts published at 60 months showed proportion published = 15.5% (158/1022 abstracts) for 1996 Spanish Congress of Radiology meeting Cumulative proportion of abstracts published at 60 months showed proportion published = 14.3% (141/983 abstracts) for 1998 Spanish Congress of Radiology meeting Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 260/1409 abstracts presented orally versus 204/1583 abstracts presented as poster published

Miguel-Dasit 2006a (Continued)

- 58/216 abstracts with multiple centers versus 324/2112 abstracts with a single center published

Notes	<ul style="list-style-type: none">• Radiology• Funding not reported	
<i>Risk of bias</i>		
Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had at least 6 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, type of presentation, and multi-center status with publication using stratified analysis and Chi ² tests.

Miguel-Dasit 2006b

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed to December 2004 ○ Search completed by investigator ○ Searched by all authors and keywords ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 1020 abstracts presented at the 2000 European Congress of Radiology meeting • Included abstracts accepted for oral presentation
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Cumulative proportion of abstracts published • North American versus European versus rest of the world origin • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 479 of 1020 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Cumulative proportion of abstracts published at 57 months showed proportion published = 47.0% (479/1020 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 16/21 abstracts originating from North America versus 354/825 abstracts from Europe versus 59/174 abstracts from rest of the world published
Notes	<ul style="list-style-type: none"> • Radiology • Funding not reported

Risk of bias		
Item	Authors' judgement	Description
Sampling method?	Yes	Included abstracts accepted for oral presentation.

Full publication of results initially presented in abstracts (Review)

Miguel-Dasit 2006b (Continued)

Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, country of origin, and subspecialty with publication using stratified analysis and Chi ² Fisher's Exact or Kruskal Wallis tests.

Miguel-Dasit 2007

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to December 2005 Person completing the search not reported Searched by all authors and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 991 abstracts presented at the 2001 European Congress of Radiology meeting Included all abstracts accepted as oral presentations except 15 withdrawn abstracts and 10 published prior to meeting
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Cumulative proportion of abstracts published North American versus European versus rest of the world origin Subspecialty
Outcomes	<ul style="list-style-type: none"> 449 of 991 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 57 months showed proportion published = 45.3% (449/991 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 13/18 abstracts originating from North America versus 419/879 abstracts from Europe versus 17/94 abstracts from rest of the world published
Notes	<ul style="list-style-type: none"> Radiology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted as oral presentations with reasonable exceptions, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Full publication of results initially presented in abstracts (Review)

Miguel-Dasit 2007 (Continued)

Adjustment for confounding?	No	Examined association of country of origin, and subspecialty with publication using stratified analysis and Chi ² or Fisher's Exact tests.
-----------------------------	----	--

Mihok 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed and Google/Google Scholar; dates of search not reported Person completing the search not reported Searched by first and last author, and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors
Data	<ul style="list-style-type: none"> Included 602 abstracts presented at 2000 to 2009 British Association for Surgery of the Knee meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication
Outcomes	<ul style="list-style-type: none"> 200 of 602 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 23 months (range = 0 to 129 months) No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery - knee surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	No	Matched by only one criterion.
Adjustment for confounding?	Unclear	.

Miller 2015

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> CINAHL, MEDLINE, Web of Science, SCOPUS, and Informit; dates of search not reported Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by
---------	--

Full publication of results initially presented in abstracts (Review)

Miller 2015 (Continued)

■ Contents

- Contacted abstract author directly

Data	<ul style="list-style-type: none"> • Included 648 abstracts presented at 2006 to 2009 Dietetic Association of Australia meetings • Included all abstracts except those of plenaries and invited speakers
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Oral versus poster presentation • Clinical research versus community/public health research versus food service/supply/industry domain versus workforce domain versus teaching domain • Observational design versus experimental design versus review versus qualitative design versus descriptive design versus audit versus other design • ≥ 1 author with academic affiliation versus no author with an academic affiliation • Australian versus rest of the world origin • Practice domain
Outcomes	<ul style="list-style-type: none"> • 165 of 648 abstracts published • 43/151 abstracts presented at the 2006 meeting, 41/167 at the 2007 meeting, 50/160 at the 2008 meeting, and 31/170 at the 2009 meeting published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 94/275 abstracts presented orally versus 71/373 abstracts presented as poster published ◦ 75/264 abstracts describing clinical research versus 60/228 abstracts describing the community/public health domain versus 16/59 abstracts describing the food service/supply/industry domain versus 11/66 abstracts describing the workforce domain versus 3/31 abstracts describing the teaching domain published ◦ 96/262 abstracts with observational design versus 30/122 abstracts with experimental design versus 5/26 abstracts describing a review versus 15/60 abstracts describing a qualitative design versus 3/27 abstracts describing an audit versus 16/151 abstracts describing another design published ◦ 80/164 abstracts with at least one author with an academic affiliation versus 84/164 abstracts with no authors with an academic affiliation published ◦ 155/619 abstracts originating from Australia versus 10/29 abstracts originating from rest of the world published
Notes	<ul style="list-style-type: none"> • Endocrinology/nutrition • Reported receiving no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 5 databases and contacted abstract authors.
Follow-up time?	Unclear	Date of search not reported.
Matching?	No	Matched by only one criterion.
Adjustment for confounding?	No	Examined association of meeting year, type presentation, type science, study design, academic affiliation, author status, Australian origin, Australian state origin, and practice domain with publication using logistic regression analysis.

Mily 2008

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed from January 2001 to December 2005 ◦ Person completing the search not reported ◦ Search criteria not reported ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 128 abstracts presented at 2002 and 2003 European Society of Hypertension meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • 'Positive' versus not 'positive' • Sample size more than 500 versus between 50 and 500 versus less than 50 • Oral versus poster presentation • International versus European Union country versus non-European Union country versus non-European country • 'Treatment concealed' versus no 'treatment concealed' published • RCT design versus non-RCT design
Outcomes	<ul style="list-style-type: none"> • 34 of 128 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 25/93 'positive' (not defined) versus 9/35 not 'positive' abstract results published ◦ 5/19 abstracts with sample size greater than 500 versus 16/47 abstracts with sample size between 50 and 500 versus 13/62 abstracts with sample size below 50 published ◦ 6/15 abstracts presented orally versus 28/115 abstracts presented as poster published ◦ 15/28 abstracts with an international origin versus 13/57 abstracts originating from a single European Union country versus 2/18 abstracts originating from a single non-European Union country versus 4/25 abstracts originating from outside Europe published ◦ 17/43 abstracts with 'treatment concealed' versus 14/71 abstracts without 'treatment concealed' published ◦ 24/65 abstracts with RCT design versus 10/52 abstracts with non-RCT design published
Notes	<ul style="list-style-type: none"> • General medicine/primary care - hypertension • Funding not reported • Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	All meetings had less than 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of positive results, sample size, type presentation, European origin, study design, and 'treatment concealment' with publication using stratified analysis and unspecified. statistical tests.

Mittal 2011

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Google/Google Scholar, and IndMed to January 2011 Person completing the search not reported Searched by all authors and keywords Matching criteria not reported Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 75 abstracts presented at the 1995 to 2007 Indian Academy of Pediatrics meetings Included abstracts of 'award winning' presentations
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Cumulative proportion of abstracts published Presented by women versus men 'Descriptive' versus 'experimental' design Academic center versus non-academic center affiliation
Outcomes	<ul style="list-style-type: none"> 28 of 75 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 23.4 months (SD = 11.8; range = 2 to 77 months) Proportion of abstracts published at 24 months = 26.7% (20/75 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 13/28 abstracts presented by women versus 15/47 abstracts presented by men published 20/62 abstracts with 'descriptive' design versus 8/13 abstracts with 'experimental' design published 26/54 abstracts originating in an academic center versus 2/21 abstracts not originating in an academic center published
Notes	<ul style="list-style-type: none"> Pediatrics Reported receiving no funding Data extracted from letter

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	Yes	Searched 3 databases and contacted abstract authors.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of author gender, type science, academic affiliation, Indian region, and award category with publication using stratified analysis and unspecified statistical tests.

Moar 2013

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed for a minimum of 2 years Search completed by the investigators Searched by all authors, keywords, and title Matched abstract to full-length publication by <ul style="list-style-type: none"> Title Information/data
Data	<ul style="list-style-type: none"> Included 318 abstracts presented at the 2000 to 2009 Craniofacial Society of Great Britain and Ireland meetings Included all oral presentations except those of invited keynote lectures
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication, overall Median time to publication, overall and by meeting Cumulative proportion of abstracts published Subspecialty
Outcomes	<ul style="list-style-type: none"> 67 of 318 abstracts published 9/24 abstracts presented at the 2000 meeting, 2/28 at the 2001 meeting, 4/32 at the 2002 meeting, 14/38 at the 2003 meeting, 7/34 at the 2004 meeting, 4/36 at the 2005 meeting, 2/31 at the 2006 meeting, 10/33 at the 2007 meeting, 11/40 at the 2008 meeting, and 5/22 at the 2009 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 29 months Median time to publication = 26 months (range = 2 to 110 months), overall Median time to publication = 27 months (range = -2 to 110 months) for 2000 Craniofacial Society of Great Britain and Ireland meeting Median time to publication = 23 months (range = -2 to 48 months) for 2001 Craniofacial Society of Great Britain and Ireland meeting Median time to publication = 68 months (range = 3 to 110 months) for 2002 Craniofacial Society of Great Britain and Ireland meeting Median time to publication = 24 months (range = -1 to 62 months) for 2003 Craniofacial Society of Great Britain and Ireland meeting Median time to publication = 48 months (range = 0 to 59 months) for 2004 Craniofacial Society of Great Britain and Ireland meeting Median time to publication = 24 months (range = 24 to 37 months) for 2005 Craniofacial Society of Great Britain and Ireland meeting Median time to publication = 14 months (range = 0 to 28 months) for 2006 Craniofacial Society of Great Britain and Ireland meeting Median time to publication = 48 months (range = 15 to 59 months) for 2007 Craniofacial Society of Great Britain and Ireland meeting Median time to publication = 35 months (range = 0 to 49 months) for 2008 Craniofacial Society of Great Britain and Ireland meeting Median time to publication = 13 months (range = 0 to 26 months) for 2009 Craniofacial Society of Great Britain and Ireland meeting Proportion of abstracts published at 40 months = 15.8% (50/318 abstracts) No factors other than subspecialty related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Other clinical specialties - craniofacial medicine Funding not reported

Risk of bias

Moar 2013 (Continued)

Item	Authors' judgement	Description
Sampling method?	Yes	Included all oral presentations with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 2008 had at least 48 months follow-up. The meetings in 2008 and 2009 had 36 and 24 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year and subspecialty with publication using stratified analysis.

Montane 2007

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to May 2004 Search completed by investigator Searched by all authors and keywords Matching criteria not reported Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 248 abstracts presented at the 1994, 1996, and 1998 Spanish Society of Clinical Pharmacology meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication Cumulative proportion of abstracts published Oral versus poster presentation Author affiliation Subspecialty
Outcomes	<ul style="list-style-type: none"> 71 of 248 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 18 months (range = 2 to 60 months) Cumulative proportion of abstracts published at 36 months showed proportion published = 23.4% (58/248 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 15/39 abstracts presented orally versus 59/209 abstracts presented as posters published 39.1% of abstracts with at least one author with an academic affiliation versus 32.3% of abstracts with at least one author affiliated with primary health care versus 27.4% of abstracts with at least one author affiliated with a hospital department versus 25.6% of abstracts with at least one author affiliated with a pharmaceutical company published
Notes	<ul style="list-style-type: none"> Pharmacology Funding by Astra-Zeneca Foundation, Spain

Risk of bias

Montane 2007 (Continued)

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 1 database and contacted abstract authors.
Follow-up time?	Yes	All meetings had at least 6 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Unclear	Examined association of type presentation, academic affiliation, Spanish origin, and subspecialty with publication using stratified analysis and time to publication using Cox regression analysis.

Moorthi 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed until June 2010 Person completing the search not reported Searched by first and last author, and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 73 abstracts submitted to the 2005 American Society of Nephrology meeting Included all abstracts of completed randomized controlled trials
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication Industry funding Oral versus poster presentation Multi-centered Statistically significant results European versus North American origin Asian versus North American origin
Outcomes	<ul style="list-style-type: none"> 39 of 73 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 24 months (IQR = 13 to 36 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> Industry funding = OR 2.92 (95% CI = 1.09 to 7.85) Oral versus poster presentation = OR 3.66 (95% CI = 1.29 to 10.39) Multi-centered versus single center = OR 1.71 (95% CI = 0.59 to 5.02) Positive results (defined as statistically significant) results versus not positive = OR 1.59 (95% CI = 0.57 to 4.49) European versus North American origin = OR 0.61 (95% CI = 0.19 to 1.89) Asian versus North American origin = OR 0.18 (95% CI = 0.05 to 0.72)
Notes	<ul style="list-style-type: none"> Nephrology Funding not reported

Risk of bias

Moorthi 2013 (Continued)

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific study design, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 5 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of positive results, type of presentation, country of origin, industry funding, and various aspects of study design with publication using univariate logistic regression analysis.

Morgan 2005

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to December 2004 Person completing the search not reported Searched by all authors and keywords Matching criteria not reported Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 131 abstracts presented at the 2001 British Association of Dermatology meeting Included all abstracts except for those from 'specialty' meetings
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Plenary versus registrar's forum versus clinicopathological cases versus poster presentation
Outcomes	<ul style="list-style-type: none"> 67 of 131 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 18 months Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 18/29 abstracts presented at plenary sessions versus 9/12 abstracts presented at 'registrar's forum' versus 3/11 abstracts that presented clinicopathological cases versus 37/79 abstracts presented as poster published
Notes	<ul style="list-style-type: none"> Dermatology Funding not reported Data extracted from letter

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 1 database and contacted abstract authors.
Follow-up time?	No	The meeting only had 36 months follow-up.

Full publication of results initially presented in abstracts (Review)

Morgan 2005 (Continued)

Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type presentation with publication using stratified analysis.

Morrison 1994

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 72 abstracts by residents of the Department of Obstetrics and Gynecology and presented at various national meetings from 1983 to 1992 • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Clinical research versus basic science research • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 52 of 72 of all abstracts published, but 36 of 61 abstracts with 24 or more months of follow-up published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 32/48 abstracts describing clinical research versus 20/24 abstracts describing basic science research published
Notes	<ul style="list-style-type: none"> • Gynecology/obstetrics • Funding not reported • Authors present work of 11 additional abstracts followed for < 2 years and not included here

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Unclear	Contacted abstract authors, but response rate not reported.
Follow-up time?	Yes	All meetings before 1991 had at least 48 months follow-up. All meetings after and including 1991 had less than 48 months follow-up.
Matching?	Yes	Matched through contact with abstract author.
Adjustment for confounding?	No	Examined association of type science and subspecialty with publication using stratified analysis.

Mowla 2006

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE to January 2006 ◦ Search completed by investigator
---------	---

Full publication of results initially presented in abstracts (Review)

Mowla 2006 (Continued)

	<ul style="list-style-type: none"> ○ Searched by all authors ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ One author ■ One outcome
Data	<ul style="list-style-type: none"> • Included 890 abstracts presented at the 2000 to 2003 Annual Research Meeting of Iranian Medical Sciences Students meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication by type of presentation • Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> • 98 of 890 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 22.3 months for oral presentations ○ Mean time to publication = 29.5 months for poster presentations • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 39/156 abstracts presented orally versus 59/636 abstracts presented as poster published
Notes	<ul style="list-style-type: none"> • General medicine/primary care • Funding not reported • Data extracted from letter

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 2003 had at least 48 months follow-up. The meeting in 2003 only had 36 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	Yes	Examined association of type presentation with publication using stratified analysis and multivariable logistic regression.

Muffly 2014

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed 'for a 2 year period' ○ Person completing the search not reported ○ Searched by last and lead author, and keywords ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 438 abstracts presented at the 2007 to 2008 American Urogynecologic Society meeting • Included all abstracts except videos, those related to tips and tricks, and 7 that could not be identified as either published/unpublished

Muffly 2014 (Continued)

Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication, overall and by type of presentation • Cumulative proportion of abstracts published • Oral versus poster presentation • University affiliation versus not • Retrospective design versus prospective design • Multi-centered versus single center • RCT design versus other study design
Outcomes	<ul style="list-style-type: none"> • 239 of 438 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 15.7 months (SD = 12.1), overall ◦ Mean time to publication = 14 months (SD = 11) for oral presentations ◦ Mean time to publication = 17 months (SD = 13) for poster presentations ◦ Cumulative proportion of abstracts published at 60 months showed proportion published = 55.3% (242/438 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 121/147 abstracts presented orally versus 118/284 abstracts presented as poster published ◦ University affiliation versus not: OR 0.62 (95% CI = 0.38 to 1.03) ◦ Retrospective versus prospective design: OR 1.19 (95% CI = 0.76 to 1.85) ◦ Multiple centers versus single center: OR 0.7 (95% CI = 0.32 to 1.51) ◦ RCT design versus other study design: OR 0.49 (95% CI = 0.17 to 1.42)
Notes	<ul style="list-style-type: none"> • Gynecology/obstetrics - urogynecology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	The meetings only had 24 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of type of presentation, university affiliation, study design, multi-center status, and prospective status with publication using multi-variable logistic regression analyses.

Murrey 1999

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE to December 1997 ◦ Search completed by investigator ◦ Searched by all authors ◦ Matching criteria not reported, but measured interobserver reliability for 2 searchers (95.1%)
---------	---

Murrey 1999 (Continued)

Data	<ul style="list-style-type: none"> • Included 764 abstracts presented at the 1993 American Academy of Orthopedic Surgeons and 1992 and 1993 Society for Surgical Oncology meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Cumulative proportion of abstracts published for one meeting • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 377 of 764 abstracts published • 50/78 abstracts presented at the 1992 meeting, 76/113 at the 1993 Society for Surgical Oncology meeting, and 251/573 at the 1993 American Academy of Orthopedic Surgeons meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Cumulative proportion of abstracts published at 60 months showed proportion published = 43.8% (251/573 abstracts) for 1993 American Academy of Orthopedic Surgeons meeting • No factors other than subspecialty related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Orthopedics/orthopedic surgery • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year and subspecialty with publication using stratified analysis.

Mutlu 2015

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed and Google/Google Scholar to March 2013 ◦ Person completing the search not reported ◦ Searched by first and second author, and title ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Title ■ Results ■ Protocol
Data	<ul style="list-style-type: none"> • Included 214 abstracts presented at the 2005 to 2008 National Congress of Child and Adolescent Psychiatry meetings • Included all abstracts accepted for poster presentation
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication, overall and by meeting • Cumulative proportion of abstracts published

Full publication of results initially presented in abstracts (Review)

Mutlu 2015 (Continued)

	<ul style="list-style-type: none"> Research type versus case type
Outcomes	<ul style="list-style-type: none"> 54 of 214 abstracts published 13/51 abstracts presented at the 2005 meeting, 19/64 at the 2006 meeting, 12/59 at the 2007 meeting, and 10/40 at the 2008 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 30.7 months (SD = 18.9; range = 4 to 74 months), overall Mean time to publication = 35.3 months (SD = 22.6) for 2005 National Congress of Child and Adolescent Psychiatry meeting Mean time to publication = 24.4 months (SD = 16.1) for 2006 National Congress of Child and Adolescent Psychiatry meeting Mean time to publication = 33.8 months (SD = 18.9) for 2007 National Congress of Child and Adolescent Psychiatry meeting Mean time to publication = 33.0 months (SD = 18.2) for 2008 National Congress of Child and Adolescent Psychiatry meeting Cumulative proportion of abstracts published at 60 months showed proportion published = 23.8% (51/214 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 40/141 abstracts with research type versus 14/73 abstracts with case type published
Notes	<ul style="list-style-type: none"> Psychiatry - childhood and adolescents Reported receiving no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted for poster presentation.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had at least 5 years follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of meeting year and study design with publication using stratified analysis and Chi ² or Mann-Whitney U tests.

Nader 2009

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE to January 2007 Person completing the search not reported Searched by all authors and keywords Matching criteria not reported Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 125 abstracts presented at the 1999 to 2001 International Geographic Medicine Congress meetings Included abstracts where author responded to inquiry (125 of 250 randomly selected abstracts)
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published

Nader 2009 (Continued)

- 'Positive' versus not 'positive'
- Sample size less than or equal to 100 versus between 101 and 500 versus > 500
- Oral versus poster presentation
- 'Experimental' design versus 'observational' design
- Multi-centered versus single center
- 'Specified' sponsor versus no 'specified' sponsor

Outcomes	<ul style="list-style-type: none"> • 34 of 125 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 34/96 'positive' (defined as experimental better than control) versus 1/26 not 'positive' abstract results published ◦ 23/81 abstracts with sample size of less than or equal to 100 versus 8/33 abstracts with sample size between 101 and 500 versus 3/11 abstracts with sample size > 500 published ◦ 14/30 abstracts presented orally versus 20/95 abstracts presented as posters published ◦ 19/47 abstracts with 'experimental' design versus 16/78 abstracts with 'observational' design published ◦ 10/18 abstracts with multiple centers versus 27/107 abstracts with a single center published ◦ 25/46 abstracts 'specifying' a financial sponsor versus 10/79 abstracts not 'specifying' a financial sponsor published
Notes	<ul style="list-style-type: none"> • Other clinical specialties - geographic medicine • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	No	Included abstracts only if author responded to inquiry; response rate was 50% (125/250).
Search for publications?	Yes	Searched 1 database and contacted abstract authors.
Follow-up time?	Yes	All meetings had at least 6 years follow-up.
Matching?	Yes	Matched by author contact.
Adjustment for confounding?	Yes	Examined association of positive results, type of presentation, study design, multi-center status, and funding status with publication using multivariable logistic regression analyses.

Nasir 2012

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed and Google/Google Scholar, and African Journal Online until the end of December 2010 ◦ Person completing the search not reported ◦ Searched by all authors and title ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Title ■ Hypothesis ■ Study design
---------	---

Nasir 2012 (Continued)

	<ul style="list-style-type: none"> Personal contacts with authors (meetings, email, telephone)
Data	<ul style="list-style-type: none"> Included 153 abstracts presented at the 2004, and 2006 to 2009 Association of Paediatric Surgeons of Nigeria meetings Included all abstracts presented orally except those accepted but not presented during the meetings
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean and median time to publication Observational design versus case report versus survey versus review versus operative technique Multi-centered versus single center Retrospective versus prospective design Trainees versus consultants Subspecialty
Outcomes	<ul style="list-style-type: none"> 52 of 128 abstracts published 17/30 abstracts presented at the 2004 meeting, 14/26 at the 2006 meeting, 14/40 at the 2007 meeting, and 7/32 at the 2008 meeting Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 23.5 months (range = 12 to 60 months) Median time to publication = 24 months Factors related to proportion of abstracts published included, but all analyses include some abstracts with < 24 months follow-up <ul style="list-style-type: none"> 40/112 abstracts describing an observational design versus 11/35 abstracts describing case reports versus 1/1 abstracts describing surveys versus 0/1 abstracts describing reviews versus 0/4 abstracts describing operative technique published 1/2 abstracts with multiple centers versus 51/151 abstracts with a single center published 32/81 abstracts describing a retrospective design versus 8/31 abstracts describing a prospective design published 11/39 abstracts of trainees versus 41/114 abstracts of consultants published
Notes	<ul style="list-style-type: none"> Surgery - pediatrics Funding not reported Author reported proportion of abstracts published in full from 2009 meeting, but these data were excluded from analyses of proportion published due to < 24 months follow-up.

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally with reasonable exception.
Search for publications?	Yes	Searched 2 databases, relevant journals and contacted abstract authors directly.
Follow-up time?	No	The meetings in 2007 and 2008 had less than 48 months follow-up. The meetings in 2004 and 2006 had at least 48 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, study design, multi-center status, prospective status, abstract quality, author status, and subspecialty with publication using stratified analysis and Chi ² or Fisher's Exact tests

Nasir 2013

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, MEDLINE, Google/Google Scholar, and the African Journal OnLine through October 2012 Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Title Methodology Conclusions
Data	<ul style="list-style-type: none"> Included 164 abstracts presented at the 2006, 2008, and 2010 Pan-African Pediatric Surgical Association meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Median time to publication Oral versus poster presentation Observational design versus case report versus review versus technical report North American versus European versus African versus rest of the world origin Retrospective versus prospective design Statistical inference stated versus not Control group included versus not Subspecialty
Outcomes	<ul style="list-style-type: none"> 49 of 164 abstracts published 17/45 abstracts presented at the 2006 meeting, 23/62 at the 2008 meeting, and 9/57 at the 2010 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 15 months (IQR = 5 to 26 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 38/118 abstracts presented orally versus 11/46 abstracts presented as poster published 42/135 abstracts describing observational design versus 1/11 abstracts describing case reports versus 3/8 abstracts describing reviews versus 1/6 abstracts describing technical reports versus 2/4 abstracts describing surveys published 3/7 abstracts with origin in North American versus 7/18 with origin in Europe versus 38/133 abstracts with origin in Africa versus 0/5 abstracts with rest of the world origin published 32/96 abstracts describing retrospective design versus 10/39 abstracts describing prospective design published Statistical inference stated versus not: 57.9% vs. 26.2% (OR 3.8, 95% CI = 1.44 to 10.34) Control group included versus not: 35.3% vs. 24.7% (OR 1.3, 95% CI = 0.46 to 3.79)
Notes	<ul style="list-style-type: none"> Surgery - pediatrics Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 3 databases.

Nasir 2013 (Continued)

Follow-up time?	Yes	The 2010 meeting only had 24 months follow-up. All other meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, type presentation, study design, country of origin, prospective status, presence of statistical inference, presence of a control group, and subspecialty with publication using stratified analysis and Fisher's Exact or Mann-Whitney U tests.

Ng 2004

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to June 2002 Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> Title Methodology Results Hypothesis
Data	<ul style="list-style-type: none"> Included 4302 abstracts presented at the 1998 to 2000 American Urological Association meetings Included all abstracts except those from specialty forums and videotape sessions
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication by meeting Survival analysis of publication rate Oral versus poster presentation Clinical research versus basic science research
Outcomes	<ul style="list-style-type: none"> 1627 of 4302 abstracts published 543/1280 abstracts presented at the 1998 meeting, 570/1509 at the 1999 meeting, and 514/1513 at the 2000 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 36.9 months (95% CI = 35.2 to 37.4 months) for 1998 American Urological Association meeting Mean time to publication = 29.4 months (95% CI = 28.6 to 30.1 months) for 1999 American Urological Association meeting Mean time to publication = 23.2 months (95% CI = 22.5 to 23.9 months) for 2000 American Urological Association meeting Survival analysis of proportion published = 41.3% at 48 months Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 384/979 abstracts presented orally versus 1244/3323 abstracts presented as posters published 1205/3124 abstracts describing clinical research versus 422/1178 abstracts describing basic science research published
Notes	<ul style="list-style-type: none"> Urology Funding not reported Data extracted from abstract

Ng 2004 (Continued)

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	Only the meeting in 1998 had 48 months follow-up. All other meetings had less than 48 months follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	Yes	Examined association of meeting year, type presentation, and type science with publication using multivariable Cox regression or log-rank analyses.

Nguyen 1998

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE from 1986 to June 1997 Person completing the search not reported Searched by keywords and content/subject area Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Contents Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 490 abstracts presented at the 1990 to 1995 Orthopedic Trauma Association meetings Included all abstracts of 'paper' presentations
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 292 of 490 abstracts published 54/78 abstracts presented at the 1990 meeting, 53/89 at the 1991 meeting, 61/94 at the 1992 meeting, 61/92 at the 1993 meeting, 44/76 at the 1994 meeting, and 19/61 at the 1995 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 16 months Cumulative proportion of abstracts published at 72 months showed proportion published = 59.4% (291/490 abstracts) No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Emergency medicine - orthopedic trauma Funding not reported Date of meeting not given, need to assume that meeting was on or before June 1995 and that follow-up was at least 2 years

Risk of bias

Item	Authors' judgement	Description
------	--------------------	-------------

Full publication of results initially presented in abstracts (Review)

Nguyen 1998 (Continued)

Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	Yes	Searched 1 database and contacted abstract authors.
Follow-up time?	Yes	All meetings before 1994 had at least 48 months follow-up. The meetings in 1994 and 1995 only had 36 and 24 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Nqwena 2007

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE; date of search not reported Person completing the search not reported Search criteria not reported Matched abstract to full-length publication by <ul style="list-style-type: none"> One author One conclusion
Data	<ul style="list-style-type: none"> Included 160 abstracts presented at the 1999 to 2002 Sylvester O'Halloran surgical meeting Included all abstracts accepted as oral presentations
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 47 of 160 abstracts published Proportion of abstracts published by time not reported No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Surgery Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted as oral presentations.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 2 different criteria.

O' Connor 2015

Methods	Identification of subsequent full-length publications
---------	---

Full publication of results initially presented in abstracts (Review)

O' Connor 2015 (Continued)

	<ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE and PubMed; dates of search not reported Person completing the search not reported Searched by first, second and last authors, keywords, and title Matched abstract to full-length publication by <ul style="list-style-type: none"> Sample size Aims Conclusions
Data	<ul style="list-style-type: none"> Included 298 abstracts presented at the 1989 to 2014 Sir Peter Freyer Surgical Symposium meetings Included all plenary abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication, overall and by type of research Cumulative proportion of abstracts published Clinical research versus basic science research Multi-centered versus single center Irish versus other institutions
Outcomes	<ul style="list-style-type: none"> 168 of 298 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 24 months (SD = 84) Mean time to publication = 24 months (range = -12 to 96 months) for abstracts describing basic science research Mean time to publication = 24 months (range = -12 to 108 months) for abstracts describing clinical research Cumulative proportion of abstracts published at 108 months showed proportion published = 56.4% (168/298 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 34/61 abstracts describing clinical research versus 134/237 abstracts describing basic science research published 50/96 abstracts with multiple centers versus 118/202 abstracts with a single center published 116/228 abstracts from an Irish institution versus 52/70 abstracts from another institution published
Notes	<ul style="list-style-type: none"> Surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all plenary abstracts.
Search for publications?	Yes	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of type science, multi-center status, and Irish origin with publication using stratified analysis and Chi ² tests

O'Dell 2012

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to July 2010 Person completing the search not reported Searched by all authors and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 446 abstracts presented at the 2008 28th Western States Conference for Pharmacy Residents, Fellows, and Preceptors meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 19 of 446 abstracts published Proportion of abstracts published by time not reported No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Pharmacology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	The meeting only had 24 months follow-up.
Matching?	Unclear	Matching criteria not reported.

O'Kelly 2015

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Embase, MEDLINE, PubMed, and SCOPUS from 1 January, 2005 to 31 December, 2013 Person completing the search not reported Searched by all authors, and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> Hypotheses Study design
Data	<ul style="list-style-type: none"> Included 203 abstracts presented at the 2005 to 2011 Irish Society of Urology meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication, overall and by meeting Median time to publication Oral versus poster presentations Subspecialty

O'Kelly 2015 (Continued)

Outcomes	• 144 of 322 abstracts published • 18/34 abstracts presented at the 2005 meeting, 20/57 at the 2006 meeting, 15/37 at the 2007 meeting, 26/45 at the 2008 meeting, 25/45 at the 2009 meeting, 27/56 at the 2010 meeting, and 13/49 at the 2011 meeting published • Proportion of abstracts published by time ◦ Mean time to publication = 16.7 months, overall ◦ Mean time to publication = 8 months for the 2005 meeting ◦ Mean time to publication = 17 months for the 2006 meeting ◦ Mean time to publication = 28 months for the 2007 meeting ◦ Mean time to publication = 23 months for the 2008 meeting ◦ Mean time to publication = 13 months for the 2009 meeting ◦ Mean time to publication = 26 months for the 2010 meeting ◦ Mean time to publication = 12 months for the 2011 meeting ◦ Median time to publication = 15 months (range = 0 to 55 months), overall • Factors related to proportion of abstracts published included ◦ Oral presentations were more likely to be published than poster presentations ($P < 0.0001$)

Notes	• Urology • Reported having received no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	The meetings in 2010 and 2011 had less than 48 months follow-up. All other meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, type presentation, and subspecialty with publication using univariable logistic regression.

O'Neill 2014

Methods	Identification of subsequent full-length publications • Searched electronic database ◦ PubMed; date of search not reported ◦ Person completing the search not reported ◦ Searched by all authors, keywords, and institution names ◦ Matching criteria not reported
Data	• Included 203 abstracts presented at the 2002 to 2005 Irish Orthopaedic Association meetings • Included all abstracts
Comparisons	• Proportion of abstracts published, overall and by meeting • Mean time to publication • Clinical research versus basic science research

O'Neill 2014 (Continued)

- Retrospective versus prospective research

Outcomes	<ul style="list-style-type: none"> • 66 of 203 abstracts published • 13/49 abstracts presented at the 2002 meeting, 17/52 at the 2003 meeting, 20/50 at the 2004 meeting, and 16/52 at the 2005 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 30.1 months (range = 4.7 to 76.5 months) ◦ Proportion of abstracts published at 60 months = 31.0% (63/203 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 49/167 abstracts describing clinical research versus 16/36 abstracts describing basic science research published ◦ 24/94 abstracts describing retrospective studies versus 24/71 abstracts describing prospective studies published
Notes	<ul style="list-style-type: none"> • Orthopedics/orthopedic surgery • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, type science, and prospective status using stratified analysis and unspecified statistical tests.

Odunsi 2015

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed; date of search not reported ◦ Person completing the search not reported ◦ Searched by first and last author, and title ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 627 abstracts presented at the 2007 to 2009 Association of British Neurologists meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication • Oral versus poster presentation • Case report versus other design • Multi-centered versus single center
Outcomes	<ul style="list-style-type: none"> • 244 of 627 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 18.6 months (SD = 14.6)

Odunsi 2015 (Continued)

- Factors related to proportion of abstracts published included
 - 135/299 abstracts presented orally versus 109/328 abstracts presented as poster published
 - 32/106 abstracts describing case report design versus 212/489 abstracts describing other design published
 - 126/390 abstracts with multiple centers versus 122/239 abstracts with single center published

Notes

- Neurology
- Reporting having received no funding
- Data extracted from letter

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type of presentation, study design, and multi-center status with publication using stratified analysis and Chi ² tests.

Ogilvie 2014

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE and Google/Google Scholar; dates of search not reported ◦ Person completing the search not reported ◦ Searched by all authors, and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Two authors ■ Methodology ■ Subject matter • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 392 abstracts accepted at the 2006 to 2010 Canadian Society of Otolaryngology - Head & Neck Surgery meetings • Included all abstracts presented orally except those from the Poliquin Resident's competition
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 198 of 392 abstracts published • 21/42 abstracts presented at the 2006 meeting, 40/77 at the 2007 meeting, 44/80 at the 2008 meeting, 45/89 at the 2009 meeting, and 44/103 at the 2010 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 21 months (range = -61 to 76 months)

Ogilvie 2014 (Continued)

	<ul style="list-style-type: none"> No factors other than subspecialty and meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Otolaryngology head and neck surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted for oral presentation with reasonable exceptions.
Search for publications?	Yes	Searched 2 databases, and contacted abstract authors directly.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	Yes	Matched by 3 criteria.
Adjustment for confounding?	No	Examined association of meeting year and subspecialty with publication using stratified analysis and Chi ² tests.

Ohlsson 1999

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Cochrane Central Register of Controlled Trials, MEDLINE, and Embase to March 1999 Person completing the search not reported Searched by all authors and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 141 abstracts submitted to the 1993 to 1994 American Pediatric Society/Society for Pediatric Research meetings Included all abstracts of randomized clinical trials
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Cumulative proportion of abstracts published Accepted versus rejected for conference presentation
Outcomes	<ul style="list-style-type: none"> 73 of 141 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 57 months showed proportion published = 51.8% (73/141 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 62/107 abstracts accepted for presentation versus 11/34 rejected abstracts published
Notes	<ul style="list-style-type: none"> Pediatrics - neonatology Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
------	--------------------	-------------

Full publication of results initially presented in abstracts (Review)

Ohlsson 1999 (Continued)

Sampling method?	Yes	Included all abstracts that described specific study design, so low risk of bias.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	All meetings had at least 5 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of acceptance for presentation with publication using stratified analysis.

Ohtori 2013

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed for 2 years before each meeting until the end of December 2012 Search completed by the investigators Searched by first author and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> Contents
Data	<ul style="list-style-type: none"> Included 3205 abstracts presented at the 2006 to 2008 Annual Research Meeting of the Japanese Orthopaedic Association and 2006 to 2007 Japanese Orthopaedic Association meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Oral versus poster presentation Subspecialty
Outcomes	<ul style="list-style-type: none"> 1198 of 3205 abstracts published 232/447 abstracts presented at the 2006 Annual Research Meeting of the Japanese Orthopaedic Association meeting, 210/814 at the 2006 Japanese Orthopaedic Association meeting, 252/489 at the 2007 Annual Research Meeting of the Japanese Orthopaedic Association meeting, 212/862 at the 2007 Japanese Orthopaedic Association meeting, and 292/593 at the 2008 Japanese Orthopaedic Association meeting published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 557/1397 abstracts presented orally versus 641/3205 abstracts presented as poster published
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery Reported receiving no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	Each meeting had at least 48 months follow-up.
Matching?	No	Matched by only 1 criterion.

Full publication of results initially presented in abstracts (Review)

Ohtori 2013 (Continued)

Adjustment for confounding?	No	Examined association of meeting and meeting year, type presentation, and subspecialty using stratified analysis and t test or one-way ANOVA tests.
-----------------------------	----	--

Okafor 2015

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed up to December 2014 Person completing the search not reported Searched by all authors, and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 321 abstracts presented at the 2007 to 2011 Cervical Spine Research Society meetings Included all abstracts presented orally
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Award-winning versus not
Outcomes	<ul style="list-style-type: none"> 211 of 321 abstracts published 42/54 abstracts presented at the 2007 meeting, 37/54 at the 2008 meeting, 38/65 at the 2009 meeting, 46/78 at the 2010 meeting, and 48/70 at the 2011 meeting published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 35/45 award-winning abstracts versus 176/276 non award-winning abstracts published
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery - cervical spine Reporting having received no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The 2011 meeting only had 36 months follow-up. All other meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year and award winning status with publication using stratified analysis and t tests.

Olive 2004

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE from '1995 to 2001' Person completing the search not reported
---------	--

Olive 2004 (Continued)

	<ul style="list-style-type: none"> ○ Searched by all authors ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 249 abstracts presented at the 1996 Spanish Society for Rheumatology meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication
Outcomes	<ul style="list-style-type: none"> • 52 of 249 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 18.5 months • No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Rheumatology • Funding not reported • Data extracted from letter

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 5 years follow-up.
Matching?	Unclear	Matching criteria not reported.

Oliveira 2009

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed, LILACS, and SciELO to August 2008 ○ Person completing the search not reported ○ Searched by all authors ○ Matching criteria not reported • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 313 abstracts presented at the 2003 Urological Brazilian meeting • Included a random sample of 1400 abstracts, included those presented orally
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication • Clinical research versus basic science research • CCT design versus observational design versus retrospective design • Brazilian origin versus elsewhere • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 122 of 313 abstracts published • Proportion of abstracts published by time

Full publication of results initially presented in abstracts (Review)

Oliveira 2009 (Continued)

- Median time to publication = 14 months (range = 1 to 51 months)
- Factors related to proportion of abstracts published included
 - 114/287 abstracts describing clinical research versus 9/25 abstracts describing basic science research published
 - 8/16 abstracts with CCT design versus 51/105 abstracts with observational design versus 56/166 abstracts with retrospective design published
 - 116/300 abstracts originating from Brazil versus 7/13 abstracts from elsewhere published

Notes

- Urology
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random selection of abstracts.
Search for publications?	Yes	Searched 3 databases and contacted abstract authors.
Follow-up time?	Yes	The meeting had 5 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type science, study design, Brazilian origin, and subspecialty with publication using stratified analysis and Chi ² or Fisher's Exact tests.

Oliver 2003

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed; date of search not reported ◦ Person completing the search not reported ◦ Searched by all authors and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Contents ■ Results
Data	<ul style="list-style-type: none"> • Included 370 abstracts presented at the 1995, 1997, 1998, and 1999 British Association of Plastic Surgeons - Winter meetings and the 1997 British Association of Plastic Surgeons - Summer meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication by meeting
Outcomes	<ul style="list-style-type: none"> • 118 of 370 abstracts published • 17/56 abstracts presented at the 1995 British Association of Plastic Surgeons - Winter meeting, 15/48 abstracts at the 1997 British Association of Plastic Surgeons - Summer meeting, 29/54 at the 1997 British Association of Plastic Surgeons - Winter meeting, 33/107 at the 1998 British Association of Plastic Surgeons - Winter meeting, and 24/105 at the 1999 British Association of Plastic Surgeons - Winter meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 19 months (range = 3 to 46 months) for 1995 British Association of Plastic Surgeons - Winter meeting

Full publication of results initially presented in abstracts (Review)

Oliver 2003 (Continued)

- Mean time to publication = 25 months (range = 3 to 42 months) for 1997 British Association of Plastic Surgeons - Summer meeting
- Mean time to publication = 19 months (range = 1 to 46 months) for 1997 British Association of Plastic Surgeons - Winter meeting
- Mean time to publication = 13 months (range = 1 to 28 months) for 1998 British Association of Plastic Surgeons - Winter meeting
- Mean time to publication = 16 months (range = 1 to 26 months) for 1999 British Association of Plastic Surgeons - Winter meeting
- No factors other than meeting related to proportion of abstracts published reported

Notes

- Surgery - plastic surgery
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Olmos-de-Aguilera 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed, Google/Google Scholar, and SciELO; dates of search not reported ○ Person completing the search not reported ○ Searched by all authors and title ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 59 abstracts presented at the 2009 to 2011 Congresos Científicos Nacionales de Estudiantes de Medicina, and Asociación Nacional Científica de Estudiantes de Medicina de Chile meetings • Included best scientific works of medical students selected by the organizing commission of the two congresses
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 11 of 59 abstracts published • Proportion of abstracts published by time not reported • No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • General medicine/primary care • Reported having received no funding

Risk of bias

Olmos-de-Aguilera 2013 (Continued)

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of a specific subgroup.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	Unclear	Matching criteria not reported.

Olson 2012

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, Embase to 5 years after the meeting Search completed by two investigators Searched by all authors and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 270 abstracts presented at the 1995, 2000, and 2005 Western States Conference meetings Included every third abstract published in the corresponding abstract book, skipping those not presented
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication overall and by meeting RCT design versus CCT design versus observational study design versus policy abstract versus other
Outcomes	<ul style="list-style-type: none"> 17 of 270 abstracts published 3/71 abstracts presented at the 1995 meeting, 4/77 at the 2000 meeting, and 10/122 at the 2005 meeting published Proportion of abstracts published <ul style="list-style-type: none"> Mean time to publication = 24 months (SD =10), overall Mean time to publication = 17 months (SD =13) for 1995 Western States Conference meeting Mean time to publication = 24 months (SD =13) for 2000 Western States Conference meeting Mean time to publication = 24 months (SD = 9) for 2005 Western States Conference meeting Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 0/17 abstracts with RCT design versus 0/4 abstracts with CCT design versus 12/147 abstracts with observational design versus 3/61 abstracts on policy versus 2/41 abstracts of other design or topics published
Notes	<ul style="list-style-type: none"> Pharmacology - residents Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a systematically selected sample of abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had 5 years follow-up.

Full publication of results initially presented in abstracts (Review)

Olson 2012 (Continued)

Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year and study design with publication using stratified analysis.

Ospina 2006

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> CINAHL, MEDLINE, Embase to May 2004 Search completed by two investigators Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Contents Methodology
Data	<ul style="list-style-type: none"> Included 383 abstracts presented at the 1995 to 2003 Society for Academic Emergency Medicine meetings Included all abstracts of controlled clinical trials and randomized clinical trials
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Median time to publication Survival analysis of publication rate 'Positive' versus not 'positive' Authors endorsing treatment versus not Parallel design versus crossover or factorial design Multi-centered versus single center US versus non-US origin University affiliation versus no university affiliation
Outcomes	<ul style="list-style-type: none"> 194 of 383 abstracts published 23/33 abstracts presented at the 1995 meeting, 24/40 at the 1996 meeting, 28/50 at the 1997 meeting, 27/42 at the 1998 meeting, 28/43 at the 1999 meeting, 27/44 at the 2000 meeting, 17/36 at the 2001 meeting, 17/52 at the 2002 meeting, and 3/43 at the 2003 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 32 months (95% CI = 23 to 41 months) Survival analysis of proportion published at 108 months = 62.1% Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 84/161 'positive' (defined as significant results) versus 110/222 not 'positive' abstract results published 80/154 'positive' (defined as experimental better than control) versus 4/7 not 'positive' abstract results published 108/210 abstracts with authors endorsing the treatment versus 86/173 abstracts with authors not endorsing the treatment published 164/327 abstracts with parallel design versus 30/56 abstracts with crossover or factorial design published 29/61 abstracts with multiple centers versus 165/322 abstracts with a single center published 169/339 abstracts originating in the US versus 25/44 abstracts not originating in the US published 138/253 abstracts with university affiliation versus 31/86 abstracts without a university affiliation published

Ospina 2006 (Continued)

- Notes
- Emergency medicine
 - Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific study designs, so low risk of bias.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	All meetings before 2001 had at least 48 months follow-up. The other meetings had less than 48 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	Yes	Examined association of meeting year, positive results, sample size, author conclusions, study design, multi-center status, number of authors, university affiliation, and US origin with publication using multivariable logistic regression analyses.

Ozel 2007

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ Electronic database (not specified) for '3 years time interval between meeting and search' ◦ Person completing the search not reported ◦ Searched by all authors and title ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 116 abstracts presented at the 2002 to 2003 Society of Gynecologic Surgeons meetings • Included all abstracts except tip and tricks and video presentations
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean and median time to publication • Oral versus poster versus oral/poster presentation • RCT design versus non-RCT design • Academic institutions versus not • Country of origin
Outcomes	<ul style="list-style-type: none"> • 63 of 116 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 16 months ◦ Median time to publication = 9 months (range = -4 to 48 months) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 34/37 abstracts presented orally versus 7/18 abstracts presented as oral posters versus 22/61 abstracts presented as non-oral poster published ◦ 5/7 abstracts describing RCTs versus 58/109 abstracts describing other study designs published ◦ 58/94 abstracts from academic institutions versus 5/17 abstracts from non-academic institutions published ◦ 58/105 abstracts with origin in North America versus 5/11 abstracts with rest of the world origin published

Full publication of results initially presented in abstracts (Review)

Ozel 2007 (Continued)

- Notes
- Gynecology/obstetrics
 - Funding not reported
 - Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Unclear	The number and type of electronic databases searched was not reported.
Follow-up time?	No	The meetings had only 36 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type presentation, study design, academic affiliation, and country of origin with publication using Chi ² tests

Ozkösem 2013

Methods	Identification of subsequent full-length publications
	<ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ Web of Science and Harzing's Publish or Perish algorithm to June 2013 ◦ Person completing the search not reported ◦ Search criteria not reported ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 943 abstracts presented at the 2005 to 2006 Society for Free Radical Biology and Medicine meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Basic science • Number of authors • Country of origin • Institution
Outcomes	<ul style="list-style-type: none"> • 398 of 943 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ Basic science = OR 3.6 (95% CI: 3.1 to 6.4) ◦ Number of authors = OR 1.2 (95% CI: 1.0 to 1.3)
Notes	<ul style="list-style-type: none"> • Other non-clinical specialties -free radical biology and medicine • Funding not reported • Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
------	--------------------	-------------

Full publication of results initially presented in abstracts (Review)

Ozkösem 2013 (Continued)

Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of type science, number of authors, country of origin, and institution with publication using multivariable logistic regression analyses.

Ozkösem 2013a

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Web of Science and Harzing's Publish or Perish software until July 2013 Person completing the search not reported Search criteria not reported Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 1546 abstracts presented at the 2005 to 2006 Society for the Study of Reproduction meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Survival analysis of proportion of abstracts published 'Positive' versus not 'positive' versus not specified Oral versus poster presentation Clinical research versus basic science research RCT design versus observational design versus case report versus other design Multi-centered versus single center North American versus European versus rest of the world origin US-American versus German versus British versus Japanese versus rest of the world origin One author versus two to four authors versus more than four authors Industry funding versus no industry funding
Outcomes	<ul style="list-style-type: none"> 703 of 1546 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Survival analyses showed proportion of abstracts published at 42 months = 60.0% Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 383/696 'positive' (defined as significant results) versus 181/464 not 'positive' abstract results versus 148/309 abstracts without specified level of significance published 317/557 abstracts presented orally versus 386/989 abstracts presented as poster published 269/572 abstracts describing clinical research versus 594/974 abstracts describing basic science research published 48/77 abstracts describing RCT design versus 460/942 abstracts describing observational design versus 85/139 abstracts describing case reports versus 264/388 abstracts describing other study designs published 383/649 abstracts with multiple centers versus 320/897 abstracts with a single center published 506/804 abstracts with origin in North America versus 348/588 abstracts with origin in Europe versus 89/151 abstracts with rest of the world origin published

Ozköseme 2013a (Continued)

- 506/804 abstracts from the US versus 198/325 abstracts from Germany versus 150/263 abstracts from the UK versus 75/108 abstracts from Japan versus 14/43 abstracts with rest of the world origin published
- 13/43 abstracts with one author versus 458/881 abstracts with two to four authors versus 420/618 abstracts with more than 4 authors published
- 52/77 abstracts with industry funding versus 651/1469 abstracts without industry funding published

Notes

- Human reproduction and development - reproductive biology
- Funded by the Réseau Québécois en reproduction and Centre for the Study of Reproduction
- Data extracted from poster

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of positive results, type of presentation, type science, study design, multi-center status, country of origin, US origin, number of authors, and funding status with publication using multivariable logistic regression analyses.

Paes 2015

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed and Scielo from 2012 to January 2015 ○ Person completing the search not reported ○ Searched by all authors and title ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 701 abstracts presented at the 2011 Congresso Brasileiro de Patologia and Congreso de la Sociedad Latinoamericana de Patología • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • North American versus European versus South American origin • Brazilian versus other South American versus Mexican versus Spanish versus US versus origin not specified • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 63 of 701 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 2/8 abstracts originating from North America versus 0/3 abstracts originating from Europe versus 61/684 abstracts originating from Brazil and other Latin American countries published

Paes 2015 (Continued)

- 58/635 abstracts originating from Brazil versus 3/49 abstracts originating from other Latin American countries versus 2/6 abstracts originating from Mexico versus 0/3 abstracts originating from Spain versus 0/2 abstracts originating from the USA versus 0/6 abstracts with origin not specified published

Notes

- Pathology
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All abstracts had 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of country of origin, Brazilian origin, and subspecialty with publication using stratified analysis.

Papagikos 2005

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE to November 2003 ○ Person completing the search not reported ○ Searched by first, second, and senior author ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 802 abstracts presented at the 1999 to 2001 American Society of Therapeutic Radiology and Oncology meetings • Included all abstracts accepted for oral presentation
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication • 'Positive' versus not 'positive' for phase III studies • 'Clinical' research versus 'non-clinical' research • Phase III versus phase I or II versus observational versus other • US versus non-US origin • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 452 of 802 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Median time to publication = 11.9 months • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 23/39 'positive' (defined as significant results) versus 21/45 not 'positive' abstract results of phase III studies published ○ 358/604 abstracts describing clinical research versus 94/198 'non-clinical' abstracts published ○ 44/84 phase III abstracts versus 79/127 phase I or II abstracts versus 257/433 abstracts with observational study design versus 4/6 abstracts with other design published

Papagikos 2005 (Continued)

- 319/569 abstracts originating in the US versus 94/198 abstracts not originating in the US published

Notes	<ul style="list-style-type: none"> • Oncology - radiation oncology • Funding not reported
-------	---

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted for oral presentation.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	Only the meeting in 1999 had 48 months follow-up. All other meetings had less than 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of positive results, type science, study design, US origin, prospective status, and subspecialty with publication using stratified analysis and unspecified statistical tests.

Papoutsis 2015

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE from 1 January, 2007 to 1 January, 2012 ○ Search completed by the investigators ○ Searched by first author, keywords, and topics ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 8411 abstracts submitted to the 2006 to 2010 Deutsche Gesellschaft für Kardiologie/Herz-Kreislaufforschung meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication • Cumulative proportion of abstracts published • Accepted versus rejected abstracts • Clinical research versus experimental research • Clinical research versus experimental research for accepted abstracts • Submitted by female versus male first author • Accepted abstracts for conference by female versus male first author • Rejected abstracts for conference by female versus male first author
Outcomes	<ul style="list-style-type: none"> • 1909 of 8411 abstracts published • 403/1660 abstracts presented at the 2006 meeting, 443/1750 at the 2007 meeting, 401/1700 at the 2008 meeting, 339/1600 at the 2009 meeting, and 285/1675 at the 2010 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 8.4 months (SD = 14.4) ○ Cumulative proportion of abstracts published at 24 months showed proportion published = 20.0% (1680/8411 abstracts) • Factors related to proportion of abstracts published included

Full publication of results initially presented in abstracts (Review)

Papoutsis 2015 (Continued)

- 1425/5535 abstracts accepted for presentation versus 483/2876 rejected for presentation published
- 1271/5914 abstracts describing clinical research versus 637/2497 abstracts describing experimental research published
- 942/3765 abstracts describing clinical research versus 483/1770 abstracts describing experimental research among the accepted abstracts published
- 366/2090 abstracts submitted by female first author versus 1541/6321 abstracts submitted by male first author published
- 285/1377 abstracts accepted to publication by female first author versus 1140/4158 abstracts accepted to publication by male first author published
- 81/713 rejected abstracts by female first author versus 401/2163 rejected abstracts by male first author published

Notes	<ul style="list-style-type: none"> • Cardiology • Author received support from Deutsche Forschungsgemeinschaft; project received no funding except utilization of resources of the German Cardiac Society
-------	---

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 2009 had at least 48 months follow-up. The meetings in 2009 and 2010 only had 36 and 24 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, acceptance for presentation, and type science with publication using stratified analysis and Chi ² or Mann-Whitney U tests

Papp 2011

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed, Web of Science, ERIC to October 2010 ○ Search completed by trained librarian ○ Searched by all authors and keywords ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 201 abstracts presented at the 1995 to 2005 Clerkship Directors in Internal Medicine meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 66 of 201 abstracts published • Proportion of abstracts published by time not reported • No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Medical education/library science

Papp 2011 (Continued)

- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	All meetings had at least 5 years follow-up.
Matching?	Unclear	Matching criteria not reported.

Parkar 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed until September 2011 ◦ Search completed by investigator ◦ Searched by all authors and title ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 137 abstracts presented at the 2008 to 2009 European Society of Musculoskeletal Radiology meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication • Cumulative proportion of abstracts published, overall and by meeting • North American versus European versus Asian origin
Outcomes	<ul style="list-style-type: none"> • 62 of 137 abstracts published • 34/73 abstracts presented at the 2008 meeting, and 28/64 at the 2009 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 14.5 months (range = -47 to 30 months) ◦ Cumulative proportion of abstracts published at 24 months showed proportion published = 38.7% (53/137 abstracts), overall ◦ Cumulative proportion of abstracts published at 24 months showed proportion published = 41.1% (30/73 abstracts) for the 2008 meeting ◦ Cumulative proportion of abstracts published at 24 months showed proportion published = 35.9% (23/64 abstracts) for the 2009 meeting • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 2/3 abstracts originating in North America versus 60/132 abstracts originating in Europe versus 0/2 abstracts originating in Saudi Arabia published
Notes	<ul style="list-style-type: none"> • Radiology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
------	--------------------	-------------

Full publication of results initially presented in abstracts (Review)

Parkar 2013 (Continued)

Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	All meetings had less than 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year and country of origin with publication using stratified analysis and Chi ² test.

Patel 2011

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed to May 2010 ◦ Person completing the search not reported ◦ Searched by all authors and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Title ■ Contents ■ Conclusions
Data	<ul style="list-style-type: none"> • Included 3827 abstracts presented at the 2003 to 2005 Congress of Neurological Surgeons and American Association of Neurological Surgeons meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Cumulative proportion of abstracts published • Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> • 1243 of 3827 abstracts published • 221/651 abstracts presented at the 2003 American Association of Neurological Surgeons meeting, 193/620 at the 2004 American Association of Neurological Surgeons meeting, 196/634 at the 2005 American Association of Neurological Surgeons meeting, 209/605 at the 2003 Congress of Neurological Surgeons meeting, 200/565 at the 2004 Congress of Neurological Surgeons meeting, and 224/752 at the 2005 Congress of Neurological Surgeons meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Cumulative proportion of abstracts published at 60 months showed proportion published = 32.7% (628/1922 abstracts) for Congress of Neurological Surgeons meetings ◦ Cumulative proportion of abstracts published at 60 months showed proportion published = 31.4% (599/1905 abstracts) for American Association of Neurological Surgeons meetings • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 445/1078 abstracts presented orally versus 798/2749 abstracts presented as posters published
Notes	<ul style="list-style-type: none"> • Surgery - neurologic surgery • Funding not reported

Risk of bias

Item	Authors' judgement	Description
------	--------------------	-------------

Full publication of results initially presented in abstracts (Review)

Copyright © 2018 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.

Patel 2011 (Continued)

Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 5 years follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	No	Examined association of meeting by type presentation with publication using stratified analysis.

Paulson 2011

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed to September 2010 ◦ Search completed by investigator ◦ Searched by first and last author ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 501 abstracts presented at the 2006 Center for International Blood and Marrow Transplantation Research/American Society for Blood and Marrow Transplantation meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication • 'Positive' versus not 'positive' • Sample size above 40 versus sample size equal to or less than 40 • Oral versus poster presentation • Clinical research versus basic science research versus 'descriptive' • Multi-centered versus single center • 'Prospective' versus 'retrospective' design
Outcomes	<ul style="list-style-type: none"> • 217 of 501 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 19 months (range = 1 to 41 months) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 164/327 'positive' (defined as experimental better than control) versus 53/173 not 'positive' abstract results published ◦ 73/141 abstracts with sample size above 40 versus 65/145 abstracts with sample size equal to or less than 40 published ◦ 36/55 abstracts presented orally versus 181/446 abstracts presented as posters published ◦ 141/294 abstracts describing clinical research versus 70/124 abstracts describing basic science research versus 6/83 'descriptive' abstracts published ◦ 58/101 abstracts with multiple centers versus 153/381 abstracts with a single center published ◦ 62/123 abstracts with 'prospective' study design versus 77/169 abstracts with 'retrospective' study design published
Notes	<ul style="list-style-type: none"> • Oncology - blood and marrow transplantation • Funding not reported

Risk of bias

Full publication of results initially presented in abstracts (Review)

Paulson 2011 (Continued)

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of positive results, sample size, type of presentation, type of science, multi-center status, and prospective status with publication using stratified analysis and Chi ² or t tests

Payne 1999

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> CINAHL, MEDLINE; dates of search not reported Person completing the search not reported Search criteria not reported Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 186 abstracts presented at the 1992 American Diabetes Association and European Association for the Study of Diabetes and Australian Diabetes Society meetings Included a random sample of abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting
Outcomes	<ul style="list-style-type: none"> 87 of 186 abstracts published 8/31 abstracts presented at the Australian Diabetes Society meeting, 41/84 at the European Association for the Study of Diabetes meeting, and 38/71 at the American Diabetes Association meeting published Proportion of abstracts published by time not reported No factors other than meeting related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Endocrinology/nutrition - diabetes Funding not reported Data extracted from letter

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random selection of abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.

Payne 1999 (Continued)

Adjustment for confounding? No Examine association of meeting with publication using stratified analysis.

Peng 2006

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE to February 2005 Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Title Methodology Results
Data	<ul style="list-style-type: none"> Included 473 abstracts presented at the 1999 American Academy of Otolaryngology Head & Neck Surgery meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication 'Positive' versus not 'positive' Oral versus poster presentation RCT design versus observational study design versus case series versus opinion 'Prospective' versus 'retrospective' versus cross-sectional design Case reports versus other Grant support versus other 'Research award' versus other
Outcomes	<ul style="list-style-type: none"> 237 of 473 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 16 months (IQR = 12 to 29 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 189/337 'positive' (defined as experimental better than control) versus 13/26 not 'positive' abstract results published 135/213 abstracts presented orally versus 102/260 abstracts presented as posters published 55/84 abstracts with RCT design versus 96/173 abstracts with observational study design versus 82/209 abstracts with case series design versus 2/3 opinion abstracts published 90/215 abstracts with 'prospective' study design versus 92/222 abstracts with 'retrospective' study design versus 20/36 with cross-sectional study design published 18/70 abstracts of case reports versus 219/403 abstracts not of case reports published 25/37 abstracts reporting grant support versus 211/435 abstracts without or not reporting grant support published 9/10 abstracts with 'research award' versus 227/462 abstracts without 'research award' published
Notes	<ul style="list-style-type: none"> Otolaryngology head and neck surgery Funding not reported

Risk of bias

Peng 2006 (Continued)

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 6 years follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	Yes	Examined association of positive results, type of presentation, study design, prospective status, presence of grant support, and award winning with publication using multivariable logistic regression analyses.

Pereyra-Elias 2011

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Google/Google Scholar to January 2011 Search completed by investigator Searched by all authors, content, place of study, and main results Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Contents Results Time of study
Data	<ul style="list-style-type: none"> Included 417 abstracts presented at the 1998, 2000, 2002, 2004, 2006, and 2008 Congreso de la Sociedad de Gastroenterología del Perú meetings Included all abstracts except repeated presentations and presentations published before the meeting
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean and median time to publication Observational design versus experimental design versus case reports versus other design Multi-centered versus single center 'Prospective' versus 'retrospective' versus other design
Outcomes	<ul style="list-style-type: none"> 34 of 417 abstracts published 9/170 abstracts presented at the 1998 meeting, 6/72 at the 2000 meeting, 5/66 at the 2002 meeting, 3/57 at the 2004 meeting, 7/27 at the 2006 meeting, and 4/26 at the 2008 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> mean time to publication = 10.8 months (SD = 10.4) median time to publication = 9 months (range = 0 to 47 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 21/306 abstracts with observational design versus 2/11 abstracts with experimental design versus 11/96 abstracts of case reports versus 0/4 abstracts with other design published 2/10 abstracts with multiple centers versus 32/407 abstracts with a single center published 11/115 abstracts with 'prospective' study design versus 16/228 abstracts with 'retrospective' study design versus 0/1 abstracts with other design published
Notes	<ul style="list-style-type: none"> Gastroenterology Funding not reported

Pereyra-Elias 2011 (Continued)

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 2008 had at least 5 years follow-up. The meeting in 2008 only had 36 months follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	Yes	Examined association of meeting year, study design, multi-center status, and prospective status with publication using stratified analysis and multivariable logistic regression.

Perez 2004

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE until September 2002 Person completing the search not reported Searched by all authors, keywords, and topic Matching criteria not reported Interviewed senior authors if publication not found via electronic database search
Data	<ul style="list-style-type: none"> Included 79 abstracts presented at the 1998 to 2000 Israel Society of Rheumatology meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 63 of 79 abstracts published Proportion of abstracts published by time not reported No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Rheumatology Funding not reported Information extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 1 database and contacted abstract authors directly.
Follow-up time?	No	All meetings except the meeting in 1998 had less than 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Perron 2011

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, PsychINFO, Social work abstracts, and Google/Google Scholar for more than 4 years after the meeting, although dates of search not reported Search completed by investigator Searched by first author, keywords, and title Matched abstract to full-length publication by <ul style="list-style-type: none"> Sample size Methodology Results Also searched faculty biography or curriculum vitae
Data	<ul style="list-style-type: none"> Included 121 abstracts presented at the 2006 Society for Social Work and Research meeting Included a random sample of all abstracts by type of presentation (oral, poster, symposium)
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Oral versus poster versus symposia presentation
Outcomes	<ul style="list-style-type: none"> 52 of 121 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 37/75 abstracts presented orally versus 12/29 abstracts presented as posters published versus 3/17 abstracts presented in symposia published
Notes	<ul style="list-style-type: none"> Sociology - social work Reported receiving no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random selection of abstracts.
Search for publications?	Yes	Searched 4 databases and searched faculty biography or curriculum vitae.
Follow-up time?	Yes	The follow-up was for Quote: "more than 4 years after the meeting".
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of type of presentation with publication using stratified analysis and Chi ² , Fisher's Exact test, one way ANOVA tests and logistic regression analysis.

Petticrew 1999

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Electronic database not specified; dates of search not reported Person completing the search not reported Search criteria not reported
---------	---

Petticrew 1999 (Continued)

- Matching criteria not reported
- Contacted abstract authors directly

Data	<ul style="list-style-type: none"> • Included 77 abstracts presented at the 1996 Society of Social Medicine meeting • Included all abstracts accepted for oral presentation
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • 'Positive' versus not 'positive'
Outcomes	<ul style="list-style-type: none"> • 39 of 77 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 18/36 'positive' (defined as experimental better than control) versus 21/41 not 'positive' abstract results published
Notes	<ul style="list-style-type: none"> • Sociology • Reported receiving no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted for oral presentation.
Search for publications?	Yes	Searched database, but number and type of database not reported, and contacted abstract authors.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of positive results with publication using stratified analysis and calculated relative risks.

Petticrew 2008

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE, Web of Science to February 2005 ◦ Search completed by information specialist ◦ Search criteria not reported ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Title ■ Contents • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 224 abstracts presented at the 1998 and 1999 British Sociological Association Medical Sociology meetings • Included all abstracts accepted for oral presentations that described qualitative research
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 99 of 224 abstracts published

Full publication of results initially presented in abstracts (Review)

Petticrew 2008 (Continued)

- Proportion of abstracts published by time not reported
- No factors related to proportion of abstracts published reported

Notes

- Sociology
- Reported receiving no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	Yes	Searched 2 databases and contacted abstract authors.
Follow-up time?	Yes	All meetings had at least 6 years follow-up.
Matching?	Yes	Matched by 2 different criteria.

Pinheiro 2009

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE and Lilacs in May 2007 ◦ Person completing the search not reported ◦ Searched by first and last author, and keywords ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 154 abstracts presented at the 2001 to 2005 American Society of Clinical Oncology meetings • Included all abstracts of Brazilian studies
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication • Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 26 of 154 abstracts published • 2/12 abstracts presented at the 2001 meeting, 8/26 at the 2002 meeting, 7/46 at the 2003 meeting, 3/32 at the 2004 meeting, and 6/38 at the 2005 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 13.5 months ◦ Cumulative proportion of abstracts published at 78 months showed proportion published = 20.1% (31/154 abstracts) • No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Oncology • Funding not reported • Abstracts may also be included in report by Chan 2009, Costa 2009

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of a specific country, so low risk of bias.

Full publication of results initially presented in abstracts (Review)

Pinheiro 2009 (Continued)

Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	The 2004 and 2005 meeting had less than 48 months follow-up. All other meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis and log rank analysis.

Polyzos 2011

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Cochrane Central Register of Controlled Trials, Embase, PubMed to December 2010 Person completing the search not reported Searched by first, second, last, and corresponding author Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 155 abstracts presented at the 2003 and 2004 European Society of Human Reproduction and Embryology meetings Included all abstracts of randomized controlled trials related to reproductive medicine
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication 'Positive' versus not 'positive' results 'Positive' versus not 'positive' conclusions Sample size greater than 250 versus between 101 and 250 versus equal to or less than 100 Oral versus poster presentation Multi-centered versus single center North American versus European versus rest of the world origin Reporting on commercial drug versus not reporting on commercial drug Subspecialty
Outcomes	<ul style="list-style-type: none"> 89 of 155 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 15 months (range = 0 to 75 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 49/83 'positive' (defined as significant results) versus 40/72 not 'positive' abstract results published 44/65 'positive' (defined as experimental better than control) versus 45/89 not 'positive' abstract results published 59/95 abstracts with a 'positive' conclusion versus 30/60 abstracts with a negative or neutral conclusion published 12/18 abstracts with sample size greater than 250 versus 24/41 abstracts with sample size between 101 and 250 versus 44/72 abstracts with sample size equal to or less than 100 published 48/71 abstracts presented orally versus 41/84 abstracts presented as posters published 19/26 abstracts with multiple centers versus 7/129 abstracts with a single center published 5/14 abstracts originating from North America versus 47/79 abstracts from Europe versus 37/62 abstracts from rest of the world published 56/94 abstracts reporting on a commercial drug versus 33/61 abstracts not reporting on a commercial drug published

Polyzos 2011 (Continued)

- Notes
- Human reproduction and development - reproductive medicine
 - Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific study design and specific topic, so low risk of bias.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	All meetings had at least 6 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of positive results, sample size, type of presentation, multi-center status, country of origin, commercial drug, and subspecialty with publication using multivariable logistic regression analysis.

Post 2013

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed in April 2012 ◦ Search completed by the investigators ◦ Searched by first author ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Title ■ Contents ■ Abstract
Data	<ul style="list-style-type: none"> • Included 1329 abstracts presented at the 2007 and 2008 North American Primary Care Research Group and Society of Teachers of Family Medicine meetings • Included all abstracts except educational sessions, workshops, and breakfast roundtable sessions
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication, overall, by meeting and by type of presentation • Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> • 457 of 1329 abstracts published • 367/1000 abstracts presented at the North American Primary Care Research Group meetings and 90/329 at the Society of Teachers of Family Medicine meetings published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 15.4 months (SE = 0.6; range = -20 to 51 months), overall ◦ Mean time to publication = 16 months (SE = 0.6) for the 2007 to 2008 North American Primary Care Research Group meetings ◦ Mean time to publication = 13.1 months (SE = 1.2) for the 2007 to 2008 Society of Teachers of Family Medicine meetings ◦ Mean time to publication = 13.7 months (SE = 0.6) for abstracts presented orally ◦ Mean time to publication = 18.6 months (SE = 1.0) for abstracts presented as poster • Factors related to proportion of abstracts published included

Post 2013 (Continued)

- 295/688 abstracts presented orally versus 162/641 abstracts presented as poster published

Notes

- General medicine/primary care
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of meeting and type of presentation with publication using stratified analysis and unspecified statistical tests.

Prendergast 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ The Cochrane Library, Embase, MEDLINE, Web of Science, Ovid, and Wiley Interscience databases until September 2012 ○ Person completing the search not reported ○ Searched by first and senior author, and keywords ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 938 abstracts presented at the 1995 and 2005 British Society of Gastroenterology meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication by meeting • Proportion published by study design and subspecialty between 1995 and 2005 meetings
Outcomes	<ul style="list-style-type: none"> • 165 of 938 abstracts published • 88/497 abstracts presented at the 1995 meeting and 77/441 at the 2005 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 22.2 months (SD = 16.9) for the 1995 meeting ○ Mean time to publication = 18.6 months (SD = 13.3) for the 2005 meeting • Examined individual factors related to study design and subspecialty for comparison of proportion of abstracts published between 1995 and 2005 meetings
Notes	<ul style="list-style-type: none"> • Gastroenterology • Reported having received no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.

Full publication of results initially presented in abstracts (Review)

Prendergast 2013 (Continued)

Search for publications?	Yes	Searched 6 databases.
Follow-up time?	Yes	All meetings had more than 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis using Chi ² or t tests.

Preston 2005

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to January 2004 Search completed by investigator Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Title Contents Study institution (for posters)
Data	<ul style="list-style-type: none"> Included 815 abstracts presented at the 1994 to 1998 Orthopaedic Trauma Association meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication by meeting and type of presentation Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> 476 of 815 abstracts published 96/153 abstracts presented at the 1994 meeting, 98/168 at the 1995 meeting, 79/156 at the 1996 meeting, 91/157 at the 1997 meeting, and 114/181 at the 1998 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 24.8 months (SD = 17.9) for oral presentations and 21.6 months (SD = 19.4) for poster presentations Mean time to publication = 21.9 months (SD = 18.1) for oral presentations and 28.2 months (SD = 27.8) for poster presentations for 1994 Orthopaedic Trauma Association meeting Mean time to publication = 26.1 months (SD = 20.3) for oral presentations and 19.7 months (SD = 18.8) for poster presentations for 1995 Orthopaedic Trauma Association meeting Mean time to publication = 31.1 months (SD = 19.3) for oral presentations and 22.1 months (SD = 17.3) for poster presentations for 1996 Orthopaedic Trauma Association meeting Mean time to publication = 20.9 months (SD = 13.8) for oral presentations and 18.6 months (SD = 15.9) for poster presentations for 1997 Orthopaedic Trauma Association meeting Mean time to publication = 25.4 months (SD = 16.8) for oral presentations and 21.3 months (SD = 17.3) for poster presentations for 1998 Orthopaedic Trauma Association meeting Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 222/329 abstracts presented orally versus 254/486 abstracts presented as posters published
Notes	<ul style="list-style-type: none"> Emergency medicine - orthopedic trauma Funding not reported

Risk of bias

Full publication of results initially presented in abstracts (Review)

Preston 2005 (Continued)

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 6 years follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	No	Examined association of meeting year and type of presentation with publication using stratified analysis and Fisher's Exact test.

Prohaska 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed and Google/Google Scholar from 2005 to October 2011 Person completing the search not reported Searched by first and second author, and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> Sample size Title Methodology Results Objectives
Data	<ul style="list-style-type: none"> Included 1941 abstracts presented at the 2005 American College of Clinical Pharmacy Annual and Spring meetings; and American Pharmacists Association meetings; and American Society of Health-System Pharmacists Summer and Midyear Clinical meetings Included all abstracts except 58 abstracts previously published in meeting organization's published abstract listing
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean and median time to publication Cumulative proportion of abstracts published Subspecialty Practice setting
Outcomes	<ul style="list-style-type: none"> 384 of 1941 abstracts published 85/826 abstracts presented at the American Society of Health-System Pharmacists Midyear Clinical meeting, 16/114 at the American Society of Health-System Pharmacists Summer meeting, 55/281 at the American Pharmacists Association Annual meeting, 61/217 at the American College of Clinical Pharmacy Spring meeting, and 167/503 at the American College of Clinical Pharmacy Annual meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 16.8 months (SD = 11.9) Median time to publication = 15 months Cumulative proportion of abstracts published at 72 months showed proportion published = 18.9% (377/1941 abstracts) No factors other than subspecialty and practice patterns related to proportion of abstracts published reported

Prohaska 2013 (Continued)

- Notes
- Pharmacology
 - Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had 72 months follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, practice setting, and subspecialty with publication using stratified analysis and Chi ² tests.

Propst 2015

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed; date of search not reported ◦ Person completing the search not reported ◦ Searched by all authors and title ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Objective ■ Data
Data	<ul style="list-style-type: none"> • Included 867 abstracts presented at the 2004 to 2012 Society of Gynecologic Surgeons Annual Scientific meetings • Included all abstracts except tips and tricks and video presentations
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and % by meeting • Mean time to publication • Oral versus oral poster versus poster presentation • University versus community setting • Author location
Outcomes	<ul style="list-style-type: none"> • 483 of 867 abstracts published • 95/165 presented at the 2004 meeting, 42/89 at the 2005 meeting, 56/99 at the 2006 meeting, 53/85 at the 2007 meeting, 51/81 at the 2008 meeting, 50/83 at the 2009 meeting, 35/76 at the 2010 meeting, 46/91 at the 2011 meeting, and 54/97 at the 2012 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 12.7 months (SD=11.7; range = -5 to 82 months) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 169/205 abstracts presented orally versus 190/459 abstracts presented as poster versus 124/203 abstracts presented as oral poster published ◦ 465/804 abstracts with academic affiliation versus 16/61 abstracts without an academic affiliation published ◦ 462/826 abstracts with US first author versus 20/40 with author from elsewhere published
Notes	<ul style="list-style-type: none"> • Gynecology/obstetrics - gynecologic surgery

Full publication of results initially presented in abstracts (Review)

Propst 2015 (Continued)

- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year by type presentation, university affiliation, and author location with publication using stratified analysis and Chi ² or ANOVA tests.

Rabenda 2015

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed for '3 years' ◦ Search completed by the investigators ◦ Searched by first and second author, and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Title ■ Contents
Data	<ul style="list-style-type: none"> • Included 619 abstracts presented at the 2011 European Congress on Osteoporosis, Osteoarthritis, and Musculoskeletal Disorders meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication, by type of presentation & publication • Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> • 191 of 619 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Time to publication (not stated if mean or median) = 14.8 months (IQR = 8.3 to 23.3 months) for oral e-publications ◦ Time to publication (not stated if mean or median) = 16.3 months (IQR = 8.4 to 23.3 months) for oral print publications ◦ Time to publication (not stated if mean or median) = 9.2 months (IQR = 2.7 to 17.7 months) for poster e-publications ◦ Time to publication (not stated if mean or median) = 11.3 months (IQR = 5.3 to 21.4 months) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 34/45 abstracts presented orally versus 157/574 abstracts presented as poster published
Notes	<ul style="list-style-type: none"> • Orthopedics/orthopedic surgery - musculoskeletal disorders • Funding by ESCEO and IOF

Rabenda 2015 (Continued)

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	The meeting had less than 48 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of type of presentation with publication using stratified analysis and Chi ² t test, or Mann Whitney U tests.

Ramsey 1995

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE; date of search not reported Person completing the search not reported Searched by all authors Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 249 abstracts presented at the 1991 American Association of Blood Banks meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Oral versus poster presentation Commercial versus non-commercial versus mixed vendors Subspecialty Origin
Outcomes	<ul style="list-style-type: none"> 89 of 249 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 51% of abstracts presented orally versus 23% of abstracts presented as posters published 18% of abstracts with 'commercial vendors' versus 38% of abstracts with 'non-commercial sources' versus 44% of abstracts with 'commercial/non-commercial collaborations' published Reported that 'Publication rate was not influenced by abstract category or foreign origin.'
Notes	<ul style="list-style-type: none"> Hematology - transfusion medicine, blood bank Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.

Full publication of results initially presented in abstracts (Review)

Ramsey 1995 (Continued)

Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type presentation, funding, subspecialty and country of origin with publication using stratified analysis.

Rao 2006

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE to July 2004 Person completing the search not reported Searched by all authors and title Matched abstract to full-length publication by <ul style="list-style-type: none"> Contents Methodology
Data	<ul style="list-style-type: none"> Included 449 abstracts presented at the 2001 and 2002 British Association of Urological Surgeons meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Survival analysis of publication rate Oral versus poster presentation United Kingdom versus elsewhere origin
Outcomes	<ul style="list-style-type: none"> 142 of 449 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Survival analysis of proportion published at 36 months = 43.0% Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 38/124 abstracts presented orally versus 104/325 abstracts presented as posters published 121/391 abstracts originating in the United Kingdom versus 21/58 abstracts originating elsewhere published
Notes	<ul style="list-style-type: none"> Urology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	All meetings had less than 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of publication year, type presentation, and UK origin with publication using stratified and survival analyses.

Full publication of results initially presented in abstracts (Review)

Ravn 2014

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> CINAHL, Embase, PubMed until May 2013 Search completed by the investigators Searched by all authors, keywords, and title Matched abstract to full-length publication by <ul style="list-style-type: none"> Sample size Methodology Results Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 118 abstracts presented at the 2009 to 2011 Danish Society for Emergency Medicine meetings Included all abstracts, but only 63 of 118 abstracts have a follow-up of 24 months
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> 17 of 63 abstracts with 24 months or more follow-up published; 35 of 118 of all abstracts published 6/19 abstracts presented at the 2009 meeting, 11/44 at the 2010 meeting, and 8/55 at the 2011 meeting published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 4/10 abstracts presented orally versus 21/108 abstracts presented as poster published, but abstracts with less than 24 months included
Notes	<ul style="list-style-type: none"> Emergency medicine Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 3 databases and contacted abstract authors.
Follow-up time?	No	Only the meeting in 2009 had 48 months follow-up. All other meetings had less than 48 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of meeting year and type presentation with publication using Fisher's Exact test.

Richling 2014

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed and Google/Google Scholar until March 2014 Search completed by the investigators
---------	---

Richling 2014 (Continued)

- Searched by first author, keywords, and title
- Matched abstract to full-length publication by
 - Results
 - Hypotheses
 - Procedures
 - Participant characteristics
 - Data sets
- Searched *curriculum vitae* or resumes of first authors
- Contacted abstract authors directly

Data	<ul style="list-style-type: none"> • Included 880 abstracts presented at the 2005 Association for Behavior Analysis meeting • Included all abstracts related to autism or developmental disabilities
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Symposium versus other oral versus poster presentation • Continuing education approval versus no continuing education approval versus ineligible for applying for continuing education credit
Outcomes	<ul style="list-style-type: none"> • 77 of 880 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 25/278 abstracts presented at symposia versus 8/55 abstracts presented orally versus 44/547 abstracts presented as poster published ○ 8/61 abstracts with continuing education approval versus 17/217 abstracts without continuing education approval versus 52/602 abstracts ineligible for continuing education approval published
Notes	<ul style="list-style-type: none"> • Human reproduction and development - autism and developmental intellectual disabilities • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts relating to a specific topic, so low risk of bias.
Search for publications?	Yes	Searched 2 databases, <i>curriculum vitae</i> of authors and contacted abstract authors directly.
Follow-up time?	Yes	The meeting had 108 months follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	Yes	Examined association of type presentation and continuing education approval with publication using stratified analysis.

Riessland 2004

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE to March 2003 ○ Person completing the search not reported ○ Searched by all authors and keywords ○ Matched abstract to full-length publication by
---------	--

Full publication of results initially presented in abstracts (Review)

Riessland 2004 (Continued)

■ 'Data'

Data	<ul style="list-style-type: none"> • Included 347 abstracts presented at the 1995 American Society for Clinical Pharmacology meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean and median time to publication • Cumulative proportion of abstracts published • Oral versus poster presentation • 'Type data'
Outcomes	<ul style="list-style-type: none"> • 182 of 347 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 31 months (SD = 47) ◦ Median time to publication = 31 months ◦ Cumulative proportion of abstracts published at 96 months showed proportion published = 53.0% (184/347 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 12/24 abstracts presented orally versus 170/323 abstracts presented as poster published
Notes	<ul style="list-style-type: none"> • Pharmacology • Funding not reported • Data extracted from letter

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 8 years follow-up.
Matching?	No	Matched by only 1 criterion.
Adjustment for confounding?	No	Examined association of type of presentation and 'type data' with publication using stratified analysis.

Riordan 2000

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE to December 1999 ◦ Search completed by investigator ◦ Searched by first author ◦ Matching criteria not reported • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 88 abstracts presented at the 1996 British Paediatric Association and the Pediatric Research Society spring and autumn meetings • Included all abstracts accepted for plenary presentation

Riordan 2000 (Continued)

Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting RCT design versus non-RCT design Academic versus non-academic affiliation
Outcomes	<ul style="list-style-type: none"> 55 of 88 abstracts published 24/48 abstracts presented at the Pediatric Research Society spring and autumn meetings, and 31/40 at the British Paediatric Association meeting published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 8/9 abstracts with RCT design versus 47/79 abstracts with non-RCT design published 15/28 abstracts originating in an academic center versus 13/20 abstracts not originating in an academic center published
Notes	<ul style="list-style-type: none"> Pediatrics Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted for plenary presentation.
Search for publications?	Yes	Searched 1 database and contacted abstract authors.
Follow-up time?	No	The meeting only had 36 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of meeting, study design, academic affiliation with publication using stratified analysis.

Rodriguez 2012

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to December 2010 Person completing the search not reported Searched by all authors and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 311 abstracts presented at the 2006 to 2009 American Association of Oral and Maxillofacial Surgeons meetings Included all abstracts with authors from the US
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> 85 of 311 abstracts published 4/68 abstracts presented at the 2006 meeting, 5/85 at the 2007 meeting, 13/90 at the 2008 meeting, and 9/68 at the 2009 meeting published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included

Rodriguez 2012 (Continued)

- 49/163 abstracts presented orally versus 36/148 abstracts presented as poster published

Notes

- Otolaryngology head and neck surgery - oral and maxillofacial surgery
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	Only the meeting in 2006 had 48 months follow-up. All other meetings had less than 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year and type of presentation with publication using stratified analysis and unspecified statistical tests

Rollin 2009

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed and Embase from January 1998 to December 2006 ○ Search completed by investigator ○ Searched by all authors and keywords ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ One author ■ Title ■ Methodology
Data	<ul style="list-style-type: none"> • Included 318 abstracts presented at the 2000 International Commission on Occupational Health meeting • Included a random sample, stratified by oral and poster presentations
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication • Cumulative proportion of abstracts published • Oral versus poster presentation • English-speaking country versus non-English speaking country • North American versus Western European versus South American versus Asian versus Russian and Eastern European versus African versus Australian origin • Authors from countries with GNP < or > \$3000 • Quantitative data versus no quantitative data • Type of occupational risk
Outcomes	<ul style="list-style-type: none"> • 105 of 318 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 17 months (95% CI = 13 to 21 months) ○ Cumulative proportion of abstracts published at 72 months showed proportion published = 33% (105/318 abstracts)

Full publication of results initially presented in abstracts (Review)

Rollin 2009 (Continued)

- Factors related to proportion of abstracts published included
 - 49/158 abstracts presented orally versus 56/160 abstracts presented as posters published
 - 18/32 abstracts from English-speaking country versus 91/286 abstracts from non-English speaking country published
 - 7/19 abstracts originating from North America versus 66/168 abstracts from Western Europe versus 2/11 abstracts from South America versus 26/89 abstracts from Asia versus 3/12 abstracts from Russia and Eastern Europe versus 0/16 abstracts from Africa versus 1/3 abstracts from Australia published
 - 3/40 abstracts from authors of nations with GNP <\$3000 versus 102/278 abstracts from authors of nations with GNP > \$3000 published
 - 97/242 abstracts with quantitative data versus 8/76 abstracts without quantitative data published

Notes

- Other clinical specialties - occupational health
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random selection of abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	The meeting had 6 years follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	Yes	Examined association of type of presentation, origin in English language country, country of origin, economic status of country, presence of quantitative data, and type of occupational risk with publication using multivariable logistic regression analyses.

Rosmarakis 2005

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched database <ul style="list-style-type: none"> ◦ Index Medicus to March 2004 ◦ Person completing the search not reported ◦ Searched by all authors and keywords ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 190 abstracts presented at the 1999 and 2000 Interscience Conferences on Antimicrobial Agents and Chemotherapy meetings • Included all abstracts presented in the first session of 7 of 15 thematic categories
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 68 of 190 abstracts published • Proportion of abstracts published by time not reported • No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Infectious disease/immunology • Funding not reported

Rosmarakis 2005 (Continued)

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Roukis 2011

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Embase, Infotrieve-PubMed/MEDLINE, OVID MEDLINE(R), Google to October 2010 Search completed by investigator Searched by all authors and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 206 abstracts presented at the 1999 to 2008 American College of Foot and Ankle Surgeons Annual Scientific Conference meetings Included all abstracts accepted for oral presentation
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication, overall and by meeting
Outcomes	<ul style="list-style-type: none"> 139 of 206 abstracts published 20/29 abstracts presented at the 1999 meeting, 19/29 at the 2000 meeting, 10/20 at the 2001 meeting, 14/20 at the 2002 meeting, 11/13 at the 2003 meeting, 10/14 at the 2004 meeting, 15/21 at the 2005 meeting, 15/21 at the 2006 meeting, 15/21 at the 2007 meeting, and 10/18 at the 2008 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 14.5 months (range = -34 to 60 months), overall Mean time to publication = 13.3 months (range = -34 to 60 months) for 1999 American College of Foot and Ankle Surgeons Annual Scientific Conference meeting Mean time to publication = 19.3 months (range = 2 to 50 months) for 2000 American College of Foot and Ankle Surgeons Annual Scientific Conference meeting Mean time to publication = 18.6 months (range = 12 to 34 months) for 2001 American College of Foot and Ankle Surgeons Annual Scientific Conference meeting Mean time to publication = 13.7 months (range = 2 to 42 months) for 2002 American College of Foot and Ankle Surgeons Annual Scientific Conference meeting Mean time to publication = 16.9 months (range = 6 to 36 months) for 2003 American College of Foot and Ankle Surgeons Annual Scientific Conference meeting Mean time to publication = 8.4 months (range = 0 to 24 months) for 2004 American College of Foot and Ankle Surgeons Annual Scientific Conference meeting Mean time to publication = 17.9 months (range = -2 to 46 months) for 2005 American College of Foot and Ankle Surgeons Annual Scientific Conference meeting Mean time to publication = 11.5 months (range = -5 to 32 months) for 2006 American College of Foot and Ankle Surgeons Annual Scientific Conference meeting Mean time to publication = 14.7 months (range = -4 to 36 months) for 2007 American College of Foot and Ankle Surgeons Annual Scientific Conference meeting

Roukis 2011 (Continued)

- Mean time to publication = 7.6 months (range = -1 to 17 months) for 2008 American College of Foot and Ankle Surgeons Annual Scientific Conference meeting
- No factors related to proportion of abstracts published reported.

Notes

- Surgery - foot and ankle
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted for oral presentation.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	All meetings before 2007 had at least 48 months follow-up. All other meetings had less than 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Roy 2001

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed; date of search not reported ◦ Person completing the search not reported ◦ Searched by all authors and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Title ■ Contents
Data	<ul style="list-style-type: none"> • Included 660 abstracts presented at the 1978 to 1995 Otorhinolaryngological Research Society meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication • Cumulative proportion of abstracts published • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 456 of 660 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 22.5 months (range = -60 to 108 months) ◦ Cumulative proportion of abstracts published at 72 months showed proportion published = 69.1% (456/660 abstracts) • No factors other than subspecialty related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Otolaryngology head and neck surgery

Roy 2001 (Continued)

- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of subspecialty with publication using stratified analysis.

Rubin 2014

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed from May 2004 to November 2013 ◦ Search completed by the investigators ◦ Searched by first author, last author, title and senior author ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Title ■ Methodology • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 847 abstracts presented at the 2004 to 2007 Digestive Disease Week meetings • Included all abstracts included in the Best of Digestive Disease Week published after the Digestive Disease Week meetings
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication • Cumulative proportion of abstracts published • Oral versus poster presentation • US origin versus international origin
Outcomes	<ul style="list-style-type: none"> • 408 of 847 abstracts published • 147/340 abstracts presented at the 2004 meeting, 81/160 at the 2005 meeting, 79/147 at the 2006 meeting, and 101/200 at the 2007 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 12 months (IQR = 12 to 24 months) ◦ Cumulative proportion of abstracts published at 96 months showed proportion published = 48.2% (408/847 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 155/255 abstracts presented orally versus 250/592 abstracts presented as a poster published ◦ 156/317 abstracts originating in the US versus 249/530 abstracts not originating in the US published
Notes	<ul style="list-style-type: none"> • Gastroenterology - endoscopy

Rubin 2014 (Continued)

- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	Yes	Searched 1 database and contacted abstract authors.
Follow-up time?	Yes	All meetings had at least 6 years follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	Unclear	Examined association of meeting year, type of presentation, US origin, subspecialty by type of presentation, and subspecialty by US origin with publication using Fisher's Exact test and logistic regression analyses, although it was unclear if multivariable analyses were completed.

Saad 2008

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE and LILACS; dates of search not reported ◦ Person completing the search not reported ◦ Search criteria not reported ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 154 abstracts published in the abstract book for the 2001 to 2005 American Society of Clinical Oncology meetings (included some 'publish only' abstracts) • Included abstracts from Brazil, defined those in which at least 2/3rds of the involved institutions were from Brazil
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication • Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 26 of 154 abstracts published • 2/12 abstracts presented at the 2001 meeting, 8/26 at the 2002 meeting, 7/46 at the 2003 meeting, 3/32 at the 2004 meeting, and 6/38 at the 2005 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 13.5 months ◦ Proportion of abstracts published at 24 months = 13.6% (21/154 abstracts) • No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Oncology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.

Full publication of results initially presented in abstracts (Review)

Saad 2008 (Continued)

Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified and log rank analysis.

Saeed 2011

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, Embase, CINAHL, Web of Science to November 2009 Search completed by investigator Searched by first, second, and last author Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 141 abstracts submitted to the 2002, 2004, and 2006 Canadian Blood and Marrow Transplant Group meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Median time to publication Cumulative proportion of abstracts published 'Positive' versus not 'positive' Oral versus poster presentation Clinical research versus 'non-clinical' research Multi-centered versus single center Funding versus no funding or not reported
Outcomes	<ul style="list-style-type: none"> 43 of 141 abstracts published 21/57 abstracts presented at the 2002 meeting, 12/50 at the 2004 meeting, and 10/34 at the 2006 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 20.7 months (range = -5.3 to 91.2 months) Cumulative proportion of abstracts published at 48 months showed proportion published = 28.3% (40/141 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 20/53 'positive' (defined as significant results) versus 23/88 not 'positive' abstract results published 13/22 abstracts presented orally versus 30/119 abstracts presented as poster published 33/86 abstracts describing clinical research versus 10/55 abstracts describing 'non-clinical' research published 10/22 abstracts with multiple centers versus 33/119 abstracts with a single center published 7/10 abstracts with funding versus 36/131 abstracts with no funding or not reporting funding published
Notes	<ul style="list-style-type: none"> Oncology - blood and marrow transplantation Funding not reported

Risk of bias

Saeed 2011 (Continued)

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 4 databases.
Follow-up time?	Yes	All meetings before 2006 had at least 5 years follow-up. The meeting in 2006 only had 36 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, positive results, type of presentation, type science, multi-center status, and funding status with publication using Chi ² tests.

Salami 2013

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed in May 2012 Person completing the search not reported Searched by first and last author Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 184 abstracts presented at the 2005 American Society of Pediatric Hematology/Oncology meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication 'Positive' versus not 'positive' Oral versus poster presentation Clinical research versus basic science research versus other types of research Multi-centered versus single center North American versus European versus Asian versus rest of the world origin
Outcomes	<ul style="list-style-type: none"> 114 of 184 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 19 months (IQR = 11 to 29 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 46/66 abstracts with 'positive' (defined as statistically significant) versus 5/10 not 'positive' abstract results published 86/123 abstracts with 'positive' (defined as experimental better than control) versus 28/61 not 'positive' abstract results published 17/22 abstracts presented orally versus 91/142 abstracts presented as poster published 53/93 abstracts describing clinical research versus 49/67 abstracts describing basic science research versus 12/24 abstracts describing other types of research published 44/63 abstracts with multiple centers versus 70/121 abstracts with a single center published 110/170 abstracts originating from North America versus 3/5 abstracts originating from Europe versus 0/7 abstracts originating from Asia versus 1/1 with rest of the world origin published
Notes	<ul style="list-style-type: none"> Oncology - pediatric hematology

Salami 2013 (Continued)

- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Unclear	Included a subgroup of abstracts but definition not reported.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 7 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, positive results, type of presentation, type science, multi-center status, and country of origin with publication using stratified analysis and Fisher's Exact tests.

Saldanha 2016

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE, Cochrane Central Register of Controlled Trials, Embase, Web of Science, SCOPUS, and LILACS to June 2013 ◦ Search completed by investigator ◦ Searched by all authors and keywords ◦ Matching criteria not reported • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 513 abstracts presented at the 2001 to 2004 Association for Research in Vision and Ophthalmology meetings • Included all abstracts of RCTs, except 32 with non-randomized comparisons nested within RCTs
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication • Cumulative time to publication • 'Positive' versus 'not positive' • Oral versus poster • Multi-center versus single center • One or more reported conflict of interests versus none • Funding source reported versus not reported • Funding by industry versus other • Academic center versus non-academic center affiliation
Outcomes	<ul style="list-style-type: none"> • 230 of 513 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 18 months (IQR = 11 to 33; range = 1 to 90 months) ◦ Cumulative proportion of abstracts published at 120 months showed proportion published = 44.8% (230/513 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 64/117 'positive' (defined as statistically significant results) versus 59/111 not 'positive' versus 107/285 abstracts with statistical results not reported published

Saldanha 2016 (Continued)

- 48/84 'positive' (defined by direction of results) versus 29/57 not 'positive' abstract results published (derived from 130 abstracts from 2001 to 2003 and reported by in Rodriguez Barraquer 2009)
- 51/95 abstracts presented orally versus 179/418 abstracts presented as posters published
- 62/106 abstracts with multiple centers versus 15/46 abstracts with single centers versus 153/361 abstracts with number of centers not reported published
- 39/103 abstracts with authors reporting at least one conflict of interest versus 113/272 abstracts with no author reporting a conflict of interest published
- 34/56 abstracts reporting an industry sponsor versus 104/241 abstracts not reporting an industry sponsor published
- 118/258 abstracts originating in an academic center versus 112/255 abstracts not originating in an academic center versus published

Notes

- Ophthalmology/optometry - ophthalmology
- Funding from the National Eye Institute, National Institutes of Health

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	Yes	Searched 6 databases and contacted abstract authors directly.
Follow-up time?	Yes	All meetings had at least 9 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of positive results, type of presentation, multi-center status, author conflict of interest, funding, and academic affiliation with publication using log-binominal models accounting for interaction between variables.

Sanders 2001

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE, Embase; dates of search not reported ○ Person completing the search not reported ○ Searched by first, and senior authors, and keywords ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 255 abstracts presented at the 1994 British Society of Gastroenterology meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication • Cumulative proportion of abstracts published • Concordant acceptance at second meeting • 'Positive' versus 'not positive' • 'type, category or sample size' • Sample size
Outcomes	<ul style="list-style-type: none"> • 178 of 255 abstracts published

Full publication of results initially presented in abstracts (Review)

Sanders 2001 (Continued)

- Proportion of abstracts published by time
 - Median time to publication = 19 months (range = 0 to 66 months)
 - Cumulative proportion of abstracts published at 63 months showed proportion published = 69.8% (178/255 abstracts)
- Factors related to proportion of abstracts published included
 - 93 abstracts also submitted to the American Gastroenterology meeting, 58/73 accepted for presentation and published
 - Reported that 'There were no statistical differences between publication rates when sub-dividing abstracts according to type, category or sample size.'

Notes

- Gastroenterology
- Funding not reported
- Data extracted from letter and abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of acceptance for presentation, type of science, study design, and sample size with publication using stratified analysis and Chi ² tests.

Sanossian 2006

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed to August 2005 ◦ Person completing the search not reported ◦ Searched by first, second, and last author, and keywords ◦ Matching criteria not reported • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 353 abstracts presented at the 2000 International Stroke Conference of the American Stroke Association meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication • Cumulative proportion of abstracts published • 'Positive' versus not 'positive' • Sample size greater than 200 versus sample size less than 200 • Oral versus poster presentation • Multi-centered versus single center • Academic versus non-academic affiliation • US versus Canada versus Europe versus Asia/Australia versus Mexico/South America origin

Sanossian 2006 (Continued)

- 'Prospective' versus 'retrospective' design
- Industry sponsor versus no industry sponsor
- Subspecialty

Outcomes	<ul style="list-style-type: none"> • 220 of 353 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 15 months (range = -18 to 69 months) ◦ Cumulative proportion of abstracts published at 48 months showed proportion published = 60.1% (212/353 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 136/220 'positive' (defined as experimental better than control) versus 84/133 not 'positive' abstract results published ◦ 93/148 abstracts with sample size greater than 200 versus 127/205 abstracts with sample size less than 200 published ◦ 82/108 abstracts presented orally versus 138/245 abstracts presented as posters published ◦ 77/126 abstracts with multiple centers versus 143/227 abstracts with a single center published ◦ 174/269 abstracts originating in an academic center versus 46/84 abstracts not originating in an academic center versus published ◦ 153/251 abstracts originating from the US versus 21/28 abstracts from Canada versus 39/61 abstracts from Europe versus 25/36 abstracts from Asia/Australia versus 1/1 abstract from Mexico/South America published ◦ 94/160 abstracts with 'prospective' study design versus 34/62 abstracts with 'retrospective' study design published ◦ 26/37 abstracts reporting an industry sponsor versus 183/316 abstracts not reporting an industry sponsor published
Notes	<ul style="list-style-type: none"> • Neurology - stroke • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 1 database and contacted abstract authors.
Follow-up time?	Yes	The meeting had 5 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of positive results, sample size, type of presentation, multi-center status, academic affiliation, country of origin, prospective status, funding, and subspecialty with publication using multivariable logistic regression analysis.

Sanz Arrufat 2003

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE, Embase, IME, ICYT, and IPA to February 2003 ◦ Person completing the search not reported ◦ Searched by first and last author
---------	--

Sanz Arrufat 2003 (Continued)

- Matched abstract to full-length publication by
 - Title
 - Contents
 - Methodology

Data	<ul style="list-style-type: none"> • Included 638 abstracts presented at the 1996 to 1998 Sociedad Española de Farmacia Hospitalaria meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Subspecialty • Conference year
Outcomes	<ul style="list-style-type: none"> • 92 of 638 abstracts published • 30/192 abstracts presented at the 1996 meeting, 27/202 at the 1997 meeting, and 35/244 at the 1998 meeting published • Proportion of abstracts published by time not reported • No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Pharmacology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 5 databases.
Follow-up time?	Yes	All meetings had at least 5 years follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Sawatsky 2015

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed, Web of Science, and Google/GoogleScholar until December 2013 ○ Search completed by the investigators ○ Searched by first, second and last author, and keywords ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Title ■ Methodology ■ Results
Data	<ul style="list-style-type: none"> • Included 144 abstracts presented at the 2009 Society of General Internal Medicine meeting

Sawatsky 2015 (Continued)

	<ul style="list-style-type: none"> Included all abstracts describing medical education research excluding those focusing on patient education or general medical research
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication, overall and by submission category Oral versus poster presentation Quantitative versus qualitative research Scientific versus innovative research Higher MERSQI (Medical Education Research Study Quality Instrument) score versus lower score
Outcomes	<ul style="list-style-type: none"> 64 of 144 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 21 months Mean time to publication = 18.7 months (SD = 9.9) for abstracts in the scientific research category Mean time to publication = 25.4 months (SD = 10.9) for abstracts in the innovative research category Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 15/21 abstracts presented orally versus 38/99 abstracts presented as poster published 53/120 abstracts describing quantitative research versus 11/24 abstracts describing qualitative research published 42/79 abstracts from the scientific research category versus 22/65 abstracts from the innovative research category published 27/44 with higher (≥ 10) MERSQI score versus 25/75 abstracts with lower (< 10) MERSQI score
Notes	<ul style="list-style-type: none"> Medical education/library science Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described a specific topic with reasonable exceptions, so low risk of bias.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Yes	Matched by 4 different criteria
Adjustment for confounding?	No	Examined association of type of presentation, qualitative research, scientific research or abstract quality with publication using stratified analysis and Chi ² or t tests or Kruskal-Wallis tests.

Scherer 1994

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE from year of presentation through 1992 Search completed by investigator Searched by all authors Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Contents
---------	--

Scherer 1994 (Continued)

	<ul style="list-style-type: none"> • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 93 abstracts presented at the 1988 and 1989 American Academy of Ophthalmology and Association for Research in Vision and Ophthalmology meetings • Included all abstracts of randomized controlled trials as verified by abstract author.
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Cumulative proportion of abstracts published • 'Positive' versus not 'positive' • Sample size equal to or above the median versus sample size below the median • Multi-centered versus single center • 'High' versus 'low' quality as defined by author
Outcomes	<ul style="list-style-type: none"> • 61 of 93 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Cumulative proportion of abstracts published at 48 months showed proportion published = 63.4% (59/93 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 33/46 'positive' (defined as significant results) versus 28/47 not 'positive' abstract results published ◦ 31/43 abstracts with sample size equal to or above the median versus 24/42 abstracts with sample size below the median ◦ 14/19 abstracts with multiple centers versus 45/71 abstracts with a single center published ◦ 31/43 abstracts rated by author as 'high' quality versus 29/47 abstracts rated as 'low' quality published
Notes	<ul style="list-style-type: none"> • Ophthalmology/optometry - ophthalmology • Government funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific study design, so low risk of bias.
Search for publications?	Yes	Searched 1 database and contacted abstract authors.
Follow-up time?	Yes	The meeting in 1988 had 48 months and the meeting in 1989 only 36 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of positive results, sample size, trial design, multi-center status, abstract quality, and subspecialty with publication using stratified analysis and Chi ² tests.

Schibilisky 2014

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ 'Bibliometric study'; names of databases and dates of search not reported ◦ Person completing the search not reported ◦ Search criteria not reported ◦ Matching criteria not reported
---------	--

Schibilisky 2014 (Continued)

Data	<ul style="list-style-type: none"> • Included 777 abstracts submitted to the 2008 International Society for Heart and Lung Transplantation meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Accepted versus rejected for presentation • Oral versus poster • Academic affiliation • Multi-centered with 2 or more centers • Prospective cohort study design • Sample size
Outcomes	<ul style="list-style-type: none"> • 259 of 777 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 189/529 abstracts accepted for presentation versus 71/248 abstracts rejected for presentation published ◦ 122/319 abstracts presented orally versus 65/210 abstracts presented as posters published ◦ 209/650 abstracts describing clinical research versus 49/128 abstracts describing basic science published ◦ 238/683 abstracts with a university affiliation versus 20/94 abstracts without a university affiliation published ◦ 98/233 abstracts describing multi-center studies versus 180/564 abstracts describing single center studies published ◦ 7/29 abstracts describing case reports versus 65/232 abstracts describing case series versus 11/25 abstracts describing case control studies versus 3/8 abstracts describing cross-sectional studies versus 79/262 describing retrospective cohort studies versus 28/55 studies describing prospective cohort studies versus 9/18 non-randomized trials versus 8/18 RCTs published ◦ Enrolment of 150 or more patients: OR 3.26 (95% CI:1.04 to 7.91)
Notes	<ul style="list-style-type: none"> • Surgery - heart and lung transplantation • Funding not reported • Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Unclear	Number and types of databases not reported.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of acceptance for presentation, type of presentation, multi-center status, academic affiliation, prospective status, and sample size with publication using multivariable logistic regression.

Schnatz 2008

Methods	Identification of subsequent full-length publications
---------	---

Full publication of results initially presented in abstracts (Review)

Schnatz 2008 (Continued)

	<ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to June 2007 Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Title Contents Methodology
Data	<ul style="list-style-type: none"> Included 661 abstracts presented at the 1999 to 2003 North American Menopause Society meetings Included all abstracts except those from invited speakers
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication overall and by type of presentation Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> 253 of 661 abstracts published 55/138 abstracts presented at the 1999 meeting, 33/92 at the 2000 meeting, 39/104 at the 2001 meeting, 52/154 at the 2002 meeting, and 73/173 at the 2003 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 24 months (SD = 18; maximum = 103.2 months) Mean time to publication = 20.4 months (SD = 15.6) for oral presentations Mean time to publication = 24 months (SD = 18) for poster presentations Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 30/52 abstracts presented orally versus 222/609 abstracts presented as posters published
Notes	<ul style="list-style-type: none"> Gynecology/obstetrics - menopause Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	No	Examined association of meeting year and type presentation with publication using stratified analysis and Chi ² or t tests.

Schoenfeld 2012

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed and Google/Google Scholar in spring of 2010 Search completed by investigator Searched by all authors, keywords, and lead author
---------	--

Schoenfeld 2012 (Continued)

- Matching criteria not reported

Data	<ul style="list-style-type: none"> • Included 770 abstracts presented at the 1998 to 2006 Society of Military Orthopaedic Surgeons meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication, overall and by meeting • Cumulative proportion of abstracts published • Subspecialty (secondary publication by Fuller 2011)
Outcomes	<ul style="list-style-type: none"> • 352 of 770 abstracts published • 41/96 abstracts presented at the 1998 meeting, 36/89 at the 1999 meeting, 52/104 at the 2000 meeting, 35/75 at the 2001 meeting, 42/84 at the 2002 meeting, 43/83 at the 2003 meeting, 38/86 at the 2004 meeting, 33/76 at the 2005 meeting, and 32/78 at the 2006 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 32.4 months, overall ○ Mean time to publication = 43.0 months for the 1998 meeting ○ Mean time to publication = 33.0 months for the 1999 meeting ○ Mean time to publication = 33.6 months for the 2000 meeting ○ Mean time to publication = 30.6 months for the 2001 meeting ○ Mean time to publication = 39.6 months for the 2002 meeting ○ Mean time to publication = 29.4 months for the 2003 meeting ○ Mean time to publication = 27.0 months for the 2004 meeting ○ Mean time to publication = 28.5 months for the 2005 meeting ○ Mean time to publication = 19.2 months for the 2006 meeting ○ Cumulative proportion of abstracts published at 120 months showed proportion published = 47.5% (366/770 abstracts) • No factors other than subspecialty related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Orthopedics/orthopedic surgery • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year and subspecialty with publication using stratified analysis.

Scholey 2005

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database
---------	--

Scholey 2005 (Continued)

	<ul style="list-style-type: none"> o MEDLINE from 1 year before the meeting to 5 years after the meeting o Person completing the search not reported o Searched by all authors and title o Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 546 abstracts presented at the 1993 European Organisation for Caries Research, European Orthodontic Society, and International Association for Dental Research meetings • Included all abstracts from the European Organisation for Caries Research and European Orthodontic Society meetings and a 10% random sample from the International Association for Dental Research meeting
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication overall and by meeting • Cumulative proportion of abstracts published • Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> • 252 of 546 abstracts published • 116/256 abstracts presented at the International Association for Dental Research meeting, 78/175 at the European Orthodontic Society meeting, and 58/115 at the European Organisation for Caries Research meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> o Median time to publication = 18.0 months (IQR = 9 to 30 months) o Median time to publication = 13.0 months (IQR = 5.3 to 24.5 months) for European Organisation for Caries Research meeting o Median time to publication = 23.5 months (IQR = 12.3 to 36.0 months) for European Orthodontic Society meeting o Median time to publication = 17.0 months (IQR = 8.8 to 29.3 months) for International Association for Dental Research meeting o Cumulative proportion of abstracts published at 54 months showed proportion published = 46.2% (252/546 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> o 99/173 abstracts presented orally versus 153/373 abstracts presented as posters published
Notes	<ul style="list-style-type: none"> • Oral health - dentistry • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included either all abstracts or a random selection of abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had 5 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year and type presentation with publication using stratified analysis and Chi ² tests.

Schulte 2012a

Methods	Identification of subsequent full-length publications
---------	---

Full publication of results initially presented in abstracts (Review)

Schulte 2012a (Continued)

	<ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed from November 2003 to November 2008 Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Hypothesis Methods Sample size Results
Data	<ul style="list-style-type: none"> Included 1100 abstracts presented at the 2003 German Society of Orthopaedics and Trauma Surgery meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Cumulative proportion of abstracts published 'Positive' versus not 'positive' Oral versus poster presentation RCT design versus non-RCT design 'Experimental' versus 'clinical' versus epidemiological studies versus meta-analysis/reviews versus case reports versus other design 'Level I' versus 'level II' versus 'level III' versus 'level IV' evidence
Outcomes	<ul style="list-style-type: none"> 392 of 1100 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 14.9 months (SD = 16.9; range = -44 to 58 months) Cumulative proportion of abstracts published at 60 months showed proportion published = 35.6% (392/1100 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 120/236 'positive' (defined as significant results) versus 15/45 not 'positive' abstract results published 329/900 abstracts presented orally versus 63/200 abstracts presented as posters published 19/44 abstracts with RCT design versus 373/1056 abstracts with non-RCT design published 154/327 abstracts of 'experimental' studies versus 204/662 abstracts of 'clinical' studies versus 11/22 abstracts of epidemiological studies versus 3/10 abstracts of 'meta-analysis/reviews' versus 12/36 abstracts of case reports versus 8/43 abstracts of other types of studies published 16/29 abstracts of 'level I' evidence versus 33/83 abstracts of 'level II' evidence versus 19/65 abstracts of 'level III' evidence versus 136/485 abstracts of 'level IV' evidence published
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery - orthopedic and trauma surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 5 years follow-up.
Matching?	Yes	Matched by 5 criteria.

Full publication of results initially presented in abstracts (Review)

Schulte 2012a (Continued)

Adjustment for confounding?	No	Examined association of positive results, type presentation, study design, type science, and level of evidence with publication using stratified analysis and Chi ² tests.
-----------------------------	----	---

Schulte 2012b

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed for 5 years following each meeting ◦ Person completing the search not reported ◦ Searched by all authors and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ One author ■ Sample size ■ Methodology ■ Results ■ Hypothesis
Data	<ul style="list-style-type: none"> • Included 839 abstracts presented at the 2000 to 2003 Spine Society of Europe meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication overall and by meeting • Cumulative proportion of abstracts published • 'Positive' versus not 'positive' • Oral versus poster presentation • RCT design versus non-RCT design • Multi-centered versus single center • 'Experimental' versus 'clinical' versus epidemiological studies versus meta-analysis/reviews versus case reports • 'Level I' versus 'level II' versus 'level III' versus 'level IV' evidence • 'Prospective' versus 'retrospective' design
Outcomes	<ul style="list-style-type: none"> • 317 of 839 abstracts published • 78/259 abstracts presented at the 2000 meeting, 86/213 at the 2001 meeting, 68/168 at the 2002 meeting, and 85/199 at the 2003 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 17.7 months (SD = 15.7; range = -36 to 60 months) ◦ Mean time to publication = 16.2 months (SD = 16.5; range = -36 to 60 months) for 2000 Spine Society of Europe meeting ◦ Mean time to publication = 18.3 months (SD = 17.0; range = -30 to 59 months) for 2001 Spine Society of Europe meeting ◦ Mean time to publication = 14.4 months (SD = 14.4; range = -9 to 57 months) for 2002 Spine Society of Europe meeting ◦ Mean time to publication = 21.2 months (SD = 14.2; range = -2 to 56 months) for 2003 Spine Society of Europe meeting ◦ Cumulative proportion of abstracts published at 60 months showed proportion published = 37.8% (317/839 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 140/270 'positive' (defined as significant results) versus 159/513 not 'positive' abstract results published ◦ 154/318 abstracts presented orally versus 163/521 abstracts presented as posters published

Full publication of results initially presented in abstracts (Review)

Schulte 2012b (Continued)

- 31/59 abstracts with RCT design versus 286/780 abstracts with non-RCT design published
- 17/30 abstracts with multiple centers versus 165/502 abstracts with a single center published
- 124/268 abstracts of 'experimental' studies versus 182/532 abstracts of 'clinical' studies versus 7/19 abstracts of epidemiological studies versus 2/6 abstracts of 'meta-analysis/reviews' versus 2/14 abstracts of case reports published
- 22/50 abstracts with 'level I' evidence versus 53/129 abstracts of 'level II' evidence versus 33/77 abstracts of 'level III' evidence versus 74/275 abstracts of 'level IV' evidence versus 0/1 of 'level V' published
- 105/255 abstracts with 'prospective' study design versus 85/296 abstracts with 'retrospective' study design published

Notes	• Orthopedics/orthopedic surgery - spine surgery • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had 5 years follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, positive results, type of presentation, study design, multi-center status, level of evidence, and prospective status with publication using stratified analysis and Chi ² tests.

Schwartz 1992

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched database <ul style="list-style-type: none"> ○ Index Medicus; date of search not reported ○ Person completing the search not reported ○ Searched by first author ○ Matching criteria not reported • Searched all issues of the <i>Journal of Air Medical Transport</i> • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 312 abstracts presented at the 1987 to 1990 Association of Air Medical Transport meetings • Included all abstracts accepted for oral presentation
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 56 of 312 abstracts published • Proportion of abstracts published by time not reported • No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Emergency medicine - air medical services • Funding not reported

Schwartz 1992 (Continued)

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted for oral presentation.
Search for publications?	Yes	Searched 1 database, contacted abstract authors, and performed handsearches.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.

Seaton 1981

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLARS (only for abstracts related to alarygeal speech) and 'dsh' abstracts for 2 years before to 8 years after presentation Person completing the search not reported Searched 'dsh' by all authors; search criteria for MEDLARS not reported Matched abstract to full-length publication by <ul style="list-style-type: none"> Contents
Data	<ul style="list-style-type: none"> Included 583 abstracts presented at the 1967 to 1976 American Speech-Language Hearing Association meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Subspecialty
Outcomes	<ul style="list-style-type: none"> 174 of 583 abstracts published 13/50 abstracts presented at the 1967 meeting, 20/70 at the 1968 meeting, 15/55 at the 1969 meeting, 19/56 at the 1970 meeting, 20/42 at the 1971 meeting, 14/55 at the 1972 meeting, 21/48 at the 1973 meeting, 20/59 at the 1974 meeting, 15/66 at the 1975 meeting, and 17/82 at the 1976 meeting published Proportion of abstracts published by time not reported No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Other clinical specialties - speech, language and communication Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had 8 years follow-up.
Matching?	No	Matched by only 1 criterion.

Full publication of results initially presented in abstracts (Review)

Seaton 1981 (Continued)

Adjustment for confounding?	No	Examined association of meeting year and subspecialty with publication using stratified analysis.
-----------------------------	----	---

Seaton 1983

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Contacted abstract authors directly 14 months after presentation followed by second questionnaire 26 months after presentation
Data	<ul style="list-style-type: none"> Included 625 abstracts presented at the 1978 American Speech-Hearing-Language Association meeting Included only abstracts with 'usable' questionnaires (625/696)
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication
Outcomes	<ul style="list-style-type: none"> 202 of 625 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 13 months No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Other clinical specialties - speech, language and communication Funding by Ohio University's Baker Fund Awards Committee

Risk of bias

Item	Authors' judgement	Description
Sampling method?	No	Included only abstracts with 'usable' questionnaires.
Search for publications?	No	Contacted abstract authors but only had a response rate of 37.3%.
Follow-up time?	No	The meeting only had 26 months follow-up.
Matching?	Yes	Matched through contact with abstract author.

Sebel 2001

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE from January 1995 to December 1999 Search completed by investigator Searched by first, second, and third author Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 581 abstracts presented at the 1995 International Anesthesia Research Society's Clinical and Scientific Congress meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published

Full publication of results initially presented in abstracts (Review)

Sebel 2001 (Continued)

	<ul style="list-style-type: none"> • Mean time to publication • Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 277 of 581 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 15.6 months ◦ Cumulative proportion of abstracts published at 54 months showed proportion published = 47.7% (277/581 abstracts) • No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Anesthesiology • Funding not reported • Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Secil 2005

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed to June 2004 ◦ Person completing the search not reported ◦ Searched by first, second, and last author, and keywords ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 4413 abstracts presented at 1995 to 2002 'Turkish radiology conferences' meetings • Included all abstracts except withdrawn abstracts • Selected a single abstract when multiple abstracts of same study identified
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication • Oral versus poster presentation • 'Scientific report' versus 'case report' versus 'educational exhibit'
Outcomes	<ul style="list-style-type: none"> • 521 of 4413 abstracts published • 35/336 abstracts presented at the 1995 meetings, 46/444 at the 1996 meetings, 47/368 at the 1997 meetings, 41/436 at the 1998 meetings, 66/539 at the 1999 meetings, 89/619 at the 2000 meetings, 104/821 at the 2001 meetings, and 93/850 at the 2002 meetings published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 24.4 months (range = 0 to 91 months) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 116/754 abstracts presented orally versus 405/3659 abstracts presented as posters published

Secil 2005 (Continued)

- 261/2116 abstracts describing a 'scientific report' versus 249/1995 abstracts describing case reports versus 11/302 abstracts describing 'educational exhibits' published

Notes	<ul style="list-style-type: none"> • Radiology • Funding not reported
-------	---

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 2001 had at least 48 months follow-up. All meetings after 2000 had less than 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, type presentation, and study design with publication using stratified analysis.

Secil 2007

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed to December 2004 ○ Person completing the search not reported ○ Searched by all authors and keywords ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 276 abstracts presented at the 2000 and 2001 European Society of Gastrointestinal and Abdominal Radiology meetings • Included all abstracts accepted for oral presentation except for 2 withdrawn abstracts and 6 published before the meeting
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication • Clinical research versus other research • North American versus European versus rest of the world origin • 'Prospective' versus 'retrospective' versus other design • Interventional versus diagnostic • Subspecialty • Conference year
Outcomes	<ul style="list-style-type: none"> • 109 of 276 abstracts published • 46/111 abstracts presented at the 2000 meeting, and 63/165 at the 2001 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Median time to publication = 18 months (IQR = 1 to 53 months) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 109/264 abstracts describing clinical research versus 0/12 abstracts describing other research published

Secil 2007 (Continued)

- 10/16 abstracts originating from North America versus 83/212 abstracts from Europe versus 16/48 abstracts from rest of the world published
- 70/153 abstracts with 'prospective' study design versus 39/111 abstracts with 'retrospective' study design versus 0/12 abstracts with other study design published
- 28/64 abstracts describing therapy versus 81/212 abstracts describing diagnostic tests published

Notes

- Radiology - gastrointestinal and abdominal radiology
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted for oral presentation with reasonable exceptions.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The 2000 meeting had 48 months follow-up, the 2001 meeting only had 36 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type science, country of origin, prospective status, and type clinical study with publication using stratified analysis and Chi ² test or logistic regression analysis for country of origin.

Shelmerdine 2015

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE and PubMed; dates of search not reported ○ Person completing the search not reported ○ Search criteria not reported ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 363 abstracts presented at the 2012 British Society for Paediatric Radiology, European Society of Pediatric Radiology, and Society of Pediatric Radiology meetings • Included all abstracts accepted as posters
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication by meeting
Outcomes	<ul style="list-style-type: none"> • 57 of 363 abstracts published • 3/35 abstracts presented at the British Society for Paediatric Radiology meeting, 17/163 at the European Society of Pediatric Radiology, and 37/165 at the Society of Pediatric Radiology published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Median time to publication = 12 months (range = 6 to 17 months) for the British Society for Paediatric Radiology meeting ○ Median time to publication = 10 months (range = 2 to 29 months) for the European Society of Pediatric Radiology meeting ○ Median time to publication = 15 months (range = 3 to 31 months) for the Society of Pediatric Radiology meeting

Shelmerdine 2015 (Continued)

- No factors other than meeting year related to proportion of abstracts published reported

Notes

- Radiology - pediatric radiology
- Funding not reported
- Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted as posters.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Siegfried 2007

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE and specialized register of African trials to June 2006 ◦ Search completed by investigator ◦ Search criteria not reported ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 127 conference abstracts included in AIDSearch or NLM Gateway • Included all abstracts of randomized controlled trials conducted in Africa or North America from 1985 to 2003 in Africa and in 2000 in North America
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication by country where study conducted • North American versus African
Outcomes	<ul style="list-style-type: none"> • 86 of 127 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 22.8 months (range = 12 to 84 months) for studies conducted in Africa ◦ Mean time to publication = 26.4 months (range = 12 to 72 months) for studies conducted in North America • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 32/62 abstracts originating from North America versus 54/65 abstracts from Africa published
Notes	<ul style="list-style-type: none"> • Infectious disease/immunology - HIV, AIDS • Funding not reported • Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
------	--------------------	-------------

Full publication of results initially presented in abstracts (Review)

Siegfried 2007 (Continued)

Sampling method?	Yes	Included all abstracts describing RCTs within specific time and region.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Unclear	Date of search unclear.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of continent of origin with publication using stratified analysis.

Simons 2007

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, Embase, Google/Google Scholar, and Answer to 2005 Search completed by investigator Searched by all authors and keywords Matching criteria not reported Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 113 abstracts, presented at the 2000 American Academy of Allergy, Asthma and Immunology meeting Included a random sample of 1150 abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Cumulative proportion of abstracts published Oral versus poster presentation 'High-profile' oral versus 'high-profile' poster versus general poster presentations
Outcomes	<ul style="list-style-type: none"> 73 of 113 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 36 months showed proportion published = 56.6% (64/113 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 16/18 abstracts presented orally versus 57/95 abstracts presented as poster published 16/18 abstracts of 'high-profile' oral presentations versus 9/10 abstracts of 'high-profile' poster presentations versus 48/85 abstracts of general poster presentations published
Notes	<ul style="list-style-type: none"> Infectious disease/immunology - allergy Funding not reported Data extracted from letter

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random selection of abstracts.
Search for publications?	Yes	Searched 4 databases and contacted abstract authors.
Follow-up time?	Yes	The meeting had 5 years follow-up.

Full publication of results initially presented in abstracts (Review)

Simons 2007 (Continued)

Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type of presentation and 'high-profile' status with publication using stratified analysis and Fisher's Exact test.

Singh 2015

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Google/Google Scholar, and IndMed from 1 January, 2007 to 21 December, 2011 Person completing the search not reported Searched by all authors, keywords and title Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Sample size 	
Data	<ul style="list-style-type: none"> Included 102 abstracts presented at the 2006 National Neonatology Forum of India meeting Included all abstracts 	
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Cumulative proportion of abstracts published Oral versus poster presentation Clinical research versus basic science research versus other types of research Observational design versus case report design versus community-based design versus intervention design Academic center versus hospital versus individual institution versus other institution Subspecialty 	
Outcomes	<ul style="list-style-type: none"> 14 of 102 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 60 months showed proportion published = 13.7% (14/102 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 6/36 abstracts presented orally versus 3/58 abstracts presented as poster published 11/90 abstracts describing clinical research versus 3/4 abstracts describing basic science research versus 0/8 abstracts describing other types of research 8/56 abstracts with observational design versus 0/15 abstracts with case report design versus 1/3 abstracts with community-based design versus 2/16 abstracts with intervention design published 14/59 abstracts originating in an academic center versus 0/35 abstracts originating from a hospital versus 0/3 abstracts originating from individual institutions versus 0/5 abstracts originating from other institutions published 	
Notes	<ul style="list-style-type: none"> Pediatrics - neonatology Reported receiving no funding 	

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 3 databases.

Full publication of results initially presented in abstracts (Review)

Singh 2015 (Continued)

Follow-up time?	Yes	The meeting had 5 years follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of type of presentation, type of science, study design, and academic affiliation with publication using stratified analysis and Chi ² or Fisher's Exact tests.

Sinno 2011

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, Embase to September 2009 Search completed by investigator Searched by first, and senior author, and keywords Matching criteria not reported Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 138 abstracts presented at the 2003 Annual Meeting of the American Society of Plastic Surgeons Included all abstracts except those from guest speakers, award papers, and case reports
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published 'Positive' versus not 'positive' Clinical research versus other research 'Controlled' design versus 'uncontrolled' design 'Prospective' versus not 'prospective' design Level I/II versus Level III/IV evidence Sponsor reported versus no report US versus non-US origin Blinding versus no blinding
Outcomes	<ul style="list-style-type: none"> 78 of 138 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 38/55 'positive' (defined as significant results) versus 40/83 not 'positive' abstract results published 57/103 'positive' (defined as experimental better than control) versus 21/35 not 'positive' abstract results published 53/99 abstracts describing clinical research versus 25/39 abstracts describing other research published 34/56 abstracts with 'controlled' study design versus 44/82 abstracts with 'uncontrolled' study design published 20/26 abstracts with 'prospective' study design versus 58/112 abstracts without 'prospective' study design published 53/104 abstracts originating in the US versus 25/34 abstracts not originating in the US published 17/17 abstracts with sponsor reported versus 61/121 abstracts with no report of sponsor published 3/4 abstracts with blinding versus 75/134 abstracts without blinding published Odds ratio between evidence Level I and II versus Level III and IV = 0.10 (95% CI = 0.0 to 5.93)
Notes	<ul style="list-style-type: none"> Surgery - plastic surgery Funding not reported

Sinno 2011 (Continued)

- Data extracted from letter

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 2 databases and contacted abstract authors.
Follow-up time?	Yes	The meeting had 6 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of positive results, type science, study design, prospective status, US origin, funding, and presence of blinding with publication using an unspecified multivariable analyses.

Sivan 2010

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE, PubMed, Google/Google Scholar for 3 years after the meeting ◦ Search completed by investigator ◦ Searched by all authors, keywords, and authors' institution ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 251 abstracts presented at the 2000 to 2006 British Society of Rehabilitation Medicine meetings • Included all abstracts from English speaking countries
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • 'Original' research versus reviews versus audits versus case reports
Outcomes	<ul style="list-style-type: none"> • 86 of 251 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 80/152 abstracts describing 'original' research versus 5/10 abstracts describing reviews versus 0/51 abstracts describing an audit versus 1/22 abstracts describing case reports published
Notes	<ul style="list-style-type: none"> • Physical and rehabilitation medicine • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	No	The meetings only had 36 months follow-up.

Full publication of results initially presented in abstracts (Review)

Sivan 2010 (Continued)

Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of study design with publication using stratified analysis.

Smart 2013

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed for '5 years' Person completing the search not reported Searched by title, and presenting or senior author Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Methodology Materials section Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 122 abstracts presented at the 2000 to 2010 American Association of Oral and Maxillofacial Surgeons and American International Association of Dental Research meetings Included all abstracts presented by members of the Oral and Maxillofacial Surgery at Massachusetts General Hospital and Harvard School of Dental Medicine
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean and median time to publication Survival analysis of proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 90 of 122 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 21.9 months (SD = 17.3) Median time to publication = 19 months (range = 0 to 99 months) Survival analysis of proportion of abstracts published at 72 month = 73.8% No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Otolaryngology head and neck surgery - oral and maxillofacial surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of a specific subgroup, so low risk of bias.
Search for publications?	Yes	Searched 1 database and contacted abstract authors directly.
Follow-up time?	Yes	All meetings had at least 5 years follow-up.
Matching?	Yes	Matched abstracts by 3 different criteria.

Smith 2007

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed from June to August 2005 Person completing the search not reported Searched by first, second, and senior author, and contents Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Contents Methodology Results
Data	<ul style="list-style-type: none"> Included 1683 abstracts presented at the 2002 and 2003 American Urological Association meetings Included all abstracts addressing 'clinical research in human subjects' by excluding abstracts involving basic science or animal studies
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication Survival analysis of publication rate 'Positive' versus 'not positive' Oral versus poster presentation Observational study design versus meta-analyses/RCT versus case series versus other design Multi-centered versus single center 'Prospective' versus 'retrospective' design US versus non-US origin Therapy versus 'etiology/cause/harm' versus prognosis versus diagnostic tests 'New technology' versus not 'new technology' Subspecialty
Outcomes	<ul style="list-style-type: none"> 740 of 1683 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 27.8 months (range = 25.9 to 39.7 months) Survival analysis of proportion published = 42.7% at 30 months Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 521/711 'positive' (defined as significant results) versus 86/202 not 'positive' abstract results published 238/511 abstracts presented orally versus 487/1086 abstracts presented as posters published 519/1187 abstracts with observational study design versus 78/163 abstracts describing meta-analyses or RCTs versus 62/138 abstracts with case series design versus 81/195 abstracts with other design published 253/536 abstracts with multiple centers versus 487/1147 abstracts with a single center published 188/459 abstracts with 'prospective' study design versus 331/728 abstracts with 'retrospective' study design published 461/991 abstracts originating in the US versus 279/692 abstracts not originating in the US published 388/868 abstracts describing therapy versus 74/179 abstracts describing 'etiology/cause/harm' versus 115/252 abstracts describing prognosis versus 121/295 abstracts describing diagnostic tests published 129/332 abstracts describing a 'new technology' versus 611/1351 abstracts not describing a new technology published
Notes	<ul style="list-style-type: none"> Urology Funding not reported

Risk of bias

Full publication of results initially presented in abstracts (Review)

Copyright © 2018 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.

Smith 2007 (Continued)

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	All meetings had less than 48 months follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	Yes	Examined association of positive results, type of presentation, study design, multi-center status, prospective status, abstract quality, US origin, type of clinical study, presence of new 'technology' and subspecialty with publication using stratified analysis and time to publication using multivariable proportional hazards models.

Smith 2011a

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> CINAHL, PubMed, Evidence-based Medicine Reviews 5 years after abstract presentation Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> 'concordance between information'
Data	<ul style="list-style-type: none"> Included 823 abstracts presented at the 2000 to 2004 American Physical Therapy Associations Combined Sections Meetings Included all abstracts presented in the Orthopaedic and Sports Physical Therapy sections
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean and median time to publication 'Positive' versus not 'positive' Oral versus poster presentation RCT design versus observational versus validation versus non-experimental design Reporting funding source versus not reporting funding source
Outcomes	<ul style="list-style-type: none"> 209 of 823 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 22.7 months (SD = 15.3) Median time to publication = 19.3 months Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 97/284 'positive' (defined as significant results) versus 34/184 not 'positive' abstract results published 139/401 abstracts presented orally versus 70/422 abstracts presented as poster published 31/103 abstracts with RCT design versus 99/365 abstracts with observational design versus 27/95 abstracts with validation design versus 48/252 abstracts with non-experimental design published 40/125 abstracts reporting funding source versus 169/698 abstracts not reporting funding source published
Notes	<ul style="list-style-type: none"> Physical rehabilitation and medicine - physical therapy Funding not reported

Full publication of results initially presented in abstracts (Review)

Smith 2011a (Continued)

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	The meetings had 5 years follow-up.
Matching?	No	Matched by only 1 criterion.
Adjustment for confounding?	Yes	Examined association of positive results, type of presentation, study design, and funding using multivariable logistic regression analyses.

Smith 2014

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Google/Google Scholar, and MedEd Portal; dates of search not reported Search completed by investigator Search criteria not reported Matching criteria not reported Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 138 abstracts presented at the 1998 to 2008 Council on Medical Student Education in Pediatrics meetings Included all abstracts of presentations of 'scholarly' works (undefined) by Council on Medical Student Education in Pediatrics members
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Oral versus poster presentations
Outcomes	<ul style="list-style-type: none"> 47 of 138 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 17/32 abstracts presented orally versus 32/106 abstracts presented as poster published
Notes	<ul style="list-style-type: none"> Medical education/library science - pediatrics Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Unclear	Included all abstracts that described 'scholarly works', but unclear how this subgroup was defined.
Search for publications?	Yes	Searched 3 databases and contacted authors directly.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	Unclear	Matching criteria not reported.

Full publication of results initially presented in abstracts (Review)

Smith 2014 (Continued)

Adjustment for confounding?	No	Examined association of type presentation with publication using stratified analysis and Chi ² tests.
-----------------------------	----	--

Smollin 2006

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed; date of search not reported Search completed by investigator Searched by first, second, and last author, keywords, and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 237 abstracts presented at the 2001 North America Conference of Clinical Toxicology meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Clinical research versus basic science research versus other Case report design versus other design Subspecialty
Outcomes	<ul style="list-style-type: none"> 57 of 237 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 15 months (range = 0 to 29 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 48/203 abstracts describing clinical research versus 6/19 abstracts describing basic science research versus 3/15 other abstracts published 25/109 abstracts with case report design versus 32/128 abstracts with other design published
Notes	<ul style="list-style-type: none"> Other non-clinical specialties - toxicology Reported receiving no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type science and study design with publication using stratified analysis and Chi ² tests.

Snedeker 2010

Methods	Identification of subsequent full-length publications
---------	---

Full publication of results initially presented in abstracts (Review)

Snedeker 2010 (Continued)

	<ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Agricola, CAB abstracts, Web of Knowledge, Scholar's portal from January 1993 to December 2008 Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Contents Methodology Pathogen being studied Species Meat type Contacted abstract authors directly
Data	<ul style="list-style-type: none"> Included 149 abstracts presented at the following meetings: <ul style="list-style-type: none"> 1997, 2000, or 2003 International Symposium on Veterinary Economics and Epidemiology 1995 to 2004 Conference of Research Workers in Animal Disease 2003 International Symposium on Shiga Toxin 1997 to 2004 Society for Veterinary Epidemiology and Preventive Medicine 1996, 1997, 1999 and 2003 International Symposium and Control of Foodborne Pathogens in Pork 1998 International Symposium on Food-borne Salmonella in Poultry 2003 American Society of Microbiologists Conference on Salmonella 1995 to 2004 North East Conference on Avian Diseases meetings 1995 to 2004 International Association of Food Protection meetings 1998 to 2004 Institute of Food Technologists Annual meetings Included all abstracts that were <i>in vivo</i> clinical trials or field experiments involving a pre-harvest or abattoir-level intervention against pathogenic bacteria
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication Cumulative proportion of abstracts published Oral versus poster 'Positive' versus 'not positive' Animal species Animal housing Pathogen type
Outcomes	<ul style="list-style-type: none"> 70 of 149 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 13.5 months (range = 0 to 72 months) Cumulative proportion of abstracts published at 48 months showed proportion published = 45.6% (68/149 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> OR for publication of abstracts presented orally versus poster = 2.2 (95% CI, 1.0 to 4.8) OR for publication of 'not positive' versus 'positive' (defined as statistically significant) results = 0.4 (95% CI, 0.1 to 1.1)
Notes	<ul style="list-style-type: none"> Other non-clinical specialties - food safety research Funding by Canadian Institutes of Health Research, Institute of Population and Public Health/Public Health Agency of Canada Applied Public Health Chair

Risk of bias

Item	Authors' judgement	Description
------	--------------------	-------------

Full publication of results initially presented in abstracts (Review)

Snedeker 2010 *(Continued)*

Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	Yes	Searched 4 databases and contacted abstract authors.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 6 different criteria.
Adjustment for confounding?	Yes	Examined data on positive results, type of presentation, animal species, animal housing, and pathogen type using stratified analysis and Chi ² tests or logistic regression and time to publication using multivariable Cox proportional hazard analysis.

Song 2010

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed; date of search not reported ◦ Search completed using custom PERL computer program ◦ Searched by first and last author ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Results ■ Conclusions
Data	<ul style="list-style-type: none"> • Included 4824 abstracts presented at the 2005 to 2007 United States and Canadian Academy of Pathology meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication • Cumulative proportion of abstracts published • Oral versus poster presentation • Using statistical methods versus not • One or more versus no authors from US • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 1725 of 4824 abstracts published • 603/1576 abstracts presented at the 2005 meeting, 555/1588 at the 2006 meeting, and 567/1660 at the 2007 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 18 months ◦ Cumulative proportion of abstracts published at 24 months showed proportion published = 35.6% (1725/4824 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 385/838 abstracts presented orally versus 1340/3986 abstracts presented as poster published ◦ 637/1733 abstracts using statistical methods versus 1088/3091 abstracts not using statistical methods published ◦ 1386/3916 abstracts with at least one US author versus 339/908 abstracts with no US authors published
Notes	<ul style="list-style-type: none"> • Pathology • Funding not reported

Full publication of results initially presented in abstracts (Review)

Song 2010 (Continued)

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, type of presentation, use of statistical methods, US origin and subspecialty with publication using stratified analysis and Fisher's Exact tests.

St John 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to May 2013 Person completing the search not reported Searched by all authors and title Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 327 abstracts presented at the 2009 Australian Gastroenterology Week meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published 'Advanced' trainee versus other Clinical research versus other University affiliation
Outcomes	<ul style="list-style-type: none"> 112 of 327 abstracts published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 78/250 abstracts describing clinical research versus 34/112 abstracts describing basic science research published 58/137 abstracts from authors with university affiliation versus 54/190 abstracts from authors without a university affiliation published 9/67 abstracts presented by 'advanced' trainee versus 103/260 abstracts presented by other person published
Notes	<ul style="list-style-type: none"> Gastroenterology Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.

St John 2013 (Continued)

Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of type of science, university affiliation, and type of presenter with publication using multivariable logistic regression.

Stolk 2002

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE, International Pharmaceutical Abstracts to March 2001 ◦ Person completing the search not reported ◦ Searched by all authors ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Sample size ■ Methodology ■ Research question
Data	<ul style="list-style-type: none"> • Included 1216 abstracts presented at the 1995 to 1999 International Conference on Pharmacoepidemiology meetings • Included all abstracts on pharmacoepidemiology and drug safety, except late-breaking, workshop, and symposium
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Cumulative proportion of abstracts published by meeting • Oral versus poster presentation • North American versus European versus rest of the world origin • Subspecialty • Conference year
Outcomes	<ul style="list-style-type: none"> • 319 of 1216 abstracts published; 262 abstracts with more than 24 months follow-up published • 52/174 abstracts presented at the 1995 meeting, 67/218 at the 1996 meeting, 73/240 at the 1997 meeting, 70/315 at the 1998 meeting, and 57/269 at the 1999 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Cumulative proportion of abstracts published at 72 months showed proportion published = 29.9% (52/174 abstracts) for 1995 International Conference on Pharmacoepidemiology meeting ◦ Cumulative proportion of abstracts published at 60 months showed proportion published = 30.7% (67/218 abstracts) for 1996 International Conference on Pharmacoepidemiology meeting ◦ Cumulative proportion of abstracts published at 48 months showed proportion published = 30.4% (73/240 abstracts) for 1997 International Conference on Pharmacoepidemiology meeting ◦ Cumulative proportion of abstracts published at 36 months showed proportion published = 22.2% (70/315 abstracts) for 1998 International Conference on Pharmacoepidemiology meeting ◦ Cumulative proportion of abstracts published at 24 months showed proportion published = 21.2% (57/269 abstracts) for 1999 International Conference on Pharmacoepidemiology meeting • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 97/249 abstracts presented orally versus 222/967 abstracts presented as posters published ◦ 102/408 abstracts originating from North America versus 183/596 abstracts from Europe versus 34/212 abstracts from rest of the world published

Stolk 2002 (Continued)

- Notes
- Pharmacology - pharmacoepidemiology
 - Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described a specific topic with reasonable exceptions, so low risk of bias.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings before 1998 had at least 48 months follow-up. The meetings in 1998 and 1999 only had 36 and 24 months follow-up.
Matching?	Yes	Matched by 4 different characteristics.
Adjustment for confounding?	Yes	Examined association of meeting year, type presentation, country of origin, and subspecialty using multivariable Cox regression analyses.

Stranges 2015

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE, SCOPUS, and International Pharmaceutical Abstracts for a '5 year interval' ◦ Search completed by the investigator ◦ Searched by all authors, and keywords ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 655 abstracts presented at the 2003, 2005, and 2007 Great Lakes Pharmacy Residency Conference meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication • Clinical research versus basic science research versus survey versus service development • RCT design versus observational design versus other interventional design • Academic center versus veterans affairs institution versus community/retail institution versus hospital versus other institution affiliation • Prospective versus retrospective design • Results presented in abstract versus not • Intervention on drugs versus humans versus other topics
Outcomes	<ul style="list-style-type: none"> • 76 of 655 abstracts published • 22/171 abstracts presented at the 2003 meeting, 27/221 at the 2005 meeting, and 27/273 at the 2007 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 24.5 months (SD = 14.3) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 58/546 abstracts describing clinical research versus 2/8 abstracts describing basic science research versus 13/39 abstracts describing surveys versus 3/72 abstracts describing service development published

Stranges 2015 (Continued)

- 1/20 abstracts describing RCT versus 63/573 abstracts describing observational design versus 13/72 abstracts describing other interventional design published
- 49/287 abstracts originating in an academic center versus 6/101 abstracts originating from a veterans affairs institution versus 3/24 abstracts originating from community/retail institutions versus 18/248 abstracts originating with hospitals versus 0/5 abstracts originating from other institutions published
- 16/101 abstracts describing prospective design versus 60/564 abstracts describing retrospective design published
- 18/111 abstracts with results presented in abstract versus 58/554 abstracts with no results presented in abstract published
- 26/304 abstracts describing drug intervention versus 28/206 abstracts describing 'human' intervention versus 22/155 abstracts describing other intervention published

Notes

- Pharmacology
- Funded by the National Center for Advancing Translational Sciences

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	All meetings had 60 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of meeting year, type of science, study design, academic affiliation, prospective status, presentation of results, and type clinical study with publication using multivariable logistic regression.

Stöcker 2009

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed from January 1997 to December 2007 ○ Person completing the search not reported ○ Searched by first, and last author, and keywords ○ Matching criteria not reported • Contacted abstract authors directly • Handsearched two journals
Data	<ul style="list-style-type: none"> • Included 368 abstracts presented at the 1999 to 2003 Deutsche Gesellschaft für Allgemeinmedizin und Familienmedizin meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication • Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 200 of 368 abstracts published • Proportion of abstracts published by time

Full publication of results initially presented in abstracts (Review)

Stöcker 2009 (Continued)

- Mean time to publication = 18.4 months (range = -24 to 84 months)
- Cumulative proportion of abstracts published at 84 months showed proportion published = 54.3% (200/368 abstracts)
- No factors related to proportion of abstracts published reported

Notes

- General medicine/primary care
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 1 database, contacted abstract authors, and handsearched journals.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Sullivan 2014

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed to April 2014 ○ Person completing the search not reported ○ Search criteria not reported ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 227 abstracts presented at the 2006 to 2010 Irish Society of Urology Annual meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication, overall and by meeting • Clinical versus laboratory research
Outcomes	<ul style="list-style-type: none"> • 95 of 227 abstracts published • 43% of abstracts presented at the 2006 meeting, 32% at the 2007 meeting, 36% at the 2008 meeting, 51% at the 2009 meeting, and 47% at the 2010 meeting • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 24 months, overall ○ Mean time to publication = 26 months for the 2006 meeting ○ Mean time to publication = 33 months for the 2007 meeting ○ Mean time to publication = 22 months for the 2008 meeting ○ Mean time to publication = 20 months for the 2009 meeting ○ Mean time to publication = 18 months for the 2010 meeting • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 39% of abstracts describing clinical research versus 49% of abstracts describing laboratory research published
Notes	<ul style="list-style-type: none"> • Urology • Funding not reported

Sullivan 2014 (Continued)

- Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year and type science with publication using stratified analysis and t tests.

Sun 2011

Methods	<p>Identification of subsequent full-length publication</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE; date of search not reported ◦ Person completing the search not reported ◦ Searched by all authors, and keywords ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 2080 abstracts presented at the 2003 to 2006 American Academy of Ophthalmology and Association for Research in Vision and Ophthalmology meetings • Included a random sample of abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication, overall and by meeting year • Cumulative proportion of abstracts published by meeting • Experimental versus other design • RCT versus other design • Sample size
Outcomes	<ul style="list-style-type: none"> • 881 of 2080 abstracts published • 132/617 abstracts presented at the 2003 meeting, 155/615 at the 2004 meeting, 170/616 at the 2005 meeting, and 159/616 at the 2006 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 16 months (IQR = 8 to 27.1 months), overall ◦ Median time to publication = 20 months (IQR = 9.1 to 32 months) for 2003 American Academy of Ophthalmology and Association for Research in Vision and Ophthalmology meetings ◦ Median time to publication = 18 months (IQR = 9.1 to 29 months) for 2004 American Academy of Ophthalmology and Association for Research in Vision and Ophthalmology meetings ◦ Median time to publication = 14.5 months (IQR = 8 to 26.5 months) for 2005 American Academy of Ophthalmology and Association for Research in Vision and Ophthalmology meetings ◦ Median time to publication = 15 months (IQR = 7 to 22.6 months) for 2006 American Academy of Ophthalmology and Association for Research in Vision and Ophthalmology meetings ◦ Cumulative proportion of abstracts published at 72 months showed proportion published = 46.0% (221/480 abstracts) for the 2003 to 2006 American Academy of Ophthalmology meetings

Sun 2011 (Continued)

- Cumulative proportion of abstracts published at 72 months showed proportion published = 39.0% (624/1600 abstracts) for the 2003 to 2006 Association for Research in Vision and Ophthalmology meetings
- Factors related to proportion of abstracts published included
 - Experimental versus other study design: OR 1.28 (95% CI = 1.06-1.55)
 - RCT versus other study design: OR 1.59 (95% CI = 1.06-2.4)

Notes

- Ophthalmology/optometry - ophthalmology
- Funding not reported
- Data extracted from letter

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random selection of abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of meeting year, type science, study design, sample size, use of a control group with publication using multivariable logistic regression.

Susarla 2015

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE and SCOPUS for a 'minimum of 18 months' ○ Person completing the search not reported ○ Searched by title, and presenting and primary author ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Methodology ■ Materials
Data	<ul style="list-style-type: none"> • Included 78 abstracts presented at the 2009 to 2013 Johns Hopkins Hospital/University of Maryland Plastic Surgery Research Day meetings • Included all abstracts from a presenting author who was a plastic surgery resident in the Johns Hopkins Hospital/University of Maryland program
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication • Year of resident status • Resident characteristics • Faculty investigator with academic rank of (associate) professor • Prior publications • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 50 of 78 abstracts published • Proportion of abstracts published by time

Susarla 2015 (Continued)

- Mean time to publication = 15.6 months (SD = 13.6; range = -2 to 54 months)
- Factors related to proportion of abstracts published included
 - Year of resident status: OR 0.56 (95% CI 0.36 to 0.85)
 - Faculty investigator with academic rank of either associate professor or professor: OR 3.3 (95% CI 1.1 to 10.5)

Notes

- Surgery - plastic and reconstructive surgery
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts from a specific subgroup of authors.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings except the 2009 and 2010 meeting had less than 48 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	Yes	Examined association of year of resident status, residency track, number of prior publications, type of science, subspecialty, and present of faculty with academic rank of associate or full professor with publication using multivariable logistic regression.

Tam 2008

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE, PubMed from May 2000 to May 2006 ○ Search completed by investigator ○ Searched by first, second, and last author, and keywords ○ Matching criteria not reported • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 74 abstracts presented at the 2000 the American Society of Clinical Oncology meeting • Included all abstracts of phase III trials of chemotherapy, chemoradiotherapy, immunotherapy, hormone therapy
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean and median time to publication • Cumulative proportion of abstracts published • 'Positive' versus not 'positive' • Oral versus poster presentation versus abstract only • North American versus European versus Asian versus African versus South American versus Australian versus 'multiple continents' origin • Pharmaceutical versus co-op/government versus unreported funding
Outcomes	<ul style="list-style-type: none"> • 55 of 74 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 31 months

Tam 2008 (Continued)

- Median time to publication = 29 months (range = 3.4 to 68.4 months)
- Cumulative proportion of abstracts published at 78 months showed proportion published = 74.3% (55/74 abstracts)
- Factors related to proportion of abstracts published included
 - 17/18 'positive' (defined as significant results) versus 38/56 not 'positive' abstract results published
 - 21/27 'positive' (defined as experimental better than control) versus 34/47 not 'positive' abstract results published
 - 32/39 abstracts presented orally versus 19/26 abstracts presented as posters versus 4/9 presented as abstract only published
 - 13/19 abstracts originating from North America versus 33/44 abstracts from Europe versus 3/4 abstracts from Asia versus 1/1 abstracts from Africa versus 0/1 abstracts from South America versus 0/0 abstracts from Australia versus 5/5 abstracts from 'multiple continents' published
 - 3/3 abstracts with pharmaceutical funding versus 0/1 abstracts with co-op/government funding versus 52/74 abstracts with funding not reported published

Notes	• Oncology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described phase III trials on specific topics, so low risk of bias.
Search for publications?	Yes	Searched 1 database and contacted abstract authors.
Follow-up time?	Yes	The meeting had 6 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined data on more than 2 factors, and performed multivariate logistic regression analyses.

Tam 2011

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE, PubMed, and Embase from January 1989 to December 2009 ◦ Person completing the search not reported ◦ Searched by first, second, and last author, and keywords ◦ Matching criteria not reported • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 709 abstracts presented at the 1989 to 2003 American Society of Clinical Oncology meetings • Included all abstracts of phase III or randomized controlled trials with sample size ≥ 200 and outcome of overall survival, disease-free survival, or progression-free survival • Excluded abstracts that were "repeat presentations" ($n = 8$) or were published ≥ 3 months before presentation ($n = 2$)
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication • Survival analysis of publication rate

Tam 2011 (Continued)

Outcomes	<ul style="list-style-type: none"> 643 of 709 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 31.2 months Survival analysis of proportion published at 120 month = 88.5% No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Oncology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described RCTs and Phase III trials.
Search for publications?	Yes	Searched 2 databases and contacted abstract authors.
Follow-up time?	Yes	All meetings had at least 6 years follow-up.
Matching?	Unclear	Matching criteria not reported.

Tambuscio 2010

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, FORS Forensic Bibliographic Database; dates of search not reported Search completed by an undergraduate student Searched by all authors, keywords, and titles Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 623 abstracts presented at the 2006 American Academy of Forensic Sciences meeting Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Cumulative proportion of abstracts published Oral versus poster presentation North American versus European versus rest of the world origin US versus non-US versus 'international collaboration' origin
Outcomes	<ul style="list-style-type: none"> 102 of 623 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 10 months (SD = 9) Cumulative proportion of abstracts published at 18 months showed proportion published = 12.4% (77/623 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 17.2% of abstracts presented orally versus 14.6% of abstracts presented as poster published 69/500 abstracts originating from North America versus 20/59 abstracts from Europe versus 3/37 abstracts from rest of the world published 66/472 abstracts originating in the US versus 26/124 abstracts not originating in the US versus 10/27 abstracts of 'international collaboration' origin published

Tambuscio 2010 (Continued)

Notes	• Other non-clinical specialties - forensic sciences • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type of presentation, number of authors, country of origin, and US origin with publication using stratified analysis and unspecified statistical tests.

Tan 2010

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE to January 2008 ◦ Search completed by investigator ◦ Searched by first, and last author, and keywords ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 54 abstracts presented at the 2004 Asian Conference on Emergency Medicine meeting • Included all abstracts accepted for oral presentation
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 10 of 54 abstracts published • Proportion of abstracts published by time not reported • No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Emergency medicine • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted for oral presentation.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Full publication of results initially presented in abstracts (Review)

Theman 2014

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed in August 2013 ◦ Search completed by investigator ◦ Searched by all authors, keywords, and title ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Methodology ■ Results ■ Country of origin ■ Hypothesis ■ Study design ■ Study groups ■ Conclusions
Data	<ul style="list-style-type: none"> • Included 719 abstracts presented at the 2000 to 2010 American Society for Surgery of the Hand meetings • Included all abstracts from oral presentation on hand, wrist, and brachial plexus topics excluding all that focused primarily on elbow/shoulder joint and those from resident and fellows conferences
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean and median time to publication, overall and by meeting • Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 393 of 719 abstracts published • 56/109 abstracts presented at the 2000 meeting, 30/69 at the 2001 meeting, 36/64 at the 2002 meeting, 13/36 at the 2003 meeting, 40/80 at the 2004 meeting, 21/53 at the 2005 meeting, 17/35 at the 2006 meeting, 40/88 at the 2007 meeting, 38/62 at the 2008 meeting, 32/58 at the 2009 meeting, and 33/65 at the 2010 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 18 months (range = -12 to 122 months), overall ◦ Mean time to publication = 22 months (maximum = 120 months) for the 2000 American Society for Surgery of the Hand meeting ◦ Mean time to publication = 25 months (maximum = 96 months) for the 2001 American Society for Surgery of the Hand meeting ◦ Mean time to publication = 22 months (maximum = 120 months) for the 2002 American Society for Surgery of the Hand meeting ◦ Mean time to publication = 15 months (maximum = 48 months) for the 2003 American Society for Surgery of the Hand meeting ◦ Mean time to publication = 20 months (maximum = 84 months) for the 2004 American Society for Surgery of the Hand meeting ◦ Mean time to publication = 19 months (maximum = 60 months) for the 2005 American Society for Surgery of the Hand meeting ◦ Mean time to publication = 21 months (maximum = 84 months) for the 2006 American Society for Surgery of the Hand meeting ◦ Mean time to publication = 15 months (maximum = 60 months) for the 2007 American Society for Surgery of the Hand meeting ◦ Mean time to publication = 12 months (maximum = 48 months) for the 2008 American Society for Surgery of the Hand meeting ◦ Mean time to publication = 15 months (maximum = 48 months) for the 2009 American Society for Surgery of the Hand meeting

Theman 2014 (Continued)

- Mean time to publication = 13 months (maximum = 36 months) for the 2010 American Society for Surgery of the Hand meeting
- Median time to publication = 14 months (IQR = 14 to 64 months), overall
- Median time to publication = 15 months (IQR = 10 to 78 months) for the 2000 American Society for Surgery of the Hand meeting
- Median time to publication = 14 months (IQR = 12 to 101 months) for the 2001 American Society for Surgery of the Hand meeting
- Median time to publication = 14 months (IQR = 21 to 69 months) for the 2002 American Society for Surgery of the Hand meeting
- Median time to publication = 15 months (IQR = 7 to 68 months) for the 2003 American Society for Surgery of the Hand meeting
- Median time to publication = 18 months (IQR = 11 to 69 months) for the 2004 American Society for Surgery of the Hand meeting
- Median time to publication = 11 months (IQR = 13 to 84 months) for the 2005 American Society for Surgery of the Hand meeting
- Median time to publication = 20 months (IQR = 30 to 66 months) for the 2006 American Society for Surgery of the Hand meeting
- Median time to publication = 14 months (IQR = 18 to 51 months) for the 2007 American Society for Surgery of the Hand meeting
- Median time to publication = 11 months (IQR = 15 to 44 months) for the 2008 American Society for Surgery of the Hand meeting
- Median time to publication = 13 months (IQR = 17 to 66 months) for the 2009 American Society for Surgery of the Hand meeting
- Median time to publication = 12 months (IQR = 17 to 55 months) for the 2010 American Society for Surgery of the Hand meeting
- Cumulative proportion of abstracts published at 120 months showed proportion published = 49% (352/719 abstracts)
- No factors other than meeting year related to proportion of abstracts published reported

Notes

- Surgery - hand
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts from oral presentation on a specific topic.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 2010 had at least 48 months follow-up. The meeting in 2010 only had 36 months follow-up.
Matching?	Yes	Matched by 8 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Tieman 2010

Methods

Identification of subsequent full-length publications

- Searched electronic database
 - MEDLINE, Embase, CINAHL, PsycINFO to 2004

Tieman 2010 (Continued)

	<ul style="list-style-type: none"> ○ Person completing the search not reported ○ Searched by all authors, keywords, and index terms ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 1338 abstracts identified for inclusion in "CareSearch", a database of palliative care grey literature • Included all abstracts presented from 1980 up to 1999
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Oral versus plenary versus poster versus workshop presentation • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 213 of 1338 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 17.4% of abstracts presented orally versus 14.8% of abstracts presented in plenary sessions versus 14.3% of abstracts presented as posters versus 6.5% of abstracts presented as workshops published
Notes	<ul style="list-style-type: none"> • General medicine/primary care - palliative care • Funding by Palliative Care Section of the Commonwealth Department of Health and Ageing and the National Reference Group

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts within the CareSearch database.
Search for publications?	Yes	Searched 4 databases.
Follow-up time?	Yes	All meetings had at least 5 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type presentation and subspecialty with publication using stratified analysis.

Timmer 2001

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE to July 1999 ○ Person completing the search not reported ○ Searched by first and last authors ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 594 abstracts presented at the 1994 to 1995 European Pancreatic Club and American Pancreatic Association meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication

Timmer 2001 (Continued)

- Cumulative proportion of abstracts published overall by meeting
- Clinical research versus basic science research
- CCT design versus non-CCT design
- Multi-centered versus single center (defined as 1 or 2)
- North American versus European versus rest of the world origin

Outcomes	<ul style="list-style-type: none"> • 341 of 594 abstracts published • 138/254 abstracts presented at the American Pancreatic Association meetings, and 203/340 at the European Pancreatic Club meetings published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 36 months ◦ Cumulative proportion of abstracts published at 48 months showed proportion published = 57.4% (341/594 abstracts), overall ◦ Cumulative proportion of abstracts published at 48 months showed proportion published = 60.1% (203/340 abstracts) for European Pancreatic Club meetings ◦ Cumulative proportion of abstracts published at 48 months showed proportion published = 54.9% (139/254 abstracts) for American Pancreatic Association meetings • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 126/232 abstracts describing clinical research versus 215/362 abstracts describing basic science research published ◦ 24/40 abstracts with CCT design versus 317/554 abstracts with non-CCT design published ◦ 43/82 abstracts with multiple centers (defined as 3 or more) versus 298/512 abstracts with a single center (defined as 1 or 2) published ◦ 75/141 abstracts originating from North America versus 245/418 abstracts from Europe versus 21/35 abstracts from rest of the world published
Notes	<ul style="list-style-type: none"> • Gastroenterology - pancreatology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of meeting, type of science, study design, multi-center status, and country of origin with publication using multivariable logistic regression.

Timmer 2002

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE, Embase, Cochrane Central Register of Controlled Trials, Bios; dates of search not reported ◦ Person completing the search not reported ◦ Searched by first and last author
---------	---

Timmer 2002 (Continued)

	<ul style="list-style-type: none"> ◦ Matching criteria not reported • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 836 abstracts submitted to the 1992 to 1995 Digestive Diseases Week, combined meetings for American Gastroenterological Association, American Association for the Study of Liver Diseases, American Society for Gastrointestinal Endoscopy, and Surgical Society for the Alimentary Tract • Included a random sample of abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication • Survival analysis of publication rate by type of research design • 'Positive' versus not 'positive' • Sample size equal to or above the median versus sample size below the median • Accepted versus rejected for conference presentation • Clinical research versus basic science research • CCT design versus non-CCT design • 'High' versus 'low' quality as defined by author • Multi-centered versus single center • North American versus European versus rest of the world origin
Outcomes	<ul style="list-style-type: none"> • 392 of 836 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 18 months ◦ Survival analysis of proportion published at 72 months = 50.0% for basic science research ◦ Survival analysis of proportion published at 72 months = 54.9% for CCTs ◦ Survival analysis of proportion published at 72 months = 41.1% for other clinical research • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 177/354 'positive' (defined as significant results) versus 213/482 not 'positive' abstract results published ◦ 181/377 abstracts with sample size equal to or above the median versus 142/338 abstracts with sample size below the median published ◦ 292/541 abstracts accepted for presentation versus 98/288 rejected abstracts published ◦ 310/662 abstracts describing clinical research versus 82/174 abstracts describing basic science research published ◦ 170/326 abstracts with CCT design versus 222/510 abstracts with non-CCT design published ◦ 150/300 abstracts rated by author as 'high' quality versus 240/533 abstracts rated as 'low' quality published ◦ 36/46 abstracts with multiple centers versus 134/279 abstracts with a single center published ◦ 147/311 abstracts originating from North America versus 181/384 abstracts from Europe versus 62/141 abstracts from rest of the world published
Notes	<ul style="list-style-type: none"> • Gastroenterology • Funding by Calgary Regional Health Authority R&D and Searle Canada

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random selection of abstracts.
Search for publications?	Yes	Searched 4 databases and contacted abstract authors.
Follow-up time?	Unclear	Date of search not reported.

Timmer 2002 (Continued)

Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of positive results, sample size, acceptance for presentation, type of science, study design, abstract quality, multi-center status, and country of origin with publication using multivariable Cox or logistic regression

Todd 1997

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE 5 years after presentation ◦ Person completing the search not reported ◦ Search criteria not reported ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 118 abstracts submitted to a "regional otolaryngology" meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Accepted versus rejected for conference presentation
Outcomes	<ul style="list-style-type: none"> • 43 of 118 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 35/53 abstracts accepted for presentation versus 8/65 rejected abstracts published
Notes	<ul style="list-style-type: none"> • Otolaryngology head and neck surgery • Funding not reported • Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 5 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type presentation with publication using stratified analysis and unspecified statistical tests.

Toma 2006

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database
---------	--

Toma 2006 (Continued)

	<ul style="list-style-type: none"> ○ MEDLINE, PubMed, Embase, Cochrane Central Register of Controlled Trials, Google/Google Scholar, SIGLE, CardioSource, Incirculation to December 2005 ○ Search completed by investigator ○ Searched by all authors, keywords, title, and study acronym ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Authors ■ Study name/acronym ■ Title keyword
Data	<ul style="list-style-type: none"> • Included 186 abstracts presented at the 1999 to 2002 American College of Cardiology scientific meetings • Included 86 abstracts of late breaking RCTs reporting clinical outcomes, and 100 other randomly chosen RCTs; RCTs with non-human participants were excluded
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication by whether 'late-breaking' or not • Survival analysis of publication rate • 'Positive' versus not 'positive' • Multi-centered versus single center • 'Late-breaking' versus not 'late-breaking'
Outcomes	<ul style="list-style-type: none"> • 148 of 186 abstracts published • 34/43 abstracts presented at the 1999 meeting, 36/48 at the 2000 meeting, 41/49 at the 2001 meeting, and 38/46 at the 2002 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Median time to publication = 11.5 months for 'late-breaking' abstracts ○ Median time to publication = 22 months for abstracts that were not 'late-breaking' ○ Survival analysis of proportion published at 60 months = 83.3% • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 70/84 'positive' (defined as significant results) versus 78/102 not 'positive' abstract results published ○ 74/93 'positive' (defined as experimental better than control) versus 74/93 not 'positive' abstract results published ○ 55/63 abstracts with multiple centers versus 93/123 abstracts with a single center published ○ 79/86 'late-breaking' abstracts versus 69/100 abstracts that were not 'late-breaking' published
Notes	<ul style="list-style-type: none"> • Cardiology • Reported receiving no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random selection of abstracts describing RCTs and all late breaking abstracts describing RCTs.
Search for publications?	Yes	Searched 7 databases.
Follow-up time?	Yes	All meetings before 2002 had at least 48 months follow-up. The meeting in 2002 only had 36 months follow-up.
Matching?	Yes	Matched by 3 different criteria.

Toma 2006 (Continued)

Adjustment for confounding?	Yes	Examined association of positive results, multi-center status, and 'late-breaking' status with publication using Chi ² or tests and time to publication using a multivariable proportional hazards analysis.
-----------------------------	-----	---

Toro-Polo 2012

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, SciELO, LILACS, RedALyC, Portal Revist@s Peruanas, and Sistema de Bibliotecas de la Universidad Nacional Mayor de San Marcos from June to July 2011 Person completing the search not reported Searched by all authors, location of study, population, and main result Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Results Time Population Location
Data	<ul style="list-style-type: none"> Included 532 abstracts submitted to the 2002 to 2005 and 2006 to 2009 Sociedad Científica Médico Estudiantil Peruana meetings Included all abstracts except abstracts from students with foreign affiliation (162) and those that were presented more than once
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean and median time to publication Collaborative authorship versus other Analytical versus descriptive work
Outcomes	<ul style="list-style-type: none"> 52 of 532 abstracts published 21/254 abstracts presented at the 2002 to 2005 meetings and 31/278 at the 2006 to 2009 meetings published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 22.6 months (SD = 24.0) Median time to publication = 13 months (range = 0 to 75 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 3/6 abstracts with collaborative authorship versus 49/526 abstracts without collaborative authorship published 34/272 abstracts presenting analytical work versus 18/260 abstracts presenting descriptive work published
Notes	<ul style="list-style-type: none"> General medicine/primary care Reported having received no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 6 databases.

Toro-Polo 2012 *(Continued)*

Follow-up time?	Yes	All meetings had at least 72 months follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	Yes	Examined association of meeting year, collaborative authorship and type science with publication using unspecified multivariable analyses.

Turpen 2010

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to August 2007 Person completing the search not reported Searched by all authors and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 126 abstracts presented at the 2002 and 2003 American Urological Association meetings Included all abstracts of RCTs
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication
Outcomes	<ul style="list-style-type: none"> 79 of 126 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 51 months (SD = 5) No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Urology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts describing RCTs.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Tyagi 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed and Google/Google Scholar; dates of search not reported Person completing the search not reported Searched by first author, last author, keywords, and title Matched abstract to full-length publication by
---------	---

Tyagi 2013 (Continued)

- Sample size
- Hypothesis
- Study design
- Protocol

Data	<ul style="list-style-type: none"> Included 726 abstracts presented at the 2009 American Society of Anesthesiologists and Indian Society of Anaesthesiologists' Conference meetings Included all abstracts from the Indian Society of Anaesthesiologists' Conference and a random sample from the American Society of Anesthesiologists meeting
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Median time to publication
Outcomes	<ul style="list-style-type: none"> 99 of 726 abstracts published 80/363 abstracts presented at the American Society of Anesthesiologists, and 19/363 at the Indian Society of Anaesthesiologists' Conference published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 14 months (range = 1 to 21 months) for the American Society of Anesthesiologists meeting Median time to publication = 12 months (range = 3 to 24 months) for the Indian Society of Anaesthesiologists' Conference meeting No factors other than meeting related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Anesthesiology Reported receiving no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts from one conference and a random sample of another conference.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	No	Examined association of meeting with publication using stratified analysis and unspecified statistical tests.

ul Haq 2011

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to November 2009 Person completing the search not reported Searched by all authors, keywords, and title Matched abstract to full-length publication by <ul style="list-style-type: none"> 'Same conclusion/message'
Data	<ul style="list-style-type: none"> Included 179 abstracts presented at the 2001 British Orthopaedic Association meeting

ul Haq 2011 (Continued)

	<ul style="list-style-type: none"> Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 65 of 179 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 18.6 months (SD = 9.4) Cumulative proportion of abstracts published at 24 months showed proportion published = 27.4% (49/179 abstracts) No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery - trauma and orthopedics Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 8 years follow-up.
Matching?	No	Matched by only 1 criterion.

Uysal 2008

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to October 2007 Search completed by 'two observers' Searched by first, second, and last author Matched abstract to full-length publication by <ul style="list-style-type: none"> Sample size
Data	<ul style="list-style-type: none"> Included 900 abstracts presented at the 2002 International Federation of Clinical Chemistry and Laboratory Medicine meeting Included all abstracts presented as posters
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean and median time to publication Cumulative proportion of abstracts published Clinical research versus basic science research versus animal research Multi-centered versus single center 'Prospective' versus 'retrospective' versus observational versus case series versus 'experimental' versus 'technical' design
Outcomes	<ul style="list-style-type: none"> 125 of 900 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 11.9 months

Uysal 2008 (Continued)

- Median time to publication = 8 months
- Cumulative proportion of abstracts published at 48 months showed proportion published = 13.8% (124/900 abstracts)
- Factors related to proportion of abstracts published included
 - 59/385 abstracts describing clinical research versus 52/357 abstracts describing basic science research versus 10/75 abstracts describing animal research published
 - 81/407 abstracts with multiple centers versus 59/493 abstracts with a single center published
 - 10/92 abstracts with 'prospective' cohort study design versus 2/9 abstracts with 'retrospective' cohort study design versus 4/83 abstracts describing observational research versus 47/284 abstracts describing case series design versus 10/75 abstracts with 'experimental' design versus 52/357 abstracts with 'technical' design published

Notes	• Other non-clinical specialties - clinical chemistry • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented as posters.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 5 years follow-up.
Matching?	No	Matched by only 1 criterion.
Adjustment for confounding?	Yes	Examined association of type of science, multi-center status, prospective status, and study design with publication using multivariable logistic regression.

Uzun 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE and PubMed from June 2005 to July 2010 ○ Search completed by the investigators ○ Searched by all authors, keywords, and title ○ Matching criteria not reported. • Searched journals South Pacific Underwater Medicine Society and European Underwater and Baromedical Society until 2007
Data	<ul style="list-style-type: none"> • Included 179 abstracts presented at the 2005 Undersea and Hyperbaric Medical Society meeting • Included all abstracts except 2 retracted abstracts and 6 that were published prior to meeting
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean and median time to publication • Cumulative proportion of abstracts published • Clinical research versus basic science research versus secondary research • Observational design versus case report design versus experimental clinical design • Multi-centered versus single center • English language versus non-English language • North American versus European versus Asian versus Australian versus South American origin • USA versus non-USA origin

Uzun 2013 (Continued)

- Statistical methods mentioned versus not mentioned
- 1-5 authors versus > 5 authors
- Subspecialty

Outcomes	<ul style="list-style-type: none"> • 62 of 179 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 18.5 months (SD = 13.6; range = 2 to 60 months) ◦ Median time to publication = 15 months ◦ Cumulative proportion of abstracts published at 60 months showed proportion published = 34.6% (62/179 months) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 32/112 abstracts describing clinical research versus 28/56 abstracts describing basic science research versus 2/11 abstracts describing secondary research published ◦ 20/58 abstracts with observational design versus 4/31 abstracts with case report design versus 8/23 abstracts with experimental clinical design published ◦ 20/57 abstracts with multiple centers versus 42/122 abstracts with a single center published ◦ 47/134 abstracts in English language versus 15/45 abstracts in non-English language published ◦ 37/115 abstracts originating in North America versus 18/32 abstracts originating from Europe versus 3/19 abstracts originating from Asia versus 3/5 abstracts originating from Australia versus 1/8 abstracts originating from South America published ◦ 34/107 abstracts originating from the USA versus 28/72 abstracts with non-US origin published ◦ 16/26 abstracts with statistical methods mentioned versus 35/103 abstracts without statistical methods mentioned published ◦ 40/138 abstracts with 1 to 5 authors versus 22/41 abstracts with > 5 authors published
Notes	<ul style="list-style-type: none"> • Other clinical specialties - undersea and hyperbaric medicine • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 1 database and 2 journals.
Follow-up time?	Yes	The meeting had 5 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of type of science, study design, multi-center status, origin in English language country, country of origin, US origin, presence of statistical methods, number of authors and subspecialty with publication using multivariable logistic regression analyses.

Valderrama-Zurian 2009

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE to July 2006 ◦ Person completing the search not reported ◦ Searched by all authors and keywords ◦ Matched abstract to full-length publication by
---------	---

Valderrama-Zurian 2009 (Continued)

- All authors
- Title
- Aims
- Sample size
- Results/conclusions

Data	<ul style="list-style-type: none"> • Included 689 abstracts presented at the 1999 College on Problems of Drug Dependence meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean and median time to publication overall and by type of presentation • Cumulative proportion of abstracts published • Oral versus poster presentation • Clinical research versus basic science research
Outcomes	<ul style="list-style-type: none"> • 254 of 689 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 22.4 months (SD = 17.3) ◦ Mean time to publication = 22.4 months (SD = 18.5) for oral presentations ◦ Mean time to publication = 22.4 months (SD = 16.4) for poster presentations ◦ Median time to publication = 19.9 months ◦ Median time to publication = 19.9 months for oral presentations ◦ Median time to publication = 19.9 months for poster presentations ◦ Cumulative proportion of abstracts published at 90 months showed proportion published = 37.0% (255/689 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 102/194 abstracts presented orally versus 152/495 abstracts presented as poster published ◦ 141/480 abstracts describing clinical research versus 113/209 abstracts describing basic science research published
Notes	<ul style="list-style-type: none"> • Psychiatry - drug addiction • Funding by Plan Municipal de Drogodependencias Ayuntamiento de Valencia and the Ministério do Sanidad y Consumo, Red de Trastornos Adictivos RD06/001/0020, and V Sefles Program of the University of Valencia, Spain

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The meeting had 7 years follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	No	Examined association of type presentation, type science, with publication using stratified analysis and Chi ² and t tests, and binary logistic regression.

Van Balken 2005

Methods	<ul style="list-style-type: none"> • Method used to identify subsequent full-length publications not reported
---------	--

Van Balken 2005 (Continued)

Data	<ul style="list-style-type: none"> Included 61 abstracts presented at the 2002 and 2003 Dutch Urological Association meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 29 of 61 abstracts published Proportion of abstracts published by time not reported No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Urology Funding not reported Data extracted from English language abstract; full publication not translated

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Unclear	Method used to identify subsequent full-length publications not reported.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.

van der Steen 2004

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to December 2002 Person completing the search not reported Searched by all authors and keywords Matching criteria not reported Handsearched <i>European Journal of Plastic Surgery</i> for 1997 Electronic search of <i>European Journal of Plastic Surgery</i> website from 1998 through 2002
Data	<ul style="list-style-type: none"> Included 306 abstracts presented at the 1995 to 1999 European Association of Plastic Surgeons meetings Included all abstracts accepted for oral presentation
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean and median time to publication Cumulative proportion of abstracts published overall and by meeting Clinical research versus basic science research versus 'aesthetic surgery' studies Subspecialty
Outcomes	<ul style="list-style-type: none"> 195 of 306 abstracts published 38/57 abstracts presented at the 1995 meeting, 43/60 at the 1996 meeting, 35/60 at the 1997 meeting, 39/60 at the 1998 meeting, and 40/60 at the 1999 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 14 months (SD = 23.9) Median time to publication = 13 months

van der Steen 2004 (Continued)

- Cumulative proportion of abstracts published at 48 months showed proportion published = 59.5% (182/306 abstracts) overall
- Cumulative proportion of abstracts published at 72 months showed proportion published = 61.4% (35/57 abstracts) for 1995 European Association of Plastic Surgeons meeting
- Cumulative proportion of abstracts published at 72 months showed proportion published = 66.7% (40/60 abstracts) for 1996 European Association of Plastic Surgeons meeting
- Cumulative proportion of abstracts published at 72 months showed proportion published = 55.0% (33/60 abstracts) for 1997 European Association of Plastic Surgeons meeting
- Cumulative proportion of abstracts published at 60 months showed proportion published = 65.0% (39/60 abstracts) for 1998 European Association of Plastic Surgeons meeting
- Cumulative proportion of abstracts published at 48 months showed proportion published = 58.0% (40/69 abstracts) for 1999 European Association of Plastic Surgeons meeting
- Factors related to proportion of abstracts published included
 - 120/192 abstracts describing clinical research versus 33/56 abstracts of 'aesthetic surgery' studies versus 42/58 abstracts describing basic science research published

Notes

- Surgery -plastic surgery
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted for oral presentation.
Search for publications?	Yes	Searched 1 database, handsearched a journal and electronically searched another journal.
Follow-up time?	Yes	All meetings before 1999 had at least 48 months follow-up. The meeting in 1999 only had 36 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, type science, and subspecialty with publication using stratified analysis and Chi ² tests.

Van Royen 2010

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed; date of search not reported ○ Person completing the search not reported ○ Search criteria not reported ○ Matching criteria not reported • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 251 abstracts presented at the 1999 to 2006 European General Practice Research Network meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting
Outcomes	<ul style="list-style-type: none"> • 113 of 251 abstracts published

Van Royen 2010 (Continued)

- 11/27 abstracts presented at the 1999 meeting, 9/19 at the May 2000 meeting, 8/16 at the October 2000 meeting, 6/17 at the June 2001 meeting, 9/19 at the October 2001 meeting, 12/29 at the May 2002 meeting, 19/33 at the May 2005 meeting, 13/26 at the October 2005 meeting, 16/38 at the May 2006 meeting, and 10/27 at the October 2006 meeting published
- Proportion of abstracts published by time not reported
- No factors related to proportion of abstracts published reported

Notes

- General medicine/primary care
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 1 database and contacted abstract authors.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.

Varghese 2011

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE, PubMed to August 2009 ◦ Search completed by investigator ◦ Searched by first author and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Title ■ Contents
Data	<ul style="list-style-type: none"> • Included 1191 abstracts submitted to the 2003 to 2005 Pediatric Orthopaedic Society of North America meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean and median time to publication by meeting, oral presentation and rejection • Oral versus poster presentation • Accepted versus rejected for conference presentation
Outcomes	<ul style="list-style-type: none"> • 598 of 1191 abstracts published • 221/431 abstracts presented at the 2003 meeting, 169/343 at the 2004 meeting, and 208/417 at the 2005 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 24 months (95% CI = 20.3 to 27.8 months) for 2003 Pediatric Orthopaedic Society of North America meeting <ul style="list-style-type: none"> ■ 21.9 months (95% CI = 17.6 to 26.2 months) for oral presentation ■ 21.4 months (95% CI = 18.5 to 24.2 months) for rejected abstracts ◦ Mean time to publication = 24.8 months (95% CI = 21.4 to 28.3 months) for 2004 Pediatric Orthopaedic Society of North America meeting

Full publication of results initially presented in abstracts (Review)

Varghese 2011 (Continued)

- 28.3 months (95% CI = 23.2 to 33.5 months) for oral presentation
- 22.2 months (95% CI = 19.0 to 25.4 months) for rejected abstracts
- Mean time to publication = 20.2 months (95% CI = 17.7 to 22.8 months) for 2005 Pediatric Orthopaedic Society of North America meeting
 - 20.7 months (95% CI = 17.2 to 24 months) for oral presentation
 - 17.6 months (95% CI = 15 to 20.1 months) for rejected abstracts
- Median time to publication = 18.0 months or 2003 Pediatric Orthopaedic Society of North America meeting
 - 18 months for oral presentations
 - 18 months for rejected abstracts
- Median time to publication = 22 months or 2004 Pediatric Orthopaedic Society of North America meeting
 - 26 months for oral presentations
 - 19.5 months for rejected abstracts
- Median time to publication = 17 months or 2005 Pediatric Orthopaedic Society of North America meeting
 - 18.5 months for oral presentations
 - 15 months for rejected abstracts
- Factors related to proportion of abstracts published included
 - 159/265 abstracts presented orally versus 100/175 abstracts presented as poster published
 - 259/440 abstracts accepted for presentation versus 339/751 rejected abstracts published

Notes	• Orthopedics/orthopedic surgery - pediatrics • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	Yes	Examined association of meeting year, type presentation, and acceptance for presentation with publication using stratified analysis.

Vecchi 2009

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE, Embase from January 1992 to March 2006 ○ Person completing the search not reported ○ Searched by all authors and keywords ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ One author ■ Primary outcome
Data	<ul style="list-style-type: none"> • Included 581 abstracts presented at the 1993 to 2002 Annual Meeting of College on Problems of Drug Dependence meetings

Vecchi 2009 (Continued)

	<ul style="list-style-type: none"> Included all abstracts of randomized and controlled clinical trials, except those reporting analyses on healthy people, pharmacokinetic and toxicity studies, and preliminary findings reporting characteristics of participants without mention of allocation groups
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication overall and by type of results 'Positive' versus negative or null versus no statistical results versus no results RCT design versus CCT design
Outcomes	<ul style="list-style-type: none"> 359 of 581 abstracts published 37/59 abstracts presented at the 1993 meeting, 34/50 at the 1994 meeting, 13/51 at the 1995 meeting, 17/27 at the 1996 meeting, 26/41 at the 1997 meeting, 44/58 at the 1998 meeting, 40/60 at the 1999 meeting, 48/80 at the 2000 meeting, 56/83 at the 2001 meeting, and 44/72 at the 2002 meeting published Proportion of abstracts published <ul style="list-style-type: none"> Mean time to publication = 45.6 months Mean time to publication = 34.8 months for 'positive' results Mean time to publication = 62.4 months for negative or null results Mean time to publication = 50.4 months for abstracts without reported statistical results Mean time to publication = 62.4 months for abstracts with no results Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 120/161 abstracts with 'positive' (defined as significant) results versus 24/51 abstracts with negative or null results versus 198/325 abstracts not reporting any statistical results versus 17/44 abstracts with no results reported published 284/455 abstracts with RCT design versus 75/126 abstracts with CCT design published
Notes	<ul style="list-style-type: none"> Psychiatry - drug and alcohol addiction Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts describing RCTs and controlled clinical trials.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, positive results, and study design with publication using log rank tests.

Vo 2005

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed and MEDLINE; dates of search not reported Person completing the search not reported Searched by all authors and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> Title
---------	--

Vo 2005 (Continued)

- Methodology
- Results
- Conclusions

Data	<ul style="list-style-type: none"> • Included 287 abstracts presented at the 2000 to 2003 International Society for Pharmacoeconomics and Outcomes Research - International and European meetings • Included all abstracts on mental health
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 54 of 287 abstracts published • Proportion of abstracts published by time not reported • No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Psychiatry - mental health • Funding not reported • Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described a specific topic, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 4 different criteria.

Vogt 2008

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE, Embase, SPOLIT, SPOFOR, SPOMEDIA; dates of search not reported ◦ Person completing the search not reported ◦ Searched by all authors ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Sample size ■ Methodology ■ Results ■ Conclusions • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 36 abstracts presented at the 1997 Deutscher Sportärztekongress meeting • Included all abstracts on sports injuries
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication
Outcomes	<ul style="list-style-type: none"> • 20 of 36 abstracts published • Proportion of abstracts published by time

Full publication of results initially presented in abstracts (Review)

Vogt 2008 (Continued)

- Mean time to publication = 12 months
- No factors related to proportion of abstracts published reported

Notes

- Other clinical specialties - sports medicine
- Reported receiving no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described a specific topic, so low risk of bias.
Search for publications?	Yes	Searched 5 databases and contacted abstract authors.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 4 different criteria.

von Hardenberg 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE; date of search not reported ◦ Person completing the search not reported ◦ Searched by first, last and an additional author, and keywords ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ One author ■ Contents
Data	<ul style="list-style-type: none"> • Included 732 abstracts presented at the 2002 and 2009 Der Kongress der Deutschen Gesellschaft für Urologie meetings • Included all abstracts except presentations from video, case report and history of medicine sections
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication by meeting
Outcomes	<ul style="list-style-type: none"> • 386 of 732 abstracts published • 172/352 abstracts presented at the 2002 meeting, and 214/380 at the 2009 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 15.1 months • No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Urology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	No	Searched only 1 database.

Full publication of results initially presented in abstracts (Review)

von Hardenberg 2013 (Continued)

Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 2 different criteria.

Vuckovic-Dekic 2001

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 63 abstracts presented at the 1996 and 1998 First and Second Balkan Congress of Oncology meetings • Included all abstracts by authors affiliated to Serbian institutions and responding to enquiry
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> • 42 of 63 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 16/23 abstracts presented orally versus 26/40 abstracts presented as poster published
Notes	<ul style="list-style-type: none"> • Oncology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts that described specific subgroup, so low risk of bias.
Search for publications?	No	Contacted abstract authors, but response rate <80%.
Follow-up time?	Yes	The meeting in 1996 had 5 years follow-up, but the meeting in 1998 only had 36 months follow-up.
Matching?	Yes	Matched through contact with abstract author.
Adjustment for confounding?	No	Examined association of type presentation with publication using stratified analysis and unspecified statistical tests.

Wai 2006

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE; date of search not reported ◦ Person completing the search not reported ◦ Searched by all authors and title ◦ Matching criteria not reported
---------	--

Wai 2006 (Continued)

Data	<ul style="list-style-type: none"> • Included 270 abstracts presented at the 1998 to 2000 International Society for the Study of the Lumbar Spine meetings • Included all abstracts accepted as oral presentations
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Cumulative proportion of abstracts published • Experimental versus RCT versus cohort versus case control versus descriptive design • Statistical significance versus without versus no difference versus negative result • Clinical versus biomechanical versus basic science • Blinding • English language country
Outcomes	<ul style="list-style-type: none"> • 146 of 270 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Cumulative proportion of abstracts published at 36 months showed proportion published = 50.4% (136/270 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 68.4% of abstracts describing 'experimental' research versus 70.8% of abstracts describing an RCT versus 67.6% of abstracts describing a cohort versus 25% of abstracts describing a case control study versus 30.8% of abstracts presenting a descriptive study published ◦ 61.8% of abstracts presenting statistically significant results versus 50% of abstracts 'without statistical significance' versus 58.8% of abstracts presenting results with no difference versus 50% of abstracts presenting negative results published ◦ 48.8% of abstracts describing clinical research versus 57.5% of abstracts describing biomechanical research versus 55.7% of abstracts describing basic science research published ◦ 84.6% of abstracts with blinding published ◦ 54.8% of abstracts from English language country published
Notes	<ul style="list-style-type: none"> • Orthopedics/orthopedic surgery - spine • Reported having received no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of positive results, type science, study design, presence of blinding, and origin in English language country with publication multivariable logistic regression.

Walby 2001

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed to December 2000 ◦ Person completing the search not reported
---------	--

Walby 2001 (Continued)

	<ul style="list-style-type: none"> ○ Searched by keyword, and presenting author ○ Matching criteria not reported • Handsearched <i>Emergency Medicine</i> through December 2000
Data	<ul style="list-style-type: none"> • Included 207 abstracts presented at the 1995 to 1998 Australasian College of Emergency Medicine and Australasian Society for Emergency Medicine and 1996 and 1998 International Conference on Emergency Medicine meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean and median time to publication • Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> • 73 of 207 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Mean time to publication = 12.6 months ○ Median time to publication = 11 months ○ Cumulative proportion of abstracts published at 48 months showed proportion published = 35.3% (73/207 abstracts) • No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Emergency medicine • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 1 database and handsearched a journal.
Follow-up time?	No	Only the meetings in 1995 and 1996 had at least 48 months follow-up. All other meetings had less than 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.

Walsh 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ Embase, MEDLINE, Google/Google Scholar, and Eric to November 2012 ○ Person completing the search not reported ○ Searched by first, second, and last author, keywords, and title ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 449 abstracts presented at the 2005 to 2006 Research in Medical Education Conference and Canadian Conference on Medical Education meetings • Included all abstracts excluding 7 (4 withdrawn, 1 missing, 2 published before abstract deadline)
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication • Cumulative proportion of abstracts published

Full publication of results initially presented in abstracts (Review)

Walsh 2013 (Continued)

- Oral versus poster presentation
- Multi-centered versus single center
- Mixed methods versus qualitative methods versus quantitative methods
- Multi-center authorship versus not
- Research scholarship versus evaluation of program or innovation scholarship versus other scholarly activities
- Completed works versus work in progress

Outcomes	<ul style="list-style-type: none"> • 156 of 449 abstracts published • 86/232 abstracts presented at the Research in Medical Education Conference meetings, and 70/217 at the Canadian Conference on Medical Education meetings published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Median time to publication = 20 months (IQR = 10 to 30 months, range = -9 to 76 months) ◦ Cumulative proportion of abstracts published at 60 months showed proportion published = 33.6% (151/449 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 80/165 abstracts presented orally versus 76/284 abstracts presented as poster published ◦ 33/81 abstracts with multiple centers versus 110/301 abstracts with a single center published ◦ 20/36 methods with mixed methods design versus 32/69 abstracts with qualitative design versus 91/254 abstracts with quantitative design published ◦ 60/118 abstracts with multi-center authorship versus 96/331 abstracts without multi-center authorship published ◦ 110/283 abstracts on research versus 33/99 abstracts on evaluation of program or innovation versus 16/67 abstracts on other scholarly activity published ◦ 125/300 abstracts of completed works versus 18/82 abstracts with works in progress published
Notes	<ul style="list-style-type: none"> • Medical education/library science • Government funding and funding through the Hospital of Sick Children, Department of Paediatrics fellowship grant • Data abstracted from letter

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 4 databases.
Follow-up time?	Yes	All meetings had at least 6 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of meeting, type of presentation, multi-center status, study design, number of authors, type of science, completion status, and presence of author with doctorate degree with publication using multivariable logistic regression analyses.

Wang 1999

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ Medline MEDLINE Plus from 1990 through 1997
---------	---

Wang 1999 (Continued)

	<ul style="list-style-type: none"> ○ Person completing the search not reported ○ Searched by all authors and title ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Contents ■ Title ■ Methodology
Data	<ul style="list-style-type: none"> • Included 1188 abstracts presented at the 1990 to 1992 North American Spine Society, 1991 to 1993 Scoliosis Research Society, and 1991 to 1993 International Society for the Study of the Lumbar Spine meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Cumulative proportion of abstracts published by meeting
Outcomes	<ul style="list-style-type: none"> • 517 of 1188 abstracts published • 220/545 abstracts presented at the North American Spine Society meetings, 145/308 at the Scoliosis Research Society meetings, and 152/335 at the International Society for the Study of the Lumbar Spine meetings published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Cumulative proportion of abstracts published at 48 months showed proportion published = 45.4% (152/335 abstracts) for International Society for the Study of the Lumbar Spine meetings ○ Cumulative proportion of abstracts published at 48 months showed proportion published = 47.1% (145/308 abstracts) for the Scoliosis Research Society meetings ○ Cumulative proportion of abstracts published at 48 months showed proportion published = 43.9% (239/545 abstracts) for the North American Spine Society meetings • No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Orthopedics/orthopedic surgery - spine • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Waters 2011

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed; date of search not reported ○ Person completing the search not reported
---------	--

Waters 2011 (Continued)

	<ul style="list-style-type: none"> ○ Searched by first and senior author, and keywords ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 201 abstracts presented at the 2002 to 2007 British HIV Association meetings • Included all abstracts accepted as oral presentations
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Site
Outcomes	<ul style="list-style-type: none"> • 107 of 201 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published reported included <ul style="list-style-type: none"> ○ Proportion of abstracts published by site ranged from 25 to 83% (P = 0.173 for trend).
Notes	<ul style="list-style-type: none"> • Infectious disease/immunology - HIV • Funding not reported • Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Unclear	Included all abstracts presented orally.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of 'site' with publication using stratified analysis and Chi ² test.

Weale 2006

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ PubMed; date not reported but 'median of 28 months after each meeting' ○ Search completed by investigator ○ Searched by all authors ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Title ■ Contents
Data	<ul style="list-style-type: none"> • Included 768 abstracts presented at the 2001 Association of Surgeons of Great Britain and Ireland, Vascular Surgical Society of Great Britain and Ireland, British Transplantation Society, and Association of Coloproctology of Great Britain & Ireland meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Survival analysis of publication rate by meeting • Oral versus poster presentation

Full publication of results initially presented in abstracts (Review)

Weale 2006 (Continued)

Outcomes	<ul style="list-style-type: none"> • 246 of 768 abstracts published • 75/308 abstracts presented at the Association of Coloproctology of Great Britain & Ireland meeting, 47/132 at the British Transplantation Society meeting, 30/56 at the Vascular Surgical Society of Great Britain and Ireland meeting, and 94/272 at the Association of Surgeons of Great Britain and Ireland meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Survival analysis of proportion published at 24 months = 33.8% for the Association of Surgeons of Great Britain and Ireland meeting ◦ Survival analysis of proportion published at 24 months = 53.6% for Vascular Surgical Society of Great Britain and Ireland meeting ◦ Survival analysis of proportion published at 24 months = 32.6% for the British Transplantation Society meeting ◦ Survival analysis of proportion published at 24 months = 23.1% for the Association of Coloproctology of Great Britain & Ireland meeting • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 171/439 abstracts presented orally versus 75/329 abstracts presented as poster published
Notes	<ul style="list-style-type: none"> • Surgery • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	The meetings only had a median follow-up of 28 months.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	Unclear	Examined association of meeting and type of presentation with publication using a Cox proportional hazards model, although unclear if multivariable analysis was completed.

Weitz 2005

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed, Lilacs, and Scielo Chile; dates of search not reported ◦ Person completing the search not reported ◦ Searched by all authors, keywords, and title ◦ Matching criteria not reported • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 392 abstracts presented at the 1998 to 2002 Congresos Chilenos de Gastroenterología meetings • Included all abstracts except works conducted entirely in foreign countries, videos, repeated presentations (10) and abstracts for which authors did not respond (16)
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published

Weitz 2005 (Continued)

Outcomes	<ul style="list-style-type: none">• 100 of 392 abstracts published• Proportion of abstracts published by time not reported• No factors related to proportion of abstracts published reported	
Notes	<ul style="list-style-type: none">• Gastroenterology• Funding not reported	
<i>Risk of bias</i>		
Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched 3 databases and contacted abstract authors directly.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	Unclear	Matching criteria not reported.

Whitehouse 2009

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Embase, Google/Google Scholar; dates of search not reported Search completed by investigator Searched by first, second, and third author, title, and contents Matched abstract to full-length publication by <ul style="list-style-type: none"> Contents
Data	<ul style="list-style-type: none"> Included 1138 abstracts presented at the 2004 and 2005 British Hip Society, 2004 and 2006 European Hip Society, 2004 to 2006 British Orthopedic Association, and 2003 and 2005 European Federation of Orthopaedics and Trauma meetings Included all abstracts accepted for oral presentation related to hip surgery, except Instructional Course Lectures
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication, overall and by meeting
Outcomes	<ul style="list-style-type: none"> 252 of 1138 abstracts published 17/90 abstracts presented at the 2004 British Hip Society meeting, 15/73 at the 2005 British Hip Society meeting, 27/68 at the 2004 European Hip Society meeting, 30/173 at the 2006 European Hip Society meeting, 8/23 at the 2004 British Orthopedic Association meeting, 5/31 at the 2005 British Orthopedic Association meeting, 8/41 at the 2006 British Orthopedic Association meeting, 57/293 at the 2003 European Federation of Orthopaedics and Trauma meeting, and 85/346 at the 2005 European Federation of Orthopaedics and Trauma meeting published. Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 4.9 months Mean time to publication = 6.9 months for 2004 British Hip Society meeting Mean time to publication = 6.8 months for 2005 British Hip Society meeting Mean time to publication = -4.1 months for 2004 European Hip Society meeting Mean time to publication = 0.7 months for 2006 European Hip Society meeting Mean time to publication = 8.3 months for 2004 British Orthopedic Association meeting Mean time to publication = 6.0 months for 2005 British Orthopedic Association meeting

Full publication of results initially presented in abstracts (Review)

Whitehouse 2009 (Continued)

- Mean time to publication = 2.0 months for 2006 British Orthopedic Association meeting
- Mean time to publication = 9.5 months for 2003 European Federation of Orthopaedics and Trauma meeting
- Mean time to publication = 8.3 months for 2005 European Federation of Orthopaedics and Trauma meeting
- No factors other than meeting and meeting year related to proportion of abstracts published reported

Notes

- Orthopedics/orthopedic surgery
- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented orally that described a specific topic with reasonable exceptions, so low risk of bias.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Unclear	Date of search not reported.
Matching?	No	Matched by only 1 criterion.
Adjustment for confounding?	No	Examined association of meeting and meeting year with publication using stratified analysis and Fisher's Exact test.

Wieser 2015

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ○ MEDLINE, Scopus, and CAB abstracts; dates of search not reported ○ Person completing the search not reported ○ Searched by all authors and keywords ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ One author ■ One intervention ■ One species • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 607 abstracts presented at the 2004 to 2008 American College of Veterinary Anesthesiologists and Association of Veterinary Anesthetists meetings, and 2003 and 2006 World Congress of Veterinary Anaesthesiology meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication • Cumulative proportion of abstracts published • 'Positive' versus not 'positive' • RCT or controlled trial design versus other design • North America versus Europe versus rest of world • Funding reported versus not reported • Animal species

Wieser 2015 (Continued)

Outcomes	<ul style="list-style-type: none"> • 384 of 607 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 25 months (SD = 19; range = -35 to 104 months) ◦ Survival analysis of proportion published at 102 months= 63.3% • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 258/415 abstracts with 'positive' results (undefined) versus 126/192 abstracts without 'positive' results published ◦ 260/383 abstracts with RCT or controlled trial design versus 124/224 abstracts describing other design published ◦ 177/256 abstracts originating in North America versus 149/244 abstracts originating in Europe versus 58/107 abstracts originating elsewhere published ◦ 74/99 abstracts reporting funding versus 310/508 abstracts without funding or not reporting funding published
Notes	<ul style="list-style-type: none"> • Other non-clinical specialties - veterinary anesthesiology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 3 databases and contacted abstract authors directly.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of positive results, study design, multi-center status, country of origin, funding status and animal species with publication using stratified analysis and Fisher's Exact tests.

Wilson 2015

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ Embase, MEDLINE, and ALOIS; dates of search not reported ◦ Search completed by the investigator ◦ Searched by first and last author ◦ Matching criteria not reported • Contacted abstract authors directly
Data	<ul style="list-style-type: none"> • Included 250 abstracts presented at the 2009 International Psychogeriatric Association Congress, Clinical Trials on Alzheimer's Disease and Alzheimer's Association International Conference meetings • Included all abstracts related to dementia diagnosis
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • 'Positive' versus not 'positive' • Oral versus poster presentation • European versus North American versus rest of world origin • Sample size

Wilson 2015 (Continued)

	<ul style="list-style-type: none"> • Meeting • Clinic versus community versus Alzheimer's Disease Neuroimaging Initiative versus unknown setting • Imaging versus cerebrospinal fluid versus other biomarkers versus non-biomarkers • Inclusion of participant with versus without mild cognitive impairment
Outcomes	<ul style="list-style-type: none"> • 97 of 250 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 87/209 abstracts with 'positive' (defined as 'experimental better than control') versus 10/41 abstracts with not 'positive' abstract results published ◦ 26/53 abstracts presented orally versus 71/197 abstracts presented as poster published ◦ 44/105 abstracts with sample size > 100 versus 35/16 abstracts with sample size ≤ 100 published ◦ 36/85 abstracts originating in North America versus 40/91 abstracts originating in Europe versus 10/44 abstracts originating elsewhere versus 11/30 abstracts of international origin published
Notes	<ul style="list-style-type: none"> • Neurology - dementia • Received 'grant funding'

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts of a specific topic.
Search for publications?	Yes	Searched 3 databases and contacted abstract authors directly.
Follow-up time?	Unclear	Dates of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of meeting, positive results, type of presentation, sample size, country of origin, setting, type test, and inclusion criteria with publication using multivariable logistic regression.

Winnik 2012

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed, Cochrane Central Register of Controlled Trials, Google/Google Scholar for 4 years ◦ Person completing the search not reported ◦ Searched by all authors, keywords, and title ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Last author ■ Sample size ■ Primary endpoint ■ Number of study groups ■ Conclusions
Data	<ul style="list-style-type: none"> • Included 1002 abstracts submitted to the 2006 European Society of Cardiology meeting • Included a random selection of abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Sample size greater than 100 versus equal to or less than 100

Full publication of results initially presented in abstracts (Review)

Winnik 2012 (Continued)

- Oral versus poster presentation
- Accepted versus rejected for conference presentation
- Clinical research versus basic science research
- RCT design versus observational design versus systematic review versus other design
- Female versus male first author
- Female versus male last author
- Subspecialty

Outcomes	<ul style="list-style-type: none"> • 293 of 1002 abstracts published • Proportion of abstracts published by time not reported • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 117/415 abstracts with sample size greater than 100 versus 120/438 abstracts with sample size equal to or below 100 published ◦ 27/74 abstracts presented orally versus 117/302 abstracts presented as posters published ◦ 143/376 abstracts accepted for presentation versus 150/626 rejected abstracts published ◦ 251/899 abstracts describing clinical research versus 42/103 abstracts describing basic science research published ◦ 22/65 abstracts with RCT design versus 214/784 abstracts with observational design versus 4/8 abstracts of systematic reviews versus 11/42 abstracts with other design published ◦ 250/810 abstracts with university affiliation versus 43/192 abstracts without a university affiliation published ◦ 71/261 abstracts with female first author versus 217/723 abstracts with male first author published ◦ 25/131 abstracts with female last author versus 259/842 abstracts with male last author published
Notes	<ul style="list-style-type: none"> • Cardiology • Funding by the Foundation for Cardiovascular Research, Zurich, Switzerland, the Swiss National Science Foundation, and the University Research Priority Program Integrative Human Physiology at the University of Zurich

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random selection of abstracts.
Search for publications?	Yes	Searched 3 databases.
Follow-up time?	Yes	The meeting had 48 months follow-up.
Matching?	Yes	Matched by 5 different criteria.
Adjustment for confounding?	Yes	Examined association of sample size, type presentation, acceptance for presentation, type science, study design, author gender, and subspecialty with publication using multivariable regression.

Wong 2006

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE to March 2005 ◦ Person completing the search not reported ◦ Searched by all authors and keywords
---------	--

Wong 2006 (Continued)

- Matching criteria not reported

Data	<ul style="list-style-type: none"> • Included 67 abstracts submitted to the 1998 and 1999 New South Wales State Committee, Registrars Paper Day meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean and median time to publication • Sample size greater than 50 versus less than 50 • Oral versus poster presentation • Accepted versus rejected for conference presentation • Clinical research versus basic science research • 'Prospective' versus 'retrospective' design
Outcomes	<ul style="list-style-type: none"> • 28 of 67 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 23.8 months ◦ Median time to publication = 21 months (range = 4 to 60 months) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 11/33 abstracts with sample size greater than 50 versus 17/34 abstracts with sample size less than 50 published ◦ 17/34 abstracts presented orally versus 9/23 abstracts presented as posters published ◦ 26/57 abstracts accepted for presentation versus 2/10 rejected abstracts published ◦ 23/55 abstracts describing clinical research versus 5/12 abstracts describing basic science research published ◦ 17/25 abstracts with 'prospective' study design versus 11/42 abstracts with 'retrospective' study design published
Notes	<ul style="list-style-type: none"> • Surgery • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 6 years follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of sample size, type of presentation, acceptance for presentation, type of science, and prospective status with publication using stratified analysis and Chi ² tests.

Wong 2009

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE, Embase for 5 years ◦ Search completed by investigator
---------	---

Wong 2009 (Continued)

	<ul style="list-style-type: none"> ○ Searched by all authors and keywords ○ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Contents ■ Title ■ Similarities in authors' names
Data	<ul style="list-style-type: none"> • Included 790 abstracts presented at the 2003 Annual Scientific Sessions of Heart Rhythm Society meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Median time to publication • Survival analysis of publication rate • 'Positive' versus not 'positive' • Clinical research versus basic science research versus animal research versus simulation studies • RCT design versus non-RCT design
Outcomes	<ul style="list-style-type: none"> • 377 of 790 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Median time to publication = 16.7 months (IQR = 10.6 to 27.6 months) ○ Survival analysis of proportion published at 72 months = 47.7% • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 185/370 'positive' (defined as significant results) versus 192/420 not 'positive' abstract results published ○ 256/586 abstracts describing clinical research versus 28/43 abstracts describing basic science research versus 78/133 abstracts describing animal research versus 15/28 abstracts describing simulation studies published ○ 37/62 abstracts with RCT design versus 340/728 abstracts with non-RCT design published
Notes	<ul style="list-style-type: none"> • Cardiology -electrophysiology • Funding by the National Heart Foundation of Australia, National Heart Foundation of New Zealand, the Kidney Health Foundation of Australia, the University of Adelaide, the Royal Adelaide Hospital, the National Health and Medical Research Council of Australia

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	The meeting had 5 years follow-up.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	Yes	Examined association of positive results, type science, and study design with publication using multivariable logistic regression.

Wong 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database
---------	--

Wong 2013 (Continued)

	<ul style="list-style-type: none"> ○ MEDLINE; date of search not reported ○ Person completing the search not reported ○ Searched by all authors and keywords ○ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 4848 abstracts presented at the 2003 American Heart Association, and the 1994, 1997, 2000, 2003, and 2006 Heart Rhythm Society meetings • Included all abstracts from the Heart Rhythm Society and a random sample from the American Heart Association
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Median time to publication by meeting year of the Heart Rhythm Society • Clinical research versus animal research versus cellular research • RCT versus other designs • 'Positive' versus not 'positive'
Outcomes	<ul style="list-style-type: none"> • 2406 of 4848 abstracts published • 603/1000 abstracts presented at the American Heart Association and 281/521 at the 1994 meeting, 320/740 at the 1997 meeting, 358/804 at the 2000 meeting, 377/790 at the 2003 meeting, and 467/993 at the 2006 meeting of the Heart Rhythm Society published • Proportion of abstracts published by time <ul style="list-style-type: none"> ○ Median time to publication = 21 months (IQR = 10 to 34 months) for the 1994 Heart Rhythm Society meeting ○ Median time to publication = 18 months (IQR = 11 to 32 months) for the 1997 Heart Rhythm Society meeting ○ Median time to publication = 16 months (IQR = 6 to 31 months) for the 2000 Heart Rhythm Society meeting ○ Median time to publication = 18 months (IQR = 8 to 27 months) for the 2003 Heart Rhythm Society meeting ○ Median time to publication = 13 months (IQR = 5 to 22 months) for the 2006 Heart Rhythm Society meeting • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ○ 1521/3321 abstracts describing clinical research versus 595/992 abstracts describing animal research versus 334/524 abstracts describing cellular research published ○ RCT design (OR = 1.31, 95% CI:1.01 to 1.70) ○ 'Positive' findings (OR = 1.19, 95% CI:1.05 to 1.36)
Notes	<ul style="list-style-type: none"> • Cardiology - electrophysiology • Funded through scholarships and fellowship from Rhodes, National Health, Medical Research Council of Australia, National Heart Foundation of Australia, National Health and Medical Research Council of Australia

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts from one series conference and a random sample of a different conference.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.

Wong 2013 (Continued)

Adjustment for confounding?	Yes	Examined association of meeting year, positive results, type of science, and study design with publication using multivariable logistic regression.
-----------------------------	-----	---

Yalcinkaya 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed; date of search not reported ◦ Person completing the search not reported ◦ Searched by all authors, keywords, and title ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ All authors ■ Title ■ Contents
Data	<ul style="list-style-type: none"> • Included 770 abstracts presented at the 2007 Turkish National Orthopedics and Traumatology Congress meeting • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published • Mean time to publication • Cumulative proportion of abstracts published • Oral versus poster presentation
Outcomes	<ul style="list-style-type: none"> • 227 of 770 abstracts published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 14.9 months (SD = 16.1, range = -33 to 55 months) ◦ Cumulative proportion of abstracts published at 36 months showed proportion published = 26.1% (201/770 abstracts) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 116/264 abstracts presented orally versus 111/506 abstracts presented as poster published
Notes	<ul style="list-style-type: none"> • Emergency medicine - orthopedics and traumatology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by 3 different criteria.
Adjustment for confounding?	No	Examined association of type presentation with publication using stratified analysis and t test.

Yamaguchi 1990

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Contacted abstract authors directly <ul style="list-style-type: none"> ◦ Response rate = 61.9% (599/967)
Data	<ul style="list-style-type: none"> • Included 599 abstracts submitted to the 1986 Japanese Society for Bacteriology, Japanese Society for Bacteriology regional, Japanese Society of Internal Medicine, and Japanese Society of Internal Medicine regional meetings • Included all abstracts with author response (61.9% of 967 = 599)
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Cumulative proportion of abstracts published by meeting
Outcomes	<ul style="list-style-type: none"> • 488 of 599 abstracts published • 25/54 abstracts presented at the Japanese Society of Internal Medicine regional meeting, 234/269 at the Japanese Society of Internal Medicine, 37/51 at the Japanese Society for Bacteriology regional meeting, and 192/226 at the Japanese Society for Bacteriology published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Cumulative proportion of abstracts published at 48 months = 84.9% (192/226 abstracts) for the Japanese Society for Bacteriology meeting ◦ Cumulative proportion of abstracts published at 48 months = 72.5% (37/51 abstracts) for the Japanese Society for Bacteriology regional meeting ◦ Cumulative proportion of abstracts published at 48 months = 87.0% (234/269 abstracts) for the Japanese Society of Internal Medicine ◦ Cumulative proportion of abstracts published at 48 months = 46.3% (25/54 abstracts) for the Japanese Society of Internal Medicine regional meeting • No factors other than meeting related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Infectious disease/immunology - bacteriology, internal medicine • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	No	Included only abstracts with author response, not a representative sample.
Search for publications?	No	Contacted abstract authors directly but response rate was less than 80%.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Contacted abstract authors directly.
Adjustment for confounding?	No	Examined association of meeting with publication using stratified analysis.

Yentis 1993

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE from 1985 to 1990 ◦ Person completing the search not reported ◦ Searched by first author
---------	--

Yentis 1993 (Continued)

	<ul style="list-style-type: none"> Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Contents
Data	<ul style="list-style-type: none"> Included 215 abstracts, which was a systematic selection of abstracts presented at the 1985 American Society of Anesthesiologists, International Anesthesia Research Society, the Anaesthesia Research Society, and Canadian Anaesthetists' Society meetings
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Cumulative proportion of abstracts published by meeting
Outcomes	<ul style="list-style-type: none"> 108 of 215 abstracts published, 54/114 from the American Society of Anesthesiologists meeting, 22/39 from the International Anesthesia Research Society meeting, 19/33 from the Anaesthesia Research Society, and 13/29 from the Canadian Anaesthetists' Society meeting Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 60 months showed proportion published = 46.5% (53/114 abstracts) for American Society of Anesthesiologists meeting Cumulative proportion of abstracts published at 60 months showed proportion published = 56.4% (22/39 abstracts) for International Anesthesia Research Society meeting Cumulative proportion of abstracts published at 60 months showed proportion published = 57.6% (19/33 abstracts) for the Anaesthesia Research Society meeting Cumulative proportion of abstracts published at 60 months showed proportion published = 44.8% (13/29 abstracts) for Canadian Anaesthetists' Society meeting No factors other than meeting related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Anesthesiology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included a random selection of abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 5 years follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting with publication using stratified analysis and Chi ² test.

Yilmaz 2013

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed on 20 January, 2011 Person completing the search not reported Searched by all authors Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 1732 abstracts presented at the 2008 European League Against Rheumatism meeting

Yilmaz 2013 (Continued)

	<ul style="list-style-type: none"> Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Median time to publication Oral versus poster presentation Clinical research versus preclinical research RCT design versus non-RCT design Multi-centered versus single center Sample size Type disease
Outcomes	<ul style="list-style-type: none"> 601 of 1732 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Median time to publication = 13 months (range = 0 to 31 months) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 119/270 abstracts presented orally versus 482/1462 abstracts presented as poster published 393/1168 abstracts describing clinical research versus 208/564 abstracts describing preclinical research published 65/144 abstracts describing RCTs versus 328/1024 abstracts describing other research designs published 265/590 abstracts with multiple centers versus 336/1042 abstracts with a single center published Sample size (higher than median vs. lower than median: 36.2% vs. 30.3%, $P = 0.017$)
Notes	<ul style="list-style-type: none"> Rheumatology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	No	The meeting only had 36 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of type of presentation, study design, multi-center status, sample size, and type disease with publication using stratified analysis and χ^2 , Mann-Whitney U, and ANOVA tests.

Yolcu 2015

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed and Google/Google Scholar until November 2013 Person completing the search not reported Searched by first, second, and last author, and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 1322 abstracts presented at the 2007 to 2012 Oral and Maxillofacial Surgery Society of Turkey meetings

Full publication of results initially presented in abstracts (Review)

Yolcu 2015 (Continued)

	<ul style="list-style-type: none"> Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication Oral versus poster presentation Clinical research versus basic science research versus animal research versus technical note Observational design versus case report versus case series Retrospective design versus prospective design Subspecialty
Outcomes	<ul style="list-style-type: none"> 246 of 1322 abstracts published 34/114 abstracts presented at the 2007 meeting, 59/174 at the 2008 meeting, 31/154 at the 2009 meeting, 42/220 at the 2010 meeting, 50/344 at the 2011 meeting, and 30/316 at the 2012 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 17 months (SD = 15) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 110/390 abstracts presented orally versus 136/932 abstracts presented as poster published 184/1188 abstracts describing clinical research versus 25/55 abstracts describing basic science research versus 32/70 abstracts describing animal research versus 5/9 abstracts presenting a technical note published 87/436 abstracts describing an observational design versus 91/708 abstracts describing a case report versus 6/44 abstracts describing case series published 32/501 abstracts describing retrospective designs versus 32/235 abstracts describing prospective designs published
Notes	<ul style="list-style-type: none"> Otolaryngology head and neck surgery - oral and maxillofacial surgery Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 2 databases.
Follow-up time?	Yes	All meetings except the 2010 to 2012 meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, type presentation, type science, study design, prospective status, and subspecialty with publication using stratified analysis and Chi ² tests.

Yoo 2002

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> Melvyl MEDLINE Plus from 1990 to 1998 Search completed by investigator Searched by all authors and title Matched abstract to full-length publication by
---------	--

Yoo 2002 (Continued)

- All authors
- Title
- Contents
- Methodology

Data	<ul style="list-style-type: none"> Included 333 abstracts presented at the 1991 to 1993 Arthroscopy Association of North America and the American Orthopaedic Society for Sports Medicine meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Cumulative proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 188 of 333 abstracts published 111/166 abstracts presented at the American Orthopaedic Society for Sports Medicine meetings, and 77/167 at the Arthroscopy Association of North America meetings published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 54 months showed proportion published = 46.1% (77/167 abstracts) for the Arthroscopy Association of North America meetings Cumulative proportion of abstracts published at 54 months showed proportion published = 66.9% (111/166 abstracts) for the American Orthopaedic Society for Sports Medicine meetings No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Other clinical specialties - sports medicine Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had at least 5 years follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Yoon 2007

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed; date of search not reported Search completed by investigator Searched by all authors and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 154 abstracts presented at the 1996 to 2001 American Association of Hip and Knee Surgeons meetings Included all abstracts accepted for poster presentation

Yoon 2007 (Continued)

Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Mean time to publication overall and by meeting
Outcomes	<ul style="list-style-type: none"> 73 of 154 abstracts published 4/10 abstracts presented at the 1996 meeting, 11/20 at the 1997 meeting, 6/18 at the 1998 meeting, 13/20 at the 1999 meeting, 19/40 at the 2000 meeting, and 20/46 at the 2001 meeting published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 23.6 months (SD = 15.7 months) Mean time to publication = 20.8 months (SD = 19.1 months) for 1996 American Association of Hip and Knee Surgeons meeting Mean time to publication = 36.5 months (SD = 19 months) for 1997 American Association of Hip and Knee Surgeons meeting Mean time to publication = 27.3 months (SD = 11.6 months) for 1998 American Association of Hip and Knee Surgeons meeting Mean time to publication = 23.5 months (SD = 9.9 months) for 1999 American Association of Hip and Knee Surgeons meeting Mean time to publication = 9.7 months (SD = 14.5 months) for 2000 American Association of Hip and Knee Surgeons meeting Mean time to publication = 16.6 months (SD = 15.8 months) for 2001 American Association of Hip and Knee Surgeons meeting No factors other than meeting year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Orthopedics/orthopedic surgery - hip and knee surgery Reported receiving no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted for poster presentation.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Yoon 2010

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, Web of Science, Korean Medical Database, KMBase, and National Digital Science Links between October 2003 and April 2009 Person completing the search not reported Search criteria not reported Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 475 abstracts submitted to the 2003 to 2008 Korean Society of Gastroenterology and Korea Society of Gastrointestinal Endoscopy meetings

Yoon 2010 (Continued)

	<ul style="list-style-type: none"> Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Clinical research versus experimental research Subspecialty
Outcomes	<ul style="list-style-type: none"> 95 of 475 abstracts published 25/86 abstracts presented at the 2003 meeting, 34/87 at the 2004 meeting, 15/93 at the 2006 meeting, 13/97 at the 2007 meeting, and 8/112 at the 2008 meetings published Proportion of abstracts published by time not reported Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 82/422 abstracts describing clinical research versus 13/53 abstracts describing experimental research published
Notes	<ul style="list-style-type: none"> Gastroenterology - pancreato-biliary Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 6 databases.
Follow-up time?	Yes	Only the 2003 and 2004 meetings had more than 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year, type science, and subspecialty with publication using stratified analysis.

Yoon 2012a

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> MEDLINE, PubMed; dates of search not reported Person completing the search not reported Searched by first, second, and last author Matched abstract to full-length publication by <ul style="list-style-type: none"> All authors Sample size Title Methodology Results Location
Data	<ul style="list-style-type: none"> Included 154 abstracts presented at the 2005 First World Conference on Sports Injury Prevention in Oslo meeting Included all abstracts accepted for oral presentation
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published Mean time to publication by RCT and observational design

Full publication of results initially presented in abstracts (Review)

Yoon 2012a (Continued)

	<ul style="list-style-type: none"> Cumulative proportion of abstracts published RCT design versus observational design versus 'experimental' design North American versus European versus rest of the world origin
Outcomes	<ul style="list-style-type: none"> 76 of 154 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Mean time to publication = 17 months (SD = 13 months) for RCTs Mean time to publication = 12 months (SD = 14 months) for observational studies Cumulative proportion of abstracts published at 42 months showed proportion published = 49.4% (76/154 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 10/14 abstracts with RCT design versus 63/135 abstracts with observational design versus 3/5 abstracts with 'experimental' design published 18/25 abstracts originating from North America versus 24/52 abstracts from Europe versus 34/77 abstracts from rest of the world published
Notes	<ul style="list-style-type: none"> Other clinical specialties - sports medicine Reported receiving no funding

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts accepted for oral presentation.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Yes	Matched by six different characteristics.
Adjustment for confounding?	No	Examined association of study design, country of origin, prospective status, abstract quality, and subspecialty with publication using stratified analysis and Chi ² tests.

Yoon 2012b

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed to July 2011 Search completed by investigator Searched by first, second, and senior author, and keywords Matched abstract to full-length publication by <ul style="list-style-type: none"> One author Methodology Hypothesis Conclusions
Data	<ul style="list-style-type: none"> Included 614 abstracts presented at the 2005 to 2009 Annual Scientific Meeting of the Urological Society of Australia and New Zealand meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting

Yoon 2012b (Continued)

	<ul style="list-style-type: none"> • Mean time to publication for online and print journal publications • Clinical research versus basic science research • RCT design versus observational design versus 'comparative' design versus survey design • Multi-centered versus single center • 'Prospective' versus 'retrospective' design • Australian or New Zealand versus international origin • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 183 of 614 abstracts published • 43/143 abstracts presented at the 2005 meeting, 37/93 at the 2006 meeting, 18/80 at the 2007 meeting, 43/147 at the 2008 meeting, and 42/151 at the 2009 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 13 months (SD = 13.6 months) for online journal publications ◦ Mean time to publication = 14.5 months (SD = 13.9 months) for print journal publications • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 128/450 abstracts describing clinical research versus 44/102 abstracts describing basic science research published ◦ 15/34 abstracts with RCT design versus 122/400 abstracts with observational design versus 64/181 abstracts with 'comparative' design versus 20/98 abstracts with survey design published ◦ 8/22 abstracts with multiple centers versus 175/592 abstracts with a single center published ◦ 59/208 abstracts with 'prospective' study design versus 63/192 abstracts with 'retrospective' study design published ◦ 122/461 abstracts originating in Australia or New Zealand versus 61/153 abstracts of international origin published
Notes	<ul style="list-style-type: none"> • Urology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings before 2008 had at least 48 months follow-up. All other meetings had less than 48 months follow-up.
Matching?	Yes	Matched by 4 different criteria.
Adjustment for confounding?	No	Examined association of meeting year, type of science, study design, multi-center status, prospective status, Australian or New Zealand origin, and subspecialty with publication using stratified analysis and Chi ² tests.

Yoshida 2008

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ PubMed, Cochrane Central Register of Controlled Trials, Scirus, Bireme, LILACS, SciELO, Jornal Vascular Brasileiro to December 2007 ◦ Person completing the search not reported ◦ Searched by title
---------	---

Yoshida 2008 (Continued)

- Matched abstract to full-length publication by
 - All authors
 - Title

Data	<ul style="list-style-type: none"> Included 1108 abstracts presented at the 2001 and 2003 Congresso Brasileiro de Angiologia e Cirurgia Vascular meetings Included all abstracts
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting
Outcomes	<ul style="list-style-type: none"> 70 of 1108 abstracts published 21/541 abstracts presented at the 2001 meeting, and 49/567 abstracts at the 2003 meeting published Proportion of abstracts published by time not reported No factors other than year related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Other clinical specialties - vascular surgery and angiology Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 7 databases.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria.
Adjustment for confounding?	No	Examined association of meeting year with publication using stratified analysis.

Yuan 2011

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed 5 years after each meeting Person completing the search not reported Searched by all authors and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 369 abstracts presented at the 2002 and 2003 American Dental Education Association meetings Included all abstracts accepted as posters and related to education
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published
Outcomes	<ul style="list-style-type: none"> 71 of 369 abstracts published Proportion of abstracts published by time not reported No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> Oral health- dental education

Full publication of results initially presented in abstracts (Review)

Yuan 2011 (Continued)

- Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts presented as posters that described specific subgroup, so low risk of bias.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	All meetings had 5 years follow-up.
Matching?	Unclear	Matching criteria not reported.

Yun 1999

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> • Searched journal of the Korean Radiological Society <ul style="list-style-type: none"> ◦ Searched until June 19, 1998 ◦ Person completing the search not reported ◦ Searched by all authors, and title ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 2457 abstracts presented at the 1992 to 1996 Korean Radiological Society meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication • Scientific versus exhibition session • Season of the meeting in spring versus autumn
Outcomes	<ul style="list-style-type: none"> • 614 of 2457 abstracts published • 106/422 abstracts presented at the 1992 meeting, 130/498 at the 1993 meeting, 137/480 at the 1994 meeting, 144/430 at the 1995 meeting, and 97/627 at the 1996 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 13.3 months (range = 0 to 56 months) • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 530/1961 abstracts presented at a scientific session versus 64/496 abstracts presented at a exhibition session published ◦ 161/575 abstracts presented in spring versus 453/1882 abstracts presented in autumn published
Notes	<ul style="list-style-type: none"> • Radiology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 journal.

Full publication of results initially presented in abstracts (Review)

Yun 1999 (Continued)

Follow-up time?	Unclear	The meetings in 1995 and 1996 had less than 48 months follow-up. All other meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of meeting year, type session presentation, and season of presentation with publication using stratified analysis.

Zamakhshary 2006

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> PubMed, MEDLINE; dates of search not reported Search completed by investigator Searched by first, and senior author, and keywords Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 183 abstracts presented at the 2001 and 2002 Canadian Association of Pediatric Surgeons and American Pediatric Surgery Association meetings Included all abstracts except those describing case reports and guest lectures
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published, overall and by meeting Cumulative proportion of abstracts published 'Positive' versus not 'positive' Clinical research versus basic science research Canada versus US versus rest of the world origin
Outcomes	<ul style="list-style-type: none"> 118 of 183 abstracts published 48/83 abstracts presented at the Canadian Association of Pediatric Surgeons meetings, and 70/100 abstracts presented at the American Pediatric Surgery Association meetings published Proportion of abstracts published by time <ul style="list-style-type: none"> Cumulative proportion of abstracts published at 24 months showed proportion published = 64.5% (118/183 abstracts) Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 105/151 'positive' (defined as significant results) versus 13/32 not 'positive' abstract results published 91/137 abstracts describing clinical research versus 27/46 abstracts describing basic science research published 18/38 abstracts originating from Canada versus 72/105 abstracts from the US versus 28/40 abstracts from rest of the world published
Notes	<ul style="list-style-type: none"> Surgery - pediatrics Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts with reasonable exceptions.
Search for publications?	Yes	Searched only 1 database.

Zamakhshary 2006 (Continued)

Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	Yes	Examined association of meeting, positive results, type science, Canadian or US origin with publication using multivariable logistic regression.

Zaretsky 2002

Methods	Identification of subsequent full-length publications <ul style="list-style-type: none"> Searched electronic database <ul style="list-style-type: none"> 'computerized database search'; date of search not reported Person completing the search not reported Search criteria not reported Matching criteria not reported
Data	<ul style="list-style-type: none"> Included 85 abstracts presented at the 1990 to 1992 American Society of Hematology meetings Included all abstracts of phase III trials
Comparisons	<ul style="list-style-type: none"> Proportion of abstracts published 'Positive' results versus not 'positive' results Sample size > 100 versus ≤ 100 Medical sub-specialty
Outcomes	<ul style="list-style-type: none"> 69 of 85 abstracts published Proportion of abstracts published by time <ul style="list-style-type: none"> Time to publication ranged from 2 to 90 months Factors related to proportion of abstracts published included <ul style="list-style-type: none"> 55/67 abstracts describing 'malignant' discipline versus 10/12 abstracts describing 'thrombosis' versus 1/1 abstract describing 'benign' versus 3/5 abstracts describing 'transfusion' published Studies with sample size > 100 were more likely to be published (P = 0.002) Single center studies were less likely to be published (P = 0.01) Proportion of positive and negative trials published was not significantly different (P = 0.53)
Notes	<ul style="list-style-type: none"> Hematology Funding not reported Data extracted from abstract

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts describing phase III trials.
Search for publications?	Unclear	Searched database, but number and type not reported.
Follow-up time?	Unclear	Date of search not reported.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of positive results, sample size, multi-center status, and subspecialty with publication using Chi ² tests.

Full publication of results initially presented in abstracts (Review)

Zheng 2007

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ CBM, Chinese journal full-text database, Chinese science & technology journal database and Wan Fang database from 1983 to 2005 ◦ Search completed by investigators ◦ Search criteria not reported ◦ Matched abstract to full-length publication by <ul style="list-style-type: none"> ■ Contents ■ Authors • Other methods of searching not clear
Data	<ul style="list-style-type: none"> • Included 523 abstracts presented at the 1988 and 2001 China National Academic Stomatological Conferences meetings • Included all abstracts
Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting
Outcomes	<ul style="list-style-type: none"> • 330 of 523 abstracts published • 195/310 abstracts presented at the 1988 meeting, and 135/213 at the 2001 meeting published • Proportion of abstracts published by time not reported • No factors related to proportion of abstracts published reported
Notes	<ul style="list-style-type: none"> • Oral health - stomatology • Funding not reported • Article in Chinese, details extracted from abstract of full publication

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	Yes	Searched 4 databases.
Follow-up time?	Yes	All meetings had at least 48 months follow-up.
Matching?	Yes	Matched by 2 different criteria.

Özyurt 2012

Methods	<p>Identification of subsequent full-length publications</p> <ul style="list-style-type: none"> • Searched electronic database <ul style="list-style-type: none"> ◦ MEDLINE until December 31, 2011 ◦ Person completing the search not reported ◦ Searched by all authors ◦ Matching criteria not reported
Data	<ul style="list-style-type: none"> • Included 1023 abstracts accepted at the 2004, 2006, and 2008 Turkish National Dermatology meetings • Included all abstracts

Özyurt 2012 (Continued)

Comparisons	<ul style="list-style-type: none"> • Proportion of abstracts published, overall and by meeting • Mean time to publication, overall and by meeting • Cumulative proportion of abstracts published by meeting • Oral versus poster presentation • Subspecialty
Outcomes	<ul style="list-style-type: none"> • 135 of 1023 abstracts published • 58/368 abstracts presented at the 2004 meeting, 45/328 at the 2006 meeting, and 32/327 at the 2008 meeting published • Proportion of abstracts published by time <ul style="list-style-type: none"> ◦ Mean time to publication = 22.5 months (range = 0 to 86 months), overall ◦ Mean time to publication = 23.2 months for the 2004 meeting ◦ Mean time to publication = 27.2 months for the 2006 meeting ◦ Mean time to publication = 14.5 months for the 2008 meeting ◦ Cumulative proportion of abstracts published at 48 months showed proportion published = 15.8% (58/368 abstracts) for the 2004 meeting ◦ Cumulative proportion of abstracts published at 48 months showed proportion published = 13.7% (45/328 abstracts) for the 2006 meeting ◦ Cumulative proportion of abstracts published at 48 months showed proportion published = 9.8% (32/327 abstracts) for the 2008 meeting • Factors related to proportion of abstracts published included <ul style="list-style-type: none"> ◦ 29/134 abstracts presented orally versus 106/889 abstracts presented as poster published
Notes	<ul style="list-style-type: none"> • Dermatology • Funding not reported

Risk of bias

Item	Authors' judgement	Description
Sampling method?	Yes	Included all abstracts.
Search for publications?	No	Searched only 1 database.
Follow-up time?	Yes	The 2008 meeting only had 36 months follow-up. All other meetings had at least 48 months follow-up.
Matching?	Unclear	Matching criteria not reported.
Adjustment for confounding?	No	Examined association of meeting year and type presentation with publication using stratified analysis and unspecified statistical tests.

CI: confidence interval

HR: hazard ratio

IQR: interquartile range

OR: odds ratio

RCT: randomized controlled trial

SD: standard deviation

Characteristics of excluded studies [ordered by study ID]

Study	Reason for exclusion
Agustsdottir 1995	Authors did not look at proportion of abstracts published, looked at surveys to authors of abstracts related to patient-related oncology submitted to a meeting.
Aleixandre-Benavent 2009	Authors examined publication of abstracts presented at a scientometrics and informatics conference rather than biomedical science.
Alfaro 2015	Editorial on abstract submission process.
Bax 2014	Authors did not look at proportion of abstracts published, but described studies examining proportion of abstract results published as full-length articles from the Spanish Society of Cardiology.
Berger 2000	Authors did not look at proportion of abstracts published, but only commented on subsequent publication of results first appearing in abstracts.
Bhandari 2005	Authors did not look at proportion of abstracts published, but examined duplicate presentations at meetings.
Bydder 2006	Authors did not look at proportion of abstracts published, but examined process for selection of abstracts for presentation at a meeting.
Callaham 2001	Authors did not look at proportion of abstracts published, but examined the citations of studies first presented as abstracts and subsequently published.
Castro 2009	Editorial on recommendation related to trial registration.
Cloft 2001	Authors did not look at proportion of abstracts published, but examined proportion of subsequent definitive publications of published preliminary reports defined by having the word 'preliminary' or 'pilot' in title.
Covington 2012	Number of summary reports or abstracts presented and published not presented and not able to be calculated from report.
Cuellar 2005	Follow-up of less than 24 months.
de Carvalho 2013	Editorial on abstract submissions for the XVII Brazilian Congress of Assisted Reproduction.
de Castro 2011	Editorial on impact on scientific community of Brazilian investigators.
De Giorgi 2014	Follow-up of less than 24 months for majority of abstracts.
Decullier 2007	Authors did not look at proportion of abstracts published, but examined follow-up of protocols approved from ethics committees.
Dyrbye 2008	Authors did not look at proportion of abstracts published, but examined research productivity of residents.
Estes 2009	Authors did not look at proportion of abstracts published, but discussed a study that examined publication rates of conference abstracts.
Fennewald 2005	Authors examine publication of abstracts presented at a library science conference rather than biomedical science.
Floch 2002	Introduction to an issue of a journal publishing the abstracts of a specific conference.
Garvey 1970	Follow-up of less than 24 months.

Study	Reason for exclusion
Garvey 1971	Inexact totals of 'technical reports' or abstracts given and only with approximate proportion of subsequent publications, e.g. Quote: "We studied over 1,000 technical reports that were produced by psychologists in 1962 and found that the main content of one-third of these had been published in a scientific journal by 1965".
Gidding 1992	Number of summary reports or abstracts presented and published not presented and not able to be calculated from report.
Godkin 1993	Number of summary reports or abstracts presented and published not presented and not able to be calculated from report.
Graber 2013	Authors did not look at proportion of abstracts published, but compared abstracts and body within a full-length article
Harris 2010	Authors did not look at proportion of abstracts published, but investigated the time to publication from studies in a specific subspecialty, but look from a specific conference(s) but rather from individual papers.
Hayes 2011	Editorial on publication practices of phase III cancer trials.
Holmes 2006	Authors did not look at proportion of abstracts published, but examined research productivity of residents.
Hopewell 2006	Authors did not look at proportion of abstracts published, but compared trial information in abstracts selected known to have a full publication.
Hopewell 2007a	Systematic review of studies investigating the publication rate and time to publication of a sample of studies.
Huber 2001	Follow-up of less than 24 months for a part of the meetings, and we could not calculate length of follow-up from report for individual year; author contact unsuccessful.
Humberto 2011	Comment on whether to include abstracts in bibliographies.
Jourbert 2004	Number of summary reports or abstracts presented and published not presented and not able to be calculated from report.
Kain 2010	Number of summary reports or abstracts presented and published not presented and not able to be calculated from report.
Kelly 1998	Authors did not look at proportion of abstracts published, but Investigated proportion of abstracts published in journals from meetings of a selection of societies. The abstract to full-text publication rate was not investigated.
Khanna 2013	Authors did not look at proportion of abstracts published, but examined the concordance of trial characteristics as presented in a conference abstract with the corresponding characteristics as presented at the conference.
Kho 2009	Authors did not look at proportion of abstracts published, but examined abstracts related to a specific intervention rather than a set of conference abstracts from a specific meeting.
Knobloch 2009	Commentary to a study investigating the publication rates of meeting abstracts.
Koren 1986	Number of summary reports or abstracts presented and published not presented and we could not calculate from report.

Study	Reason for exclusion
Kurien 2014	Number of summary reports or abstracts presented and published not presented and we could not calculate from report.
Leal 2010	Number of summary reports or abstracts presented and published not presented and we could not calculate from report.
Leder 1985	Editorial on types of conference presentations.
Lohr 2006	Authors did not look at proportion of abstracts published, but examined research productivity of residents.
Mallory 1999	Letter by the editor stating the lack of rigor with which the full-text publication of a meeting abstract is sought and achieved by authors.
Manjarin 2009	Authors did not look at proportion of abstracts published, but examined research productivity of residents.
Martinez Rubio 2002	Authors did not look at proportion of abstracts published, but examined characteristics of abstracts presented at the 32nd Argentinian Congress of Pediatrics
McLennan 2009	Authors did not look at proportion of abstracts published, but investigated the proportion of articles focusing on urogynecology in selected journals over the years.
Murphy 2001	Authors did not look at proportion of abstracts published, but examined research productivity of residents.
Olsson 2006	Editorial comment for a study investigating the publication rate of meeting abstracts.
Ramsey 2008	Authors did not look at proportion of abstracts published, but examined proportion of trials that had been registered.
Raptis 2010	Authors did not look at proportion of abstracts published, but examined the peer review process of the European Surgical Association in which abstracts are simultaneously reviewed for presentation and as manuscripts for <i>Annals of Surgery</i> .
Ribic 2011	Authors did not look at proportion of abstracts published, but compared primary outcomes reported in full-length publications with those reported in the abstract of the full-length report.
Rodriguez 2009	Authors did not look at proportion of abstracts published, but examined subsequent publication of protocols submitted to an ethics review board.
Saad 2010	Authors did not look at proportion of abstracts published, but examined country of origin of presented abstracts rather than subsequent publication.
Singer 1999	Number of summary reports or abstracts presented and published not presented and we could not calculate from report.
Smith 2011	Authors did not look at proportion of abstracts published, but examined proportion of submitted posters that were presented at a specific conference.
Song 2009	Systematic review of studies reporting on the odds of publication by study results.
Song 2009a	Systematic review of studies reporting on the odds of publication by study results.
Stewart 2010	Authors did not look at proportion of abstracts published, but examined acceptance of abstracts for presentation at a conference.

Study	Reason for exclusion
Stewart 2013	Editorial co-published in numerous journals on the value of having residents present at conferences. (We include only a single reference here.)
Stovold 2011	Authors did not look at proportion of abstracts published, but compared abstracts identified by handsearching with those identified by searching Embase.
Takeda 2008	Systematic review of studies investigating publication bias in studies focusing on a specific range of medication.
Tannenbaum 1978	Commentary about Micropaper Editions of conference abstracts.
Taran 2008	Number of summary reports or abstracts presented and published not presented and we could not calculate from report.
Tas 2008	Authors did not look at proportion of abstracts published, but examined the country of origin of abstracts.
Teel 1990	Authors did not look at proportion of abstracts published, but compared differences between oral presentations and written publications.
Timmer 2001b	Number of summary reports or abstracts presented and published not presented and we could not calculate from report.
Tintinalli 2001	Commentary on a study published in the same journal issue dealing with publication rates.
Tricco 2008	Authors did not look at proportion of abstracts published, but examined proportion of protocols of Cochrane Reviews published.
Unalp 2007	Authors did not look at proportion of abstracts published, but examined the correlation between the quality of presentation and subsequent publication.
von Elm 2001	Commentary to a study investigating the publication rates from meeting abstracts.
von Elm 2003	Systematic review of studies investigating the publication rate for meeting abstracts as full texts.
Wein 2005	Editorial comment to an abstract of a study on full publication of meeting abstracts.
Wong 2010	Authors did not look at proportion of abstracts published, but examined reasons for non-publication.
Yalcinkaya 2014	Authors did not look at proportion of abstracts published, but examined publications within a single journal rather than a follow-up of conference abstracts.

DATA AND ANALYSES

Comparison 1. Proportion of abstracts published

Outcome or subgroup title	No. of studies	No. of participants	Statistical method	Effect size
1 Overall proportion of abstracts published			Other data	No numeric data

Analysis 1.1. Comparison 1 Proportion of abstracts published, Outcome 1 Overall proportion of abstracts published.

Study	Topic	Overall proportion of abstracts published			Limited by design	Limited by presentation
		Number of Abstracts	Number of full publications	Percent full publications		
Abes 2004	Surgery - pediatric surgery	776	156	20.1	No	No
Abicht 2012	Orthopedics/orthopedic surgery - foot and ankle	825	198	24	No	Posters only
Abuzeid 2013	Cardiology - cardiovascular research	3565	858	24.1	No	No
Abzug 2014	Surgery	1127	518	46	No	No
Acevedo 2014	Oncology - hematology	1972	353	17.9	No	No
Adhikari 2011	Emergency medicine - ultrasound	1479	333	22.5	No	No
Aggarwal 2012	Rheumatology	271	19	7	No	No
Ahlers-Schmidt 2009	General medicine/primary care	67	23	34.3	No	Posters only
Akbari-Kamrani 2008	Surgery - laser medicine and surgery	198	87	43.9	Yes (clinical trials)	No
Al-Qaoud 2013	Urology	439	248	56.5	No	Oral only
Allart 2013	Physical and rehabilitation medicine	231	49	21.2	No	No
Allart 2015	Physical and rehabilitation medicine	779	169	21.7	No	No
Alonso-Arroyo 2014	Cardiology	300	115	38.3	No	Oral only
Alpi 2011	Medical education/library science	62	23	37.1	No	No
Amarilyo 2013	Rheumatology	2149	1269	59.1	No	No
Amirhamzeh 2012	Orthopedics/orthopedic surgery - pediatrics	762	386	50.7	No	No
Arap 2014	Urology	195	100	51.3	No	No
Arora 2012	Oncology- pediatrics	479	139	29	No	No
Arrive 2001	Radiology	456	39	8.6	No	Oral only
Arrive 2004	Radiology	1897	635	33.5	No	Oral only
Autorino 2006	Urology - endourology	1100	234	21.3	No	No
Autorino 2007	Urology	1406	666	47.4	No	No
Autorino 2008	Urology	1877	415	22.1	No	No
Autorino 2010	Urology - endourology	94	45	47.9	Yes (RCTs)	No
Bagheri 2005	Otolaryngology head and neck surgery - oral and maxillofacial surgery	446	155	34.8	No	No
Bakkum 2014	Physical and rehabilitation medicine	776	249	32.1	No	No
Bakkum 2015	Ophthalmology/optometry - optometry	518	108	20.8	No	No
Balasubramanian 2006	Surgery	241	136	56.4	No	No
Beker-Acay 2015	Radiology	3192	300	9.4	No	No
Bello 2013	Urology	75	18	24	No	Oral only
Bergoli 2011	Oral health - oral research	140	37	26.4	No	No
Bergqvist 2008	Surgery - vascular surgery	699	553	79.1	No	No
Bernstein 1983	Gastroenterology - hepatology	82 (presented) 177 (submitted)	56 (presented) 106 (submitted)	68.3 (presented) 59.9 (submitted)	No	No

Study	Topic	Overall proportion of abstracts published			Limited by design	Limited by presentation
		Number of Abstracts	Number of full publications	Percent full publications		
Berookhim 2013	Human reproduction and development - sexual and reproductive medicine	208	107	51.4	No	No
Bhandari 2002	Orthopedics/orthopedic surgery	465	159	34.2	No	No
Bhasin 2007	Other clinical specialties -vascular research	106	63	59.4	No	Oral only
Bird 1999	Other non-clinical specialties - marine mammalogy	425	249	58.6	No	No
Blackwell 2009	Gynecology/obstetrics - maternal-fetal medicine	90	50	55.6	Yes (controlled trials)	No
Bolac 2009	Dermatology	540	299	55.4	No	Oral only
Boldt 1999	Anesthesiology	566	233	41.2	No	No
Bonitz 2011	Human reproduction and development - male reproduction	284	107	37.7	No	No
Bowrey 1999	Surgery	496	233	47	No	No
Brace 2010	Other non-clinical specialties - veterinary vaccine	154	11	7.1	No	No
Brazzelli 2009	Neurology - stroke	160	121	75.6	Yes (diagnostic accuracy studies)	No
Brost 2005	Gynecology/obstetrics - maternal-fetal medicine	288	208	72.2	No	Oral only
Buchan 2011	Ophthalmology/ophthalmometry - ophthalmology	179	64	35.8	No	No
Burden 2014	Gastroenterology	112	37	33	No	No
Bydder 2004	Radiology	481	168	34.9	No	No
Byerly 2000	Pharmacology	716	126	17.6	No	No
Callaham 1998	Emergency medicine	179 (presented) 492 (submitted)	111 (presented) 214 (submitted)	62.0 (presented) 43.4 (submitted)	No	No
Camacho 2005	Oncology	275 (submitted)	185 (submitted)	67.3 (submitted)	Yes (phase I)	No
Canosa 2011	Pediatrics	140 (submitted)	16 (submitted)	11.4 (submitted)	No	No
Carroll 2003	Pediatrics	454 (presented) 614 (submitted)	243 (submitted) 210 (presented)	39.6 (submitted) 46.3 (presented)	No	No
Cartwright 2007a	Gynecology/obstetrics - urogynecology	130	77	59.2	No	Oral only
Cartwright 2007b	Gynecology/obstetrics - urogynecology	116	64	55.2	No	No
Castagnetti 2013	Urology - pediatrics	1194	564	47.2	No	No
Castaldi 2015	Other non-clinical specialties - public health	621	146	23.5	No	No
Castillo 2000	Anesthesiology	491	84	17.1	No	No
Castillo 2002	Anesthesiology	472	199	42.2	No	No
Cauchy 2014	Gastroenterology - digestive and hepatobiliary surgery	897 (submitted)	334 (submitted)	37.2 (submitted)	No	No
Chalmers 1990a	Pediatrics - perinatology	176	64	36.4	Yes (RCTs)	No
Chan 2002	Pediatrics	105	37	35.2	No	No
Chan 2008	Medical decision making/health policy - health technology	257	122	47.5	No	No
Chan 2011	Emergency medicine	389	129	33.2	No	No

Study	Topic	Overall proportion of abstracts published			Limited by design	Limited by presentation
		Number of Abstracts	Number of full publications	Percent full publications		
Chan 2013	Oncology	164	65	39.6	Yes (cost-effective-ness studies)	No
Chand 2008	Cardiology - cardio-thoracic surgery	2172	648	29.8	No	No
Chapman 2012	Medical decision making/health policy - systematic reviews, health technology	908	312	34.4	No	N
Cheng 1998	Other clinical specialties - cystic fibrosis	178	57	32	Yes (RCTs)	No
Chung 2012	Urology	1005	421	41.9	No	No
Chung 2012a	Surgery - plastic and reconstructive surgery	1176	455	38.7	No	No
Ciesla 2001	Pathology - cytopathology	257	116	45.1	No	No
Cifuentes 2007	Gastroenterology - hepatology	766 (presented) 1533 (submitted)	366 (presented) 572 (submitted)	47.2 (presented) 37.3 (submitted)	No	No
Clemency 2014	Emergency medicine	635	281	44.3	No	No
Cobos 1998	Cardiology	120	26	21.7	No	No
Cohen 2012	Oncology - gynecologic cancer	378	309	81.7	No	Plenary only
Cohen 2012a	Otolaryngology head and neck surgery	2463	1152	46.8	No	No
Collet 1993	Oral health - dentistry	747	94	12.6	No	No
Collet 1997	Oral health - odontology	506	61	12.1	No	No
Collet 2006	Oral health - dental research	1671	489	29.3	No	No
Collier 2010	Otolaryngology head and neck surgery - oral and maxillofacial surgery	623	147	23.6	No	No
Cornu 2012	Urology	226	96	42.5	No	Oral only
Corry 1990	Oral health - dental research	275	63	22.9	No	No
Costa 2009	Oncology - breast cancer	1620	721	44.5	No	No
Craig 2001	Orthopedics/orthopedic surgery	1005	495	49.3	No	No
Cromer 1998	Pediatrics - adolescent medicine	128	58	45.3	No	Oral only
Curry 2003	Surgery - pediatric surgery	9	1	11.1	Yes (RCTs)	No
Czorlich 2016	Surgery - neurosurgery	433	175	40.4	No	No
Dahllof 2008	Oral health - pediatric dentistry	771	204	26.5	No	No
Daluiski 1998	Orthopedics/orthopedic surgery	888	463	52.1	No	No
Dangouloff-Ros 2015	Radiology	744	298	40.1	No	Oral only
Daruwalla 2015	Orthopedics/orthopedic surgery	443	125	28.2	No	No
Das 2013	Neurology - epilepsy	52	33	62.7	Yes (RCTs)	No
Davies 2002	Pediatrics	172	78	45.3	No	No
de Andrade 2011	Emergency medicine - trauma	347	10	2.9	No	No
De Bellefeuille 1992	Oncology	81 (presented) 197 (submitted)	63 (presented) 115 (submitted)	77.8 (presented) 58.4 (submitted)	No	No
de Meijer 2015	Surgery	1305 (presented)	870 (presented)	66.7 (presented)	No	No

Study	Topic	Overall proportion of abstracts published			Limited by design	Limited by presentation
		Number of Abstracts	Number of full publications	Percent full publications		
		2174 (submitted)	1358 (submitted)	62.5 (submitted)		
de Oliveira 2012	Neurology - pain	348	31	8.9	No	No
De Sio 2012	Urology	3110	453	14.6	Yes (controlled trials)	No
Del Rio Moro 2010	Nursing - cardiology nursing	610	76	12.5	No	No
Delamere 2005	Dermatology	30	13	43.3	Yes (RCTs)	No
Delgado Gallego 2007	General medicine/primary care	528	57	10.8	No	No
DeMola 2009	Orthopedics/orthopedic surgery	558	321	57.5	No	No
Dhaliwal 2008	Ophthalmology/optometry - ophthalmology	200 (submitted)	33 (submitted)	16.5 (submitted)	No	No
Dicembrino 2014	Pediatrics	232	136	58.6	No	No
Diezel 1999	Psychiatry	95	44	46.3	Yes (RCTs)	No
Dirk 1996	Anesthesiology	147	80	54.4	No	N/A
Donegan 2010	Orthopedics/orthopedic surgery	756	367	48.5	No	No
Dooley 2003	Pharmacology - hospital pharmacology	187	21	11.2	No	No
Doğan 2012	Otolaryngology head and neck surgery	218	61	28.0	No	No
Dressler 2015	Radiology	402	112	27.9	No	No
Drury 2012	Surgery - cardiovascular surgery	909	606	66.7	No	No
Duchini 1997	Gastroenterology	2512 (submitted)	1229 (submitted)	48.9	No	No
Dudley 1978	Surgery	51	29	56.9	No	No
Dumville 2008	Other clinical specialties - wound management	467	57	12.2	No	No
Durinka 2014	Surgery - organ transplantation	1938	244	12.6	No	No
Durinka 2014b	Surgery	335	64	19.1	No	Posters only
Duthie 2012	Psychiatry	20	10	50	No	No
Dyson 2006	Other non-clinical specialties - veterinary anesthesiology	283	208	73.5	No	No
Eck 2005	Other clinical specialties - sports medicine	358	133	37.2	No	No
Ejnisman 2013	Orthopedics/orthopedic surgery	653	174	26.6	No	No
Elder 1994	General medicine/primary care	475	226	47.6	No	No
Elliot 2016	Surgery - neurologic surgery	754	383	50.8	No	No
Eloubeidi 2001	Gastroenterology - endoscopy	247 (presented) 451 (submitted)	80 (presented) 113 (submitted)	32.4 (presented) 25.1 (submitted)	No	No
Ensom 1998	Pharmacology - hospital pharmacology	363	89	24.5	No	No
Erdağ 2014	Otolaryngology head and neck surgery	1454	319	21.9	No	No
Ersoy 2015a	Gynecology/obstetrics	243	84	34.5	No	No
Ersoy 2015b	Gynecology/obstetrics	161	46	28.6	No	No
Evans 2015	Pharmacology	1496	109	7.3	No	No
Evers 2000	Human reproduction and development	151	79	52.3	Yes (RCTs)	No
Facione 2007	Urology	239	60	25.1	No	No

Study	Topic	Overall proportion of abstracts published			Limited by design	Limited by presentation
		Number of Abstracts	Number of full publications	Percent full publications		
Fede 2010	General medicine/primary care	408 (submitted)	138 (submitted)	33.8 (submitted)	No	Oral only
Feldman 2015	Hematology - apheresis	1152 (submitted)	196 (submitted)	17.0 (submitted)	No	No
Fernandes 2003	Surgery	1133	29	2.6	No	No
Fernandes 2008	Other clinical specialties - sports medicine	263	58	22.1	No	No
Fernandez 2011	Physical medicine and rehabilitation - cardiac rehabilitation	279	17	6.1	No	No
Fesperman 2008	Urology	1195	400	33.5	No	No
Forlin 2013	Orthopedics/orthopedic surgery	267	58	21.7	No	No
Fosbol 2012	Cardiology	27208	8335	30.6	No	No
Freeman 2012	Oncology	90	70	77.8	No	No
Frost 2015	Orthopedics/orthopedic surgery - spine	764	339	44.4	No	Oral only
Galang 2011	Oral health - dental education	370	71	19.2	No	Posters only
Gandhi 2004	Gynecology/obstetrics	265	190	71.7	No	No
Garcia-Covarrubias 2002	Other clinical specialties - undersea and hyperbaric medicine	503	86	17.1	No	No
Garcia-Muret 2009	Dermatology and venereology	1471	200	13.6	No	No
Gaundong Mbethe 2008	General medicine/primary care	303	82	27.1	No	No
Gavazza 1996	Surgery - hand	376	165	43.9	No	No
Gilbert 2004	Gynecology/obstetrics - maternal-fetal medicine	176	120	68.2	No	Oral only
Ginzburg 2014	Gynecology/obstetrics - urogynecology	140	80	57.1	No	Oral only
Glick 2006	Surgery - organ transplantation	1147	607	52.9	No	No
Goldman 1980	Cardiology	207 (presented) 276 (submitted)	113 (presented) 137 (submitted)	54.6 (presented) 49.6 (submitted)	No	No
Goldman 1982	Hematology - nephrology	202 (presented) 303 (submitted)	127 (presented) 171 (submitted)	62.9 (presented) 56.4 (submitted)	No	No
Gorman 1990	Other non-clinical specialties - toxicology	269	134	49.8	No	No
Gourtaud 2009	Urology	443	153	34.5	No	No
Greenberg 2008	Medical decision making/health policy	239	64	26.8	No	No
Gregory 2012	Surgery - plastic surgery	888	400	45	No	Oral only
Grzeskowiak 2014	Pharmacology - pediatrics and perinatal health	96	10	10.4	No	No
Guryel 2006	Orthopedics/orthopedic surgery	415	137	33.0	No	No
Ha 2008	Radiology	1097	301	27.4	No	No
Hackett 2014	Surgery - liver transplantation	2345	913	38.9	No	No
Hajji 2016	Gynecology/obstetrics - urogynecology	270	110	40.7	No	Oral only

Study	Topic	Overall proportion of abstracts published			Limited by design	Limited by presentation
		Number of Abstracts	Number of full publications	Percent full publications		
Halpern 2002	Gynecology/obstetrics - obstetrical anesthesia	145	51	35.2	No	No
Hamlet 1997	Orthopedics/orthopedic surgery	1465	668	45.6	No	No
Hanchanale 2014	General medicine/primary care - palliative care	538	230	42.7	No	No
Harel 2011	Nephrology	300	127	42.3	No	Posters only
Harris 2006	Orthopedics/orthopedic surgery	200	62	31.0	No	Oral only
Harris 2007	Orthopedics/orthopedic surgery	318	175	55.0	No	No
Harshavardhana 2009	Orthopedics/orthopedic surgery	278	203	73.0	No	Oral only
Harshavardhana 2009a	Orthopedics/orthopedic surgery - scoliosis	1063	560	52.7	No	No
Harvey 2010	Medical education/library science	442	122	27.6	No	No
Hashkes 2003	Rheumatology	331 (submitted)	134 (submitted)	40.5 (submitted)	No	No
Herbison 2004	Urology - incontinence	82	41	50	Yes (RCTs)	No
Hernandez-Garcia 2011	Medical decision making/health policy - quality in health-care	325	15	4.6	No	Oral only
Hernández-Jiménez 2011	Endocrinology/nutrition	1045	186	17.8	No	No
Herron 1993	Emergency medicine - air medical transport	160	72	45	No	No
Hoag 2006	Urology	1584	875	55.2	No	No
Hoeg 2009	Oncology	559	361	64.6	Yes (phase II trials)	No
Hogan 2009	Dermatology	117	54	46.2	No	No
Hopewell 2001	Medical decision making/health policy - systematic reviews, health technology	91	39	42.9	No	No
Hopewell 2003	General medicine/primary care	962	589	61.2	Yes (RCTs)	No
Hopewell 2015	Other clinical specialties - rheumatology, endocrinology - diabetes, cardiology, psychiatry, anesthesiology, oncology, hematology, thoracic medicine, infectious diseases	197	105	53.3	Yes (systematic reviews)	No
Hopper 2009	Gastroenterology	4096	1618	39.5	No	No
Housri 2008	Surgery	1200	722	60.2	No	No
Hussein 2014	Other clinical specialties - vascular medicine	367	239	65.0	No	No
Izadpanah 2014	Surgery - plastic surgery	128	73	57.0	No	No
Jackson 2000	Orthopedics/orthopedic surgery - pediatric orthopedics	349 (presented) 777 (submitted)	184 (presented) 348 (submitted)	52.7 (presented) 44.8 (submitted)	No	No
Jamjoom 2014	Surgery - neurological surgery	273	35	12.8	No	Oral only
Jamjoom 2015	Surgery - neurological surgery	494	181	36.6	No	No

Study	Topic	Overall proportion of abstracts published			Limited by design	Limited by presentation
		Number of Abstracts	Number of full publications	Percent full publications		
Jara-Tracchia 2010	Oral health - dental research	4137	1156	27.9	No	No
Jasko 2003	Oncology - musculoskeletal tumor	336	137	40.8	No	Oral only
Joe 2015	Emergency medicine - burns	162	27	16.7	Yes (surveys only)	No
Jones 2008	Infectious disease/immunology - HIV, AIDS	139	47	33.8	No	No
Jones 2014	Urology	127	43	33.9	Yes (RCTs and observational studies)	No
Juzych 1991	Ophthalmology/optometry - ophthalmology	175	105	60	No	No
Juzych 1993	Ophthalmology/optometry - ophthalmology	327	206	63	No	No
Jörgens 2014	Endocrinology/nutrition - diabetes	493 (submitted)	209 (submitted)	42.4 (submitted)	No	No
Kabay 2005	Surgery	2118	120	5.7	No	No
Kaifi 2013	Surgery	76	60	78.9	No	Plenary (oral) only
Kalkan 2015	Emergency medicine	1721	437	25.4	No	No
Kalyoncu 2011	Rheumatology	799	173	21.6	No	No
Kaya 2010	Human reproduction and development - sexual medicine	208	106	51.0	No	No
Kaya Mutlu 2013	Physical and rehabilitation medicine - physical therapy	181	37	20.4	No	Oral only
Kearney 2012	Surgery	1005	371	36.9	No	No
Kim 1998	Orthopedics/orthopedic surgery	357	156	43.7	No	Oral only
Kim 2011	Orthopedics/orthopedic surgery - spine	288	167	58.0	No	Oral only
Kinsella 2015	Orthopedics/orthopedic surgery	444	298	67.1	No	No
Kiroff 2001	Surgery	302	165	54.6	No	No
Klappenbach 2011	Surgery	200	22	11.0	No	No
Klassen 2002	Pediatrics	447	264	60.1	Yes (RCTs)	No
Kleine-Konig 2014	Orthopedics/orthopedic surgery	646	237	36.7	No	No
Kleweno 2008	Other clinical specialties - sports medicine	165	98	59.4	No	Oral only
Koene 1994	General medicine/primary care	803	385	47.9	No	No
Korn 2000	Emergency medicine	1637	629	38.4	No	No
Kottachchi 2010	Gastroenterology - inflammatory bowel disease	82	64	78.0	Yes (RCTs)	No
Koçak 2014	Physical and rehabilitation medicine - physical therapy	188	47	25.0	No	No
Krzyzanowska 2003	Oncology	510	415	81.4	Yes (RCTs)	No
Kumar 1995	Gastroenterology - endoscopy	275	76	27.6	No	No
Kunadian 2015	Cardiology	2119	1401	66.1	No	No
Kwong 2007	Emergency medicine - trauma	278	112	40.3	No	Oral only
Landry 1996	Emergency medicine - trauma, burn	168	44	26.2	No	No

Study	Topic	Overall proportion of abstracts published			Limited by design	Limited by presentation
		Number of Abstracts	Number of full publications	Percent full publications		
Larian 2001	Otolaryngology head and neck surgery	839	270	32.2	No	No
Lau 2016	Otolaryngology head and neck surgery	460	259	56.3	No	Oral only
Lee 2012	Oral health - dental research	346	128	37	No	No
Leles 2006	Oral health - odontology	775 (submitted)	116 (submitted)	15.0 (submitted)	No	No
Lensen 2015	Human reproduction and development - subfertility	230	117	50.9	Yes (RCTs)	No
Levett 2000	Other clinical specialties - health research	790	263	33.3	No	No
Li 2004	Emergency medicine	2054	781	38.0	No	No
Lim 2013	Physical and rehabilitation medicine	1027	317	30.9	No	No
Lin 2011	Cardiology - arrhythmias	25	10	40.0	No	No
Liu 1996	Cardiology - circulation, basic biomedical science, gastroenterology, neurology	400	141	35.3	No	No
Livas 2014	Oral health - orthodontics	590	308	52.2	No	No
Lloyd 2006	Orthopedics/orthopedic surgery - hip and knee surgery	292	168	57.5	No	Oral only
Loevy 1997	Oral health - pediatric dentistry	189	87	46.0	No	No
Macdonald 2012	Surgery - pediatric surgery	862	302	35	No	Oral only
Macmillan 2007	Emergency medicine	404	124	30.7	No	No
Maguire 2014	Human reproduction and development - reproductive medicine	577	335	58	No	No
Maleck 1998a	Emergency medicine - prehospital care	98	10	10.2	No	No
Maleck 1998b	Emergency medicine	109	11	10.1	No	No
Malicki 2014	Medical decision making/health policy - peer review and biomedical publication	504	305	61.5	No	No
Manuck 2015	Gynecology/obstetrics - maternal-fetal medicine	3281	1780	54.3	No	No
Martinez 2008	Other non-clinical specialties - biochemistry	388	42	10.8	No	No
Marx 1999	Radiology - neuroradiology	527	194	36.8	No	No
Maxwell 1981	Nursing - oncology nursing	65	28	43.1	No	No
McCormick 1985	Pediatrics	355 (presented) 1238 (submitted)	172 (presented) 330 (submitted)	48.5 (presented) 26.7 (submitted)	No	No
McCue 2005	Surgery - colon and rectal surgery	672	400	59.5	No	No
McKelvey 2010	Pharmacology - residents	272	43	15.8	No	No
McKinley 2010	Dermatology	115	64	55.7	No	No

Study	Topic	Overall proportion of abstracts published			Limited by design	Limited by presentation
		Number of Abstracts	Number of full publications	Percent full publications		
McLennan 2008	Gynecology/obstetrics - urogynecology	92	68	73.9	No	Oral only
Meininger 2011	Anesthesiology	2207	813	36.8	No	No
Meissner 2014	Oncology - radiation oncology	172	88	51.2	No	Oral only
Menditto 2015	Emergency medicine	298	43	14.4	No	No
Meral 2016	Surgery	1368	559	40.9	No	No
Meranze 1982	Anesthesiology	379	122	32.2	No	No
Micieli 2012	Ophthalmology/optometry - ophthalmology	508	158	31.1	No	No
Miguel-Asit 2006a	Radiology	2992	464	15.5	No	No
Miguel-Asit 2006b	Radiology	1020	479	47.0	No	Oral only
Miguel-Asit 2007	Radiology	991	449	45.3	No	Oral only
Mihok 2013	Orthopedics - knee surgery	602	200	33.2	No	No
Miller 2015	Endocrinology/nutrition	648	165	25.5	No	No
Mily 2008	General medicine/primary care - hypertension	128	34	26.6	No	No
Mittal 2011	Pediatrics	75	28	37.3	Yes (award-winning)	No
Moar 2013	Otolaryngology head and neck surgery - craniofacial medicine	318	67	21.1	No	Oral only
Montane 2007	Pharmacology	248	71	28.6	No	No
Moorthi 2013	Nephrology	73 (submitted)	39 (submitted)	53.4 (submitted)	Yes (RCTs only)	No
Morgan 2005	Dermatology	131	67	51.1	No	No
Morrison 1994	Gynecology/obstetrics	61 with ≥ 24 months follow-up)	36 with ≥ 24 months follow-up)	59.0 (with ≥ 24 months follow-up)	No	No
Mowla 2006	General medicine/primary care	890	98	11.0	No	No
Muffy 2014	Gynecology/obstetrics - urogynecology	438	239	54.5	No	No
Murrey 1999	Orthopedics/orthopedic surgery	764	377	49.3	No	No
Mutlu 2015	Psychiatry - pediatrics and adolescents	214	54	25.2	No	Posters only
Nader 2009	Other clinical specialties - geographic medicine	125	34	27.2	No	No
Nasir 2012	Surgery - pediatric surgery	128	52	40.6	No	Oral only
Nasir 2013	Surgery - pediatric surgery	164	49	29.9	No	No
Ng 2004	Urology	4302	1627	37.8	No	No
Nguyen 1998	Emergency medicine - orthopedic trauma	490	292	59.6	No	Oral only
Nqwena 2007	Surgery	160	47	29.4	No	Oral only
O' Connor 2015	Surgery	298	168	56.4	No	Plenary (oral) only
O'Dell 2012	Pharmacology	446	19	4.3	No	No
O'Kelly 2015	Urology	322	144	44.7	No	No
O'Neill 2014	Orthopedics/orthopedic surgery	203	66	32.5	No	No
Odunsi 2015	Neurology	627	244	38.9	No	No
Ogilvie 2014	Otolaryngology head and neck surgery	392	198	50.5	No	Oral only
Ohlsson 1999	Pediatrics - neonatology	107 (presented) 141 (submitted)	62 (presented) 73 (submitted)	57.9 (presented) 51.8 (submitted)	Yes (RCTs)	No

Study	Topic	Overall proportion of abstracts published			Limited by design	Limited by presentation
		Number of Abstracts	Number of full publications	Percent full publications		
Ohtori 2013	Orthopedics/orthopedic surgery	3205	1198	37.4	No	No
Okafor 2015	Orthopedics - cervical spine	321	211	65.7	No	Oral only
Olive 2004	Rheumatology	249	52	20.9	No	No
Oliveira 2009	Urology	313	122	39.0	No	Oral only
Oliver 2003	Surgery - plastic surgery	370	118	31.9	No	No
Olmos-de-Aguilera 2013	General medicine/primary care	59	11	18.6	No	No
Olson 2012	Pharmacology - residents	270	17	6.3	No	No
Ospina 2006	Emergency medicine	383	194	50.7	Yes (clinical trials and RCTs)	No
Ozel 2007	Gynecology/obstetrics	116	63	54.3	No	No
Ozköseme 2013	Other non-clinical specialties- free radical biology and medicine	943	398	42.2	No	No
Ozköseme 2013a	Human reproduction and development - reproductive biology	1546	703	45.5	No	No
Paes 2015	Pathology	701	63	9.0	No	No
Papagikos 2005	Oncology - radiation oncology	802	452	56.4	No	Oral only
Papoutsis 2015	Cardiology	5535 (presented) 8411 (submitted)	1425 (presented) 1909 (submitted)	25.7 (presented) 22.7 (submitted)	No	No
Papp 2011	Medical education/library science	201	66	32.8	No	No
Parkar 2013	Radiology	137	62	45.3	No	No
Patel 2011	Surgery - neurosurgery	3827	1243	32.5	No	No
Paulson 2011	Oncology - blood and marrow transplantation	501	217	43.3	No	No
Payne 1999	Endocrinology/nutrition - diabetes	186	87	46.8	No	No
Peng 2006	Otolaryngology head and neck surgery	473	237	50.1	No	No
Pereyra-Elias 2011	Gastroenterology	417	34	8.2	No	No
Perez 2004	Rheumatology	79	63	79.7	No	No
Perron 2011	Sociology - social work	121	52	43.0	No	No
Petticrew 1999	Sociology	77	39	50.6	No	Oral only
Petticrew 2008	Sociology	224	99	44.2	Yes (qualitative studies)	Oral only
Pinheiro 2009	Oncology	154	26	16.9	No	No
Polyzos 2011	Human reproduction and development - reproductive medicine	155	89	57.4	Yes (RCTs)	No
Post 2013	General medicine/primary care	1329	457	34.4	No	No
Prendergast 2013	Gastroenterology	938	165	17.6	No	No
Preston 2005	Emergency medicine - orthopedic trauma	815	476	58.4	No	No
Prohaska 2013	Pharmacology	1941	384	19.8	No	No
Propst 2015	Gynecology/obstetrics - gynecologic surgery	867	483	55.7	No	No

Study	Topic	Overall proportion of abstracts published			Limited by design	Limited by presentation
		Number of Abstracts	Number of full publications	Percent full publications		
Rabenda 2015	Orthopedics/orthopedic surgery - musculoskeletal disorders	619	191	30.9	No	No
Ramsey 1995	Hematology - transfusion medicine, blood bank	249	89	35.7	No	No
Rao 2006	Urology	449	142	31.6	No	No
Ravn 2014	Emergency medicine	63 (with ≥24 months follow-up)	17 (with ≥24 months follow-up)	27.0 (with ≥24 months follow-up)	No	No
Richling 2014	Human reproduction and development - autism and intellectual disabilities	880	77	8.8	No	No
Riessland 2004	Pharmacology	347	182	52.4	No	No
Riordan 2000	Pediatrics	88	55	62.5	No	Plenary (oral) only
Rodriguez 2012	Otolaryngology head and neck surgery - oral and maxillofacial surgery	311	85	27.3	No	No
Rollin 2009	Other clinical specialties - occupational health	318	105	33.0	No	No
Rosmarakis 2005	Infectious disease/immunology	190	68	35.8	No	No
Roukis 2011	Surgery - foot and ankle	206	139	67.5	No	Oral only
Roy 2001	Otolaryngology head and neck surgery	660	456	69.1	No	No
Rubin 2014	Gastroenterology - endoscopy	847	408	48.2	No	No
Saad 2008	Oncology	154	26	16.9	No	No
Saeed 2011	Oncology - blood and marrow transplantation	141 (submitted)	43 (submitted)	30.5 (submitted)	No	No
Salami 2013	Oncology - pediatric hematology	184	114	62.0	No	Undefined subgroup
Saldanha 2016	Ophthalmology/optometry - ophthalmology	513	230	44.8	Yes (RCTs)	No
Sanders 2001	Gastroenterology	255	178	69.8	No	No
Sanossian 2006	Neurology - stroke	353	220	62.3	No	No
Sanz Arrufat 2003	Pharmacology	638	92	14.4	No	No
Sawatsky 2015	Medical education/library science	144	64	44.4	No	No
Scherer 1994	Ophthalmology/optometry - ophthalmology	93	61	65.6	Yes (RCTs)	No
Schibilisky 2014	Surgery - heart and lung transplantation	529 (presented) 777 (submitted)	189 (presented) 259 (submitted)	35.3 (presented) 33.3 (submitted)	No	No
Schnatz 2008	Gynecology/obstetrics - menopause	661	253	38.3	No	No
Schoenfeld 2012	Orthopedics/orthopedic surgery	770	352	45.7	No	No
Scholey 2005	Oral health - dentistry	546	252	46.2	No	No
Schulte 2012a	Orthopedics/orthopedic surgery - orthopedic and trauma surgery	1100	392	35.6	No	No
Schulte 2012b	Orthopedics/orthopedic surgery- spine surgery	839	317	37.8	No	No

Study	Topic	Overall proportion of abstracts published			Limited by design	Limited by presentation
		Number of Abstracts	Number of full publications	Percent full publications		
Schwartz 1992	Emergency medicine - air medical services	312	56	17.9	No	Oral only
Seaton 1981	Other clinical specialties - speech, language and communication	583	174	29.8	No	No
Seaton 1983	Other clinical specialties - speech, language and communication	625	202	32.3	No	No
Sebel 2001	Anesthesiology	581	277	47.7	No	No
Secil 2005	Radiology	4413	521	11.8	No	No
Secil 2007	Radiology - gastrointestinal and abdominal radiology	276	109	39.5	No	Oral only
Shelmerdine 2015	Radiology- pediatric radiology	363	57	15.7	No	Posters only
Siegfried 2007	Infectious disease/immunology - HIV, AIDS	127	86	67.7	Yes (RCTs)	No
Simons 2007	Infectious disease/immunology - allergy	113	73	64.6	No	No
Singh 2015	Pediatrics - neonatology	102	14	13.7	No	No
Sinno 2011	Surgery - plastic surgery	138	78	56.5	No	No
Sivan 2010	Physical and rehabilitation medicine	251	86	34.3	No	No
Smart 2013	Otolaryngology head and neck surgery - oral and maxillofacial surgery	122	90	73.8	No	No
Smith 2007	Urology	1683	740	44.0	No	No
Smith 2011a	Physical and rehabilitation medicine - physical therapy	823	209	25.4	No	No
Smith 2014	Medical education/library science - pediatrics	138	47	34.0	No	No
Smollin 2006	Other non-clinical specialties - toxicology	237	57	24.1	No	No
Snedeker 2010	Other non-clinical specialties - food safety research	149	70	47.0	No	No
Song 2010	Pathology	4824	1725	35.8	No	No
St John 2013	Gastroenterology	327	112	34.3	No	No
Stolk 2002	Pharmacology - pharmacoepidemiology	1216	319	26.2	No	No
Stranges 2015	Pharmacology	655	76	11.6	No	No
Stöcker 2009	General medicine/primary care	368	200	54.3	No	No
Sullivan 2014	Urology	227	95	41.9	No	No
Sun 2011	Ophthalmology/optometry - ophthalmology	2080	881	42.4	No	No
Susarla 2015	Surgery - plastic and reconstructive surgery	78	50	64.1	No	No
Tam 2008	Oncology	74	55	74.3	Yes (phase III)	No
Tam 2011	Oncology	709	643	90.7	Yes (phase III and RCTs)	No

Study	Topic	Overall proportion of abstracts published			Limited by design	Limited by presentation
		Number of Abstracts	Number of full publications	Percent full publications		
Tambuscio 2010	Other non-clinical specialties - forensic science	623	102	16.4	No	No
Tan 2010	Emergency medicine	54	10	18.5	No	Oral only
Theman 2014	Surgery - hand	719	393	54.7	No	Oral only
Tieman 2010	General medicine/primary care - palliative care	1338	213	15.9	No	No
Timmer 2001	Gastroenterology - pancreatology	594	341	57.4	No	No
Timmer 2002	Gastroenterology	541 (presented) 836 (submitted)	292 (presented) 392 (submitted)	54.0 (presented) 46.9 (submitted)	No	No
Todd 1997	Otolaryngology head and neck surgery	53 (presented) 118 (submitted)	35 (presented) 43 (submitted)	66.0 (presented) 36.4 (submitted)	No	No
Toma 2006	Cardiology	186	148	80.0	Yes (RCTs)	No
Toro-Polo 2012	General medicine/primary care	532 (submitted)	52 (submitted)	9.8 (submitted)	No	No
Turpen 2010	Urology	126	79	62.7	Yes (RCTs)	No
Tyagi 2013	Anesthesiology	726	99	13.6	No	No
ul Haq 2011	Orthopedics/orthopedic surgery - trauma and orthopedics	179	65	36.3	No	No
Uysal 2008	Other non-clinical specialties - clinical chemistry	900	125	13.9	No	Posters only
Uzun 2013	Other clinical specialties - undersea and hyperbaric medicine	179	62	34.6	No	No
Valderrama-Zurian 2009	Psychiatry - drug addiction	689	254	36.9	No	No
Van Balken 2005	Urology	61	29	47.5	No	No
van der Steen 2004	Surgery - plastic surgery	306	195	63.7	No	Oral only
Van Royen 2010	General medicine/primary care	251	113	45.0	No	No
Varghese 2011	Orthopedics/orthopedic surgery - pediatrics	1191 (submitted)	598 (submitted)	50.2 (submitted)	No	No
Vecchi 2009	Psychiatry - drug and alcohol addiction	581	359	61.8	Yes (clinical trials and RCTs)	No
Vo 2005	Psychiatry - mental health	287	54	18.8	No	No
Vogt 2008	Other clinical specialties - sports medicine	36	20	55.6	No	No
von Hardenberg 2013	Urology	732	386	52.7	No	No
Vuckovic-Dekic 2001	Oncology	63	42	66.7	No	No
Wai 2006	Orthopedics/orthopedic surgery - lumbar spine	270	146	54.1	No	Oral only
Walby 2001	Emergency medicine	207	73	35.3	No	No
Walsh 2013	Medical education/library science	449	156	34.7	No	No
Wang 1999	Orthopedics/orthopedic surgery - spine	1188	517	43.5	No	No
Waters 2011	Infectious disease/immunology - HIV	201	107	53.2	No	Oral only
Weale 2006	Surgery	768	246	32.0	No	No
Weitz 2005	Gastroenterology	392	100	25.5	No	No

Study	Topic	Overall proportion of abstracts published			Limited by design	Limited by presentation
		Number of Abstracts	Number of full publications	Percent full publications		
Whitehouse 2009	Orthopedics/orthopedic surgery	1138	252	22.1	No	Oral only
Wieser 2015	Other non-clinical specialties - veterinary anesthesiology	607	384	63.3	No	No
Wilson 2015	Neurology - dementia	250	97	38.8	No	No
Winnik 2012	Cardiology	1002 (submitted)	293 (submitted)	29.2 (submitted)	No	No
Wong 2006	Surgery	67 (submitted)	28 (submitted)	41.8 (submitted)	No	No
Wong 2009	Cardiology - electrophysiology	790	377	47.7	No	No
Wong 2013	Cardiology - electrophysiology	4848	2406	49.6	No	No
Yalcinkaya 2013	Emergency medicine - orthopedics and traumatology	770	227	29.5	No	No
Yamaguchi 1990	Infectious disease/immunology - bacteriology, internal medicine	599 (submitted)	488 (submitted)	81.5 (submitted)	No	No
Yentis 1993	Anesthesiology	215	108	50.2	No	No
Yilmaz 2013	Rheumatology	1732	601	34.7	No	No
Yolcu 2015	Otolaryngology head and neck surgery - oral and maxillofacial surgery	1322	246	18.6	No	No
Yoo 2002	Other clinical specialties - sports medicine	333	188	56.5	No	No
Yoon 2007	Surgery - hip and knee	154	73	47.4	No	Posters only
Yoon 2010	Gastroenterology - pancreato-biliary	475 (submitted)	95 (submitted)	20.0 (submitted)	No	No
Yoon 2012a	Other clinical specialties - sports medicine	154	76	49.4	No	Oral only
Yoon 2012b	Urology	614	183	29.8	No	No
Yoshida 2008	Surgery - vascular surgery and angiology	1108	70	6.3	No	No
Yuan 2011	Oral health - dental education	369	71	19.2	No	Posters only
Yun 1999	Radiology	2457	614	25.0	No	No
Zamakhshary 2006	Surgery - pediatric surgery	183	118	64.5	No	No
Zaretsky 2002	Hematology	85	69	81.2	Yes (phase III trials)	No
Zheng 2007	Oral health - stomatology	523	330	63.1	No	No
Özyurt 2012	Dermatology	1023	135	13.2	No	No

Comparison 2. Time to publication

Outcome or subgroup title	No. of studies	No. of participants	Statistical method	Effect size
1 Cumulative percent publication by month			Other data	No numeric data
2 Mean or median time to publication			Other data	No numeric data

Analysis 2.1. Comparison 2 Time to publication, Outcome 1 Cumulative percent publication by month.

Study	Cumulative percent publication by month									
	% published at 6 months	% published at 12 months	% published at 18 months	% published at 24 months	% published at 30 months	% published at 36 months	% published at 42 months	% published at 48 months	% published at 54 months	% published at 60 months
Akbari-Kamrani 2008	12.1	17.2		27.3				40.0		
Al-Qaoud 2013	5.9	17.1	28.9	37.6	43.0	48.1	51.0	54.9	56.0	56.9
Allart 2013	2.2	5.2	7.8	12.6	16	17.7	20.3	21.2		
Allart 2015	5.3	9.1	12.2	15.4	17.6	19.5	21.7			
Alonso-Arroyo 2014		21.7		36.7		42.3		46.7		48.0
Amarilyo 2013	13.6	23.5	34.2	40.3	47.8	53.1 (38 months)	54.9	56.7 (50 months)	57.9	59.1
Arap 2014	5.2	14.1	23.0	27.4	34.9	39.3	44.1	44.4	47.4	48.2
Arrive 2001		3.7		6.5		8.5				
Arrive 2004		15.7		27.1		31.4		32.7		33.5
Autorino 2006	5.5	11.9	14.5	16.5	19.2	20.5	21.3			
Autorino 2007	8.4	18.5	28.2	34.1	37.7	40.6	43.2	45.4		
Autorino 2008		13.4		18.6		22.1				
Bakkum 2015		7.5		14.9		17.4		18.3		20
Balasubramanian 2006	12.0		30.7		48.5		52.7		55.2	
Bhandari 2002	8.4 (8 months)		23.0 (20 months)		29.0 (32 months)		31.8 (44 months)			
Bird 1999		13		27		34		39		41
Bolac 2009				46.1		57.6		61.1		
Boldt 1999		13.1		26.5		34.3		39.4		
Brazzelli 2009				56.9		63.1				
Buchan 2011	3.9	7.3	15.6	21.8	25.1	28.5	30.7	32.4		
Bydder 2004				23.7		32.4				
Callaham 1998		16.8		30.4		39.1		42.2		
Camacho 2005		12			41					63
Cartwright 2007a	9.2	23.8	40.8	45.4	56.2	59.2 (32 months)				
Castagnetti 2013		30.7		40.2		45.0		46.2		47.2
Castillo 2000	3.7		7.9		12.0		14.9		16.3	
Castillo 2002		10.6		25.2		33.5		39.6		41.5
Chalmers 1990a		23.2		30.1				35.8		
Chan 2011	9.5		20.3		29.8		33.4			
Chan 2013	4.9 (overall) 5.7 (American Society of Clinical Oncology) 6.9 American Society	12.8 (overall) 14.8 (American Society of Clinical Oncology)	20.7 (overall) 22.7 (American Society of Clinical Oncology)	25.0 (overall) 29.5 (American Society of Clinical Oncology)	30.0 (overall) 37.5 (American Society of Clinical Oncology)	34.1 (overall) 40.9 (American Society of Clinical Oncology)	37.8 (overall) 43.2 (American Society of Clinical Oncology)	38.4 (overall) 43.2 (American Society of Clinical Oncology)	39.0 (overall) 45.4 (American Society of Clinical Oncology)	40.2 (overall) 46.6 (American Society of Clinical Oncology)

Full publication of results initially presented in abstracts (Review)

Copyright © 2018 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.

Study	Cumulative percent publication by month									
	% published at 6 months	% published at 12 months	% published at 18 months	% published at 24 months	% published at 30 months	% published at 36 months	% published at 42 months	% published at 48 months	% published at 54 months	% published at 60 months
of Hematology) 2.1 (International Society for Pharmacoeconomics and Outcomes Research)		24.1 (American Society of Hematology) 6.4 (International Society for Pharmacoeconomics and Outcomes Research)	34.5 (American Society of Hematology) 12.8 (International Society for Pharmacoeconomics and Outcomes Research)	34.5 (American Society of Hematology) 12.8 (International Society for Pharmacoeconomics and Outcomes Research)	41.4 (American Society of Hematology) 14.9 (International Society for Pharmacoeconomics and Outcomes Research)	17.0 (International Society for Pharmacoeconomics and Outcomes Research)	25.5 (International Society for Pharmacoeconomics and Outcomes Research)			
Chand 2008		18.2		25.1						
Cheng 1998		7.9		27.0		37.6		43.3		44.4
Chung 2012	3.7	12.2	19.4	25.0	31.2	34.6	37.8	40.4	41.1	41.9
Chung 2012a		21.2		33.1		36.8		38.4		
Ciesla 2001		16.0		21.8						
Cifuentes 2007		23.4		43.9		53.2		54.4		
Clemency 2014	5.8	14.5	22.8	29.8	34.0	37.2	39.4	40.6	41.6	42.4
Cohen 2012		37.8		65.1		75.9		81.7		
Collet 1993		5.1		8.0		11.1		11.9		12.4
Collet 1997		2.8		4.5		7.1		9.9		10.7
Collet 2006	2.0	8.3		14.9		20.4		24.3		26.2
Collier 2010	5.5	9.6	13.6	17.8	19.9	22.2	23.1	23.8	24.9	24.9
Corry 1990	5.3 (9 months)			16.7 (21 months)		22.7 (33 months)		24.0 (45 months)		
Craig 2001	(5 months) 13.4 (1980-84 meetings) 10.4 (1990-94 meetings)	(11 months) 22.5(1980-84 meetings) 17.2 (1990-94 meetings)	(17 months) 28.8 (1980-84 meetings) 24.5 (1990-94 meetings)	(23 months) 38.1 (1980-84 meetings) 31.1 (1990-94 meetings)	(29 months) 41.9 (1980-84 meetings) 36.1 (1990-94 meetings)	(35 months) 45.0 (1980-84 meetings) 39.3 (1990-94 meetings)	(41 months) 47.5 (1980-84 meetings) 41.8 (1990-94 meetings)	(47 months) 50.3 (1980-84 meetings) 42.8 (1990-94 meetings)		(59 months) 52.5 (1980-84 meetings) 44.4 (1990-94 meetings)
Czorlich 2016		16.2		29.8		40.4				
Dahllof 2008		8.8 (10 months)	15.8 (20 months)		19.5		23.3 (40 months)	25.2 (50 months)		25.8
Daluiski 1998		15		31		43		48		54
Daruwalla 2015	4.7	9.7	16	20.3	21.7	23.3	26.2	27.3	27.8	28
Davies 2002	3.5 (5 months)	11.6 (10 months)	25.6 (20 months)	30.2 (25 months)	37.2	41.3 (35 months)	44.8			
De Bellefeuille 1992	11		29		41		52		58	58
de Meijer 2015		22.4		49.0		62.2		66.0		68.6
Delgado Gallego 2007		5.6 (Sociedad Española de Medicina de Familia y Comunitaria) 3.2 (Sociedad Española de Medicina Rural y Generalista)	12.3 (Sociedad Española de Medicina de Familia y Comunitaria) 7.3 (Sociedad Española de Medicina Rural y Generalista)			14.2 (Sociedad Española de Medicina de Familia y Comunitaria) 8.1 (Sociedad Española de Medicina Rural y Generalista)		14.9 (Sociedad Española de Medicina de Familia y Comunitaria) 8.1 (Sociedad Española de Medicina Rural y Generalista)		

Study	Cumulative percent publication by month									
	% published at 6 months	% published at 12 months	% published at 18 months	% published at 24 months	% published at 30 months	% published at 36 months	% published at 42 months	% published at 48 months	% published at 54 months	% published at 60 months
		5.9 (Sociedad Española de Medicina General)		5.9 (Sociedad Española de Medicina General)		5.9 (Sociedad Española de Medicina General)		5.9 (Sociedad Española de Medicina General)		
DeMola 2009		11		23.5		30				
Dhaliwal 2008		5.0		10.0		15.0		16.0		16.5
Diezel 1999		37		42		44		46		46
Donegan 2010		15.2		30.2		40.0		44.0		48.5
Dressler 2015		15.9		23.4		25.4		27.4		27.9
Eck 2005	8.6 (1997 International Society of Arthroscopy, Knee Surgery and Sports Medicine) 8.7 (1999 Biennial International Society of Arthroscopy, Knee Surgery and Sports Medicine)		19.1 (1997 International Society of Arthroscopy, Knee Surgery and Sports Medicine) 18.4 (1999 Biennial International Society of Arthroscopy, Knee Surgery and Sports Medicine)		24.7 (1997 International Society of Arthroscopy, Knee Surgery and Sports Medicine) 28.1 (1999 Biennial International Society of Arthroscopy, Knee Surgery and Sports Medicine)		29.0 (1997 International Society of Arthroscopy, Knee Surgery and Sports Medicine) 37.8 (1999 Biennial International Society of Arthroscopy, Knee Surgery and Sports Medicine)		32.7 (1997 International Society of Arthroscopy, Knee Surgery and Sports Medicine) 38.8 (1999 Biennial International Society of Arthroscopy, Knee Surgery and Sports Medicine)	
Ejnisman 2013		6.3		12.3		17.6		22.2		25.4
Elder 1994				29		35		48		
Eloubeidi 2001		6.7		16.2		22.8		25.1		
Evers 2000		16.6		34.4		47.0				52.3
Forlin 2013		9.3		13.7		16.3		17.0		17.8
Fosbol 2012	7 (2006 to 2008 American Heart Association) 6 (2006 to 2008 American College of Cardiology) 6 (2006 to 2008 European Society of Cardiology)	16 (2006 to 2008 American Heart Association) 14 (2006 to 2008 American College of Cardiology) 14 (2006 to 2008 European Society of Cardiology)	24 (2006 to 2008 American Heart Association) 20 (2006 to 2008 American College of Cardiology) 18 (2006 to 2008 European Society of Cardiology)	32 (2006 to 2008 American Heart Association) 26 (2006 to 2008 American College of Cardiology) 24 (2006 to 2008 European Society of Cardiology)						
Galang 2011		11.1		15.1		16.8		18.1		19.2
Gaundong Mbethe 2008		10.6		19.1		24.6				27.1
Gavazza 1996	8.5	13.6	23.7	35.6	42.0	45.7				
Glick 2006	6.8	27.0	35.8	41.9	47.3	48.6	50.7	53.0	53.0	
Goldman 1980	5	19	30	40	46	49				
Goldman 1982	12	24	34	43	49	54				

Study	Cumulative percent publication by month									
	% published at 6 months	% published at 12 months	% published at 18 months	% published at 24 months	% published at 30 months	% published at 36 months	% published at 42 months	% published at 48 months	% published at 54 months	% published at 60 months
Gourtaud 2009		13.3		27.1						
Greenberg 2008		8.4		18.4			25.9 (40 months)	26.8 (50 months)		
Guryel 2006	7.0	13.0	24.3	27.7	30.8	31.8	32.8	33.5		
Ha 2008		24.7 (European Congress of Radiology) 11.6 (Radiological Society of North America) 13.6 (Korean Radiological Society)		38.8 (European Congress of Radiology) 26.8 (Radiological Society of North America) 19.9 (Korean Radiological Society)		43.5 (European Congress of Radiology) 32.3 (Radiological Society of North America) 21.3 (Korean Radiological Society)		47.1 (European Congress of Radiology) 34.7 (Radiological Society of North America) 23.0 (Korean Radiological Society)		
Hackett 2014			20 months for all 25.1 (2004 International Liver Transplantation Society) 29.0 (2005 International Liver Transplantation Society) 16.6 (2007 International Liver Transplantation Society) 26.2 (2006 joint meeting of International Liver Transplantation Society, European Liver and Intestinal Transplant Association, Liver Intensive Care of Europe) 13.9 (2008 joint meeting of International Liver Transplantation Society, European Liver and Intestinal Transplant Association, Liver Intensive Care of Europe)				40 months for all 41.1 (2004 International Liver Transplantation Society) 37.3 (2005 International Liver Transplantation Society) 25.5 (2007 International Liver Transplantation Society) 39.4 (2006 joint meeting of International Liver Transplantation Society, European Liver and Intestinal Transplant Association, Liver Intensive Care of Europe) 25.1 (2008 joint meeting of International Liver Transplantation Society, European Liver and Intestinal Transplant Association, Liver Intensive Care of Europe)			46.8 (2004 International Liver Transplantation Society) 42.6 (2005 International Liver Transplantation Society) 30.7 (2007 International Liver Transplantation Society) 45.2 (2006 joint meeting of International Liver Transplantation Society, European Liver and Intestinal Transplant Association, Liver Intensive Care of Europe) 30.3 (2008 joint meeting of International Liver Transplantation Society, European Liver and Intestinal Transplant Association, Liver Intensive Care of Europe)
Hamlet 1997	8	15	22	29	35	40	42	44	44	45

Study	Cumulative percent publication by month									
	% published at 6 months	% published at 12 months	% published at 18 months	% published at 24 months	% published at 30 months	% published at 36 months	% published at 42 months	% published at 48 months	% published at 54 months	% published at 60 months
Hanchanale 2014	20.1	25.1				39.0				
Harshavardhana 2009				55.4						
Hashkes 2003		7.8		20.2		29.8		34.5		36.5
Hoeg 2009		14.1		31.7		44.7				60.8
Hopewell 2003				51.9				58.6		
Hopewell 2015	12.5 (overall)	25.9 (overall) 44.4 (2010 American College of Rheumatology) 37.5 (2010 American Diabetes Association) 31.3 (2010 American Heart Association) 14.3 (2010 American Psychiatric Association) 12.5 (2010 American Society of Anesthesiologists) 19.3 (2010 American Society of Clinical Oncology) 14.7 (2010 American Society of Hematology) 40.0 (2010 American Thoracic Society) 25.0 (2010 Infectious Diseases Society of America)	35.0 (overall)	47.2 (overall) 72.2 American College of Rheumatology (ACR) 50.0 (2010 American Diabetes Association (ADA)) 50.0 (2010 American Heart Association (AHA)) 28.6 (2010 American Psychiatric Association (PSY)) 25.0 (2010 American Society of Anesthesiologists) 42.1 (2010 American Society of Clinical Oncology) 35.3 (2010 American Society of Hematology) 64.0 (2010 American Thoracic Society) 50.0 (2010 Infectious Diseases Society of America (IDSA))	49.7 (overall)	53.3 (overall) 72.2 American College of Rheumatology) 62.5 (2010 American Diabetes Association) 53.0 (2010 American Heart Association) 42.8 (2010 American Psychiatric Association) 25.0 (2010 American Society of Anesthesiologists) 49.1 (2010 American Society of Clinical Oncology) 44.1 (2010 American Society of Hematology) 68.0 (2010 American Thoracic Society) 62.5 (2010 Infectious Diseases Society of America)				
Jackson 2000		10		23		33		40		44
Jamjoom 2014		10.6		12.5		12.8				
Jamjoom 2015		14.2		22.9		28.9		32.8		34.0
Jasko 2003		15.2		29.5		34.2		39.3		
Jones 2008		10.4		27.3		31.7		33.1		33.8
Juzych 1991	10	20	40	49	53	55	56	58	60	
Kim 1998	7.6	31.1	41.5	43.7						

Study	Cumulative percent publication by month									
	% published at 6 months	% published at 12 months	% published at 18 months	% published at 24 months	% published at 30 months	% published at 36 months	% published at 42 months	% published at 48 months	% published at 54 months	% published at 60 months
Klassen 2002	6.9	15.9	22.7	35.5	43.0	49.3	52.0	54.3	56.6	58.1
Kleine-Konig 2014		18.4		27.6		31.6		33.9		35.9
Kleweno 2008		13.3		35.2		45.5		53.3		59.4
Kottachchi 2010			29.3 (20 months)		47.6	62.2 (40 months)	69.5 (50 months)			76.8
Krzyzanowska 2003	11.4	22.2	30.0	41.8	49.4	57.6	62.2	65.9	69.2	73.3
Kumar 1995		9.5								
Kunadian 2015	13.5	22.5	34.0	42.5	49.0	52.5	56.0	58.0	60.0	61.0
Kwong 2007	9.4	18.0	24.1	28.1	31.3	32.0	35.3	36.7	36.7	38.9
Larian 2001	4.8 (1993 American Academy of Otolaryngology - Head & Neck Surgery) 7.2 (1994 American Academy of Otolaryngology - Head & Neck Surgery) 5.1 (1995 American Academy of Otolaryngology - Head & Neck Surgery)	7.6 (1993 American Academy of Otolaryngology - Head & Neck Surgery) 13.0 (1994 American Academy of Otolaryngology - Head & Neck Surgery) 8.8 (1995 American Academy of Otolaryngology - Head & Neck Surgery)	20.9 (1993 American Academy of Otolaryngology - Head & Neck Surgery) 19.8 (1994 American Academy of Otolaryngology - Head & Neck Surgery) 10.4 (1995 American Academy of Otolaryngology - Head & Neck Surgery)	24.5 (1993 American Academy of Otolaryngology - Head & Neck Surgery) 25.3 (1994 American Academy of Otolaryngology - Head & Neck Surgery) 19.5 (1995 American Academy of Otolaryngology - Head & Neck Surgery)	27.7 (1993 American Academy of Otolaryngology - Head & Neck Surgery) 28.3 (1994 American Academy of Otolaryngology - Head & Neck Surgery) 26.3 (1995 American Academy of Otolaryngology - Head & Neck Surgery)	30.1 (1993 American Academy of Otolaryngology - Head & Neck Surgery) 31.4 (1994 American Academy of Otolaryngology - Head & Neck Surgery) 31.6 (1995 American Academy of Otolaryngology - Head & Neck Surgery)	31.7 (1993 American Academy of Otolaryngology - Head & Neck Surgery) 33.7 (1994 American Academy of Otolaryngology - Head & Neck Surgery)	33.3 (1993 American Academy of Otolaryngology - Head & Neck Surgery) 35.2 (1994 American Academy of Otolaryngology - Head & Neck Surgery)		
Lau 2016		15.2		33.5		43.3		49.3		51.7
Lee 2012		7.8		16.2		25.7		28.6		
Li 2004		20 (1997 Society for Academic Emergency Medicine) 21 (1999 Society for Academic Emergency Medicine) 22 (2000 Society for Academic Emergency Medicine) 24 (2001 Society for Academic Emergency Medicine)		30 (1997 Society for Academic Emergency Medicine) 31 (1999 Society for Academic Emergency Medicine) 33 (2000 Society for Academic Emergency Medicine) 34 (2001 Society for Academic Emergency Medicine)		35 (1997 Society for Academic Emergency Medicine) 36 (1999 Society for Academic Emergency Medicine) 38 (2000 Society for Academic Emergency Medicine)		40 (1997 Society for Academic Emergency Medicine) 39 (1999 Society for Academic Emergency Medicine)		
Lim 2013	4.3	8.9	15.0	21.7	25.6	27.7	29.0	30.9		
Livas 2014		22.4		35.9		44.6		49.3		51.4
Lloyd 2006	3.8	18.8	28.4	37.7	45.2	50.0	51.0	53.1		55.8
Loevy 1997		11.6		26.5					48	
Manuck 2015	5.3 (overall) 16.2 (oral) 2.8 (poster)	16.2 (overall) 39.3 (oral)	25.5 (overall) 47.4 (oral)	33 (overall) 57.7 (oral)	36.1 (overall) 62 (oral)	34.3 (overall) 65.4 (oral)		44.5 (overall) 68.8 (oral)		47 (overall) 72.2 (oral) 41 (poster)

Study	Cumulative percent publication by month									
	% published at 6 months	% published at 12 months	% published at 18 months	% published at 24 months	% published at 30 months	% published at 36 months	% published at 42 months	% published at 48 months	% published at 54 months	% published at 60 months
		10.6 (poster)	20.3 (poster)	27.2 (poster)	35.3 (poster)	34.6 (poster)		38.7 (poster)		
Martinez 2008		1.3 (1997 Confederación Unificada Bioquímica de la República Argentina)		2.6 (1997 Confederación Unificada Bioquímica de la República Argentina)		7.8 (1997 Confederación Unificada Bioquímica de la República Argentina)		13.0 (1997 Confederación Unificada Bioquímica de la República Argentina)		14.3 (1997 Confederación Unificada Bioquímica de la República Argentina)
		1.4 (1999 Confederación Unificada Bioquímica de la República Argentina)		8.3 (1999 Confederación Unificada Bioquímica de la República Argentina)		13.9 (1999 Confederación Unificada Bioquímica de la República Argentina)		18.1 (1999 Confederación Unificada Bioquímica de la República Argentina)		18.1 (1999 Confederación Unificada Bioquímica de la República Argentina)
		5.1 (2001 Confederación Unificada Bioquímica de la República Argentina)		8.5 (2001 Confederación Unificada Bioquímica de la República Argentina)		8.5 (2001 Confederación Unificada Bioquímica de la República Argentina)		10.2 (2001 meeting) 14.7 (2003 Confederación Unificada Bioquímica de la República Argentina)		10.2 (2001 Confederación Unificada Bioquímica de la República Argentina)
		1.3 (2003 Confederación Unificada Bioquímica de la República Argentina)		2.7 (2003 Confederación Unificada Bioquímica de la República Argentina)		9.3 (2003 Confederación Unificada Bioquímica de la República Argentina)				
		1.9 (2005 Confederación Unificada Bioquímica de la República Argentina)		4.8 (2005 Confederación Unificada Bioquímica de la República Argentina)						
Marx 1999	7	13	22	27	32	34	35			
McCormick 1985	6	17	34	39	41	48				
McKinley 2010	6.1	17.4	27.0	34.8	37.4	37.4	40.0	40.9	41.7	41.7
Meininger 2011	8.4 (2000 European Congress of Anesthesia)	21.3 (2000 European Congress of Anesthesia)		28.6 (2000 European Congress of Anesthesia)						
	6.7 (2005 European Congress of Anesthesia)	17.4 (2005 European Congress of Anesthesia)		24.9 (2005 European Congress of Anesthesia)						
	10.1 (2000 German Congress of Anesthesia)	23.9 (2000 German Congress of Anesthesia)		32.0 (2000 German Congress of Anesthesia)						
	11.4 (2005 German Congress of Anesthesia)	26.7 (2005 German Congress of Anesthesia)		35.7 (2005 German Congress of Anesthesia)						
Meissner 2014				38.4 (26 months)						
Meranze 1982	5	17	28	32						
Micieli 2012	5	11.5	18	23	26	29	30	31	32	32.5
Miguel-Dasit 2006a		1.3 (1994 Spanish)		7.4 (1994 Spanish)		12.1 (1994 Spanish)		14.9 (1994 Spanish)		16.7 (1994 Spanish)

Study	Cumulative percent publication by month									
	% published at 6 months	% published at 12 months	% published at 18 months	% published at 24 months	% published at 30 months	% published at 36 months	% published at 42 months	% published at 48 months	% published at 54 months	% published at 60 months
		Congress of Radiology) 2.9 (1996 Spanish Congress of Radiology) 3.3 (1998 Spanish Congress of Radiology)		Congress of Radiology) 9.0 (1996 Spanish Congress of Radiology) 8.6 (1998 Spanish Congress of Radiology)		Congress of Radiology) 12.3 (1996 Spanish Congress of Radiology) 11.4 (1998 Spanish Congress of Radiology)		Congress of Radiology) 14.0 (1996 Spanish Congress of Radiology) 13.5 (1998 Spanish Congress of Radiology)		Congress of Radiology) 15.5 (1996 Spanish Congress of Radiology) 14.3 (1998 Spanish Congress of Radiology)
Miguel-Dasit 2006b		11.7 (9 months)		27.0 (21 months)		37.2 (33 months)		44.4 (45 months)		47.0 (57 months)
Miguel-Dasit 2007		12.7 (9 months)		28.2 (21 months)		37.5 (33 months)		42.5 (45 months)		45.3 (57 months)
Montane 2007				19.4		23.4				
Muffly 2014		26.7		42.0		51.4		54.1		55.3
Murrey 1999		11.0		28.1		39.8		42.9		43.8
Mutlu 2015				12.1		15.9		19.6		23.8
Ng 2004	11.4	19.1	29.0	35.2	37.6	39.5	40.7	41.3		
Nguyen 1998	12.4	22.7	35.5	44.7	50.4	54.5	55.9	58.4		58.8
O' Connor 2015	13.4	22.5	29.9	37.9		43.4		50.7		54.0
Ohlsson 1999		19.9		33.3				46.8		51.8 (57 months)
Ospina 2006	3.8	13.3	27.2	39.1	47.3	52.1	54.1	56.2	57.4	58.6
Ozköseme 2013a	0	13	35	40	47	57	60			
Papoutsis 2015		8.4		20.0						
Parkar 2013		25.5 (overall) 23.3 (2008 European Society of Musculoskeletal Radiology) 28.1 (2009 European Society of Musculoskeletal Radiology)		38.7 (overall) 41.1 (2008 European Society of Musculoskeletal Radiology) 36.0 (2009 European Society of Musculoskeletal Radiology)						
Patel 2011		18.8 (2003, 2004 and 2005 Congress of Neurological Surgeons) 20.9 (2005 American Association of Neurological Surgeons)		25.8 (2003, 2004 and 2005 Congress of Neurological Surgeons) 26.4 (2005 American Association of Neurological Surgeons)		29.9 (2003, 2004 and 2005 Congress of Neurological Surgeons) 29.2 (2005 American Association of Neurological Surgeons)		32.0 (2003, 2004 and 2005 Congress of Neurological Surgeons) 30.5 (2005 American Association of Neurological Surgeons)		32.7 (2003, 2004 and 2005 Congress of Neurological Surgeons) 31.4 (2005 American Association of Neurological Surgeons)
Pinheiro 2009	3.2	7.1	9.1	13.0	14.3	14.9	16.2	16.9	20.1	20.1
Prohaska 2013	3.2	8.1	12.1	15.3	16.8	17.7	18.1	18.3	18.6	18.7
Rao 2006	10.0	17.4	28.1	35.5	41.3	43.0				
Riessland 2004	10.1	21.9	30.8	36.9	42.9	44.7	46.4	49.0	49.3	51.0

Study	Cumulative percent publication by month									
	% published at 6 months	% published at 12 months	% published at 18 months	% published at 24 months	% published at 30 months	% published at 36 months	% published at 42 months	% published at 48 months	% published at 54 months	% published at 60 months
Rollin 2009		14.8		22.6				29.6		
Roy 2001		27.1		51.8		61.7		65.2		66.7
Rubin 2014		26.6		37.0		43.2		45.3		46.6
Saeed 2011	4.8	8.8	14.3	17.5	22.3	23.9	25.5	28.3		
Saldanha 2016	5.5	14.4	23	29.2	32.4	35.3	37.2	39.4	40.7	41.9
Sanders 2001	12.9	26.7	37.6	45.5	53.3	60.8	63.9	66.7	68.2	69.8
Sanossian 2006	15.0	25.5	37.4	45.6	50.4	55.0	57.8	60.1		
Scherer 1994	16	24	40	50	56	57	60	63		
Schoenfeld 2012		12.9		24.3		33.8		38.9		41.9
Scholey 2005	8.0	16.7	24.2	30.0	35.5	39.6	42.1	44.3	46.2	
Schulte 2012a	12.7	18.6	22.9	26.3	28.8	31.4	33.1	33.9	34.7	35.6
Schulte 2012b	10.6	15.2	22.0	26.3	31.8	33.9	35.2	36.0	37.7	37.8
Sebel 2001	13.1		29.2		40.3		43.7		47.7	
Simons 2007				44.2		56.6				
Singh 2015		4.9		7.8		13.7		13.7		13.7
Smart 2013		19.7		50.0		68.0		71.3		73.8
Smith 2007	13.2	23.7	31.7	38.4	42.7					
Snedeker 2010	15.0 (Conference of Research Workers in Animal Disease)	22.8 (International symposium on Veterinary Economics and Epidemiology) 22.6 (Conference of Research Workers in Animal Disease)	28.3 (Conference of Research Workers in Animal Disease)	33.6 (International symposium on Veterinary Economics and Epidemiology) 32.7 (Conference of Research Workers in Animal Disease)	37.6 (Conference of Research Workers in Animal Disease)	40.9 (International symposium on Veterinary Economics and Epidemiology) 41.2 (Conference of Research Workers in Animal Disease)	43.4 (Conference of Research Workers in Animal Disease)	45.6 (International symposium on Veterinary Economics and Epidemiology) 45.6 (Conference of Research Workers in Animal Disease)		
Song 2010		8.9		35.6						
Stolk 2002	5.7 (1995 meeting) 5.5 (1996 meeting) 5.4 (1997 meeting) 1.6 (1998 meeting) 4.1 (1999 meeting)	10.9 (1995 meeting) 11.0 (1996 meeting) 9.6 (1997 meeting) 7.9 (1998 meeting) 8.2 (1999 meeting)	18.4 (1995 meeting) 18.3 (1996 meeting) 16.2 (1997 meeting) 14.0 (1998 meeting) 14.5 (1999 meeting)	23.0 (1995 meeting) 22.5 (1996 meeting) 23.8 (1997 meeting) 18.7 (1998 meeting) 21.2 (1999 meeting)	26.4 (1995 meeting) 26.6 (1996 meeting) 25.4 (1997 meeting) 21.0 (1998 meeting)	28.2 (1995 meeting) 28.4 (1996 meeting) 30.0 (1997 meeting) 22.2 (1998 meeting)	30.0 (1995 meeting) 29.8 (1996 meeting) 30.0 (1997 meeting)	30.0 (1995 meeting) 29.8 (1996 meeting) 30.4 (1997 meeting)	30.0 (1995 meeting) 30.7 (1996 meeting)	30.0 (1995 meeting) 30.7 (1996 meeting)
Stöcker 2009		14.1		28.8		39.4		47.8		51.4
Sun 2011		16.0 (American Academy of Ophthalmology) 14.0 (Association for Research in Vision and Ophthalmology)		32.5 (American Academy of Ophthalmology) 26.0 (Association for Research in Vision and Ophthalmology)		40.0 (American Academy of Ophthalmology) 33.5 (Association for Research in Vision and Ophthalmology)		42.9 (American Academy of Ophthalmology) 37.0 (Association for Research in Vision and Ophthalmology)		44.6 (American Academy of Ophthalmology) 39.0 (Association for Research in Vision and Ophthalmology)
Tam 2008	2.7		20.3		39.2		56.8		66.2	

Study	Cumulative percent publication by month									
	% pub- lished at 6 months	% pub- lished at 12 months	% pub- lished at 18 months	% pub- lished at 24 months	% pub- lished at 30 months	% pub- lished at 36 months	% pub- lished at 42 months	% pub- lished at 48 months	% pub- lished at 54 months	% pub- lished at 60 months
Tam 2011		16.0		37.4		55.7		68.7		77.9
Tambuscio 2010		8.5	12.4							
Theman 2014	13	22	31	36		43		46		47
Timmer 2001		19.5		40.7				57.4		
Timmer 2002	9.2 (basic science) 6.1 (con- trolled tri- als) 5.1 (other clinical re- search)	19.0 (basic science) 19.0 (con- trolled tri- als) 11.0 (other clinical re- search)	27.0 (basic science) 24.8 (con- trolled tri- als) 17.0 (other clinical re- search)	32.2 (basic science) 31.9 (con- trolled tri- als) 24.1 (other clinical re- search)	37.9 (basic science) 35.9 (con- trolled tri- als) 30.1 (other clinical re- search)	40.8 (basic science) 45.1 (con- trolled tri- als) 36.0 (other clinical re- search)	43.1 (basic science) 47.9 (con- trolled tri- als) 36.9 (other clinical re- search)	46.0 (basic science) 50.9 (con- trolled tri- als) 38.1 (other clinical re- search)	46.0 (basic science) 53.1 (con- trolled tri- als) 39.0 (other clinical re- search)	48.3 (basic science) 54.0 (con- trolled tri- als) 39.9 (other clinical re- search)
Toma 2006	18.3	36.6	55.9	66.1	72.0	75.8	79.0	80.6	83.3	83.3
ul Haq 2011				27.4						
Uysal 2008	4.8	9.3		11.7		13.2		13.8		
Uzun 2013	6.7	13.3	19.0	24.8	27.4	30.7	31.8	33.0	33.5	34.6
Valderra- ma-Zurian 2009	6.8		17.3		26.9		32.4		35.4	
van der Steen 2004		30.1 (over- all) 24.6 (1995 European Association of Plastic Surgeons) 16.7 (1996 European Association of Plastic Surgeons) 38.3 (1997 European Association of Plastic Surgeons) 28.3 (1998 European Association of Plastic Surgeons) 31.9 (1999 European Association of Plastic Surgeons)		47.7 (over- all) 42.1 (1995 European Association of Plastic Surgeons) 50.0 (1996 European Association of Plastic Surgeons) 46.7 (1997 European Association of Plastic Surgeons) 45.0 (1998 European Association of Plastic Surgeons) 53.6 (1999 European Association of Plastic Surgeons)		56.9 (over- all) (57.9 (1995 European Association of Plastic Surgeons) 58.3 (1996 European Association of Plastic Surgeons) 55.0 (1997 European Association of Plastic Surgeons) 55.0 (1998 European Association of Plastic Surgeons) 58.0 (1999 European Association of Plastic Surgeons)		59.5 (over- all) 59.6 (1995 European Association of Plastic Surgeons) 63.3 (1996 European Association of Plastic Surgeons) 55.0 (1997 European Association of Plastic Surgeons) 61.7 (1998 European Association of Plastic Surgeons) 58.0 (1999 European Association of Plastic Surgeons)		61.4(1995 European Association of Plastic Surgeons) 66.7 (1996 European Association of Plastic Surgeons) 55.0 (1997 European Association of Plastic Surgeons) 65.0 (1998 European Association of Plastic Surgeons)
Wai 2006		12.6		36.3		50.4				
Walby 2001				30.9				35.3		
Walsh 2013	4.2	8.5	10.5	16.3	19.2	29.8	30.3	31.8	32.7	33.6
Wang 1999		27		37		41		43		44
Weale 2006		15.8 (Asso- ciation of Surgeons of Great Britain & Ireland) 23.2 (Vas- cular Sur- gical Soci- ety of Great Britain & Ireland) 17.4 (British Transplan-		33.8 (Asso- ciation of Surgeons of Great Britain & Ireland) 53.6 (Vas- cular Sur- gical Soci- ety of Great Britain & Ireland) 32.6 (British Transplan-						

Study	Cumulative percent publication by month									
	% published at 6 months	% published at 12 months	% published at 18 months	% published at 24 months	% published at 30 months	% published at 36 months	% published at 42 months	% published at 48 months	% published at 54 months	% published at 60 months
		tation Society) 9.1 (Association of Coloproctology of Great Britain & Ireland)		tation Society) 23.1 (Association of Coloproctology of Great Britain & Ireland)						
Wieser 2015	8.1	15.7	30.0	38.2	45.7	50.1	53.6	55.7	57.5	59.6
Wong 2009		17.6		32.7		41.1		45.1		47.1
Yalcinkaya 2013		14.5		21.7		26.1				
Yamaguchi 1990	28 (Japanese Society for Bacteriology) 18 (Japanese Society for Bacteriology regional meeting) 29 (Japanese Society of Internal Medicine) 9 (Japanese Society of Internal Medicine regional meeting)	53 (Japanese Society for Bacteriology) 37 (Japanese Society for Bacteriology regional meeting) 59 (Japanese Society of Internal Medicine) 23 (Japanese Society of Internal Medicine regional meeting)	64 (Japanese Society for Bacteriology) 51 (Japanese Society for Bacteriology regional meeting) 67 (Japanese Society of Internal Medicine) 32 (Japanese Society of Internal Medicine regional meeting)	75 (Japanese Society for Bacteriology) 67 (Japanese Society for Bacteriology regional meeting) 80 (Japanese Society of Internal Medicine) 35 (Japanese Society of Internal Medicine regional meeting)	79 (Japanese Society for Bacteriology) 71 (Japanese Society for Bacteriology regional meeting) 81 (Japanese Society of Internal Medicine) 35 (Japanese Society of Internal Medicine regional meeting)	83 (Japanese Society for Bacteriology) 73 (Japanese Society for Bacteriology regional meeting) 84 (Japanese Society of Internal Medicine) 46 (Japanese Society of Internal Medicine regional meeting)	84 (Japanese Society for Bacteriology) 73 (Japanese Society for Bacteriology regional meeting) 86 (Japanese Society of Internal Medicine) 46 (Japanese Society of Internal Medicine regional meeting)	85 (Japanese Society for Bacteriology) 73 (Japanese Society for Bacteriology regional meeting) 87 (Japanese Society of Internal Medicine) 46 (Japanese Society of Internal Medicine regional meeting)		
Yentis 1993	7		31		41		44		48	
Yoo 2002		14.5 (American Orthopaedic Society for Sports Medicine) 24.0 (Arthroscopy Association of North America)		49.4 (American Orthopaedic Society for Sports Medicine) 32.9 (Arthroscopy Association of North America)		57.8 (American Orthopaedic Society for Sports Medicine) 38.3 (Arthroscopy Association of North America)		62.0 (American Orthopaedic Society for Sports Medicine) 41.9 (Arthroscopy Association of North America)	66.9 (American Orthopaedic Society for Sports Medicine) 46.1 (Arthroscopy Association of North America)	
Yoon 2012a	15.6		35.7		42.8		49.4			
Zamakhshary 2006		60.1		64.5						
Özyurt 2012		4.3 (2004 Turkish National Dermatology) 2.4 (2006 Turkish National Dermatology) 4.9 (2008 Turkish National Dermatology)		10.9 (2004 Turkish National Dermatology) 8.0 (2006 Turkish National Dermatology) 8.3 (2008 Turkish National Dermatology)		12.8 (2004 Turkish National Dermatology) 9.8 (2006 Turkish National Dermatology) 9.8 (2008 Turkish National Dermatology)		15.8 (2004 Turkish National Dermatology) 13.7 (2006 Turkish National Dermatology) 9.8 (2008 Turkish National Dermatology)		

Analysis 2.2. Comparison 2 Time to publication, Outcome 2 Mean or median time to publication.

Study	Number of abstracts (meeting)	Mean or median time to publication			Range (months)	95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)		
Abicht 2012	825 (overall; 1999 to 2008 American College of Foot & Ankle Surgeons) 20 (1999 meeting) 35 (2000 meeting) 37 (2001 meeting) 52 (2002 meeting) 59 (2003 meeting) 74 (2004 meeting) 107 (2005 meeting) 142 (2006 meeting) 150 (2007 meeting) 149 (2008 meeting)	17.6 (overall) 4.8 (1999 meeting) 2.9 (2000 meeting) 19.2 (2001 meeting) 17.9 (2002 meeting) 23 (2003 meeting) 24.1 (2004 meeting) 20.8 (2005 meeting) 22.2 (2006 meeting) 12.7 (2007 meeting) 13.4 (2008 meeting)			-46 to 75 (overall) -12 to 40 (1999 meeting) -14 to 16 (2000 meeting) 6 to 34 (2001 meeting) 1 to 46 (2002 meeting) 3 to 75 (2003 meeting) 6 to 60 (2004 meeting) -46 to 72 (2005 meeting) -24 to 54 (2006 meeting) -7 to 33 (2007 meeting) -22 to 30 (2008 meeting)	
Abzug 2014	1127 (overall; 2000 to 2005 American Society for Surgery) 249 (2000 meeting) 183 (2001 meeting) 177 (2002 meeting) 150 (2003 meeting) 192 (2004 meeting) 176 (2005 meeting)	25.2 (overall) 28.8 (2000 meeting) 27.6 (2001 meeting) 31.2 (2002 meeting) 25.2 (2003 meeting) 20.4 (2004 meeting) 19.2 (2005 meeting)				
Acevedo 2014	1972 (2000 to 2010 American Society of Clinical Oncology, American Society of Hematology, European Society of Medical Oncology, European Cancer Organization, and American Society for Radiation Oncology)				0 to 96 12 to 24 (IQR)	
Adhikari 2011	1479 (1999 to 2008 Society for Academic Emergency Medicine & American College of Emergency Physicians)	20.4 (emergency ultrasound) 22.8 (emergency medical services) 21.6 (toxicology)				4.8 to 36 (emergency ultrasound) 6 to 39.6 (emergency medical services) 3.1 to 40.1 (toxicology)
Akbari-Kamrani 2008	198 (2000 to 2003 American Society for Laser Medicine and Surgery)	57				52 to 61
Al-Qaoud 2013	439 (2000 to 2010 Quebec Urological Association)	19.5				
Allart 2013	231 (2008 Société Française de Médecine Physique et de Réadaptation)	18.4	14	21		
Allart 2015	779 (2008 European Congress of Physical and Rehabilitation Medicine)	12	15.7	11		
Amarilyo 2013	2149 (2006 American College of Rheumatology and Association of Rheumatology Health Professionals)	15.8	18.3	16	-9 to 51 1.75 to 29.5 (IQR)	
Amirhamzeh 2012	762 (2002 to 2006 Pediatric Or-	29.4 (2002 meeting) 26.8 (2003 meeting)				

Study	Number of abstracts (meeting)	Mean or median time to publication			Range (months)	95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)		
	thopaedic Society of North America)	26.3 (2004 meeting) 22.7 (2005 meeting) 18.8 (2006 meeting)				
Arap 2014	195 (2001 to 2007 American Urological Association)			18.8		
Arora 2012	191 (International Society of Paediatric Oncology - only abstracts by authors from India)) 13 (American Society of Clinical Oncology) 275 (International Society of Paediatric Oncology (only from UK))	20 (International Society of Paediatric Oncology - only abstracts by authors from India)) 24 (American Society of Clinical Oncology) 31 (International Society of Paediatric Oncology (only from UK))			-1 to 95 (International Society of Paediatric Oncology (only abstracts by authors from India))	
Autorino 2006	1100 (2001 and 2002 World Congress of Endourology)	14.6			40 (maximum)	
Autorino 2007	1406 (2000 and 2001 European Association of Urology)	8.7	4.2			
Autorino 2008	1877 (2002 to 2004 Société Internationale d'Urologie)	13			1 to 45	
Autorino 2010	94 (2004 to 2006 World Congress of Endourology)	16.4	13.2			
Bagheri 2005	446 (1997 to 1999 American Association of Oral and Maxillofacial Surgeons)	23.4	16.2		1 to 72	
Balasubramanian 2006	241 (1997 Association of Surgeons of Great Britain and Ireland)			18	11 to 27 (IQR)	
Beker-Acay 2015	3192 (2010 to 2012 Turkish National Radiology)	15			0 to 42	
Bello 2013	75 (2007 to 2010 Nigerian Association of Urological Surgeons)			15	2 to 40	
Bergoli 2011	140 (2001 Brazilian Society of Oral Research)	24.1				
Bhandari 2002	465 (1996 American Academy of Orthopedic Surgeons)	17.6	12	14	1 to 56	
Bhasin 2007	106 (2001 and 2002 Vascular Society of Great Britain and Ireland)	11		12	7 to 18 (IQR)	
Blackwell 2009	90 (2000 to 2002 Society of Maternal Fetal Medicine)			19	4 to 66	
Bolac 2009	540 (1999 to 2004 Journées Dermatologiques de Paris)	20.3	16.9	17	0 to 90	
Bonitz 2011	284 (2006 and 2007 ASRM)			16	10 to 28	
Bowrey 1999	496 (1983 to 1995 Welsh Surgical Society)			17	24 to 168 10.0 to 27.5 (IQR)	
Brazzelli 2009	160 (1995 to 2004 International Stroke Conference and Eu-	20		16		

Study	Number of abstracts (meeting)	Mean or median time to publication			Range (months)	95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)		
	European Stroke Conference)					
Buchan 2011	179 (2004 Royal College of Ophthalmologists)	20.1				16.9 to 23.4
Burden 2014	112 (2003 to 2012 South Yorkshire Regional Gastroenterology)	12.8 (abstracts ranked within 'top 3' of each meeting) 19.3 (abstracts not ranked within 'top 3' of each meeting)				
Bydder 2004	481 (1996 to 1999 Royal Australian and New Zealand College of Radiologists)	16.5		17		
Byerly 2000	501 (American Society of Health-System Pharmacists) 215 (American College of Clinical Pharmacy)			12.8 (1994 American Society of Health-System Pharmacists) 14.9 (1994 American College of Clinical Pharmacy)		
Callaham 1998	481 (1991 Society for Academic Emergency Medicine)	18				
Camacho 2005	275 (1997 American Society of Clinical Oncology)	29		40.8		33.6 to 45.6
Canosa 2011	140 (2003 Congreso Argentino de Pediatría)	27	15	26	7 to 37	
Carroll 2003	614 (1998 and 1999 Pediatric Academic Society) 160 (oral) 160 (poster) 136 (poster symposium) 158 (rejected)	21.4 (oral) 26.5 (poster) 20.3 (poster symposium) 23.1 (rejected)	11.8 (oral) 12.3 (poster) 11.9 (poster symposium) 12.1 (rejected)			
Cartwright 2007a	130 (2003 International Continence Society)			11		
Cartwright 2007b	116 (2003 International Urogynecological Meeting)			27		
Castaldi 2015	621 (overall; 2005 to 2007 Italian Society of Hygiene and Public Health) 174 (2005 meeting) 187 (2006 meeting) 260 (2007 meeting)	25.1 (overall) 27.4 (2005 meeting) 30.5 (2006 meeting) 20.2 (2007 meeting)				22.1 to 28.1 (overall) 20.8 to 34.0 (2005 meeting) 24.6 to 36.4 (2006 meeting) 16.6 to 23.8 (2007 meeting)
Castillo 2000	491 (1992 Congress of the Spanish Society of Anesthesiology and Resuscitation)	22			-24 to 72	
Castillo 2002	472 (1995 European Society of Anesthesiologists)	16.8	15.6		24 to 60	
Cauchy 2014	897 (2005 to 2012 French Congress of Digestive and Hepato-biliary Surgery)			16.1 (overall) 16.1 (accepted) 15.1 (rejected)	0 to 67.4 (overall)	
Chan 2013	164 (1997 to 2007 International Society for Pharmacoeconomics and Outcomes Research, American Society of Hematology, and			37.2		

Study	Number of abstracts (meeting)	Mean or median time to publication			Range (months)	95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)		
	American Society of Clinical Oncology)					
Chand 2008	2172 (overall; 1999 to 2005 Cardiac Society of Australia and New Zealand) 253 (1999 meeting) 307 (2000 meeting) 307 (2001 meeting) 279 (2002 meeting) 331 (2003 meeting) 315 (2004 meeting) 380 (2005 meeting)	18.0 (overall) 24.0 (1999 meeting) 19.2 (2000 meeting) 20.4 (2001 meeting) 18.0 (2002 meeting) 15.6 (2003 meeting) 14.4 (2004 meeting) 15.6 (2005 meeting)	all reported as standard error 1.8 (overall) 2.2 (1999 meeting) 1.7 (2000 meeting) 1.6 (2001 meeting) 1.7 (2002 meeting) 1.2 (2003 meeting) 1.2 (2004 meeting) 1.2 (2005 meeting)			
Chapman 2012	908 (overall; 1997 to 2007 Cochrane Colloquium) 63 (1997 meeting) 58 (1998 meeting) 59 (1999 meeting) 32 (2000 meeting) 85 (2001 meeting) 89 (2002 meeting) 115 (2003 meeting) 113 (2004 meeting) 119 (2005 meeting) 133 (2006 meeting) 92 (2007 meeting)	22.8 (overall) 37.2 (1997 meeting) 26.4 (1998 meeting) 28.8 (1999 meeting) 33.6 (2000 meeting) 26.4 (2001 meeting) 31.2 (2002 meeting) 24.0 (2003 meeting) 18.0 (2004 meeting) 16.8 (2005 meeting) 14.4 (2006 meeting) 19.2 (2007 meeting)		24 (overall) 36 (1997 meeting) 24 (1998 meeting) 24 (1999 meeting) 36 (2000 meeting) 24 (2001 meeting) 30 (2002 meeting) 24 (2003 meeting) 24 (2004 meeting) 12 (2005 meeting) 12 (2006 meeting) 12 (2007 meeting)		
Cheng 1998	178 (Cochrane Cystic Fibrosis Trials Register)			18 (derived from Kaplan Meier survival table)		
Chung 2012	1005 (2006 and 2007 Korean Urological Association)	19.0	12.8			
Chung 2012a	1176 (2005 to 2007 Spring and Fall meetings of the Congress of the Korean Society of Plastic and Reconstructive Surgeons)	15.0				
Ciesla 2001	257 (1998 International Academy of Pathology - United States and Canadian Academy of Pathology, American Society of Cytopathology, and American Society of Clinical Pathologists/College of American Pathologists)	15.8			2 to 26	
Cifuentes 2007	665 (overall; 1999 to 2002 Asociación Española para el Estudio del Hígado) 176 (1999 meeting) 159 (2000 meeting) 159 (2001 meeting) 171 (2002 meeting)	20.9 (1999 meeting) 21.5 (2000 meeting) 20.2 (2001 meeting) 21.8 (2002 meeting)	1.1 (1999 meeting) 1.6 (2000 meeting) 1.6 (2001 meeting) 4.0 (2002 meeting)			
Clemency 2014	635 (2003 to 2005 American College of Emergency Physicians, Society for Academic Emergency Medicine, National Association of EMS Physicians, Association of Air Medical Services, and National Association of EMS Educators)	22.2	16.5		0 to 94	

Study	Number of abstracts (meeting)	Mean or median time to publication			Range (months)	95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)		
Cohen 2012	378 (2000 to 2005 Society of Gynecologic Oncologists)			14	1 to 85	
Cohen 2012a	2463 (2000 to 2004 American Academy of Otolaryngology, Head and Neck Surgery) 1051 (oral) 1413 (poster)	15.5 (oral) 19.1 (poster) 15.0 (oral by female author) 19.4 (posters by female author) 15.6 (oral by male author) 18.6 (posters by male author)				
Collier 2010	623 (2002 to 2006 British Association of Oral and Maxillofacial Surgeons)			8	1 to 18	
Cornu 2012	226 (2007 Congrès de l'Association Française d'Urologie)			24		
Costa 2009	1620 (2002 ASCO, SABCS, EBCC, and ESMO)			11.6		7.6 to 15.7
Craig 2001	320 (1980 to 1984 British Orthopaedic Association) 685 (1990 to 1994 British Orthopaedic Association)	21.4 (1980 to 1984 meetings) 16.8 (1990 to 1994 meetings)			10.3 to 26.3 (overall)	
Dahllof 2008	771 (1999 and 2001 International Association of Paediatric Dentistry)	20	20	18		
Daluiski 1998	888 (overall; 1991 to 1993 Orthopaedic Research Society) 296 (1991 meeting) 296 (1992 meeting) 296 (1993 meeting)			20 (overall) 18 (1991 meeting) 23 (1992 meeting) 20 (1993 meeting)		
Dangouloff-Ros 2015	744 (2008 to 2010 French Society of Radiology)	21	13.7	18	10 to 29 (IQR)	
Daruwalla 2015	443 (2007 to 2010 and 2011 to 2013 Singapore Orthopaedic Association)			13	-73 to 76	
Das 2013	52 (2000 to 2008 American Epilepsy Society)		3	15		
Davies 2002	172 (1997 Perinatal Society of Australia and New Zealand)			18	-36 to 41 9 to 26 (IQR)	
De Bellefeuille 1992	81 (1984 American Society of Clinical Oncology)	22.8				
de Meijer 2015	2174 (2007 to 2012 Dutch Surgical Society)			25 (accepted) 36 (rejected) 23 (oral) 36 (poster)		23 to 27 (accepted) 30.1 to 41.9 (rejected) 20.9 to 25.1 (oral) 26.6 to 45.4 (poster)
de Oliveira 2012	348 (2010 Brazilian Congress on Pain)	6.7	3	6.9		
DeMola 2009	558 (1999 to 2004 American Academy of Orthopaedic Surgery)	31	28			

Study	Number of abstracts (meeting)	Mean or median time to publication			Range (months)	95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)		
Dhaliwal 2008	200 (2000 All India Ophthalmological Conference)	22.8	16.4	20	2 to 77	
Dirk 1996	147 (abstracts from anesthesiology department)	32.4			-12 to 96	
Doğan 2012	218 overall (2007 to 2010 Turkish National Rhinology 67 (oral) 151 (poster))	21.8 (overall) 23.2 (oral) 20.8 (poster)				
Drury 2012	282 (2003 to 2007 Society for Cardiothoracic Surgery)			15	-24 to 63	
Duchini 1997	2512 (1991 Digestive Diseases Week)	20.4	12			
Durinka 2014	1938 (2009 American Transplant Congress)	16			1 to 49	
Durinka 2014b	335 (2009 American College of Surgeons)	16.8				
Duthie 2012	20 (2007 to 2009 Senior Trainees' Annual Research Symposium)	20.2			5 to 41	
Dyson 2006	283 (overall; 1990 to 1999 American College of Veterinary Anesthesiologists) 33 (1990 meeting) 24 (1991 meeting) 28 (1992 meeting) 26 (1993 meeting) 38 (1995 meeting) 39 (1996 meeting) 30 (1997 meeting) 31 (1998 meeting) 34 (1999 meeting)	24.3 (overall) 39.3 (1990 meeting) 24.8 (1991 meeting) 20.9 (1992 meeting) 23.2 (1993 meeting) 22.9 (1995 meeting) 24.8 (1996 meeting) 20.8 (1997 meeting) 19.4 (1998 meeting) 21.4 (1999 meeting)	21.0 (overall) 33.2 (1990 meeting) 32.6 (1991 meeting) 33.7 (1992 meeting) 21.3 (1993 meeting) 14.4 (1995 meeting) 19.5 (1996 meeting) 16.1 (1997 meeting) 14.3 (1998 meeting) 10.0 (1999 meeting)			
Elliot 2016	754 (2005 Congress of Neurological Surgeons)			14.8	-21.2 to 64.2	
Eloubeidi 2001	451 (1994 American Society for Gastrointestinal Endoscopy)	20	11.4	17.8	12.7 to 27.9 (IQR)	
Ensom 1998	363 (1992 to 1996 Canadian Society of Hospital Pharmacists)	11				
Erdağ 2014	1454 (2008 to 2010 Turkish National Otorhinolaryngology and Head & Neck Surgery)	18.6				
Ersoy 2015a	243 (2009 Turkish Association of Gynecology and Obstetrics National Gynecology and Obstetrics Congress) 16 (oral) 227 (poster)	13 (oral) 11 (posters)				
Ersoy 2015b	161 (2008 to 2010 National Gynecology and Obstetrics) 19 (oral) 142 (poster)	17.5 20.9 (oral) 16.2 (poster)	12.5 11.1 (oral) 12.7 (poster)			
Evans 2015	1496 (2004 to 2007 American College of Clinical Pharmacy)	24	15	24	1 to 94	

Study	Number of abstracts (meeting)	Mean or median time to publication			95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)	
	(ACCP) Spring and Fall national meetings, and regional meetings: Alcalde, Southwest Leadership, Eastern States, Southeastern Pharmacy Residency, Great Lakes Pharmacy Resident, Midwest Pharmacy Resident, and Western States)				
Evers 2000	151 (1992 to 1997 European Society of Human Reproduction and Embryology)			32.5	0 to 79
Facione 2007	239 (overall; 2003 to 2006 Société interdisciplinaire francophone d'urodynamique et de pelvipérinéologie)	21.6 (2003 meeting) 19.2 (2004 meeting) 13.5 (2005 meeting) 5.6 (2006 meeting)			
Feldman 2015	1152 (2005 to 2012 Advancing Transfusion and Cellular Therapies Worldwide and American Society for Apheresis)			17	0 to 108
Fernandes 2008	63 (2001 American College of Sports Medicine, Brazilian authors) 100 (2001 American College of Sports Medicine; random sample) 100 (2001 Centro de Estudos do Laboratório de Aptidão Física de São Caetano do Sul)	20.2 (2001 American College of Sports Medicine, Brazilian authors) 18.5 (American College of Sports Medicine, random sample) 23.3 (2001 Centro de Estudos do Laboratório de Aptidão Física de São Caetano do Sul)	20 (2001 American College of Sports Medicine, Brazilian authors) 2.3 (American College of Sports Medicine, random sample) 5.5 (2001 Centro de Estudos do Laboratório de Aptidão Física de São Caetano do Sul)	12 (2001 American College of Sports Medicine, Brazilian authors) 15 (American College of Sports Medicine, random sample) 12 (2001 Centro de Estudos do Laboratório de Aptidão Física de São Caetano do Sul)	-1 to 55 (2001 American College of Sports Medicine, Brazilian authors) -1 to 64 (American College of Sports Medicine, random sample) 6 to 48 (2001 Centro de Estudos do Laboratório de Aptidão Física de São Caetano do Sul)
Fernandez 2011	279 (2003 to 2007 Australian Cardiac Rehabilitation Association)	19	21.6		-4 to 78
Fosbol 2012	27208 (overall; 2006 to 2008 American Heart Association, American College of Cardiology, and European Society of Cardiology) 11365 (American Heart Association) 5005 (American College of Cardiology) 10838 (European Society of Cardiology)			12 (overall) 13 (American Heart Association) 13 (American College of Cardiology) 12 (European Society of Cardiology)	7 to 19 (overall) 7 to 19 (IQR; American Heart Association) 6 to 18 (IQR, American College of Cardiology) 6 to 18 (IQR; European Society of Cardiology)
Freeman 2012	90 (overall) 64 (1995 to 2005 American Society of Clinical Oncology) 26 (2004 to 2005 American Association for Cancer Research)	34.8 (American Society of Clinical Oncology) 22.8 (American Association for Cancer Research)			
Galang 2011	370 (2002 and 2003 American Dental Education Association)	16		10	

Study	Number of abstracts (meeting)	Mean or median time to publication			Range (months)	95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)		
	Annual Session and Exhibitions)					
Ginzburg 2014	140 (2008 to 2012 Society of Uroynamics, Female Pelvic Medicine, and Urogenital Reconstruction)	17.4	12			
Glick 2006	1147 (2000 American Transplant Congress)	15.8	10.6	12		
Goldman 1980	276 (1976 American Federation for Clinical Research, American Society for Clinical Investigation, Association for American Physicians, and American College of Cardiology meetings and the 1975 American Heart Association)			14		
Goldman 1982	303 (976 American Federation for Clinical Research, American Society for Clinical Investigation, and Association of American Physicians meetings, and the 1975 American Society of Hematology and American Society of Nephrology)			15		
Gorman 1990	104 (1984 American Association of Poison Control Centers) 165 (1986 American Association of Poison Control Centers, American Academy of Clinical Toxicologists, American Board of Medical Toxicologists, Canadian Association of Poison Control Centers)	19 (1984 American Association of Poison Control Centers) 12 (1986 American Association of Poison Control Centers, American Academy of Clinical Toxicologists, American Board of Medical Toxicologists, Canadian Association of Poison Control Centers)		12 (1984 American Association of Poison Control Centers) 9 (1986 American Association of Poison Control Centers, American Academy of Clinical Toxicologists, American Board of Medical Toxicologists, Canadian Association of Poison Control Centers)		
Gourtaud 2009	443 (2000 and 2001 French Association of Urology)	16.9			65 (maximum)	
Greenberg 2008	239 (2003 Society for Medical Decision Making)	20.5		19	0 to 47	17.6 to 23.3
Gregory 2012	888 (overall) 453 (Canadian Society of Plastic Surgeons) 262 (American Society of Plastic Surgeons) 173 (American Association of Plastic Surgeons)	22 (overall) 24 (Canadian Society of Plastic Surgeons) 19 (American Society of Plastic Surgeons) 22 (American Association of Plastic Surgeons)			1 to 85.9 (overall) 2 to 79.0 (Canadian Society of Plastic Surgeons) 1 to 54.3 (American Society of Plastic Surgeons) 1 to 85.9 (American Association of Plastic Surgeons)	
Guryel 2006	415 (overall) 300 (British Orthopaedics Association) 115 (British Association for Surgery of the Knee, British Or-	15.6 (overall) 16.2 (British Orthopaedics Association) 15.3 (British Association for Surgery of the Knee, British Or-	11.1 (overall) 6.1 (British Orthopaedics Association) 9.3 (British Association for Surgery of the Knee, British Or-	14 (overall) 14 (British Orthopaedics Association) 14 (British Association for Surgery of the Knee, British Or-	-7 to 56 (overall) -7 to 56 (British Orthopaedics Association) 1 to 48 (British Association for Surgery of the Knee, British Or-	

Study	Number of abstracts (meeting)	Mean or median time to publication			Range (months)	95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)		
	thopedic Foot Surgical Society; British Elbow and Shoulder Society)	thopedic Foot Surgical Society; British Elbow and Shoulder Society)	thopedic Foot Surgical Society; British Elbow and Shoulder Society)	thopedic Foot Surgical Society; British Elbow and Shoulder Society)	Orthopedic Foot Surgical Society; British Elbow and Shoulder Society)	
Ha 2008	1097 (2001 and 2002 Korean Radiological Society, Radiological Society of North America, and European Congress of Radiology)	15.8	13.8			
Hajji 2016	270 (2006 to 2012 Société interdisciplinaire Francophone d'Uro-dynamique et de Pélinéologie)	22	15			
Halpern 2002	145 (1994 and 1995 American Society of Anesthesiologists)	28	17			
Hamlet 1997	1465 (1990 to 1992 meetings of the American Academy of Orthopaedic Surgeons)	20				
Harel 2011	300(overall) 100 (2006 National Kidney Foundation) 100 (2006 American Society of Nephrology) 100 (2006 Annual European Renal Association - European Dialysis and Transplant Association Congress)			12 (overall) 13 (National Kidney Foundation) 10 (American Society of Nephrology) 12.5 (Annual European Renal Association - European Dialysis and Transplant Association Congress)	6 to 22 (IQR; overall) 7 to 21 (IQR; National Kidney Foundation) 5 to 20 (IQR; American Society of Nephrology) 8 to 22.5 (IQR; Annual European Renal Association - European Dialysis and Transplant Association Congress)	
Hashkes 2003	331 (986, 1991 and 1998 Park City Pediatric Rheumatology)			24		
Herbison 2004	63 (1998 and 1999 International Continence Society meetings)	19.2	9.6			
Hernández-Jiménez 2011	1045 (2000 to 2009 Annual Congress of the Sociedad Mexicana de Nutrición y Endocrinología)	25.2	22.8		12 to 108	
Hoag 2006	1584 (2000 American Urological Association)	17				
Hoeg 2009	559 (overall; 1997 to 1998 American Society of Clinical Oncology) 126 (1997 meeting) 177 (1998 meeting) 256 (2001 meeting)			41 (overall) 33 (1997 meeting) 41 (1998 meeting) 48 (2001 meeting)		37 to 46 (overall)
Hogan 2009	117 (2000, 2003, and 2006 American Contact Dermatitis Society)	18				
Hopewell 2015	197 (overall) 8 (2010 Infectious Diseases Society of America) 25 (2010 American Thoracic Society)			14 (overall) 12.3 (2010 Infectious Diseases Society of America) 11.8 (2010 American Thoracic Society)	6.6 to 20.1 (IQR; overall) 6.5 to 22.9 (IQR; 2010 Infectious Diseases Society of America) 7.6 to 20 (IQR; 2010 American Thoracic Society)	

Study	Number of abstracts (meeting)	Mean or median time to publication			95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)	
	34 (2010 American Society of Hematology) 57 (2010 American Society of Clinical Oncology) 7 (2010 American Psychiatric Association) 32 (2010 American Heart Association) 8 (2010 American Diabetes Association) 18 (2010 American College of Rheumatology)			15.9 (2010 American Society of Hematology) 15.9 (2010 American Society of Clinical Oncology) 10 (2010 American Society of Anesthesiologists) 17.4 (2010 American Psychiatric Association) 10.9 (2010 American Heart Association) 8.2 (2010 American Diabetes Association) 5.7 (2010 American College of Rheumatology)	9 to 23.4 (IQR; 2010 American Society of Hematology) 11.9 to 22.9 (IQR; 2010 American Society of Clinical Oncology) 5.5 to 14.5 (IQR; 2010 American Society of Anesthesiologists) 0.3 to 26.4 (IQR; 2010 American Psychiatric Association) 4.2 to 19.6 (IQR; 2010 American Heart Association) 2.7 to 20.2 (IQR; 2010 American Diabetes Association) 4.7 to 20.8 (IQR; 2010 American College of Rheumatology)
Hussein 2014	367 (2006 to 2011 Vascular Society of Great Britain and Ireland)			12	12 to 24 (IQR)
Jackson 2000	777 (1991 to 1994 Pediatric Orthopaedic Society of North America) 349 (accepted) 428 (rejected)			29 (accepted) 27 (rejected)	
Jamjoom 2014	273 (2007 to 2012 Saudi Association of Neurological Surgery)			12	
Jamjoom 2015	494 (2001 to 2005 Society of British Neurological Surgeons)	22.8			-35 to 133
Jara-Tracchia 2010	4137 (2002 to 2003 International Association for Dental Research)	48			36 to 60
Jasko 2003	336 (1991 to 1992, 1995, 1997 to 1999) Musculoskeletal Tumor Society	21.8	13.5		
Jones 2008	139 (2000 International AIDS Conference)	19		16	-2 to 59
Jones 2014	127 (2009 British Association of Urological Surgeons)	17.2			
Juzych 1991	175 (overall) 100 (1985 Association for Research in Vision and Ophthalmology) 75 (1984 American Academy of Ophthalmology)	19.4 (1985 Association for Research in Vision and Ophthalmology) 13.0 (1984 American Academy of Ophthalmology)		13 (overall) 18 (1985 Association for Research in Vision and Ophthalmology) 11 (1984 American Academy of Ophthalmology)	
Juzych 1993	327 (1985 Association for Research in Vision and Ophthalmology)	19.7		17	
Jørgens 2014	493 (2004 European Association for the Study of Diabetes) 317 (accepted) 176 (rejected)	16.5 (accepted) 19.3 (rejected)	12.7 (accepted) 14 (rejected)		

Study	Number of abstracts (meeting)	Mean or median time to publication			Range (months)	95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)		
Kaifi 2013	76 (overall) 40 (Academic Surgical Congress meetings) 36 (Society of University Surgeons)	10 (overall) 13 (Academic Surgical Congress meetings) 11 (Society of University Surgeons)		12 (overall) 9 (Academic Surgical Congress meetings) 10 (Society of University Surgeons)	0 to 47 (overall) 0 to 47 (Academic Surgical Congress meetings) 0 to 38 (Society of University Surgeons)	
Kalyoncu 2011	799 (2005 to 2009 Ulusal Romatoloji Kongrelerinin)	15.9	9.9			
Kaya Mutlu 2013	181 (2002, 2004, 2006 and 2008 Advances in Physiotherapy Symposiums) 18 (2002 meeting) 59 (2004 meeting) 42 (2006 meeting) 62 (2008 meeting)	20.9 (overall) 20.7 (2002 meeting) 22.7 (2004 meeting) 23.8 (2006 meeting) 14.8 (2008 meeting)	16.7 (overall) 11.5 (2002 meeting) 15.9 (2004 meeting) 22.2 (2006 meeting) 11.3 (2008 meeting)			
Kearney 2012	1005 (1996 to 2005 Sir Peter Freyer Surgical Symposia)			19	0 to 132	
Kim 1998	357 (1994 Korean Orthopaedic Association)	13				
Kim 2011	288 (2001 to 2005 Korean Society of Spine Surgery)	12.2				
Klappenbach 2011	200 (2006 Argentine Congress of Surgery)	15				
Kleine-Konig 2014	646 (2006 to 2008 European Paediatric Orthopaedic Society)	13.9	1.3			
Kleweno 2008	165 (1999 to 2001 American Orthopaedic Society for Sports Medicine)			21	1 to 60	
Kottachchi 2010	82 (1999 to 2003 Digestive Disease Week)			30	17 to 57 (IQR)	
Koçak 2014	188 (2004 to 2012 European League Against Rheumatism Congress)	18.8			1 to 64	
Krzyzanowska 2003	510 (1989 to 1998 American Society of Clinical Oncology)			32.4		
Kumar 1995	275 (1992 American Society for Gastrointestinal Endoscopy) 46 (oral) 150 (poster)	13 (oral) 15 (poster)			6 to 24 (oral) 4 to 24 (poster)	
Kunadian 2015	2119 (2002 to 2012 British Cardiovascular Society)		19.2	16.8		
Kwong 2007	278 (1999 and 2001 European Federation of National Associations of Orthopaedics and Traumatology)	25.3	18.5			
Lau 2016	460 (1996 to 2013 Otorhinolaryngology Research Society)	27.7		23		
Lee 2012	346 (2004 and 2005 International Association for Dental Research)	26.4			0 to 67	

Study	Number of abstracts (meeting)	Mean or median time to publication			Range (months)	95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)		
Lim 2013	1027 (2008 to 2009 Korean Academy of Rehabilitation Medicine)	17.2 (overall) 15.5 (Spring 2008 meeting) 19.8 (Fall 2008 meeting) 16.6 (Spring 2009 meeting) 15.3 (Fall 2009 meeting)	10.5 (overall) 12.2 (Spring 2008 meeting) 11.3 (Fall 2008 meeting) 10.3 Spring 2009 meeting) 8.8 (Fall 2009 meeting)			
Liu 1996	400 (overall) 100 (American Heart Association) 100 (Federation of American Societies for Experimental Biology) 100 (American Gastroenterological Association) 100 (American Academy of Neurology)	22.8 (overall) 22.8 (American Heart Association) 19.2 (Federation of American Societies for Experimental Biology) 26.4 (American Gastroenterological Association) 22.8 (American Academy of Neurology)	10.8 (overall) 9.6 (American Heart Association) 10.8 (Federation of American Societies for Experimental Biology) 10.8 (American Gastroenterological Association) 10.8 (American Academy of Neurology)			
Livas 2014	590 (2006 to 2007 European Orthodontic Society Congress) 333 (2006 meeting) 257 (2007 meeting)	15.8 (overall) 17.2 (2006 meeting) 14.6 (2007 meeting)				
Lloyd 2006	292 (1998 to 2001 American Association of Hip and Knee Surgeons) 40 (1998 meeting) 53 (1999 meeting) 49 (2000 meeting) 61 (2001 meeting)	21.7 (overall) 21 (1998 meeting) 22 (1999 meetings) 22 (2000 meeting) 16 (2001 meeting)	14.7 (overall)			
Maguire 2014	577 (2004 to 2010 Reproductive Health Annual meetings)	18.5			-6 to 78	
Malicki 2014	504 (1989, 1993, 1997, 2001, 2005, and 2009 International Congress on Peer Review and Biomedical Publication)			14		12 to 16
Manuck 2015	3281 (2003 to 2010 Society for Maternal-Fetal Medicine) 629 (oral) 2652 (poster)			19 (overall) 11 (oral) 21 (poster)	9 to 36 (IQR, overall) 9 to 24 (IQR, oral) 11 to 40 (IQR, poster)	
Martinez 2008	388 (1997, 1999, 2001, 2003, and 2005 Confederación Unificada Bioquímica de la República Argentina)	24	12		48 (maximum)	
Marx 1999	527 (1993 American Society of Neuroradiologists and Radiological Society of North America)	15				
Maxwell 1981	65 (1977 and 1978 Oncology Nursing Society)			11.5	1 to 30	
McCormick 1985	1238 (overall) 371 (1976 to 1978 Ambulatory Pediatric Association) 194 (1979 to 1980 Ambulatory Pediatric Association)	20 (1976 to 1978 Ambulatory Pediatric Association) 12.9 (1979 to 1980 Ambulatory Pediatric Association) 23.1 (1976 to 1978 Society of Pediatric Research)				

Study	Number of abstracts (meeting)	Mean or median time to publication				95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)	Range (months)	
	347 (1976 to 1978 Society of Pediatric Research) 326 (1979 to 1980 Society of Pediatric Research)	16.7 (1979 to 1980 Society of Pediatric Research)				
McCue 2005	672 (1997 to 2000 American Society of Colon and Rectal Surgeons)	18.4				
McKelvey 2010	272 (1981, 1991, and 2001 Southeastern Residency Conferences) 90 (1981 meeting) 70 (1991 meeting) 112 (2001 meeting)			22.8 (overall) 22 (1981 meeting) 33 (1991 meeting) 24 (2001 meeting)	60.9 (maximum) 13 to 25 (IQR; 1981 meeting) 22 to 39 (IQR; 1991 meeting) 20 to 28 (IQR; 2001 meeting)	
McKinley 2010	115 (2000, 2003, and 2006 American Contact Dermatitis Society)	21.6			3 to 72	
Meissner 2014	172 (2007 and 2010 Canadian Association of Radiation Oncology)	18.5		16.5	-10 to 54	
Meral 2016	1368 (2008 to 2011 European Society for Surgical Research) 341 (2008 meeting) 304 (2009 meeting) 476 (2010 meeting) 247 (2011 meeting) 803 (oral) 565 (poster)	17.5 (overall) 23.2 (2008 meeting) 16.1 (2009 meeting) 15.3 (2010 meeting) 14.8 (2011 meeting) 19.1 (oral) 14.0 (poster)	20.7 (oral) 25.2 (poster)		-166 to 82 (overall) -59 to 82 (2008 meeting) -60 to 67 (2009 meeting) -89 to 55 (2010 meeting) -166 to 46 (2011 meeting)	
Meranze 1982	80 (1979 and 1980 International Anesthesia Research Society) 324 (1978 American Society of Anesthesiologists)	8.2 (1979 and 1980 International Anesthesia Research Society) 12.5 (1978 American Society of Anesthesiologists)				
Micieli 2012	508 (2005 to 2008 Canadian Ophthalmological Society)			15	8 to 24 (IQR)	
Miguel-Dasit 2006a	2992 (1994, 1996, and 1998 Spanish Congress of Radiology) 987 (1994 meeting) 1022 (1996 meeting) 983 (1998 meeting)	32 (overall) 35 (1994 meeting) 31 (1996 meeting) 30 (1998 meeting)	16 (overall) 16 (1994 meeting) 17 (1996 meeting) 14 (1998 meeting)		12 to 108 (overall) 12 to 108 (1994 meeting) 12 to 96 (1996 meeting) 12 to 72 (1998 meeting)	
Mihok 2013	602 (2000 to 2009 British Association for Surgery of the Knee)	23			0 to 129	
Mittal 2011	75 (1995 to 2007 Indian Academy of Pediatrics)	23.4	11.8		2 to 77	
Moar 2013	318 (2000 to 2009 Craniofacial Society of Great Britain and Ireland) 24 (2000 meeting) 28 (2001 meeting) 32 (2002 meeting) 38 (2003 meeting) 34 (2004 meeting) 36 (2005 meeting) 31 (2006 meeting) 33 (2007 meeting) 40 (2008 meeting)	29 (overall)		26 (overall) 27 (2000 meeting) 23 (2001 meeting) 68 (2002 meeting) 24 (2003 meeting) 48 (2004 meeting) 24 (2005 meeting) 14 (2006 meeting) 48 (2007 meeting) 35 (2008 meeting) 13 (2009 meeting)	2 to 110 (overall) -2 to 110 (2000 meeting) -2 to 48 (2001 meeting) 3 to 110 (2002 meeting) -1 to 62 (2003 meeting) 24 to 37 (2005 meeting)	

Study	Number of abstracts (meeting)	Mean or median time to publication			Range (months)	95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)		
	22 (2009 meeting)				0 to 28 (2006 meeting) 15 to 59 (2007 meeting) 0 to 49 (2008 meeting) 0 to 26 (2009 meeting)	
Montane 2007	248 (1994, 1996, and 1998 Spanish Society of Clinical Pharmacology)			18	2 to 60	
Moorthi 2013	73 (2005 American Society of Nephrology)			24	13 to 36 (IQR)	
Morgan 2005	131 (2001 British Association of Dermatology)	18				
Mowla 2006	890 (2000 to 2003 Annual Research Meeting of Iranian Medical Sciences Students) 156 (oral) 636 (poster)	22.3 (oral) 29.5 (poster)				
Muffly 2014	438 (2007 to 2008 American Urogyne-cologic Society) 147 (oral) 284 (poster)	15.7 (overall) 14 (oral) 17 (poster)	12.1 (overall) 11 (oral) 13 (poster)			
Mutlu 2015	214 (2005 to 2008 National Congress of Child and Adolescent Psychiatry) 51 (2005 meeting) 64 (2006 meeting) 59 (2007 meeting) 40 (2008 meeting)	30.7 (overall) 35.3 (2005 meeting) 24.4 (2006 meeting) 33.8 (2007 meeting) 33.0 (2008 meeting)	18.9 (overall) 22.6 (2005 meeting) 16.1 (2006 meeting) 18.9 (2007 meeting) 18.2 (2008 meeting)		4 to 74 (overall)	
Nasir 2012	128 (2004, and 2006 to 2009 Association of Paediatric Surgeons of Nigeria)	23.5		24	12 to 60	
Nasir 2013	164 (2006, 2008, and 2010 Pan-African Pediatric Surgical Association)			15	5 to 26 (IQR)	
Ng 2004	4302 (1998 to 2000 American Urological Association) 1280 (1998 meeting) 1509 (1999 meeting) 1513 (2000 meeting)	36.9 (1998 meeting) 29.4 (1999 meeting) 23.2 (2000 meeting)				35.2 to 37.4 (1998 meeting) 28.6 to 30.1 (1999 meeting) 22.5 to 23.9 (2000 meeting)
Nguyen 1998	490 (1990 to 1995 Orthopedic Trauma Association)	16				
O' Connor 2015	298 (1989 to 2014 Sir Peter Freyer Surgical Symposium) 61 (clinical research) 237 (basic science)	24 (overall) 24 (clinical) 24 (basic science)			-12 to 108 (clinical) -12 to 96 (basic science)	
O'Kelly 2015	322 (2005 to 2011 Irish Society of Urology) 34 (2005 meeting) 57 (2006 meeting) 37 (2007 meeting) 45 (2008 meeting) 45 (2009 meeting) 56 (2010 meeting) 49 (2011 meeting)	16.7 (overall) 8 (2005) 17 (2006) 28 (2007) 23 (2008) 13 (2009) 26 (2010) 12 (2011)		15	0 to 55	

Study	Number of abstracts (meeting)	Mean or median time to publication			Range (months)	95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)		
O'Neill 2014	203 (2002 to 2005 Irish Orthopaedic Association)	30.1			4.7 to 76.5	
Odunsi 2015	627 (2007 to 2009 Association of British Neurologists)	18.6	14.6			
Ogilvie 2014	392 (2006 to 2010 Canadian Society of Otolaryngology - Head & Neck Surgery)	21			-61 to 76	
Olive 2004	249 (1996 Spanish Society for Rheumatology)	18.5				
Oliveira 2009	313 (2003 Urological Brazilian meeting)			14	1 to 51	
Oliver 2003	370 (1995 to 1997 British Association of Plastic Surgeons) 56 (1995 Winter meeting) 48 (1997 Summer meeting) 54 (1997 Winter meeting) 107 (1998 Winter meeting) 105 (1999 Winter meeting)	19 (1995 Winter meeting) 25 (1997 Summer meeting) 19 (1997 Winter meeting) 13 (1998 Winter meeting) 16 (1999 Winter meeting)			3 to 46 (1995 Winter meeting) 3 to 42 (1997 Summer meeting) 1 to 46 (1997 Winter meeting) 1 to 28 (1998 Winter meeting) 1 to 26 (1999 Winter meeting)	
Olson 2012	270 (1995, 2000, and 2005 Western States Conference) 71 (1995 meeting) 77 (2000 meeting) 122 (2005 meeting)	24 (overall) 17 (1995 meeting) 24 (2000 meeting) 24 (2005 meeting)	10 (overall) 13 (1995 meeting) 13 (2000 meeting) 9 (2005 meeting)			
Ospina 2006	383 (1995 to 2003 Society for Academic Emergency Medicine)			32		23 to 41
Ozel 2007	116 (2002 to 2003 Society of Gynecologic Surgeons)	16		9	-4 to 48	
Papagikos 2005	802 (1999 to 2001 American Society of Therapeutic Radiology and Oncology)			11.9		
Papoutsis 2015	8411 (2006 to 2010 Deutsche Gesellschaft für Kardiologie)	8.4	14.4			
Parkar 2013	137 (2008 to 2009 European Society of Musculoskeletal Radiology)			14.5	-47 to 39	
Paulson 2011	501 (2006 Center for International Blood and Marrow Transplantation Research/American Society for Blood and Marrow Transplantation)			19	1 to 41	
Peng 2006	473 (1999 American Academy of Otolaryngology Head & Neck Surgery)			16	12 to 29 (IQR)	
Pereyra-Elias 2011	417 (1998, 2000, 2002, 2004, 2006, and 2008 Congreso de la Sociedad de	10.8	10.4	9	0 to 47	

Study	Number of abstracts (meeting)	Mean or median time to publication			Range (months)	95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)		
	Gastroenterología del Perú)					
Pinheiro 2009	154 (2001 to 2005 American Society of Clinical Oncology)			13.5		
Polyzos 2011	155 (2003 and 2004 European Society of Human Reproduction and Embryology)			15	0 to 75	
Post 2013	1329 (overall) 1000 (2007 to 2008 North American Primary Care Research Group) 329 (2007 to 2008 Society of Teachers of Family Medicine) 688 (oral) 641 (poster)	15.4 (overall) 16 (North American Primary Care Research Group) 13.1 (Society of Teachers of Family Medicine) 13.7 (oral) 18.6 (poster)	0.6 (overall, SE) 0.6 (North American Primary Care Research Group, SE) 1.2 (Society of Teachers of Family Medicine, SE) 0.6 (oral, SE) 1.0 (poster, SE)		-20 to 51	
Prendergast 2013	938 (1995 and 2005 British Society of Gastroenterology) 497 (1995 meeting) 441 (2005 meeting)	22.2 (1995 meeting) 18.6 (2005 meeting)	16.9 (1995 meeting) 13.3 (2005 meeting)			
Preston 2005	815 (1994 to 1998 Orthopaedic Trauma Association) 153 (1994 meeting) 168 (1995 meeting) 156 (1996 meeting) 157 (1997 meeting) 181 (1998 meeting) 329 (oral) 486 (poster)	24.8 (all oral) 21.9 (oral; 1994 meeting) 26.1 (oral; 1995 meeting) 31.1 (oral; 1996 meeting) 20.9 (oral; 1997 meeting) 25.4 (oral; 1998 meeting) 21.6 (all poster) 28.2 (poster; 1994 meeting) 19.7 (poster; 1995 meeting) 22.1 (poster; 1996 meeting) 18.6 (poster; 1997 meeting) 21.3 (poster; 1998 meeting)	17.9 (all oral) 18.1 (oral; 1994 meeting) 20.3 (oral; 1995 meeting) 19.3 (oral; 1996 meeting) 13.8 (oral; 1997 meeting) 16.8 (oral; 1998 meeting) 19.4 (all poster) 27.8 (poster; 1994 meeting) 18.8 (poster; 1995 meeting) 17.3 (poster; 1996 meeting) 15.9 (poster; 1997 meeting) 17.3 (poster; 1998 meeting)			
Prohaska 2013	1941 (2005 American College of Clinical Pharmacy, American Pharmacists Association, and American Society of Health-System Pharmacists)	16.8	11.9	15		
Propst 2015	867 (2004 to 2012 Society of Gynecologic Surgeons)	12.7	11.7		-5 to 82	
Rabenda 2015	619 (2011 European Congress on Osteoporosis, Osteoarthritis, and Musculoskeletal Disorders) 45 (oral) 574 (poster)			14.8 (oral e-publication) 16.3 (oral print) 9.2 (poster e-publication) 11.3 (poster print)	8.3 to 23.3 (IQR, oral e-pub) 8.4 to 23.3 (IQR, oral print) 2.7 to 17.7 (IQR poster e-pub) 5.3 to 21.7 (IQR, poster print)	
Riessland 2004	347 (1995 American Society for Clinical Pharmacology)	31	47	31		
Rollin 2009	318 (2000 International Commission on Occupational Health)	17				13 to 21

Study	Number of abstracts (meeting)	Mean or median time to publication			95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)	
Roukis 2011	206 (199 to 2008 American College of Foot and Ankle Surgeons) 29 (1999 meeting) 29 (2000 meeting) 20 (2001 meeting) 20 (2002 meeting) 13 (2003 meeting) 14 (2004 meeting) 21 (2005 meeting) 21 (2006 meeting) 21 (2007 meeting) 18 (2008 meeting)	14.5 (overall) 13.3 (1999 meeting) 19.3 (2000 meeting) 18.6 (2001 meeting) 13.7 (2002 meeting) 16.9 (2003 meeting) 8.4 (2004 meeting) 17.9 (2005 meeting) 11.5 (2006 meeting) 14.7 (2007 meeting) 7.6 (2008 meeting)			-34 to 60 (overall) -34 to 60 (1999 meeting) 2 to 50 (2000 meeting) 12 to 34 (2001 meeting) 2 to 42 (2002 meeting) 6 to 36 (2003 meeting) 0 to 24 (2004 meeting) -2 to 46 (2005 meeting) -5 to 32 (2006 meeting) -4 to 36 (2007 meeting) -1 to 17 (2008 meeting)
Roy 2001	660 (1978 to 1995 Otorhinolaryngological Research Society)	2235			-60 to 108
Rubin 2014	847 (2004 to 2007 Digestive Disease Week)			12	12 to 24 (IQR)
Saad 2008	154 (2001 to 2005 American Society of Clinical Oncology)			13.5	
Saeed 2011	141 (2002, 2004, and 2006 Canadian Blood and Marrow Transplant Group)			20.7	-5.3 to 91.2
Salami 2013	184 (2005 American Society of Pediatric Hematology/Oncology)			19	11 to 29 (IQR)
Saldanha 2016	513 (Association for Research in Vision and Ophthalmology)			18	1 to 90 (IQR, 11 to 33)
Sanders 2001	255 (1994 British Society of Gastroenterology)			19	0 to 66
Sanossian 2006	353 (2000 International Stroke Conference of the American Stroke Association)			15	-18 to 69
Sawatsky 2015	144 (2009 Society of General Internal Medicine)	21			
Schnatz 2008	661 (1999 to 2003 North American Menopause Society)	24.0 (overall) 20.4 (oral) 24.0 (poster)	18.0 (overall) 15.6 (oral) 18.0 (poster)		103.2 (maximum; overall)
Schoenfeld 2012	770 (1998 to 2006 Society of Military Orthopaedic Surgeons) 96 (1998 meeting) 89 (1999 meeting) 104 (2000 meeting) 75 (2001 meeting) 84 (2002 meeting) 83 (2003 meeting) 86 (2004 meeting) 76 (2005 meeting) 78 (2006 meeting)	32.4 (overall) 43.0 (1998 meeting) 33.0 (1999 meeting) 33.6 (2000 meeting) 30.6 (2001 meeting) 39.6 (2002 meeting) 29.4 (2003 meeting) 27.0 (2004 meeting) 28.5 (2005 meeting) 19.2 (2006 meeting)			
Scholey 2005	546 (1993 European Organisation for Caries Research, Eu-			18.0 (overall)	9 to 30 (overall; IQR) 5.3 to 24.5 (IQR; European Organisation

Study	Number of abstracts (meeting)	Mean or median time to publication			Range (months)	95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)		
	European Orthodontic Society, and International Association for Dental Research)			13.0 (European Organisation for Caries Research meeting) 23.5 (European Orthodontic Society meeting) 17.0 (International Association for Dental Research meeting)	for Caries Research meeting) 12.3 to 36.0 (IQR; European Orthodontic Society meeting) 8.8 to 29.3 (IQR; International Association for Dental Research meeting)	
Schulte 2012a	1100 (2003 German Society of Orthopaedics and Trauma Surgery)	14.9	16.9		-44 to 58	
Schulte 2012b	839 (2000 to 2003 Spine Society of Europe) 259 (2000 meeting) 213 (2001 meeting) 168 (2002 meeting) 199 (2003 meeting)	17.7 (overall) 16.2 (2000 meeting) 18.3 (2001 meeting) 14.4 (2002 meeting) 21.2 (2003 meeting)	15.7 (overall) 16.5 (2000 meeting) 17.0 (2001 meeting) 14.4 (2002 meeting) 14.2 (2003 meeting)		-36 to 60 (overall) -36 to 60 (2000 meeting) -30 to 59 (2001 meeting) -9 to 57 (2002 meeting) -2 to 56 (2003 meeting)	
Seaton 1983	625 (1978 American Speech-Hearing-Language Association)			13		
Sebel 2001	581 (1995 International Anesthesia Research Society)	15.6				
Secil 2005	4413 (Turkish radiology conferences)	24.4			0 to 91	
Secil 2007	276 (2000 and 2001 European Society of Gastrointestinal and Abdominal Radiology)			18	1 to 53 (IQR)	
Shelmerdine 2015	363 (overall) 35 (British Society for Paediatric Radiology) 163 (European Society of Pediatric Radiology) 165 (Society of Pediatric Radiology)			12 (British Society for Paediatric Radiology) 10 (European Society of Pediatric Radiology) 15 (Society of Pediatric Radiology)	6 to 17 (British Society for Paediatric Radiology) 2 to 29 (European Society of Pediatric Radiology) 3 to 31 (Society of Pediatric Radiology)	
Siegfried 2007	65 (African studies) 62 (North American studies)	22.8 (African studies) 26.4 (North American studies)			12 to 84 (African studies) 12 to 72 (North American studies)	
Smart 2013	122 (2000 to 2010 American Association of Oral and Maxillofacial Surgeons and American International Association of Dental Research)	21.9	17.3	19	0 to 99	
Smith 2007	1683 (2002 and 2003 American Urological Association)			27.8	25.9 to 39.7	
Smith 2011a	823 (2000 to 2004 American Physical Therapy Association)	22.7	15.3	19.3		
Smollin 2006	237 (2001 North America Conference of Clinical Toxicology)	15			0 to 29	
Snedeker 2010	149 (various conferences with abstracts on pre-har-			13.5	0 to 72	

Study	Number of abstracts (meeting)	Mean or median time to publication			Range (months)	95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)		
	vest or abattoir-level intervention against pathogenic bacteria)					
Song 2010	4824 (2005 to 2007 United States and Canadian Academy of Pathology)	18				
Stranges 2015	655 (2003, 2005, and 2007 Great Lakes Pharmacy Residency Conference)	24.5	14.3			
Stöcker 2009	368 (1999 to 2003 Deutsche Gesellschaft für Allgemeinmedizin und Familienmedizin)	18.4			-24 to 84	
Sullivan 2014	227 (2006 to 2010 Irish Society of Urology)	24 (overall) 26 (2006 meeting) 33 (2007 meeting) 22 (2008 meeting) 20 (2009 meeting) 18 (2010 meeting)				
Sun 2011	2080 (2003 to 2006 American Academy of Ophthalmology and Association for Research in Vision and Ophthalmology) 617 (2003 meeting) 615 (2004 meeting) 616 (2005 meeting) 616 (2006 meeting)			16 (overall) 20 (2003 meeting) 18 (2004 meeting) 14.5 (2005 Ameeting) 15 (2006 meeting)	8.0 to 27.1 (IQR, overall) 9.1 to 32.0 (IQR, 2003 meeting) 9.1 to 29 (IQR, 2004 meeting) 8.0 to 26.5 (IQR, 2005 meeting) 7.0 to 22.6 (IQR, 2006 meeting)	
Susarla 2015	78 (2009 to 2013 Johns Hopkins Hospital/University of Maryland Plastic Surgery Research Day)	15.6	13.6		-2 to 54	
Tam 2008	74 (2000 American Society of Clinical Oncology)	31		29	3.4 to 68.4	
Tam 2011	709 (1989 to 2003 American Society of Clinical Oncology)			31.2		
Tambuscio 2010	623 (2006 American Academy of Forensic Sciences)	10	9			
Theman 2014	719 (2000 to 2010 American Society for Surgery of the Hand) 109 (2000 meeting) 69 (2001 meeting) 64 (2002 meeting) 36 (2003 meeting) 80 (2004 meeting) 53 (2005 meeting) 35 (2006 meeting) 88 (2007 meeting) 62 (2008 meeting) 58 (2009 meeting) 65 (2010 meeting)	18 (overall) 22 (2000 meeting) 25 (2001 meeting) 22 (2002 meeting) 15 (2003 meeting) 20 (2004 meeting) 19 (2005 meeting) 21 (2006 meeting) 15 (2007 meeting) 12 (2008 meeting) 15 (2009 meeting) 13 (2010 meeting)		14 (overall) 15 (2000 meeting) 14 (2001 meeting) 14 (2002 meeting) 15 (2003 meeting) 18 (2004 meeting) 11 (2005 meeting) 20 (2006 meeting) 14 (2007 meeting) 11 (2008 meeting) 13 (2009 meeting) 12 (2010 meeting)	-14 to 64 (overall) 120 (maximum); 10 to 78 IQR; 2000 meeting) 96 (maximum); 12 to 101 IQR; 2001 meeting) 120 (maximum); 21 to 69 IQR; 2002 meeting) 48 (maximum); 7 to 68 IQR; 2003 meeting) 120 (maximum); 11 to 69 IQR; 2004 meeting) 60 (maximum); 13 to 84 IQR; 2005 meeting) 84 (maximum); 30 to 66 IQR; 2006 meeting) 60 (maximum); 18 to 51 IQR; 2007 meeting)	

Study	Number of abstracts (meeting)	Mean or median time to publication			Range (months)	95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)		
					48 (maximum); 15 to 44 IQR; 2008 meeting) 48 (maximum); 17 to 66 IQR; 2009 meeting) 36 (maximum); 17 to 55 IQR; 2010 meeting) 84	
Timmer 2001	594 (1994 to 1995 European Pancreatic Club and American Pancreatic Association)			36		
Timmer 2002	863 (1992 to 1995 Digestive Diseases Week)			18		
Toma 2006	186 (1999 to 2002 American College of Cardiology) 86 ('late-breaking' abstracts) 100 (not 'late-breaking' abstracts)			11.5 ('late-breaking' abstracts) 22 (not 'late-breaking' abstracts)		
Toro-Polo 2012	532 (2002 to 2005 and 2006 to 2009 Sociedad Científica Médico Estudiantil Peruana)	22.6	24.0	13	0 to 75	
Turpen 2010	126 (2002 and 2003 American Urological Association)	51	5			
Tyagi 2013	726 (2009 American Society of Anesthesiologists meeting and Indian Society of Anaesthesiologists)			14 (American Society of Anesthesiologists) 12 (Indian Society of Anaesthesiologists' Conference)	1 to 21 (American Society of Anesthesiologists) 3 to 24 (Indian Society of Anaesthesiologists' Conference)	
ul Haq 2011	179 (2001 British Orthopaedic Association)	18.6	9.4			
Uysal 2008	900 (2002 International Federation of Clinical Chemistry and Laboratory Medicine)	11.9		8		
Uzun 2013	179 (2005 Undersea and Hyperbaric Medical Society)	18.5	13.6	15	2 to 60	
Valderrama-Zurian 2009	689 (1999 College on Problems of Drug Dependence) 194 (oral) 495 (poster)	22.4 (overall) 22.4 (oral) 22.4 (poster)	17.3 (overall) 18.5 (oral) 16.4 (poster)	19.9 (overall) 19.9 (oral) 19.9 (poster)		
van der Steen 2004	306 (1995 to 1999 European Association of Plastic Surgeons)	14	23.9	13		
Varghese 2011	1191 (2003 to 2005 Pediatric Orthopaedic Society of North America) 431 (2003 meeting) 343 (2004 meeting) 417 (2005 meeting)	24.0 (2003 meeting) 24.8 (2004 meeting) 20.2 (2005 meeting) 21.9 (2003 meeting; oral) 28.3 (2004 meeting; oral) 20.7 (2005 meeting; oral) 21.4 (2003 meeting; rejected abstracts)		18 (2003 meeting) 22 (2004 meeting) 17 (2005 meeting) 18 (2003 meeting; oral) 26 (2004 meeting; oral) 18.5 (2005 meeting; oral) 18 (2003 meeting; rejected abstracts)	20.3 to 27.8 (2003 meeting) 21.4 to 28.3 (2004 meeting) 17.7 to 22.8 (2005 meeting) 17.6 to 26.2 (2003 meeting; oral) 23.2 to 33.5 (2004 meeting; oral) 17.2 to 24.0 (2005 meeting; oral)	

Study	Number of abstracts (meeting)	Mean or median time to publication			Range (months)	95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)		
		22.2 (2004 meeting; rejected abstracts) 17.6 (2005 meeting; rejected abstracts)		19.5 (2004 meeting; rejected abstracts) 15 (2005 meeting; rejected abstracts)		18.5 to 24.2 (2003 meeting; rejected abstracts) 19.0 to 25.4 (2004 meeting; rejected abstracts) 15.0 to 20.1 (2005 meeting; rejected abstracts)
Vecchi 2009	581 (1993 to 2002 College on Problems of Drug Dependence) 161 ('positive results') 51 (negative or null results) 325 (abstracts without reported statistical results) 44 (abstracts with no results)	45.6 (overall) 34.8 ('positive results') 62.4 (negative or null results) 50.4 (abstracts without reported statistical results) 62.4 (abstracts with no results)				
Vogt 2008	36 (1997 Deutscher Sportärztekongress)	12				
von Hardenberg 2013	732 (2002 and 2009 Der Kongress der Deutschen Gesellschaft für Urologie)			15.1		
Walby 2001	207 (1995 to 1998 Australasian College of Emergency Medicine and Australasian Society for Emergency Medicine and 1996 and 1998 International Conference on Emergency Medicine)	12.6		11		
Walsh 2013	449 (2005 to 2006 Research in Medical Education Conference and Canadian Conference on Medical Education)			20	-9 to 76 (10 to 30 IQR)	
Whitehouse 2009	1138 (overall) 90 (2004 British Hip Society) 73 (2005 British Hip Society meeting) 68 (2004 European Hip Society meeting) 173 (2006 European Hip Society meeting) 23 (2004 British Orthopedic Association meeting) 31 (2005 British Orthopedic Association meeting) 41 (2006 British Orthopedic Association meeting) 293 (2003 European Federation of Orthopaedics and Trauma meeting) 346 (2005 European Federation of Orthopaedics and Trauma meeting)	4.9 (overall) 6.9 (2004 British Hip Society meeting) 6.8 (2005 British Hip Society meeting) -4.1 (2004 European Hip Society meeting) 0.7 (2006 European Hip Society meeting) 8.3 (2004 British Orthopedic Association meeting) 6.0 (2005 British Orthopedic Association meeting) 2.0 (2006 British Orthopedic Association meeting) 9.5 (2003 European Federation of Orthopaedics and Trauma meeting) 8.3 (2005 European Federation of Orthopaedics and Trauma meeting)				
Wieser 2015	607 (2004 to 2008 American College of	25 (overall) 25 (RCTs)	19		-35 to 104 (overall) 23 to 27 (RCTs)	

Study	Number of abstracts (meeting)	Mean or median time to publication			95 % Confidence Interval (months)
		Mean (months)	Standard Deviation	Median (months)	
	Veterinary Anesthesiologists and Association of Veterinary Anaesthetists; 2003 and 2006 World Congress of Veterinary Anaesthesiology)	26 (uncontrolled studies) 15 (cross-sectional studies)			23 to 30 (uncontrolled studies) 15 (9 to 22) cross-sectional studies)
Wong 2006	67 (1998 and 1999 New South Wales State Committee, Registrars Paper Day)	23.8		21	4 to 60
Wong 2009	790 (2003 Heart Rhythm Society)			16.7	10.6 to 27.6 (IRQ)
Wong 2013	3848 (1994, 1997, 2000, 2003, and 2006 Heart Rhythm Society) 521 (1994 meeting) 740 (1997 meeting) 804 (2000 meeting) 790 (2003 meeting) 993 (2006 meeting)			21 (1994 meeting) 18 (1997 meeting) 16 (2000 meeting) 18 (2003 meeting) 13 (2006 meeting)	10 to 34 (IQR, 1994 meeting) 11 to 32 (IQR, 1997 meeting) 6 to 31 (IQR, 2000 meeting) 8 to 27 (IQR, 2003 meeting) 5 to 22 (IQR, 2006 meeting)
Yalcinkaya 2013	770 (2007 Turkish National Orthopedics and Traumatology Congress)	14.9	16.1		-33 to 55
Yilmaz 2013	1732 (2008 European League Against Rheumatism)			13	0 to 31
Yolcu 2015	1322 (2007 to 2012 Oral and Maxillofacial Surgery Society of Turkey)	17	15		
Yoon 2007	154 (1996 to 2001 American Association of Hip and Knee Surgeons) 10 (1996 meeting) 20 (1997 meeting) 18 (1998 meeting) 20 (1999 meeting) 40 (2000 meeting) 46 (2001 meeting)	23.6 (overall) 20.8 (1996 meeting) 36.5 (1997 meeting) 27.3 (1998 meeting) 23.5 (1999 meeting) 9.7 (2000 meeting) 16.6 (2001 meeting)	15.7 (overall) 19.1 (1996 meeting) 19.0 (1997 meeting) 11.6 (1998 meeting) 9.9 (1999 meeting) 14.5 (2000 meeting) 15.8 (2001 meeting)		
Yoon 2012a	154 (2005 First World Conference on Sports Injury Prevention) 14 (RCTs) 135 (observational studies)	17 (RCTs) 12 (observational studies)	13 (RCTs) 14 (observational studies)		
Yoon 2012b	614 (2005 to 2009 Urological Society of Australia and New Zealand)	13.0 (online journal publications) 14.5 (print journals publications)	13.6 (online journal publications) 13.9 (print journal publications)		
Yun 1999	2457 (1992 to 1996 Korean Radiological Society)	13.3			0 to 56
Özyurt 2012	1023 (2004, 2006, and 2008 Turkish National Dermatology) 368 (2004 meeting) 328 (2006 meeting) 327 (2008 meeting)	22.5 (overall) 23.2 (2004 meeting) 27.2 (2006 meeting) 14.5 (2008 meeting)			0 to 86

Comparison 3. 'Positive' versus 'not positive' results

Outcome or subgroup title	No. of studies	No. of participants	Statistical method	Effect size
1 Publication by 'positive' versus 'not positive' results	64		Risk Ratio (M-H, Random, 95% CI)	Subtotals only
1.1 defined as 'significant results'	45	15783	Risk Ratio (M-H, Random, 95% CI)	1.31 [1.23, 1.40]
1.2 defined by direction of results	34	8794	Risk Ratio (M-H, Random, 95% CI)	1.17 [1.07, 1.28]
2 Publication by 'positive' versus 'not positive results,' randomized or controlled clinical trials	20		Risk Ratio (M-H, Random, 95% CI)	Subtotals only
2.1 defined as 'significant results'	15	2616	Risk Ratio (M-H, Random, 95% CI)	1.21 [1.10, 1.32]
2.2 defined by direction of results	13	2307	Risk Ratio (M-H, Random, 95% CI)	1.17 [1.04, 1.32]

Analysis 3.1. Comparison 3 'Positive' versus 'not positive' results, Outcome 1 Publication by 'positive' versus 'not positive' results.

Analysis 3.2. Comparison 3 'Positive' versus 'not positive' results, Outcome 2 Publication by 'positive' versus 'not positive results,' randomized or controlled clinical trials.

Comparison 4. Sample size

Outcome or subgroup title	No. of studies	No. of participants	Statistical method	Effect size
1 Publication by larger versus smaller sample size	23	8689	Risk Ratio (M-H, Random, 95% CI)	1.09 [0.99, 1.19]
2 Publication by larger versus smaller sample size; randomized or controlled clinical trials	6	727	Risk Ratio (M-H, Random, 95% CI)	1.25 [1.08, 1.46]

Analysis 4.1. Comparison 4 Sample size, Outcome 1 Publication by larger versus smaller sample size.

Analysis 4.2. Comparison 4 Sample size, Outcome 2 Publication by larger versus smaller sample size; randomized or controlled clinical trials.

Comparison 5. Oral versus poster presentations

Outcome or subgroup title	No. of studies	No. of participants	Statistical method	Effect size
1 Publication by oral versus poster presentations	143	115910	Risk Ratio (M-H, Random, 95% CI)	1.46 [1.40, 1.52]
2 Publication by oral versus poster presentations, randomized or controlled clinical trials	9	1841	Risk Ratio (M-H, Random, 95% CI)	1.32 [1.13, 1.54]

Analysis 5.1. Comparison 5 Oral versus poster presentations, Outcome 1 Publication by oral versus poster presentations.

Analysis 5.2. Comparison 5 Oral versus poster presentations, Outcome 2 Publication by oral versus poster presentations, randomized or controlled clinical trials. **Comparison 6. Accepted abstracts versus rejected abstracts**

Outcome or subgroup title	No. of studies	No. of partici- pants	Statistical method	Effect size
1 Publication by acceptance versus rejection for presentation	22	22319	Risk Ratio (M-H, Random, 95% CI)	1.65 [1.48, 1.85]

Analysis 6.1. Comparison 6 Accepted abstracts versus rejected abstracts, Outcome 1 Publication by acceptance versus rejection for presentation.

Comparison 7. Clinical versus basic research

Outcome or subgroup title	No. of studies	No. of participants	Statistical method	Effect size
1 Publication by clinical research versus basic science	92	97372	Risk Ratio (M-H, Random, 95% CI)	0.78 [0.74, 0.82]

Analysis 7.1. Comparison 7 Clinical versus basic research, Outcome 1 Publication by clinical research versus basic science.

Comparison 8. Study design

Outcome or subgroup title	No. of studies	No. of participants	Statistical method	Effect size
1 Publication by randomized trial versus other study designs	47	28928	Risk Ratio (M-H, Random, 95% CI)	1.51 [1.36, 1.67]
2 'Prospective' versus 'retrospective'	30	14938	Risk Ratio (M-H, Random, 95% CI)	1.17 [1.06, 1.30]
3 Level of evidence	7	3344	Risk Ratio (M-H, Random, 95% CI)	1.50 [1.20, 1.86]

Analysis 8.1. Comparison 8 Study design, Outcome 1 Publication by randomized trial versus other study designs.

Analysis 8.2. Comparison 8 Study design, Outcome 2 'Prospective' versus 'retrospective'.

Analysis 8.3. Comparison 8 Study design, Outcome 3 Level of evidence.

Comparison 9. Multi-centered versus single center

Outcome or subgroup title	No. of studies	No. of participants	Statistical method	Effect size
1 Multi-centered versus single center	44	22780	Risk Ratio (M-H, Random, 95% CI)	1.32 [1.21, 1.44]
2 Multi-centered versus single center, randomized or controlled clinical trials	7	1539	Risk Ratio (M-H, Random, 95% CI)	1.47 [1.09, 1.98]

Analysis 9.1. Comparison 9 Multi-centered versus single center, Outcome 1 Multi-centered versus single center.

Analysis 9.2. Comparison 9 Multi-centered versus single center, Outcome 2 Multi-centered versus single center, randomized or controlled clinical trials.

Comparison 10. Higher versus lower quality

Outcome or subgroup title	No. of studies	No. of participants	Statistical method	Effect size
1 Higher versus lower quality	12	3364	Risk Ratio (M-H, Random, 95% CI)	1.46 [1.23, 1.73]
2 Higher versus lower quality, randomized or controlled clinical trials	3	215	Risk Ratio (M-H, Random, 95% CI)	1.09 [0.84, 1.42]

Analysis 10.1. Comparison 10 Higher versus lower quality, Outcome 1 Higher versus lower quality.

Analysis 10.2. Comparison 10 Higher versus lower quality, Outcome 2 Higher versus lower quality, randomized or controlled clinical trials.

Comparison 11. Abstract author characteristics

Outcome or subgroup title	No. of studies	No. of participants	Statistical method	Effect size
1 Academic center versus non-academic center	34	16913	Risk Ratio (M-H, Random, 95% CI)	1.60 [1.34, 1.92]
2 Female versus male	6	10935	Risk Ratio (M-H, Random, 95% CI)	0.89 [0.77, 1.03]

Analysis 11.1. Comparison 11 Abstract author characteristics, Outcome 1 Academic center versus non-academic center.

Analysis 11.2. Comparison 11 Abstract author characteristics, Outcome 2 Female versus male.

Comparison 12. Impact

Outcome or subgroup title	No. of studies	No. of participants	Statistical method	Effect size
1 High versus low importance or impact	11	6982	Risk Ratio (M-H, Random, 95% CI)	1.60 [1.41, 1.82]
1.1 Award winning	7	6405	Risk Ratio (M-H, Random, 95% CI)	1.59 [1.39, 1.82]
1.2 Clinically important	1	166	Risk Ratio (M-H, Random, 95% CI)	1.26 [0.99, 1.60]

Outcome or subgroup title	No. of studies	No. of participants	Statistical method	Effect size
1.3 Other	3	411	Risk Ratio (M-H, Random, 95% CI)	1.97 [1.20, 3.23]

Analysis 12.1. Comparison 12 Impact, Outcome 1 High versus low importance or impact.

Comparison 13. Funding

Outcome or subgroup title	No. of studies	No. of participants	Statistical method	Effect size
1 Funding reported versus no funding or funding not reported	13	5832	Risk Ratio (M-H, Random, 95% CI)	1.48 [1.27, 1.73]
2 Industry funding versus other type or no funding	12	3938	Risk Ratio (M-H, Random, 95% CI)	1.18 [1.00, 1.40]

Analysis 13.1. Comparison 13 Funding, Outcome 1 Funding reported versus no funding or funding not reported.

Analysis 13.2. Comparison 13 Funding, Outcome 2 Industry funding versus other type or no funding.

Comparison 14. North America versus Europe versus other origin

Outcome or subgroup title	No. of studies	No. of participants	Statistical method	Effect size
1 North America versus Other	52	19984	Risk Ratio (M-H, Random, 95% CI)	1.13 [1.04, 1.22]
2 Europe versus Other	44	21281	Risk Ratio (M-H, Random, 95% CI)	1.24 [1.11, 1.39]
3 North America versus Europe	41	20669	Risk Ratio (M-H, Random, 95% CI)	1.04 [0.97, 1.13]
4 USA versus Other	24	45931	Odds Ratio (M-H, Fixed, 95% CI)	1.05 [1.01, 1.09]
5 UK versus Other	3	1070	Risk Ratio (M-H, Random, 95% CI)	0.90 [0.67, 1.21]
6 Australia/New Zealand versus Other	2	1262	Risk Ratio (M-H, Random, 95% CI)	0.67 [0.54, 0.84]
7 Brazil versus Other	2	966	Risk Ratio (M-H, Random, 95% CI)	1.26 [0.22, 7.02]

Analysis 14.1. Comparison 14 North America versus Europe versus other origin, Outcome 1 North America versus Other.

Analysis 14.2. Comparison 14 North America versus Europe versus other origin, Outcome 2 Europe versus Other.

Analysis 14.3. Comparison 14 North America versus Europe versus other origin, Outcome 3 North America versus Europe.

Analysis 14.4. Comparison 14 North America versus Europe versus other origin, Outcome 4 USA versus Other.

Analysis 14.5. Comparison 14 North America versus Europe versus other origin, Outcome 5 UK versus Other.

Analysis 14.6. Comparison 14 North America versus Europe versus other origin, Outcome 6 Australia/New Zealand versus Other.

Analysis 14.7. Comparison 14 North America versus Europe versus other origin, Outcome 7 Brazil versus Other.

Comparison 15. English language vs non-English language

Outcome or subgroup title	No. of studies	No. of participants	Statistical method	Effect size
1 English language versus non-English language	8	4825	Risk Ratio (M-H, Random, 95% CI)	1.16 [0.96, 1.41]

Analysis 15.1. Comparison 15 English language vs non-English language, Outcome 1 English language versus non-English language.

ADDITIONAL TABLES

Table 1. Proportion of abstracts published in full by specialty and presentation status, with numbers of contributing reports

Reports	Total No., RR (95% CI)	Submitted No., RR (95% CI)	Presented at plenary No., RR (95% CI)	Presented orally No., RR (95% CI)	Presented as poster No., RR (95% CI)	Presented or accepted, presentation not specified No., RR (95% CI)	Other (au- thor group or register) No., RR (95% CI)
All	N = 425, RR = 37.3 (95% CI 35.3 to 39.3)	N = 34, RR = 39.3 ((95% CI 32.3 to 46.8)	N = 4, RR = 70.8 ((95% CI 47.8 to 86.6)	N = 54, RR = 43.1 ((95% CI 37.9 to 48.6)	N = 10, RR = 24.6 ((95% CI 17.7 to 33.0)	N = 314, RR = 36.0 ((95% CI 33.7 to 38.3)	N = 9, RR = 44.1 ((95% CI 31.3 to 57.8)
Specialty	No. reports	No. reports	No. reports	No. reports	No. reports	No. reports	No. reports
Anesthesiology	9, 35.7 (24.5 to 48.6)	0	0	0	0	8	1
Cardiology	14, 39.7 (30.0 to 50.4)	2	0	1	0	11	0
Dermatology	7, 36.9 (19.6 to 58.4)	0	0	1	0	5	1
Emergency medicine	24, 28.4 (21.5 to 36.5)	1	0	4	0	19	0
Endocrinology/nutrition	4, 31.7 (14.1 to 56.9)	1	0	0	0	3	0
Gastroenterology	18, 39.7 (30.1 to 50.2)	6	0	0	1	11	0
General medicine/primary care	16, 30.1 (21.5 to 40.5)	1	0	1	1	11	2
Gynecology/obstetrics	18, 53.8 (46.7 to 60.8)	0	0	5	0	12	1
Hematology	4, 46.8 (10.2 to 87.2)	1	0	0	0	3	0
Human reproduction & development	9, 43.9 (29.3 to 59.7)	0	0	0	0	8	1
Infectious disease/im-munology	6, 57.1 (35.7 to 76.1)	1	0	1	0	3	1

Table 1. Proportion of abstracts published in full by specialty and presentation status, with numbers of contributing reports *(Continued)*

Medical decision- making/health policy	5, 26.9 (7.9 to 61.0)	0	0	1	0	4	0
Medical education/library science	7, 38.6 (28.9 to 49.2)	0	0	0	0	7	0
Nephrology	2, 46.7 (5.2 to 93.3)	1	0	0	1	0	0
Neurology	6, 45.6 (18.9 to 75.1)	0	0	0	0	6	0
Nursing	2, 24.4 (0.0 to 100.0)	0	0	0	0	2	0
Oncology	21, 53.5 (41.4 to 65.2)	3	1	3	0	14	0
Ophthalmology/optometry	9, 41.0 (27.3 to 56.2)	0	0	0	0	9	0
Oral health	15, 28.5 (20.8 to 37.7)	0	0	0	2	13	0
Orthopedics/orthopedic surgery	37, 43.3 (38.9 to 47.9)	2	0	9	1	25	0
Otolaryngology head & neck surgery	15, 38.3 (28.8 to 48.8)	1	0	3	0	11	0
Pathology	3, 26.38 (2.1 to 85.4)	0	0	0	0	3	0
Pediatrics	13, 38.9 (28.5 to 50.4)	4	1	1	0	6	1
Pharmacology	14, 15.4 (10.2 to 22.6)	0	0	0	0	14	0
Physical and rehabilitation medicine	9, 23.0 (15.9 to 32.1)	0	0	1	0	8	0
Psychiatry	6, 38.3 (22.4 to 57.2)	0	0	0	1	5	0
Radiology	16, 26.7 (19.6 to 35.2)	0	0	6	1	9	0
Rheumatology	7, 34.5 (14.0 to 62.9)	1	0	0	0	6	0
Sociology	3, 45.0 (37.0 to 53.3)	0	0	2	0	1	0
Surgery	49, 39.2 (32.3 to 46.4)	4	2	8	1	34	0

Table 1. Proportion of abstracts published in full by specialty and presentation status, with numbers of contributing reports *(Continued)*

Urology	27, 39.14 (34.1 to 44.4)	0	0	4	0	23	0
Other clinical specialties	17, 38.2 (29.6 to 47.6)	0	0	3	0	13	1
Other non-clinical specialties	13, 32.4 (19.8 to 48.2)	0	0	0	1	12	0

CI: confidence interval

RR: risk ratio

APPENDICES

Appendix 1. MEDLINE search strategy

#	Searches
1	exp Publishing/sn
2	*publishing/
3	publication bias/
4	selection bias/
5	exp manuscripts as topic/
6	((data or finding? or information or evidence or study or studies or trial? or paper? or article? or report* or literature or work or manuscript? or abstract* or result?) adj6 (unpublish* or un-publish* or unreport* or un-report* or nonpublish* or non-publish* or nonpublicat* or non-publicat* or (publication? adj3 rate?) or "not publish*")).ti,ab.
7	(underreport* or under-report* or selective report* or selective publish* or selective publicat* or (final* adj2 (report* or publish* or publicat* or manuscript? or paper? or article?)) or (full? adj2 (report* or publish* or publicat* or manuscript? or paper? or article?)) or (subsequent* adj2 (report* or article? or paper? or publi* or manuscript?)) or (sub-sequent* adj2 (report? or article? or paper? or publi* or manuscript?)) or (complete* adj2 (report* or article? or paper? or publish* or publicat* or manuscript?))).ti,ab.
8	(bias* adj3 (publish* or publicat*)).ti,ab.
9	or/1-8
15	exp animals/ not humans/
26	exp congresses/
27	exp Congresses as Topic/
28	"Abstracting and Indexing as Topic"/
29	abstract?.ti.
30	((abstract? or proceeding? or poster? or presentation? or presented or presenting or manuscript?) adj6 (congress* or conference? or meeting? or symposi*)).ti,ab.
31	(fate and (abstract? or proceeding? or poster? or presentation? or manuscript?)).ti,ab.
32	or/26-31
33	9 and 32
34	33 not 15
35	remove duplicates from 34

Appendix 2. Embase search strategy

Embase (OvidSP)

1	publishing/
2	publication/
3	((data or finding* or information or evidence or study or studies or trial* or paper* or article* or report* or literature or work or manuscript* or abstract* or result*) adj6 (unpublish* or un-publish* or unreport* or un-report* or nonpublish* or non-publish* or nonpublicat* or non-publicat* or (publication* adj3 rate*) or "not publish*")).ti,ab.
4	(underreport* or under-report* or selective report* or selective publish* or selective publicat* or (final* adj2 (report* or publish* or publicat* or manuscript* or paper* or article*)) or (full* adj2 (report* or publish* or publicat* or manuscript* or paper* or article*)) or (subsequent* adj2 (report* or article* or paper* or public* or manuscript*)) or (sub-sequent* adj2 (report* or article* or paper* or public* or manuscript*)) or (complete* adj2 (report* or article* or paper* or publish* or publicat* or manuscript*))).ti,ab.
5	(bias* adj3 (publish* or publicat*)).ti,ab.
6	or/1-5
7	Abstract*.ti.
8	((abstract* or proceeding* or poster* or presentation* or presented or presenting or manuscript*) adj6 (congress* or conference* or meeting* or symposi*)).ti,ab.
9	(fate and (abstract* or proceeding* or poster* or presentation* or manuscript*)).ti,ab.
10	or/7-9
11	6 and 10
12	limit 11 to embase
13	remove duplicates from 12

Appendix 3. The Cochrane Library search strategy

ID	Search
#1	MeSH descriptor Publishing, this term only
#2	MeSH descriptor Publication Bias, this term only
#3	MeSH descriptor Editorial Policies, this term only
#4	MeSH descriptor Peer Review, Research, this term only
#5	MeSH descriptor Journalism explode all trees

Full publication of results initially presented in abstracts (Review)

Copyright © 2018 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.

(Continued)

#6	MeSH descriptor Selection Bias, this term only
#7	MeSH descriptor Manuscripts as Topic explode all trees
#8	(unpublish* or (un next publish*) or unreport* or (un next report*) or nonpublish* or (non next publish*) or nonpublicat* or (non next publicat*)):ti,ab,kw
#9	(underreport* or under next report* or selective next report* or selective next publish* or selective next publicat* or publication* near rate* or (final* near (report* or publish* or publicat* or manuscript* or paper* or article*)) or (full* near (report* or publish* or publicat* or manuscript* or paper* or article*)) or (subsequent* near (report* or article* or paper* or publi* or manuscript*)) or ((sub next sequent*) near (report* or article* or paper* or publi* or manuscript*)) or (complete* near (report* or article* or paper* or publish* or publicat* or manuscript*)):ti,ab,kw
#10	(bias* near (publish* or publicat*)):ti,ab,kw
#11	(#1 OR #2 OR #3 OR #4 OR #5 OR #6 OR #7 OR #8 OR #9 OR #10)
#22	((abstract* or proceeding* or poster* or presentation* or presented or presenting or manuscript*) near (congress* or conference* or meeting* or fate*)):ti,ab,kw
#23	abstract*:ti
#24	MeSH descriptor Congresses as Topic explode all trees
#25	MeSH descriptor Abstracting and Indexing as Topic, this term only
#26	(#22 OR #23 OR #24 OR #25)
#27	(#11 AND #26)
#37	Additional Search from Keyword List for Method Studies: "Study identification" next "publication bias"
#38	Additional Search from Keyword List for Method Studies: "Data collection" next "unpublished data"
#86	hm next method
#89	(#27 AND #86)

Appendix 4. Web of Science

Web of Science

Databases and date ranges:

- Science Citation Index Expanded (SCI-EXPANDED) 1945-present
- Social Sciences Citation Index (SSCI) 1975-present
- Arts & Humanities Citation Index (A&HCI) 1975-present
- Conference Proceedings Citation Index- Science (CPCI-S) 1990-present
- Conference Proceedings Citation Index- Social Science & Humanities (CPCI-SSH) 1990-present

Full publication of results initially presented in abstracts (Review)

Copyright © 2018 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.

Timespan=All Years

Lemmatization=Off

Set	
# 1	ts=(unpublish* or "un-publish*" or unreport* or "un-report*" or nonpublish* or "non-publish*" or nonpublicat* or "non-publicat*" or (publication\$ near/3 rate\$) or "not publish*")
# 2	ts=(underreport* or "under-report*" or "selective report*" or "selective publish*" or "selective publicat*" or (final* near/2 (report* or publish* or publicat* or manuscript\$ or paper\$ or article\$)) or (full\$ near/2 (report* or publish* or publicat* or manuscript\$ or paper\$ or article\$)) or (subsequent* near/2 (report* or article\$ or paper\$ or publi* or manuscript\$)) or ("sub-sequent*" near/2 (report\$ or article\$ or paper\$ or publi* or manuscript\$)) or (complete* near/2 (report* or article\$ or paper\$ or publish* or publicat* or manuscript\$)))
# 3	ts=(bias* near/3 (publish* or publicat* or selection))
# 4	#1 or #2 or #3
# 5	ts=((abstract\$ or proceeding\$ or poster\$ or presentation\$ or presented or presenting or manuscript\$) near/6 (congress* or conference\$ or meeting\$ or symposi* or fate\$))
# 6	ti=(abstract\$ or proceeding\$ or poster\$ or congress* or conference\$ or meeting\$ or symposi*)
# 7	#16 OR #15
# 8	#4 and #17

WHAT'S NEW

Date	Event	Description
19 July 2018	New citation required and conclusions have changed	As well as the six-fold increase in the number of included studies, the updated analyses have led to several new findings. For instance, a multivariable model taking into account report-related characteristics showed an association between English language and native English-speaking country and the full publication. The type of sample also was significantly associated with full publication, as shown by a log likelihood test.
19 July 2018	New search has been performed	Four additional authors have joined the review team: Joerg Meerpohl, Christine Schmucker, Nadine Pfeifer and Guido Schwarzer. A revised search strategy was used to search MEDLINE. New searches were designed and run for Embase and the Cochrane Library. The new search in February 2016 led to the identification and evaluation of 346 unique reports, all of which have been added to this updated review. Fifty-four reports provided information used to calculate the proportion of abstracts describing randomized or controlled trials that were subsequently published and to examine association of study characteristics to full publication. Other characteristics examined for an association with subsequent full publication include 'prospective' versus 'retrospective' design, level of evidence, academic

Date	Event	Description
		origin versus non-academic origin, female versus male abstract author and high versus low impact.

CONTRIBUTIONS OF AUTHORS

- This is an update of a previous Cochrane Methodology Review ([Scherer 2007](#)).
- Roberta W Scherer reviewed the results of the searches for reports eligible for the review, extracted data from the reports, developed the 'Risk of bias' assessment used for this review, assessed reports for risk of bias, obtained information from authors, entered the data into RevMan, conducted statistical analyses, and drafted the review.
- Joerg J Meerpohl reviewed the results of the updated search for reports eligible for the review, extracted data from the reports, developed the 'Risk of bias' assessment used for this review, assessed reports for risk of bias, contributed to statistical analyses and critically read and edited the review.
- Nadine Pfeifer reviewed the results of the updated search for reports eligible for the review, reviewed citations of included reports for eligible reports, extracted data from the reports, assessed reports for risk of bias, entered the data into RevMan, and critically read and edited the review.
- Christine Schmucker conducted the updated literature search, prepared the study flow chart and critically read and edited the review.
- Guido Schwarzer provided data management and statistical expertise, conducted statistical analyses for the previous systematic review and critically read and edited the updated review.
- Erik von Elm developed the risk of bias assessment used for this review, contributed to statistical analyses and critically read and edited the review.

DECLARATIONS OF INTEREST

None.

SOURCES OF SUPPORT

Internal sources

- Johns Hopkins Bloomberg School of Public Health, USA.
- University of Bern, Department of Social and Preventive Medicine, Switzerland.
- University of Freiburg, Evidence in Medicine / Cochrane Germany, Germany.

External sources

- No sources of support supplied

DIFFERENCES BETWEEN PROTOCOL AND REVIEW

The original protocol evaluated the proportion of abstracts published in full using a weighted mean average. However, because of the substantial heterogeneity with length of follow-up, we chose to estimate the overall proportions in this updated review using a random-effects meta-analysis based on logit-transformed proportions. The updated point estimates are similar, but their confidence intervals are wider, thus better taking into account the heterogeneity.

INDEX TERMS

Medical Subject Headings (MeSH)

*Congresses as Topic; Abstracting and Indexing [*statistics & numerical data]; Controlled Clinical Trials as Topic [statistics & numerical data]; Publication Bias; Publishing [*statistics & numerical data]; Randomized Controlled Trials as Topic [statistics & numerical data]; Time Factors