Erratum for Leus et al., “Substrate Specificities and Efflux Efficiencies of RND Efflux Pumps of *Acinetobacter baumannii*”

Inga V. Leus,^a Jon W. Weeks,^a Vincent Bonifay,^a Lauren Smith,^a Sophie Richardson,^a Helen I. Zgurskaya^a

^aDepartment of Chemistry and Biochemistry, University of Oklahoma, Norman, Oklahoma, USA

Volume 200, no. 13, e00049-18, 2018, <https://doi.org/10.1128/JB.00049-18>. Page 7, Table 2, lines 4–2 from bottom, AbΔ3 columns: For CF, “0.01” and “0.01” should read “8–16” and “Not determined,” respectively; for TRI, “0.78–1.56” and “0.78” should read “0.01” and “0.01,” respectively; and for HT, “8–16” and “16” should read “0.78–1.56” and “0.78,” respectively.

Citation Leus IV, Weeks JW, Bonifay V, Smith L, Richardson S, Zgurskaya HI. 2020. Erratum for Leus et al., “Substrate specificities and efflux efficiencies of RND efflux pumps of *Acinetobacter baumannii*.” J Bacteriol 202:e00088-20. <https://doi.org/10.1128/JB.00088-20>.

Copyright © 2020 American Society for Microbiology. All Rights Reserved.

Address correspondence to Helen I. Zgurskaya, elenaz@ou.edu.

Published 26 March 2020