Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.

Contents lists available at ScienceDirect

Environmental Pollution

journal homepage: www.elsevier.com/locate/envpol Air quality during the COVID-19: PM_{2.5} analysis in the 50 most polluted capital cities in the world[☆]Daniella Rodríguez-Urrego^a, Leonardo Rodríguez-Urrego^{b,*}^a Universidad de La Laguna, Santa Cruz de Tenerife, Spain^b Universidad EAN, Bogotá, Colombia

ARTICLE INFO

Article history:

Received 14 May 2020

Received in revised form

7 June 2020

Accepted 14 June 2020

Available online 3 July 2020

Keywords:

Environmental pollution

PM_{2.5}

Air pollutant emissions

Capital cities

ABSTRACT

On December 31, 2019, the Chinese authorities reported to the World Health Organization (WHO) the outbreak of a new strain of coronavirus that causes a serious disease in the city of Wuhan, China. This outbreak was classified as SARS-CoV2 and is the cause of the COVID-19 disease. On March 11, 2020, the WHO declares it a Pandemic and today it is considered the greatest challenge in global health that humanity has faced since World War II and it is estimated that between 40 and 60% of the population worldwide will catch the virus. This has caused enormous challenges in countries around the world in social, economic, environmental and obviously health issues. These challenges are mainly due to the effects of the established quarantines in almost all capitals and major cities around the world, from Asia, Europe to America. However, these lockdown which began worldwide from January 23, have had a significant impact on the environment and on the air quality of cities as recently reported by NASA (National Aeronautics and Space Administration) and ESA (European Space Agency), with reductions according to them of up to 30% in some of the epicenters such as the case of Wuhan. Knowing that air pollution causes approximately 29% of lung cancer deaths, 43% of COPD deaths, and 25% of ischemic heart disease deaths, it is important to know the effects of quarantines in cities regarding air quality to take measures that favor populations and urban ecosystems when the emergency ends. Therefore, this paper describes the behavior of PM_{2.5} emissions particulate matter from the 50 most polluted capital cities in the world according to the WHO, measured before-after the start of the quarantine. Likewise, the impact at the local and global level of this emissions behavior, which averaged 12% of PM_{2.5} decrease in these cities.

© 2020 Elsevier Ltd. All rights reserved.

1. Introduction

Currently, socio-ecological systems have a great impact on companies, cities and territories; the sustainability and technology associated with smart cities are merged to better understand the behavior of this type of systems, and the data provides cities and territories with the information necessary for sufficient monitoring and evaluation leading to coherent environmental policies in adaptive environments (Waylen et al., 2019). It is necessary to formulate new socio-ecological models that allow describing the coevolution of the economy, the environment and society in the

face of the dynamics of wealth and population (Ursino, 2019). However, few models efficiently predict the entry of random variables into these complex processes, which validate their evolution over time. One of the clearest examples of a chaotic variable is climate, however, there are other variables that can quickly intervene in a socio-ecological system and wreak havoc, such as a virus.

For example, in Brisbane, Australia ecological factors appear to have played an important role in H1N1 transmission cycles (Hu et al., 2012), with temperature and precipitation being substantial variables in the evolution of the virus. There are some other works of socioeconomic studies and viruses such as (Mamelund et al., 2019), where a study is carried out between the socioeconomic levels and the influenza-related pandemics of 1918 and 2009. The foregoing demonstrates the importance of correlating the factors that can substantially alter the socio-ecological systems in which we live and to be able to study their evolution and impact on society.

[☆] This paper has been recommended for acceptance by Pavlos Kassomenos.

* Corresponding author.

E-mail addresses: daniella.rodriguez.02@ull.edu.es (D. Rodríguez-Urrego), lrodriguez@universidadean.edu.co (L. Rodríguez-Urrego).

One of the key factors in recent years, which has been the subject of several scientific studies, is the impact of poor air quality on people's health and its consequences over time. The emission of pollutants such as particulate matter (PM), sulphur oxides (SO_x), nitrogen oxides (NO_x), carbon monoxide (CO) and carbon dioxide (CO₂), are the pollutants that are generated in greater quantity and according to estimates of the World Health Organization (WHO) 2016 produce annually in cities and rural areas around the world about 4.2 million premature deaths (Cohen et al., 2017). The WHO (World Health Organization, 2018) estimates that about seven million people die each year from exposure to PM_{2.5} particles, which enter directly into the respiratory system and are deposited in the lung region causing serious diseases such as stroke, lung cancer, chronic obstructive pulmonary disease, heart disease and respiratory infections such as pneumonia. (Cachon et al., 2014), (Gu et al., 2017), (Ng et al., 2019). On the other hand, a World Bank report of 2018 shows in graphs the most relevant socio-economic and socio-ecological aspects that impact the world, where global warming, poor air quality and urban population growth among others, leave chilling figures, as 91% of the world population lives in places with poor air quality, places like cities that increased by 55% their urban residents between 1960 and 2018 (The World Bank, 2018).

In December 2019, one of the most deadly viruses in the last 100 years is reported (Lu et al., 2020). China reports this new pathogen to the WHO on December 31, and only three months later this organization declares it a pandemic. The new virus called SARS-CoV2 and the cause of COVID-19 has stopped global activity in a few months and has taken the lives of thousands of people in different cities around the world. The impact of this virus on the socio-economic level is causing markets to tremble, world stock markets to collapse, all flights to be cancelled and borders and transport systems to be closed. On the other hand, oil demand has dropped and producers are running out of places to store all the excess barrels of oil as it has fallen below \$0 US per barrel. However, this pandemic also caused air quality to improve in many of the world's cities, reducing environmental pollution. This global closure has made it possible to obtain interesting environmental data for analysis and several scientific investigations related precisely to these socio-ecological changes.

In China, for example, CO₂ emissions were reduced by 25% and by 6% worldwide according to (Hanaoka and Masui, 2020). In (Dutheil et al., 2020), an initial comparative analysis was made of the number of deaths from COVID-19 and the number of annual air quality deaths with respect to nitrogen dioxide NO₂ emissions. This analysis was based on data obtained by satellite (NASA, 2020) showing the advantages that the isolation of the population in their homes has had due to the emergency by the shutdown of industries and vehicle mobility (Tan et al., 2009). The same information from NASA, plus information taken from ESA, was used in (Muhammad et al., 2020) to perform a compilation of satellite environmental data before and after coronavirus. The figures in this paper show the temporary environmental benefit as a major positive impact and as a learning model for governments to enable new socio-environmental policies. This last analysis was done for Europe, China and North America. Likewise, in (Mollalo et al., 2020) models are made of the type of spatial dependence and weighted regression of 35 variables from the environmental to the socioeconomic ones related to the incidence of the disease in the first 90 days of the outbreak in the United States. These results, according to Mollalo, will serve as a basis for future geographic modeling of any disease, as well as for policy with targeted, science-based interventions that can be extrapolated to other cities and countries around the world. Finally, Ogen's research has found a direct relationship between contamination and mortality caused by the

coronavirus. The study concludes that 78% of the 4443 deaths recorded on a single day in Europe (19 march) occurred in five specific, highly contaminated areas: four regions of northern Italy and Madrid. These results indicate that long-term exposure to particulate pollutants may be a major contributor to coronavirus mortality, not only in these regions, but in the rest of the world (Ogen, 2020).

All these analyses described above are necessary to evaluate the socio-ecological and socio-economic changes in all the cities of the world and try to show the positive impacts in order to obtain some benefits from this global crisis. Ultimately, this paper uses data from the weather stations of the 50 most polluted cities in the world and makes a comparison of air quality with respect to PM_{2.5} particulate matter before and during the quarantine of each capital city.

2. Methodology

In the year 2019 a study was presented on Meteosim online platform where they made an analysis on the most polluting capitals in the world (Meteosim, 2019). This research indicates that one of the most dangerous pollutants is fine particulate matter with diameters $\leq 2.5 \mu\text{m}$ (PM_{2.5}), so the analysis of the fifty most contaminated capitals was carried out. Based on the above information and according to the automotive and industrial paralysis in the world by COVID-19, for this research they were collected the PM_{2.5} data from an online platform (WAQ Index, 2020). This tool, called World Air Quality Index (WAQI) is used for obtaining the information historical of Air Quality Data in especial for this paper of PM_{2.5} particulate matter of each capital before quarantine and during quarantine. For each capital city, the information was corroborated with the territorial entity of data administration at the public level. For example, Bogotá, Colombia was verified on the IBOCA platform of the Secretary of the Environment (Environment, 2019). For Delhi, India was verified on the Real Time Ambient Air Quality Data Platform of the Department of Environment (Department of Environment, 2020). For Berlin, Germany was verify with the Umwelt Bundesamt platform of the German Environment Agency (2020). And so on for each city.

In this context, the research process in the paper has been divided into five main steps. 1. Identification of the 50 most polluted capital cities. 2. Review of the quarantine information. 3. Data collection of population and the weather stations. 4. PM_{2.5} Data extraction. 5. Graphics and analysis.

3. World's most contaminated capital cities and quarantined by COVID-19

One of the most important guidelines carried out by the WHO in matters of air quality is not to exceed $10 \mu\text{g}/\text{m}^3$ of annual average concentration or $25 \mu\text{g}/\text{m}^3$ of 24-h concentrations, for that reason Meteosim (2019), presents the cities that exceed $10 \mu\text{g}/\text{m}^3$ of annual average in the year 2018. Table 1 shows the start of the quarantine or the alarm status of the world's most polluted capitals. As shown in the table, firstly Delhi (India) is the capital most polluted by fine particulate matter, reaching an annual average of $113.5 \mu\text{g}/\text{m}^3$ for 2018, secondly Dhaka (Bangladesh) with $97.1 \mu\text{g}/\text{m}^3$. Lisbon and Berlin are least polluted capitals, presenting an annual average of $11.7 \mu\text{g}/\text{m}^3$ for 2018. Regarding the aforementioned ranking, each capital was taken and the lockdown date was sought due to the effect of COVID-19. 12% of the capitals do not apply any lockdown. The first countries to start blocking mobility to colleges, universities and apply telework were: Mongolia and China. In March 9th lockdowns began to be applied in the other countries. Not all countries carried out a lockdown, there were some exceptions such as

Table 1

Location-start to quarantine (Meteosim, 2019).

Country	Location (Capital cities)	PM _{2.5} µg/m ³ (Annual)	Date (Quarantine)	Studies
India	Delhi	113,5	25/03/20	Soler (2020)
Bangladesh	Dhaka	97,1	16/03/20	Global Voices (2020)
Afghanistan	Kabul	61,8	28/03/20	Europapress (2020a)
Bahrain (Barein)	Manama	59,8	*	
Mongolia	Ulaanbaatar	58,5	25/01/20	Anandsaikh (2020)
Kuwait	Kubait City	56	9/03/20	Europapress (2020b)
Nepal	Kathmandu	54,4	24/03/20	The Jakarta Post (2020)
China	Beijing	50,9	29/01/20	BBC News Mundo (2020)
UAE	Abu Dhabi	48,8	*	
Indonesia	Jakarta	45,3	2/04/20	The Jakarta Post (2020)
Uganda	Kampala	40,8	1/04/20	Museveni (2020)
Vietnam	Hanoi	40,8	19/03/20	TheStraitsTimes (2020)
Pakistan	Islamabad	38,6	*	
Bosnia & Hersegovina	sarajevo	38,4	17/03/20	La Vanguardia (2020a)
Uzbekistan	Tashkent	34,3	24/03/20	Pikulicka (2020)
Macedonia del norte	Skopje	34	10/04/20	BalkanInsight (2020)
Sri Lanka	Colombo	32	12/03/20	Europapress (2020c)
Kosovo	Pristina	30,4	11/04/20	Gazetaexpress (2020)
Kazakhstan	Astana	29,8	15/03/20	Gussarova (2020)
Chile	Santiago	29,4	26/03/20	Perfil (2020)
Bulgaria	Sofia	28,2	20/03/20	La Vanguardia (2020b)
Peru	Lima	28	19/03/20	(AS Peru, 2020)
Iran	Tehran	26,1	25/03/20	CNN Mundo (2020)
Thailand	Bangkok	25,2	4/04/20	La Vanguardia (2020c)
Poland	Warsaw	24,2	13/03/20	Solis (2020)
Serbia	Belgrade	23,9	10/04/20	BalkanInsight (2020)
South Korea	Seoul	23,3	*	
Romania	Bucharest	20,3	24/03/20	(La vanguardia, 2020)
Cambodia	PhnomPenh	20,1	*	
Mexico	Mexico city	19,7	23/03/20	Mancilla (2020)
Turkey	Ankara	19,6	4/04/20	GardaWorld (2020)
Israel	Tel Aviv	19,5	19/03/20	Itón Gadol (2020)
Lithuania	Vilnius	18,2	14/03/20	Europapress (2020d)
Nicosia	Cyprus	17,4	21/03/20	(GOV.UK, 2020)
Czech Republic	Prague	17,4	16/03/20	Sociedad Agencia EFE (2020)
Slovakia	Bratislava	17,2	16/03/20	Tort (2020)
Hungary	Budapest	16,5	27/03/20	Dunai (2020)
France	Paris	15,6	17/03/20	Solis (2020)
Austria	Vienna	15,2	15/03/20	DW (2020)
Taiwan	Taipei	14,9	*	
Singapore	Singapore	14,8	8/04/20	Naurana (2020)
Philippines	Manila	14,3	17/03/20	(Europapress, 2020e)
Belgium	Brussels	14,1	18/03/20	Theguardian (2020)
Colombia	Bogota	13,9	25/03/20	(Eltiempo.comEltiempo.com, 2020)
Ukraine	Kyiv	13,8	17/03/20	(Kyivpost.comKyivpost.com, 2020)
Japan	Tokyo	13,1	25/03/20	(japantimes.comjapantimes.com, 2020)
Switzerland	Bern	12,8	16/03/20	(Swissinfo.ch, 2020)
United Kingdom	London	12	23/03/20	(nbcnews.comnbcnews.com, 2020)
Germany	Berlin	11,7	13/03/20	(Lanacion.com, 2020)
Portugal	Lisbon	11,7	20/03/20	Sampson (2020)

*No quarantine.

Kazakhstan (Astana), where a state of emergency is declared on March 15th, as well as in Romania on 24 March and Indonesia on April 2. On the other hand, other countries took partial or more drastic lockdown measures, for example, in Slovakia (Bratislava) it is allowed to walk or exercise outdoors with the mask protect. Mexico City, declared a voluntary quarantine and Bangkok (Thailand) and Belgrade (Serbia), have declared a curfew since April 4.

4. PM_{2.5} assessment before–during quarantine

This research seeks to evaluate the behavior of the main most polluting cities in the world from the comparison between a typical week, before quarantine (BQut), (considered in this document a week measured before entering confinement), and an atypical week, during quarantine (Qut) by COVID-19. This week (Qut) is considered for analysis, due to the restriction of most economic

activities that involve reducing the carbon footprint. As an example, we have restrictive measures regarding citizen mobility and, therefore, vehicle mobility and industrial production are reduced.

These dates were selected according to Table 1, with a study range of one month before and after the start of Qut. The PM_{2.5} values are obtained from the online platform (WAQ Index, 2020) and official weather stations of each city, the analyzed information depends on obtaining or recording data from the study date. Cases are presented where meteorological stations that record PM_{2.5} are not obtained but only PM₁₀, therefore, these cities could not be analyzed. Likewise, there are days of the weeks that present alterations due to atmospheric conditions in each city, therefore, no data was taken from these days. For 50 analyzed capital cities, 20% do not record PM_{2.5} data, corresponding to capitals from the countries of: Germany, Philippines, Romania and Bulgaria. On the other hand, for capitals with PM_{2.5} data, 45% of capitals correspond to the continent of Asia, followed by 42% to the continent of Europe,

Fig. 1. Capital cities Ankara, Astana, Bangkok, Beijing, Colombo, Delhi, Dhaka, Kabul and Hanoi, PM_{2.5} levels before and during quarantine (WAQ Index, 2020).

10% to the continent of America and the remaining 25% to the continent of Africa. The air pollution level, health implications and cautionary statement according to the PM_{2.5} conditions can be seen in (WAQ Index, 2020).

Likewise, in the analyzed countries presented below, decreases, increases or a constant level of PM_{2.5} emissions are observed during confinement. This can be attributed to the confinement level in each country, at the beginning of the quarantine, or to the

Fig. 2. Capital cities Jakarta, Kathmandu, KubaIt city, Ulaanbaatar, Tashkent, Tehran, Tel Aviv, Tokio and Singapore PM_{2.5} levels before and during quarantine (WAQ Index, 2020).

electricity generation increase depending on the generation technology used. It is important to clarify that not all countries indicate reductions in their PM_{2.5} particles emitted during the analyzed week (Qut); each capital reflects special conditions that must be analyzed individually and this is not the aim of this paper.

4.1. Asia

From Figs. 1 and 2, the most polluting capitals of Asia are presented. At a general level, 27% of the capitals had a tendency to decrease the PM_{2.5} emission during Qut, however, the cities Kathmandu, Hanoi, Jakarta, Singapore and Tokyo had a tendency to increase the PM_{2.5} concentration by 11%. It should be noted that Tokyo, with the exception of the other cities, did not present a mandatory quarantine but as an option of the Government, they requested non-mandatory teleworking. For the analyzed Asian

capitals, Dhaka in typical times (BQut), is the capital with the highest PM_{2.5} particles pollutant, registering a weekly average of 183 µg/m³. This capital city, presents a reduction of 24% in the Qut period. Delhi, with a weekly average of 140 µg/m³, has the highest reduction in particles polluting compared to other Asian countries, presenting a 40% reduction during Qut week. Capital cities with an average concentration of 121.91 µg/m³ (Kabul, Ullabantar and Kuwait City) show average reductions of 33% BQut. However, Beijing shows a lower reduction of 8%. Capital cities with an average concentration of 106.83 µg/m³ (Kabul, Colombo and Tashkent) show average reductions of 28%. Tehran has a typical week concentration of 90 µg/m³. However, its reduction during the quarantine week was 39%. Finally, Astana, with an average weekly concentration of 61.25 µg/m³, reduced its concentration by 18% during the Qut season.

Fig. 3. Capital cities Belgrade, Bern, Bratislava, Brussels, Budapest, Cyprus, Kyiv, Lisbon and London PM_{2.5} levels before and during quarantine (WAQ Index, 2020).

Fig. 4. Capital cities Paris, Prague, Pristina, Sarajevo, Skopje, Vienna, Vilnius and Warsaw PM_{2.5} levels before and during quarantine (WAQ Index, 2020).

4.2. Europe

From Figs. 3 and 4 it can be seen the seventeen (17) European capitals analyzed. In general, European capital cities in typical weeks record PM_{2.5} concentrations below 80 µg/m³, with an AQI between Good and Moderate. 50% of the studied European capitals, during the Qut had a tendency to decrease the PM_{2.5} concentration at an average of 23%. However, the other 50% show an increase in the confinement season. Budapest, with an annual average concentration of 48 µg/m³, is a city that presents an increase of 35%. This capital does not present total confinement, they are allowed to exercise, go to work, with measures that allow them to circulate more widely, going from having a good to moderate AQI during BQut. Bratislava, does not apply quarantine, leaving citizens to walk freely and exercise. However, the date presented in Table 1, there are distance restrictions, suspension of classes and closure of sectors such as hostelry. This European capital presents an increase in the Qut week, which went from a good to moderate AQI level. Paris,

London, Vienna, Brussels and Prague, are capitals that generally have a good AQI level, with an average record of 31 µg/m³. However, in the confinement season, an increase in the concentrations of the PM_{2.5} particulate matter is observed.

4.3. America and Africa

Regarding the American Continent, four (4) capitals are analyzed in this research. These capitals during typical periods, BQut, present a moderate AQI level, where Bogota is the capital with the highest PM_{2.5} concentration with an average of 98 µg/m³. Followed by, Mexico City with 74 µg/m³, Santiago de Chile with 68 µg/m³. Finally, Lima registers an average concentration of 58 µg/m³. As well as, the period in confinement in Bogota, presents the greatest decrease in the cities analyzed during the Qut, with a 57% PM_{2.5} reduction. Santiago de Chile, does not present quarantine in the entire city but in seven specific communes, which registers a 10% reduction in the concentration of this particulate matter.

Mexico City presents a voluntary quarantine by the population without government restrictions, however a 2% reduction is observed during the study week in Qut. (Fig. 5).

Kampala, as the only registered capital with a high AQI level,

registers a weekly average of $146 \mu\text{g}/\text{m}^3$ during the study week BQut. During the quarantine season and with the prohibition of vehicles and the closure of all stores except food, the $\text{PM}_{2.5}$ concentration was reduced by 35%, going to a moderate AQI level.

Fig. 5. Capital cities Bogotá, Lima, Mexico City, Santiago de Chile and Kampala (Africa) $\text{PM}_{2.5}$ levels before and during quarantine (WAQ Index, 2020).

Fig. 6. Population vs Environmental stations.

5. Results and discussions

The state of air quality is based on the environmental monitoring stations that are available in each city. These stations determine the hourly concentration of air pollutant particles, including $PM_{2.5}$ and PM_{10} particles. According to the WHO (World Health Organization, 2018), air pollution represents a major environmental health risk. For this reason, it is so important to have air quality monitored in cities, essentially in capital cities, and in this case, it is more important to monitor $PM_{2.5}$ due to the risks explained in the introduction. Therefore, it is essential to know how environmental control of capitals is, for this, it is essential to know the number of meteorological stations that measure $PM_{2.5}$.

5.1. Air quality stations vs. population of the most polluted capitals cities

Fig. 6 presents the relationship between quantity of inhabitants per one (Pp) environmental station (ES) is presented. (Pp/ES) in each capital. It is reflected by a range of colors applied to each capital. The main cities where greater control of air quality is observed, measured according to the Pp/ES ratio, are registered in quartile 2 (Q2) and quartile 3 (Q3), with a dark and light blue color, the which are: i. Tel Aviv, Brussels and Pristina, these capitals present an average of 61,926 Pp/ES. ii. Bratislava, Bern, Sarajevo, present a ratio of 126,317 Pp/ES. iii. Vienna, and Ulaanbaatar, 170,930 Pp/ES. iv. Budapest, Lisbon and Prague present an average ratio of 244,696 Pp/ES. Capitals that register between 300,000 Pp/ES and 500,000 Pp/ES, are registered between quartile (Q1) and quartile (Q3). In Q1, the capitals London and Bangkok are observed, which present populations and stations above the average.

In Q3 are the capital cities Skopje, Kathmandu, Paris and Belgrade, who register a population and stations lower than average. The capitals with a registry between 500,000 Pp/ES and 700,000 Pp/ES are Bogota, Tehran, Tokyo, Vilnius, Kyiv, Warsaw, Kuwait City,

and Santiago. Finally, from 700,000 Pp/ES to 1,000,000 Pp/ES, are Colombo, Ankara, Mexico City and Cyprus. These capitals cities are identified between Q1 and Q3. In Q4 the capitals with a low number of stations measuring $PM_{2.5}$ can be seen, due to the number of inhabitants of each one. Above 3,000,000 Jakarta, Hanoi, Lima and Dhaka are identified. Lima has several weather stations, however, there is only one station that $PM_{2.5}$ register data. The cities with the highest pollution, Delhi (India) and Beijing (China), present a ratio of 1,766,333 Pp/ES and 1,227,059 Pp/ES respectively. Although meteorological stations are installed based on population, it is observed that countries such as Singapore, Hanoi, Jakarta and Dhaka with populations over 5,000,000, have a number of below-average meteorological stations, which makes monitoring difficult and not it allows to have data of the real contamination.

Likewise, it should be considered that the analysis of any study is oriented to an economic system that restricts the conditions of each country. In this case, when analyzed by continents and population, Europe with a GDP higher than the South American or Asian economies, presents a greater boost in reducing emissions of polluting particles. This, indicating that the continent has a good AQI index and an optimal Pp/ES ratio for environmental analysis. Their concern for the environment and compliance with the Kyoto protocol and the commitments to COP21 are reflected in their environmental indicators. This continent recognizes that air quality influences labor productivity, investments in healthcare expenses and improvement in quality of life, among others.

In contrast, the Asian continent, with an unfavorable view compared to other continents, it is observed that the Asian economies are the main contributors to environmental pollution, which is why it attributes to greater inequality and poverty. This allows linking to this study (Fig. 6) where a low update is observed in technologies that monitor the quality air in Asian cities, this reflected in the low Pp/Es ratio. This indicates the low commitment to improve the life quality and the low incentives to reduce the cost attributed by air pollution. In general, the most densified in

Fig. 7. $PM_{2.5}$ Reduction in quarantine week.

population cities reflect $PM_{2.5}$ contamination high with rates higher than $50 \mu g/m^3$.

5.2. Global analysis

Making a global balance of the analyzed countries, the variation of the $PM_{2.5}$ concentration had an average reduction of 12%. The highest reduction occurs in the African continent with one (1) country analyzed (33%), followed by the American continent (22%) and the Asian continent (16%); finally, the European continent, in which a favorable reduction result is not generally observed (5%). Fig. 7 shows the $PM_{2.5}$ variation in a global map of capital cities. The absolute value of the variation can be identified by size of the circle. In red we find the cities with increases in their $PM_{2.5}$ measurement

and in pink the cities with $PM_{2.5}$ reduction, the city with the greatest $PM_{2.5}$ reduction within the data collected is Bogota, with a reduction of 57% compared to a typical week.

Fig. 8 shows in detail the $PM_{2.5}$ quantitative variation of the analyzed cities, as well as its mean concentration. The gray color represents the $PM_{2.5}$ behavior under typical conditions, and the light blue color represents the confinement mode. Dhaka, the most polluted capital of this particulate matter, had a 14% reduction. It is observed as the first seventeen (17) most contaminated capitals in the world, from Dhaka, to Skopje, exceed the $PM_{2.5}$ average concentrations ($75.78 \mu g/m^3$) from before quarantine, maintaining an AQI level from moderate to unhealthy. Likewise, during typical times twelve (12) countries present an AQI level below the quarantine average (Bern - Kyiv) almost all with a good AQI level. During

Fig. 8. Weekly average without quarantine vs weekly average with quarantine.

the quarantine, sixteen (16) capitals exceed the PM_{2.5} registered average (66.92%), equivalent to a moderate AQI level, and nine (9) cities registered a good AQI level. Specifically, the three most polluted capital cities that are Dhaka, followed by Kampala and Delhi, reduced their PM_{2.5} concentration by 14%, 35% and 40% respectively. The capital city with the highest PM_{2.5} reduction during quarantine was Bogotá, with a percentage of 57%, going from a moderate to a good AQI level. Kubait City, presents the second largest PM_{2.5} reduction (42%). Finally, with reductions over 40%, there are the cities of Delhi and Tehran.

In Europe, the continent with the best environmental conditions in normal times, a very high increase in PM_{2.5} is observed in the cities of Prague, Vienna and Bratislava, cities very close to each other; apparently, an isolated effect produced by winds or fires.

6. Conclusions

Based on the data collection of the concentration of the most harmful particles for health (PM_{2.5}), in the different capital cities of the world, a comparative analysis of the concentration was carried out during a typical time of normal mobility and during the lockdown. The behavior patterns show as a result a decrease in their concentration during the confinement season, favorably restoring the air quality of most cities analyzed. If these data are subsequently correlated with the activities stopped during the confinement of each city, one can think of public policies that promote new socio-ecological models, as well as coherent environmental policies in these adaptive environments that are the cities. In general, the results showed that automobile demobilization and factory shut-downs play an important role in reducing pollution in capitals. For the fifty countries analyzed, Bogotá (Colombia) (Insider, 2019), as one of the cities with the most traffic in the world, with a 65% concentration of traffic during the day, presents the PM_{2.5} greatest reduction, during the period of confinement with 57%. Likewise, Delhi (India), the most polluted capital city in the world, presents a decrease in PM_{2.5} contamination of 40%. Some specific conclusions of the research are: i. During lockdown, Europe maintains a Good AQI level of less than 50 µg/m³, followed by America with a Moderate AQI level (57 µg/m³), Asia (82 µg/m³) and Africa (95 µg/m³). ii. America presented the highest distinction in the PM_{2.5} decrease air pollution, between a typical period of conventional mobility and a period of confinement, with a reduction of 22%. iii. The capitals that in typical days (BQut) present a moderate AQI level and which presented a PM_{2.5} decrease between 60% and 20% during the period of confinement (Qut), such as: Bogotá, Kubait City, Delhi, Tehran, Taskhkent, Ulaanbaatar, kabul and Colombo; They must present alternatives to reduce the displacement of fossil fuel vehicles and stricter regulations for their factories.

This study considered the relationship between population and Pp/ES air quality stations, where the number of stations per inhabitant is obviously higher in developed countries than in emerging countries. Therefore, it is important to consider that the lack of access to data on air pollution, especially in emerging countries and where the use of public and private transport systems is high, causes errors or alterations in real information on the state of air quality.

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

References

- Agency, G.E., 2020. Umweltbundesamt | for Our Environment [WWW Document] accessed 6.5.20. https://www.umweltbundesamt.de/en/data/air-air-data/air-quality/ejzrVJSSuMrlwMhA18BM18B0UUnmliOjRXmpCxYVlyxYnOJWBJU01TWyXJwSko-sNreKbVfuctPinMSS0w6eq-a9apQ7vjgnL_20g8o5F4dPfrMBSTYkdw==.
- Anandsaikh, N., 2020. Mongolia Finds a Silver Living in the COVID-19 Crisis – the Diplomat [WWW Document] accessed 4.27.20. <https://thediplomat.com/2020/04/mongolia-finds-a-silver-living-in-the-covid-19-crisis/>.
- BalkanInsight, 2020. Serbia, North Macedonia Impose Harsh Weekend Curfews | Balkan Insight [WWW Document] accessed 4.27.20. <https://balkaninsight.com/2020/04/10/serbia-north-macedonia-impose-harsh-weekend-curfews/>.
- BBC News Mundo, 2020. Coronavirus in China: Wuhan's Plan to Quarantine the Covid-19 Pandemic [WWW Document] accessed 4.27.20. <https://www.bbc.com/mundo/noticias-internacional-52040027>.
- Cachon, B.F., Firmin, S., Verdin, A., Ayi-Fanou, L., Billet, S., Cazier, F., Martin, P.J., Aissi, F., Courcot, D., Sanni, A., Shirali, P., 2014. Proinflammatory effects and oxidative stress within human bronchial epithelial cells exposed to atmospheric particulate matter (PM_{2.5} and PM₁₀) collected from Cotonou, Benin. *Environ. Pollut.* 185, 340–351. <https://doi.org/10.1016/j.envpol.2013.10.026>.
- CNN Mundo, 2020. Iran Asks its Citizens to Be Quarantined for the Coronavirus Pandemic [WWW Document] accessed 4.27.20. <https://cnnespanol.cnn.com/video/gobierno-iran-cuarentena-aislamiento-coronavirus-tercer-pais-afectado-flash-requena-panorama-cnnee/>.
- Cohen, A.J., Brauer, M., Burnett, R., Anderson, H.R., Frostad, J., Estep, K., Balakrishnan, K., Brunekreef, B., Dandona, L., Dandona, R., Feigin, V., Freedman, G., Hubbell, B., Jobling, A., Kan, H., Knibbs, L., Liu, Y., Martin, R., Morawska, L., Pope, C.A., Shin, H., Straif, K., Shaddick, G., Thomas, M., van Dingenen, R., van Donkelaar, A., Vos, T., Murray, C.J.L., Forouzanfar, M.H., 2017. Estimates and 25-year trends of the global burden of disease attributable to ambient air pollution: an analysis of data from the Global Burden of Diseases Study 2015. *Lancet* 389, 1907–1918. [https://doi.org/10.1016/S0140-6736\(17\)30505-6](https://doi.org/10.1016/S0140-6736(17)30505-6).
- Department of Environment, D., 2020. Real Time Ambient Air Quality Data of Delhi, India : Delhi Pollution Control Committee (DPC) [WWW Document]. Online accessed 6.5.20. <http://www.dpccairdata.com/dpccairdata/display/index.php>.
- Dunai, M., 2020. Hungary's PM Imposes Lockdown, Seeks More Powers for Govt to Fight Coronavirus - Reuters [WWW Document] accessed 4.27.20. <https://www.reuters.com/article/us-health-coronavirus-hungary-restriction/hungary-pm-imposes-lockdown-sees-coronavirus-peak-by-july-idUSKBN21E0Q2>.
- Dutheil, F., Baker, J.S., Navel, V., 2020. COVID-19 as a factor influencing air pollution? *Environ. Pollut.* <https://doi.org/10.1016/j.envpol.2020.114466>.
- DW, 2020. Austria Isolates its Citizens from the Coronavirus Pandemic [WWW Document] accessed 4.27.20. <https://www.dw.com/es/austria-a-isla-a-sus-ciudadanos-ante-la-pandemia-de-coronavirus/a-52779687>.
- Eltiempo.com, 2020. Attention: Colombia Will Enter a Total Quarantine [WWW Document] accessed 4.27.20. <https://www.eltiempo.com/salud/cuarentena-total-en-colombia-por-el-coronavirus-declara-el-presidente-ivan-duque-475512>.
- S. of the Environment, 2019. Air Quality Map of Bogotá [WWW Document]. accessed 6.5.20. <http://iboca.ambientebogota.gov.co/mapa/>.
- Europapress, 2020a. Afghan Government Declares Quarantine in Kabul Starting Saturday [WWW Document] accessed 4.27.20. <https://www.europapress.es/internacional/noticia-gobierno-afgano-declara-cuarentena-kabul-partir-sabado-20200327123435.html>.
- Europapress, 2020b. Kuwait Extends Closure of Schools and Universities by Two Weeks Due to New Coronavirus [WWW Document] accessed 4.27.20. <https://www.europapress.es/internacional/noticia-kuwait-prolonga-dos-semanas-cierre-escuelas-universidades-kaus-nuevo-coronavirus-20200309161247.html>.
- Europapress, 2020c. Sri Lanka Advances School Holidays to Close Schools [WWW Document] accessed 4.27.20. <https://www.europapress.es/internacional/noticia-sri-lanka-adelanta-vacaciones-escolares-poder-cerrar-colegios-20200312124512.html>.
- Europapress, 2020d. Lithuanian Government Quarantines the Entire Country for Two Weeks for Coronavirus [WWW Document] accessed 4.27.20. <https://www.europapress.es/internacional/noticia-gobierno-lituania-pone-todo-pais-cuarentena-dos-semanas-coronavirus-20200315032058.html>.
- Europapress, 2020e. Philippines to Maintain Quarantine in Manila Despite Finding a Reduction in Deaths from Coronavirus [WWW Document] accessed 4.27.20. <https://www.europapress.es/internacional/noticia-filipinas-mantendra-cuarentena-manila-pesar-constatar-reduccion-muertes-coronavirus-20200404115239.html>.
- GardaWorld, 2020. Turkey: Authorities to Implement 48-hour Lockdown in 31 Cities as of April 11/update 14 [WWW Document] accessed 4.27.20. <https://www.garda.com/crisis24/news-alerts/331426/turkey-authorities-to-implement-48-hour-lockdown-in-31-cities-as-of-april-11-update-14>.
- Gazetaexpress, 2020. Kosovo Puts Capital Pristina under Coronavirus Quarantine - Gazeta Express [WWW Document] accessed 4.27.20. <https://www.gazetaexpress.com/kosovo-puts-capital-pristina-under-coronavirus-quarantine/>.
- Global Voices, 2020. Quarantine Problems in Bangladesh amid Fear of Coronavirus [WWW Document] accessed 4.27.20. <https://es.globalvoices.org/2020/03/25/>

- problemas-de-cuarentena-en-bangladesh-en-medio-de-los-temores-por-el-coronavirus/.
- Gu, X. yu, Chu, X., Zeng, X.L., Bao, H.R., Liu, X.J., 2017. Effects of PM_{2.5} exposure on the Notch signaling pathway and immune imbalance in chronic obstructive pulmonary disease. *Environ. Pollut.* 226, 163–173. <https://doi.org/10.1016/j.envpol.2017.03.070>.
- Gussarova, A., 2020. Kazakhstan Experiments with Surveillance Technology to Battle Coronavirus Pandemic - Jamestown [WWW Document] accessed 4.27.20. <https://jamestown.org/program/kazakhstan-experiments-with-surveillance-technology-to-battle-coronavirus-pandemic/>.
- Hanaoka, T., Masui, T., 2020. Exploring effective short-lived climate pollutant mitigation scenarios by considering synergies and trade-offs of combinations of air pollutant measures and low carbon measures towards the level of the 2 °C target in Asia. *Environ. Pollut.* 261 <https://doi.org/10.1016/j.envpol.2019.113650>.
- Hu, W., Williams, G., Phung, H., Birrell, F., Tong, S., Mengersen, K., Huang, X., Clements, A., 2012. Did socio-ecological factors drive the spatiotemporal patterns of pandemic influenza A (H1N1)? *Environ. Int.* 45, 39–43. <https://doi.org/10.1016/j.envint.2012.03.010>.
- Insider, B., 2019. Cities with the Worst Traffic in the World: LIST - Business Insider [WWW Document]. April accessed 5.11.20. <https://www.businessinsider.com/cities-with-worst-traffic-in-the-world-2019-2>.
- Itón Gadol, 2020. Coronavirus. All Israel Will Remain in Quarantine the Next Seven Days [WWW Document] accessed 4.27.20. <https://itongadol.com/israel/coronavirus-todo-israel-permanecera-en-cuarentena-durante-los-proximos-siete-dias>.
- Japantimes.com, 2020. Tokyo Governor Urges People to Stay Indoors over Weekend as Virus Cases Spike | the Japan Times [WWW Document] accessed 4.27.20. <https://www.japantimes.co.jp/news/2020/03/25/national/science-health/tokyo-logs-40-coronavirus-cases/>.
- Kyivpost.com, 2020. Ukraine Extends Quarantine until April 24 | KyivPost - Ukraine's Global Voice [WWW Document] accessed 4.27.20. <https://www.kyivpost.com/ukraine-politics/ukraine-extends-quarantine-until-april-24.html>.
- La vanguardia, 2020. Romania Declares State of Emergency to Combat Coronavirus [WWW Document] accessed 4.27.20. <https://www.lavanguardia.com/vida/20200316/474197670160/rumania-declara-el-estado-de-emergencia-para-luchar-contra-el-coronavirus.html>.
- La Vanguardia, 2020a. Bosnia and Herzegovina Proclaims State of Emergency Due to Coronavirus [WWW Document] accessed 4.27.20. <https://www.lavanguardia.com/vida/20200317/474236890947/bosnia-herzegovina-proclama-estado-de-emergencia-por-el-coronavirus.html>.
- La Vanguardia, 2020b. Bulgaria Isolates its Cities and Prohibits Walking in Parks [WWW Document] accessed 4.27.20. <https://www.lavanguardia.com/vida/20200320/474274231016/bulgaria-aisla-a-sus-ciudades-y-prohibe-pasear-en-los-parques.html>.
- La Vanguardia, 2020c. Thailand Imposes a National Night Curfew on COVID-19 [WWW Document] accessed 4.27.20. <https://www.lavanguardia.com/vida/20200403/48279648092/thailandia-impone-un-toque-de-queda-nocturno-nacional-por-el-covid-19.html>.
- Lanacion.com, 2020. The Strict Social Agreement of a European Country to Avoid Absolute Quarantine [WWW Document] accessed 4.27.20. <https://www.lanacion.com.ar/el-mundo/coronavirus-alemania-confinamiento-nid2347363>.
- Lu, H., Stratton, C.W., Tang, Y.W., 2020. Outbreak of pneumonia of unknown etiology in Wuhan, China: the mystery and the miracle. *J. Med. Virol.* 92, 401–402. <https://doi.org/10.1002/jmv.25678>.
- Mamelund, S.E., Shelley-Egan, C., Rogeberg, O., 2019. The association between socioeconomic status and pandemic influenza: protocol for a systematic review and meta-analysis. *Syst. Rev.* <https://doi.org/10.1186/s13643-018-0931-2>.
- Mancilla, S.-A.M., 2020. Quarantine in Mexico: How Long Does Confinement Last and How Long Can it Be Extended [WWW Document] accessed 4.27.20. https://mexico.as.com/mexico/2020/04/07/tikitakas/1586288114_889559.html.
- Meteosim, 2019. World Most Polluted Cities - Meteosim [WWW Document] accessed 4.26.20. <https://www.meteosim.com/en/world-most-polluted-city/>.
- Mollalo, A., Vahedi, B., Rivera, K.M., 2020. GIS-based spatial modeling of COVID-19 incidence rate in the continental United States. *Sci. Total Environ.* 138884. <https://doi.org/10.1016/j.scitotenv.2020.138884>.
- Muhammad, S., Long, X., Salman, M., 2020. COVID-19 pandemic and environmental pollution: a blessing in disguise? *Sci. Total Environ.* 728, 138820. <https://doi.org/10.1016/j.scitotenv.2020.138820>.
- Museveni, Y., 2020. Ugandan President Imposes Confinement to Contain Spread of Coronavirus [WWW Document] accessed 4.27.20. <https://www.europapress.es/internacional/noticia-presidente-uganda-impone-confinamiento-contener-propagacion-coronavirus-20200331153621.html>.
- NASA, 2020. Airborne Nitrogen Dioxide Plummets over China [WWW Document]. NASA accessed 4.23.20. <https://earthobservatory.nasa.gov/images/146362/airborne-nitrogen-dioxide-plummets-over-china>.
- Naurana, K., 2020. Coronavirus: what It's like to Be on Home Quarantine in Singapore - Business Insider [WWW Document] accessed 4.27.20. <https://www.businessinsider.com/coronavirus-what-its-like-to-be-in-singapore-home-quarantine-2020-4?IR=T>.
- nbcnews.com, 2020. U.K. Government Imposes 3-week National Lockdown, Enforced by Police, to Contain Coronavirus [WWW Document] accessed 4.27.20. <https://www.nbcnews.com/news/world/uk-government-imposes-3-week-national-lockdown-enforced-police-contain-n1167141>.
- Ng, C.F.S., Hashizume, M., Obase, Y., Doi, M., Tamura, K., Tomari, S., Kawano, T., Fukushima, C., Matsuse, H., Chung, Y., Kim, Y., Kunimitsu, K., Kohno, S., Mukae, H., 2019. Associations of chemical composition and sources of PM_{2.5} with lung function of severe asthmatic adults in a low air pollution environment of urban Nagasaki, Japan. *Environ. Pollut.* 252, 599–606. <https://doi.org/10.1016/j.envpol.2019.05.117>.
- Ogen, Y., 2020. Assessing nitrogen dioxide (NO₂) levels as a contributing factor to coronavirus (COVID-19) fatality. *Sci. Total Environ.* 726, 138605. <https://doi.org/10.1016/j.scitotenv.2020.138605>.
- Perfil, 2020. Coronavirus: Chile Meets Quarantine, but Only in Seven Communes of Santiago [WWW Document] accessed 4.27.20. <https://www.perfil.com/noticias/coronavirus/coronavirus-chile-tambien-dispuso-la-cuarentena-total-desde-este-jueves.phtml>.
- AS Peru, 2020. Quarantine in Peru: when Does it End and How Long Can it Be Extended [WWW Document] accessed 4.27.20. https://peru.as.com/peru/2020/04/08/tikitakas/1586355816_919190.html.
- Pikulicka, A., 2020. Is Uzbekistan Using Coronavirus to Curtail Civil Liberties? | News | Al Jazeera [WWW Document] accessed 4.27.20. <https://www.aljazeera.com/news/2020/04/uzbekistan-coronavirus-ctail-civil-liberties-200403074921162.html>.
- Sampson, D., 2020. State of Emergency Explained - the Portugal News [WWW Document] accessed 4.27.20. <https://www.theportugalnews.com/news/state-of-emergency-explained/53448>.
- Sociedad Agencia EFE, 2020. The Czech Republic Is in Quarantine and Television Teaches Schoolchildren [WWW Document] accessed 4.27.20. <https://www.efc.com/efe/espana/sociedad/la-r-queca-entra-en-cuarentena-y-television-imparte-clases-a-escolares/100044196865>.
- Soler, S., 2020. India Decreases the World's Largest Quarantine [WWW Document] accessed 4.27.20. <http://www.izquierdadiario.es/La-India-decreta-la-cuarentena-mas-grande-del-mundo>.
- Solis, A., 2020. Global Emergency: in Which Countries Has Confinement Been Ordered? [WWW Document] accessed 4.27.20. https://www.economiadigital.es/politica-y-sociedad/cuarentena-por-coronavirus-en-que-paises-se-ha-declarado-el-confinamiento_20046621_102.html.
- Swissinfo, ch, 2020. Coronavirus: the Situation in Switzerland - SWI swissinfo.Ch [WWW Document] accessed 4.27.20. https://www.swissinfo.ch/eng/covid-19_coronavirus-the-situation-in-switzerland/45592192.
- Tan, P.H., Chou, C., Liang, J.Y., Chou, C.C.K., Shiu, C.J., 2009. Air pollution "holiday effect" resulting from the Chinese New Year. *Atmos. Environ.* 43, 2114–2124. <https://doi.org/10.1016/j.atmosenv.2009.01.037>.
- The Jakarta Post, 2020. Nepal Locks Down for a Week to Stem Coronavirus Spread - News - the Jakarta Post [WWW Document] accessed 4.27.20. <https://www.thejakartapost.com/travel/2020/03/24/nepal-locks-down-for-a-week-to-stem-coronavirus-spread.html>.
- The World Bank, 2018. Year in Review: 2018 in 14 Charts [WWW Document] accessed 4.25.20. <https://www.worldbank.org/en/news/feature/2018/12/21/year-in-review-2018-in-14-charts>.
- Theguardian, 2020. Belgium Enters Lockdown over Coronavirus Crisis - in Pictures | World News | the Guardian [WWW Document] accessed 4.27.20. <https://www.theguardian.com/world/gallery/2020/mar/18/belgium-enters-lockdown-over-coronavirus-crisis-in-pictures>.
- TheStraitsTimes, 2020. Coronavirus: Hanoi Residents Advised to Stay Home, as Vietnam Expands Quarantine Facilities , SE Asia News & Top Stories - the Straits Times [WWW Document] accessed 4.27.20. <https://www.straitstimes.com/asia/se-asia/vietnam-military-increasing-isolation-housing-to-60000-beds>.
- Tort, A., 2020. Slovakia Gives Freedom of Movement Despite First Death of Covid-19 [WWW Document] accessed 4.27.20. <https://www.lavanguardia.com/participacion/lectores-corresponsales/20200404/48298474446/primer-muerto-covid-19-eslovaquia-libertad-movimientos-calle-mascarilla.html>.
- GOV.UK, 2020. Coronavirus - Cyprus Travel Advice - GOV.UK [WWW Document] accessed 4.27.20. <https://www.gov.uk/foreign-travel-advice/cyprus/coronavirus>.
- Ursino, N., 2019. Dynamic models of socio-ecological systems predict catastrophic shifts following unsustainable development. *Sci. Total Environ.* 654, 890–894. <https://doi.org/10.1016/j.scitotenv.2018.11.159>.
- WAQ Index, W.A.Q., 2020. World's Air Pollution: Real-Time Air Quality Index [WWW Document] accessed 4.26.20. <https://waqi.info/#/c/9.662/0/2z>.
- Waylen, K.A., Blackstock, K.L., van Hulst, F.J., Damian, C., Horváth, F., Johnson, R.K., Kanka, R., Külvik, M., Macleod, C.J.A., Meissner, K., Oprina-Pavelescu, M.M., Pino, J., Primmer, E., Rîșnoveanu, G., Šatalová, B., Silander, J., Špulerová, J., Suškevič, M., Van Uytvanck, J., 2019. Policy-driven monitoring and evaluation: does it support adaptive management of socio-ecological systems? *Sci. Total Environ.* 662, 373–384. <https://doi.org/10.1016/j.scitotenv.2018.12.462>.
- World Health Organization, 2018. Ambient (Outdoor) Air Pollution [WWW Document]. WHO accessed 4.25.20. [https://www.who.int/news-room/fact-sheets/detail/ambient-\(outdoor\)-air-quality-and-health](https://www.who.int/news-room/fact-sheets/detail/ambient-(outdoor)-air-quality-and-health).