Published in final edited form as:

Nano Lett. 2010 February 10; 10(2): 680–685. doi:10.1021/nl903843g.

Oxygen-Assisted Unidirectional Growth of CdSe Nanorods Using a Low-Temperature Redox Process

Jonathan D. Doll[†], Ghanshyam Pilania[‡], Ramamurthy Ramprasad[‡], and Fotios Papadimitrakopoulos^{†,‡,*}

[†] Nanomaterials Optoelectronics Laboratory (NOEL), Polymer Program, Institute of Materials Science, University of Connecticut, Storrs, Connecticut 06269-3136

[‡] Department of Chemistry, Institute of Materials Science, University of Connecticut, Storrs, Connecticut 06269-3136

^{*} Department of Materials Science & Engineering, Institute of Materials Science, University of Connecticut, Storrs, Connecticut 06269-3136

Abstract

The role of oxygen in directing the low temperature (125°C), redox-assisted, unidimensional *and* unidirectional growth of CdSe nanocrystals (NCs) was investigated. In the presence of oxygen, CdSe quantum dots grow selectively along their *c*-axis with little to no change in their width. Reduction of oxygen in the growth medium results in three-dimensional growth. Moreover the one-dimensional growth was found to occur only from one of the two inequivalent polar (0001) facets, as supported by the seeded growth of Cd_xHg_{1-x}Se onto CdSe seeds. This is in agreement with density functional theory simulations, which indicate that due to selective oxygen passivation growth can occur only along the [0001] direction. The ability to control seeded NC growth with respect to morphology and directionality opens new possibilities towards the low temperature synthesis of complex nanostructures.

One-dimensional nanocrystals (NCs), known as quantum rods (QRs), possess unique optical properties such as linearly polarized emission and higher Stokes shift when compared to zero-dimensional NCs such as quantum dots (QDs).^{1,2} From a device standpoint, the larger aspect ratio of QRs along with the ability to engineer heterojunctions, render them more advantageous than QDs.^{3–7} Typically, solution-based synthesis of QRs involves the use of high-temperature media (*i.e.* 150–300°C) and surfactants with appropriate structure and functionality to direct the 1-D growth from either homogeneous growth,^{1,2,8,9} or QD seeds.^{4,5} Partial or complete removal of surfactants can lead to either excessive 3D-growth and precipitation,¹⁰ or under certain conditions, QD oriented attachment and fusion has been reported.¹¹ Our group has recently introduced a low temperature (125 °C) redox-based synthesis of QRs from QD seeds,¹² where a small molecular weight compound (*i.e.* aminopropanol (APOL)) is used as both solvent and coordinating ligand. In this contribution we show that by changing the oxygen concentration of the growth medium, the growth can be directed from 3-D to 1-D. Moreover, 1-D growth was found to occur along the *c*-axis, and more specifically on the (0001) facet as opposed to the (000 $\bar{1}$) facet. This is supported by density functional theory (DFT) simulations which indicate that oxygen provides adequate passivation on all but the (0001) facet.

*Correspondence papadim@mail.ims.uconn.edu.

Supporting Information Available: Materials & methods section, Computational details, Figures showing histograms of length, width, aspect ratio and volume for all the samples, Sum EDX spectrum for CdSe-seeded/Cd_xHg_{1-x}Se nanorods and histogram of angle of bend for CdSe-seeded/Cd_xHg_{1-x}Se nanorods. This material is available free of charge via the Internet at <http://pubs.acs.org>.

Our previous studies on the redox chemistry of CdSe NCs have shown that dissolved oxygen in a 9:1 APOL:H₂O (9:1 v/v) mixture is key for both faceted-etching at 85°C^{13,14} and QD-seeded growth to yield QRs at 125°C.¹² Both processes, are spontaneously initiated by the surface oxidation of CdSe according to equation (1).^{13–20}

Subsequent oxide dissolution can occur according to eq. 2–4, depending on the facet-nature of the oxide:

Equation 2 converts the Se-rich facets (i.e. SeO₂) to H₂SeO₃, a reaction that quickly occurs in the presence of water. Because APOL is basic, the neutralization of H₂SeO₃ sites to form a salt (eq. 3) occurs rapidly and leads to the dissolution of the oxidized Se sites. Dissolution of the oxidized Cd sites takes place through complexation with APOL (eq. 4), and can be slowed by providing of excess Cd²⁺ ions through the addition of CdCl₂.¹³ At 85°C, and in the presence of CdCl₂, eq. 1–4 result in the formation of Cd-rich faceted CdSe NCs.¹³

When the temperature of the media is increased from 85°C to 125°C, a new reaction takes place (eq. 5) in which H₂SeO₃ is reduced to Se⁰.²¹ Under the basic APOL conditions, and in the presence of H₂O, Se⁰ disproportionates to Se²⁻ and SeO₃²⁻ (eq. 6).²¹ This provides the Se²⁻ source that, together with the added Cd²⁺ ions, facilitates further CdSe growth.¹²

In our previous communications, we suggested that oxygen may have a role in directing the growth of CdSe NCs to NRs.^{12,20} In this contribution, we systematically investigate the role of oxygen, in conjunction with DFT calculations, on the relative stability of the oxide on the various facets. Studies of bulk CdSe have shown that oxygen tends to adsorb more strongly to the stoichiometric (11 $\bar{2}$ 0) facets (containing both Cd and Se atoms at equimolar amounts) to form CdSeO₃ as opposed to the polar (0001) and (000 $\bar{1}$) facets, which are terminated by either Cd or Se atoms.¹⁹ Since the (10 $\bar{1}$ 0) and (01 $\bar{1}$ 0) facets of wurtzite CdSe are also stoichiometrically populated with Cd and Se atoms, these might experience similar passivation to that of the (11 $\bar{2}$ 0) facet. These three facets are the most common QR sidewall facets, the passivation of which could explain the observed 1D growth.^{20,23,24} With this in mind, two

possible situations, outlined in Figure 1a, can arise under oxygenated conditions: Case (A) describes a situation where the energies of the polar (0001) and (000 $\bar{1}$) facets are equivalent after oxygen passivation and both grow equally. Case (B) describes a situation where the energies of the (0001) and (000 $\bar{1}$) facets differ, resulting in different growth rates. If indeed oxygen passivates more strongly the stoichiometric facets, its removal should result in incomplete passivation and promote three dimensional growth (Case (C)).

To test this, solutions of CdSe in APOL were made under differing oxygen conditions. A typical growth solution consists of CdSe QDs dissolved in a 9:1 APOL:H₂O mixture with an optical density (OD) of 4.0 at the first absorption maximum. Excess CdCl₂ was added to slow the NC etching as outlined above (eq. 4) and to provide a Cd²⁺ source for growth. The Se²⁻ source originates from the slow etching of the smaller sized QDs in the starting suspension in accordance to eq. 5 and 6. More details experimental procedure and conditions can be found in the Supporting Information (SI) Section.

Four different growth conditions were investigated: sample (i) was left open to atmospheric conditions for the duration of the growth period, resulting in an equilibrium O₂ concentration of *ca.* 8.1 ppm; sample (ii) was sealed in glass under atmospheric conditions (*i.e.* the initial O₂ concentration was 8.1 ppm and as the reaction progresses it gradually decreases), and samples (iii) and (iv) had 3 and 5 freeze-pump-thaw (FPT) cycles performed on them, resulting in initial O₂ concentrations of 4.9 and 0.2 ppm, respectively. Following sample preparation, samples (i)-(iv) were annealed at 125° for four days. Subsequently, APOL was removed and replaced with a 10/20/70 wt% mixture of TOPO/TOP/*n*-octylamine to suppress further etching and render them soluble in chloroform.

Figure 1b shows representative HRTEM images of the CdSe NCs in the starting (seed) and the four grown NC samples. When compared to the starting CdSe seeds, the nanocrystals in sample (i), where oxygen is abundant, have grown significantly along their *c*-axis, although their width does not change appreciably. On the other hand, the O₂-restricted samples show a progressive increase in their width as the starting O₂ concentration decreases (TEM images showing a larger number of NCs in each of the samples can be found in Figures S1–S5 in the SI Section).

To obtain a better picture of the role of oxygen on the average length, width, aspect ratio (length/width) and volume (length • width²) of the NCs, a large number (*ca.* 100–150) of them were investigated by HRTEM and plotted in Figure 2, along with error bars reflecting their 95% confidence levels (actual histograms are shown in Figures S1–S5 in the SI Section). When oxygen is abundant (sample (i)), the NCs nearly quadruple their length along the 0001 direction, but exhibit little change in their average width, indicative of 1D growth. Oxygen-restricted samples grow more three-dimensionally, showing significantly less elongation along the 0001 axis, while increasing in diameter. This effect is better seen in the plot of the average aspect ratio which displays a jump from 1.5 to 5.5 for sample (i), while samples (ii)-(iv) exhibit a more modest increase to (*ca.* 2.0). What is more important, however, is that the average volume of all the grown NCs remains the same regardless of oxygen concentration. This signifies that all NCs experience the same growth kinetics, which appears to be controlled by the generation of the reaction-limiting Se²⁻ reagent due to the gradual etching of the smaller CdSe QDs in the growth solution. Here, it is important to stress that the generation of Se²⁻ is independent of O₂ concentration since the consumed oxygen in eq. 1 is regenerated from eq. 5, and oxygen only affects the surface passivation. The constant volume growth of NCs in samples (i) through (iv) also rules out any possibility for an oriented attachment mechanism.¹¹

Barnard *et al.*²³ has simulated the low temperature growth of CdSe nanowires as a function of amine coverage and found that the differential facet binding can leads to aspect ratios ranging from 2.0 to 3.5. Furthermore, they concluded that in order to obtain higher aspect ratios, the

need of an “external agent” must be added to arrest the side-wall growth of the rod.²³ From the 5.5 aspect ratio of sample (i), it appears that oxygen acts as the referred “external agent.”

Recent computational studies by Pilania, *et.al.*, have shown that under Cd-rich conditions, oxygen causes reduction in the surface energy of the nonpolar facets of wurtzite CdSe, while the surface energy of the polar facets remains relatively unchanged.²⁰ As an extension to this study, and in order to obtain a more complete understanding of the role of oxygen in surface passivation, a DFT study was performed to investigate the surface energy of the nonpolar (10 $\bar{1}$ 0), (01 $\bar{1}$ 0), and (11 $\bar{2}$ 0) facets along with the polar (0001) and (000 $\bar{1}$) facets with 100% and 0% oxygen passivation. The polar facets are not equivalent and the Cd- versus Se-terminated (000 $\bar{1}$) facets contain surface atoms with one and three dangling bonds, respectively. Similarly, the Cd- and Se-terminated (0001) facets are decorated with surface atoms that display three and one dangling bonds, respectively. For the polar facets, the four different configurations shown in Figure 3 illustrate the (0001)Cd, (0001)Se, (000 $\bar{1}$)Cd, and (000 $\bar{1}$)Se surface configurations. Here, the element following the facet-bracket indicates the terminating surface atom. Figures 3a & b illustrate the surface configuration prior to and after energy minimization, with the latter relaxed until the forces on each atom were < 0.04 eV/Å. More details of these simulations are given in the Materials and Methods Section of the SI Section.

In the wurtzite CdSe structure a Cd atom shares its two 5s electrons with six 4s²4p⁴ electrons of a Se atom to make four Cd to Se bonds. This leads to an electron donation pattern of 1/2 and 3/2, for Cd and Se, respectively, in the bulk environment. When the surface facets are allowed to relax, the system lowers its energy by redistributing the electrons of the surface dangling bonds. In the case of the nonpolar facets, this redistribution results in surface Cd atoms having no dangling bonds (*i.e.* approaching an sp²-like configuration), while each surface Se atom obtains a lone pair to yield an sp³-like configuration. The sp²-like configuration results in a planar structure as opposed to the sp³-like tetrahedral configuration, which is apparent in the relaxed nonpolar surfaces of Figure 3b. On the other hand, the polar facets, where Cd or Se atoms exhibit either one or three dangling bonds, there is no clear pathway for such surface relaxation.

Figure 3d shows that prior to bonding with oxygen, both polar and nonpolar facets exhibit a relatively high surface energy versus a reference state of 0 meV/Å² defined by equation 1 in the SI section. This is due to the presence of a number of dangling bonds per surface atom (Figure 3b), which render both Cd and Se sites prone to growth. Following 100% oxygen passivation (Figure 3c), the electron deficient oxygen atoms form a strong bond with the electron-rich surface Se atoms. This lowers the surface energy of all nonpolar facets to below 0 meV/Å² and renders these facets more resistant to growth. Here, it is important to stress that our DFT simulations indicate that, for stoichiometric facets, oxygen atoms initially prefer to interact with Se as opposed to Cd surface sites (Figure 3b).

In terms of the polar facets, the surface atom and number of dangling bonds influence the stability in the presence of oxygen. For example, the surface energy of the (000 $\bar{1}$)Se facet, which has only one dangling bond per Se atom, decreases below 0 meV/Å² due to the aforementioned preference of Se to bond with oxygen. However, in the case of the (0001)Se facet, the three dangling bonds per surface Se atoms present an overwhelming electron density to the oxygen atoms forcing the formation of a strong bond with one of the three dangling bonds, leaving the other two unpassivated. Since additional Se to oxygen binding is unfavorable (due to atomic crowding), the resulting surface configuration maintains a positive surface energy. In terms of oxygen binding to the Cd-terminated polar facets, the reverse situation is witnessed. Since Cd is more electron deficient than Se, a Cd atom with three dangling bonds binds the oxygen strongly at the site where the Se would have been. This renders the (000 $\bar{1}$)Cd surface stable (negative surface energy) when oxygen passivated, thereby impeding NC

growth from this facet. On the other hand, a Cd atom with one dangling bond does not contain sufficient electron density to strongly bind an oxygen atom, resulting in a positive energy for the (0001)Cd facet. These data corroborate the findings from Figure 2a and furthermore suggest that oxygen binding is stronger on the (000 $\bar{1}$) facets as opposed to the (0001), making the latter more prone to growth. If this is a valid prediction, then the presence of oxygen makes Case B in Figure 1a more preferable to Case A.

To test this prediction, heterostructured nanorods were made under the same conditions as sample (i) by adding both CdCl₂ and HgCl₂ to a CdSe-seeded media where the size of the seed and optical density at the first absorption maximum of the seed solution are 3.5 nm and 4.0, respectively. Mercury was chosen because of the ability to spatially distinguish Hg from Cd atoms using energy dispersive X-ray analysis (EDX) in conjunction with scanning transmission electron microscopy (STEM) (see Figure S6 in SI). Such heterostructured nanorods are bound to experience significant strain based on lattice mismatch between the two components. Furthermore, HgSe has been reported to prefer the cubic zinc blende structure²³ as opposed to the wurtzite CdSe seeds. HRTEM analysis of the CdSe-seeded Cd_xHg_{1-x}Se rods (Figure 4a) indicates the presence of “bent” rods with two distinct crystal structures (*i.e.* a short wurtzite section and a larger zinc blende region) which are joined at the “bend” in the rod. The average angle between the two sections was found to be 35° ± 3° (90% confidence) (Figure S7, Supporting Information) which coincides well with the simulated angle of 34.2° for a wurtzite-zinc blende CdSe junction (Figure 4b).

Figure 4c illustrates a representative CdSe-seeded Cd_xHg_{1-x}Se rod imaged in dark field mode in the STEM. The path of the linescan is indicated by the blue arrow. From elemental analysis, we infer that the overall composition of the rods in the sample is Cd_{0.76}Hg_{0.24}Se.

Figure 4d depicts the STEM-EDX line-scan of the rod in Figure 4c for Cd, Se and Hg (see Materials and Methods in SI section). While both Cd and Se are present along the entire length of the rod, Hg is observed mainly on the right side (longer arm) of the rod. Here it is important to stress that the slope of the Cd and Se traces at the beginning of the line-scan is more gradual than their slope at the end of the line scan. Moreover, the signal for Hg does not begin until the bend in the NC is reached. This, in conjunction with the HRTEM results of Figure 4a, indicates that the shorter arm of the rod contains the wurtzite CdSe seed while the longer arm is zinc blende Cd_xHg_{1-x}Se.

In order to better understand the line-scan traces for Cd, Se and Hg, a simulation was performed using the model in Figure 4e. The model assumes that the region of the bend closest to the CdSe seed (darker red) has a slightly higher mercury concentration than the longer arm, resulting in compositions of Cd_{0.7}Hg_{0.3}Se and Cd_{0.8}Hg_{0.2}Se, respectively. We also assumed an effective beam size was 5.0 nm due to large positional variations in the beam from vibrations and sample drift. With this model, we were able to accurately reproduce the shape of the line-scan profiles in Figure 4b. Details of this simulation will be given in the Supporting Information section. These data support the prediction that, in the presence of oxygen, the seed growth of rods occurs not only unidimensionally, but also unidirectionally, namely along [0001]. Moreover, the data of Figure 4 shows that redox-assisted growth has the potential to be modified to make heterostructured NCs. More research is currently underway to explore all of the possibilities in this regard.

In conclusion, we have outlined a new synthetic means of producing QRs of high aspect ratio at low temperature (125°C). Our results indicate that oxygen plays a key factor in directing such growth through passivation of the nonpolar facets so that growth occurs unidirectionally along the [0001] direction. We have also provided a model that shows that this is due to a reduction of the surface energy upon oxygen binding for a majority of the facets, leaving the

(0001) facet alone to grow as opposed to the (000 $\bar{1}$) facet. Finally we show that heterostructured rods can be seeded through this method simply by adding a different metal precursor. This seeded-growth provides a simple, low-temperature venue for producing high aspect ratio rods and heterostructures, with a number of potential applications.

Supplementary Material

Refer to Web version on PubMed Central for supplementary material.

Acknowledgments

The authors would like to thank Dr. Christopher Perkins for the elemental analysis results and Dr. Yong Zhang for helpful conversations. Financial Support from NSF CBET 0828772, NSF CBET 0730365, NSF0828824 and NIH ES013557 is kindly acknowledged.

References

1. Hu J, Li L, Yang W, Manna L, Wang L, Alivisatos AP. *Science* 2001;292:2060–2063. [PubMed: 11337589]
2. Chen X, Nazzari A, Goorskey D, Xiao M, Peng ZA, Peng X. *Phys Rev B* 2001;64:245304/1–245304/4.
3. Huynh WU, Dittmer JJ, Alivisatos AP. *Science* 2002;295:2425–2427. [PubMed: 11923531]
4. Carbone L, Nobile C, De Giorgo M, Sala FD, Morello G, Pompa P, Hytch M, Snoeck E, Fiore A, Franchini IR, Nadasan M, Silvestre AF, Chiodo L, Kudera S, Cingolani R, Krahne R, Manna L. *Nano Letters* 2007;7(10):2942–2950. [PubMed: 17845067]
5. Talapin DV, Koeppe R, Götzinger S, Kornowski A, Lupton JM, Rogach AL, Benson O, Feldmann J, Weller H. *Nano Letters* 2003;3(12):1677–1681.
6. Mokari T, Rothenberg E, Popov I, Costi R, Banin U. *Science* 2004;304:1787–1790. [PubMed: 15205530]
7. Sheldon MT, Trudeau PE, Mokari T, Wang LW, Alivisatos AP. *Nano Letters*. 2009 ASAP Article.
8. Peng X, Manna L, Yang W, Wickham J, Scher E, Kadavanich A, Alivisatos AP. *Nature* 2000;404:59–61. [PubMed: 10716439]
9. Peng ZA, Peng X. *J Am Chem Soc* 2001;123:1389–1395.
10. Murray CB, Kagan CR, Bawendi MG. *Science* 1995;270:1335.
11. Tang Z, Kotov NA, Giersig M. *Science* 2002;297:297–240.
12. Li R, Luo Z, Papadimitrakopoulos F. *J Am Chem Soc* 2006;128:6280–6281. [PubMed: 16683768]
13. Li R, Lee J, Yang B, Horspool DN, Aindow M, Papadimitrakopoulos F. *J Am Chem Soc* 2005;127:2524–2532. [PubMed: 15725007]
14. Li R, Lee J, Kang D, Luo Z, Aindow M, Papadimitrakopoulos F. *Adv Func Mat* 2005;16:345–350.
15. Yu M, Fernando GW, Li R, Papadimitrakopoulos F, Shi N, Ramprasad R. *App Phys Lett* 2006;88:231910.
16. Myung N, Bae Y, Bard AJ. *Nano Letters* 2003;3(6):747–749.
17. Katari JEB, Colvin VL, Alivisatos AP. *J Phys Chem* 1994;98:4109–4117.
18. Ebina A, Asano K, Takahashi T. *Phys Rev B* 1980;22(4):1980–1991.
19. Brilson LJ. *Surf Sci* 1977;69:62.
20. Pilania G, Sadowski T, Ramprasad R. *J Phys Chem C* 2009;113:1863–1871.
21. Séby F, Potin-Gautier M, Giffaut E, Borge G, Donard OFX. *Chem Geol* 2001;171:173–194.
22. Puentes, VFI; Krishnan, KM.; Alivisatos, AP. *Science* 2001;291:2115–2117. [PubMed: 11251109]
23. Barnard AS, Xu H, Li X, Pradhan N, Peng X. *Nanotechnology* 2006;17:5707–5714.
24. Adachi, S. *Handbook on Physical Properties of Semiconductors*. Vol. 1–3. Springer-Verlag; 2004.

Figure 1.

(a) Scheme showing NC growth in the presence and absence of oxygen. In the presence of oxygen, CdSe grows along the 0001 axis due to sidewall CdSeO_x passivation. Case A and B indicate two possible scenarios based on equal or unequal reactivity of the (0001) and (0001̄) polar facets. In the absence of O₂, three-dimensional growth takes place due to incomplete oxide passivation. (b) HRTEM images of representative CdSe NCs after growth at 135 °C for various oxygen concentrations. The 5 nm scale bar applies to all of the images.

Figure 2. Length, width aspect ratio and volume dependence of initial CdSe seed and after four days of growth at 125°C under different oxygen concentrations.

Figure 3. Models of the polar (0001)Cd, (0001)Se, (000 $\bar{1}$)Cd, and (000 $\bar{1}$)Se and nonpolar (10 $\bar{1}$ 0), (01 $\bar{1}$ 0), and (11 $\bar{2}$ 0) facets in the **(a)** unrelaxed and **(b)** the relaxed states. **(c)** Corresponding relaxed configuration after stoichiometric binding with oxygen (red) (Cd and Se atoms are beige and orange, respectively). **(d)** Calculated surface energy of the facets before and after oxygen passivation.

Figure 4.

(a) Representative HRTEM image of a CdSe-seeded CdSe/Cd_xHg_{1-x}Se NC. The nanocrystal appears to “bend” at the junction between zinc blende and wurtzite. The zinc blende region appears to be growing along its 001 axis. (b) Simulated image of a “bent” NC. The bend occurs at the wurtzite-zinc blende junction, and the resulting NC grows along the 001 direction in zinc blende at 35.5° from the 0001 zone axis of the wurtzite section. (c) Dark field STEM Image of a CdSe-Cd_xHg_{1-x}Se rod. Arrow indicates the path of the EDX line-scan. (d) STEM EDX line-scan of the rod in (c) overlaid with simulated line-scan. The simulated scan is based on a 5 nm beam size and the rod composition shown in (c). (e) Image showing the simulation of the STEM scan. The portion in red indicates the starting CdSe QD and the green areas are Hg_xCd_{1-x}Se. The composition of the larger green section starts at Cd_{0.7}Hg_{0.3}Se and quickly grades to Cd_{0.8}Hg_{0.2}Se. Simulated image is a trace of the NC in Figure 4a. Estimated beam size was 5 nm.