ORAL PRESENTATION

Open Access

The foot and ankle characteristics in children with idiopathic toe walking gait

Cylie Williams^{1,2*}, Paul Tinley³, Michael Curtin⁴, Sharon Nielsen⁵

From Australasian Podiatry Council Conference 2013
Sydney, Australia. 2-5 June 2013

Background

Idiopathic toe walking (ITW) has been associated with ankle equinus, and while equinus has been linked with foot deformity in adults, there has been limited investigation on its impact on structural foot change in children. This study used the weight bearing lunge (WBL) test and Foot Posture Index-6 (FPI-6) to evaluate the foot and ankle measures of children with an ITW gait.

Methods

Sixty children between the ages of four and eight years were grouped into an ITW (N=30) and a non-toe walking (NTW) (N=30) cohort. The ankle range of movement and FPI-6 was calculated during appropriate weight-bearing test and stance.

Results

There was a highly significant difference in the WBL test measures between the ITW cohort and the NTW cohort. The FPI-6 comparison was not significant. The WBL test was also not predictive of an abnormal FPI-6 in the ITW cohort.

Conclusion

These results demonstrate that ITW gait style impacts only on the available dorsiflexion at the ankle. The WBL measure may be utilised within the clinical setting to guide and monitor treatment interventions.

Author details

¹Allied Health Research Unit, Southern Health, Cheltenham, VIC, 3192, Australia. ²Department of Physiotherapy, Monash University, Frankston, VIC, 3199, Australia. ³School of Podiatry, Charles Sturt University, Albury, NSW, 2460, Australia. ⁴School of Occupational Therapy, Charles Sturt University,

Albury, NSW, 2460, Australia. ⁵Quantitative Consulting Unit, Charles Sturt University, Wagga Wagga, NSW, 2678, Australia.

Published: 31 May 2013

doi:10.1186/1757-1146-6-S1-O39

Cite this article as: Williams et al.: The foot and ankle characteristics in children with idiopathic toe walking gait. *Journal of Foot and Ankle Research* 2013 **6**(Suppl 1):O39.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

* Correspondence: cylie.williams@southernhealth.org.au

¹Allied Health Research Unit, Southern Health, Cheltenham, VIC, 3192, Australia

Full list of author information is available at the end of the article